

2780

2780

** The following register of monthly
&c., is NOT required if daily or
values are given on the other side

RAINFALL IN 1931

At WilmingtonIn the County of Cheshire

Diameter of Funnel.....

Height of Top above Ground.....ft.....

Height of Ground above Sea Level.....

Month.	Total Depth. Inches.	Greatest Fall in 24 hours. Inches.	Date.	Num Days of 0.1 in. or more	of 0.4 in. or more
JAN.	2.82	.29	18	22	20
FEB.	3.00	.42	27	17	14
MAR.	.44	.15	26	4	2
APRIL	2.83	.63	25	21	13
MAY	3.11	.51	17	17	13
JUNE	5.20	1.45	15	16	13
JULY	3.16	.57	13	23	20
AUG.	7.41	1.72	5	17	17
SEPT.	3.88	1.36	14	14	11
OCT.	1.25	.45	29	14	9
NOV.	4.64	1.09	3	20	17
DEC.	1.74	.45	23	18	14
Total	39.28			203	163

Signature

C. W. Tomkinson

TARPONEY, WILKINGTON HALL
1931—38

and also the space for

ster should be sent:—

in Summer 8.15 p.m.
Direction from 4 m. gauge N.
Direction from 2 m. gauge N.

7804 14

Distances ..

Directions from
gauge ..

If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....
Indicate pattern of gauge in use by deleting those sketches of cross sections of
gauges which do not represent it. If the pattern is different from any of these please
make a sketch of it. (Good gauges to use are those marked A and B.)
If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please
give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers
to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

*See Instruction 2 (f) below.

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.
- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not '00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

- When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

- The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as .01 and those which are mere "traces." An entry .005 is not to be made in the register.
- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | } .14 | would show that the

reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in

- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.
- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02, or 0.3.
- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
- The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1931

At Willington Hall
In the County of Cheshire

Rain Gauge
Diameter of Funnel in.
Height of Top above Ground ft. in.
Height of Ground above Sea Level ft.

Month.	Total Depth. Inches.	Greatest Fall in 24 hours. Inches.	Date.	Number of Days with ·01 in. or more	·04 in. or more
JAN.	2.82	.29	18	22	20
FEB.	3.00	.42	27	17	14
MAR.	.44	.15	26	4	2
APRIL	2.83	.63	26	21	13
MAY	3.11	.51	17	17	13
JUNE	5.20	1.45	16	16	13
JULY	3.16	.57	13	23	20
AUG.	7.41	1.72	5	17	17
SEPT.	3.88	1.36	14	14	11
OCT.	1.25	.45	29	14	9
NOV.	4.64	1.09	3	20	17
DEC.	1.74	.45	23	18	14
Total	39.28			203	163

Signature C.W. Tomkinson

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter 8.15 in Summer 8.15
Nearest Railway Station Mouldsworth Direction from N.
Nearest Parish Church at Kelsall Distance 1 1/2 miles gauge N.

Nature of objects nearest to gauge
Heights of objects
Distances ..
Directions from gauge ..

If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)
If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not '00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

- When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

- The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as .01 and those which are mere "traces." An entry .005 is not to be made in the register.
- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | } .14 | would show that the

reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in

- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.
- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02, or .03.
- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
- The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

BMonthly
Summary.**C**

Particulars of Station.

2780

* * The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1932

At Willington Hall
In the County of Tarporley
Chester

Diameter of Funnel in.
Height of Top above Ground ft. in.
Height of Ground above Sea Level 220 ft.

Month.	Total Depth.	Greatest Fall in 24 hours.	Number of Days with	
	Inches	Inches	or in. "04 in.	or more
JAN.	2.53	.64	6	16
FEB.	1.10	.03	1	4
MAR.	1.40	.32	27	10
APRIL	2.75	.43	7	24
MAY	4.61	.74	1	24
JUNE	.55	.27	30	5
JULY	4.46	.86	11	17
AUG.	2.39	.21	1	10
SEPT.	2.45	.42	6	19
OCT.	5.38	.70	7	21
NOV.	2.55	.44	22	16
DEC.	1.06	.30	29	16
Total	30.23		182	135

Signature

C. W. Tomkinson

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Major C. W. Tomkinson
Willington Hall, Tarporley

Hour of observation by the clock—in Winter 9.0 in Summer 9.0

Nearest Railway Station Boston Castle Distance 5 m. Direction from S.E.

Nearest Parish Church at Kelsale Distance 1 1/2 m. Direction from N.

Nature of objects nearest to gauge

Heights of objects

Distances

Directions from gauge

If gauge has been moved during the year state—

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

M. O. 7
3 JAN 1933

*See Instruction 2 (f) below.

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st, it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.
- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
(A) When there is less than .05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as 0.1 and those which are mere "traces." An entry .005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | } 14 | would show that the

reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

(e) The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

(f) The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

* * The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1933.

At Willington Hall
In the County of Chester

Rain Gauge
Diameter of Funnel _____ in.
Height of Top above Ground _____ ft. _____ in.
Height of Ground above Sea Level _____ ft.

Month.	Total Depth.	Greatest Fall in 24 hours.	Number of Days with or in. or more	or in. or more
	Inches	Inches	Date.	
JAN.	1.62	.26	15	14 13
FEB.	3.13	.70	26	13 9
MAR.	2.09	.45	17	15 12
APRIL	.81	.19	30	8 6
MAY	1.14	.26	6	12 7
JUNE	1.92	.45	17	12 10
JULY	1.47	.36	9	10 9
AUG.	.50	.17	21	10 5
SEPT.	.56	.25	24	7 5
OCT.	3.73	.89	10	16 13
NOV.	1.39	.31	14	11 8
DEC.	.69	.27	11	9 3
Total	19.05		137	100

Signature

C. W. Tomkinson

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

C. W. Tomkinson
Willington Hall, Tarporley

Hour of observation by the clock—in Winter 9.0 am in Summer 9.0 am

Nearest Railway Station Mouldsworth Distance 4 miles Direction from gauge N.

Nearest Parish Church at Kelsall Distance 1 1/2 miles Direction from gauge N.

Nature of objects nearest to gauge

Heights of objects

Distances ..

Directions from gauge ..

If gauge has been moved during the year state—

Date of move _____ Distance _____ Direction _____
Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)
If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

- When there is less than .05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

- The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as 0.1 and those which are mere "traces." An entry .005 is not to be made in the register.
- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | } .14 | would show that the

reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.
- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.
- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
- The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

BMonthly
Summary.**C**

Particulars of Station.

2780

* * The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1934

At Willington Hall, Tapscott
In the County of Cheshire

Rain Gauge { Diameter of Funnel.....in.
Height of Top above Ground.....ft.....in.
Height of Ground above Sea Level.....ft.

Month.	Total Depth. Inches	Greatest Fall in 24 hours. Inches	Date	Number of Days with '.01 in. or more	Number of Days with '04 in. or more
JAN.	1.71	.30	3	14	12
FEB.	.27	.17	24	5	2
MAR.	2.00	.29	10	22	17
APRIL	1.96	.41	23	14	13
MAY	1.29	.39	6	12	9
JUNE	1.18	.21	18	10	9
JULY	1.55	.47	17	11	8
AUG.	3.64	.65	5	18	17
SEPT.	1.47	.22	17	14	12
OCT.	3.92	.51	31	27	21
NOV.	2.73	.13	1	13	10
DEC.	4.57	.66	4	24	20
Total	26.23			184	150

Signature

C. W. Tomkinson

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Major C. W. Tomkinson
Willington Hall, Tapscott
Date of observation by the clock—in Winter 9.0 a.m., in Summer 9.0 a.m.
Nearest Railway Station MOULDSWORTH Distance 1 1/2 m. gauge N.
Nearest Parish Church at KELSALL Distance 1 1/2 m. gauge N.

Nature of objects nearest to gauge

Height of objects

Distances ..

Directions from gauge ..

If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

*See Instruction 2 (f) below.

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.
- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
 - When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
 - The observer knows definitely from his own observation that some rain (or other form of precipitation such as

snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as .01 and those which are mere "traces." An entry .005 is not to be made in the register.
 - If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 } .14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.
 - The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.
 - The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.
 - If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
 - The heaviest daily fall for each month should be underlined.
3. The columns are so spaced that the entries can be made by a typewriter.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester 1; 1, St. Andrew's Crescent, Cardiff; 80, Chichester Street, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

* * The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1935

At Willington HallIn the County of Cheshire

Rain Gauge { Diameter of Funnel.....in.
Height of Top above Ground.....ft.....in.
Height of Ground above Sea Level.....ft.

Month	Total Depth Inches	Greatest Fall in 24 hours Inches	Date	Number of Days with ".01 in. or more or more	Number of Days with ".04 in. or more
JAN.	1.71	.36	25	10	8
FEB.	2.46	.54	21	16	16
MAR.	.80	.25	23	8	6
APRIL	2.14	.55	20	17	15
MAY	1.14	.30	13	8	6
JUNE	4.24	.60	5	20	16
JULY	1.14	.38	18	8	6
AUG.	2.00	.63	17	8	8
SEPT.	5.28	.85	24	22	18
OCT.	4.30	.81	23	23	16
NOV.	4.84	.97	17	23	20
DEC.	4.02	.89	15	18	16
TOTAL	34.45			181	151

Signature C. W. Tomkinson

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

C. W. Tomkinson
Willington Hall, Tarporley, CheshireHour of observation by the clock—in Winter 9.0 am. in Summer 9.0 am.Nearest Railway Station Mouldsworth Distance 4 miles Direction from gauge NorthNearest Parish Church at Kelsale Distance 1 1/2 m. Direction from gauge North

Nature of objects nearest to gauge

Height of objects

Distances ...

Directions from gauge ...

If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- It is known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

*See Instruction 2 (f) below.

[D] INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

- When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

- The observer knows definitely from his own observation that some rain (or other form of precipitation such as

snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as .01 and those which are mere "traces." An entry .005 is not to be made in the register.

- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 } .14 would show that the

reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.

- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

- The heaviest daily fall for each month should be underlined.

- The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast, or through any Bookseller. Price 1d. Net.

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone.

Wt. 3430/1699 15,000 2/35 W. H. & S. 668/91.

* * The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1936

At Willington Hall
In the County of Cheshire

Rain Gauge
Diameter of Funnel.....in.
Height of Top above Ground.....ft.....in.
Height of Ground above Sea Level.....ft.

Month	Total Depth Inches	Greatest Fall in 24 hours Inches	Number of Days with 0.1 in. 0.4 in. or more or more		
	Inches	Inches	Date	*	*
JAN.	4.79	1.36	21	20	17
FEB.	2.29	.59	22	13	11
MAR.	1.25	.26	26	13	7
APRIL	1.89	.45	1	12	10
MAY	.71	.29	30	8	4
JUNE	4.18	1.16	21	18	14
JULY	3.15	1.50	18	20	14
AUG.	1.95	.46	5	13	7
SEPT.	4.44	.58	3	18	15
OCT.	1.77	.46	30	15	8
NOV.	2.77	.47	4	17	12
DEC.	3.38	.79	13	17	15
TOTAL	32.57			184	134

Signature C. W. Tomkinson

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Major C. W. Tomkinson
Willington Hall, Tarporley

Hour of observation by the clock—in Winter 9.0 a.m. in Summer 9.0 a.m.

Nearest Railway Station Beecham Cole Distance 5 m. Direction from South

Nearest Parish Church at Kelsall Distance 1 1/2 m. Direction from North


Nature of objects nearest to gauge				
Height of objects				
Distances				
Directions from gauge				

If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.




If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

**D**

INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

(a) Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail,

sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) On some measures there is graduation marked .005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this .005 mark or between this .005 and the .01 mark are to be entered as .01 even though they may be nearer to the .005 mark than the .01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction. An entry .005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | } .14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

(e) The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

(f) The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller

Price 1d. Net

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone

Wt. 1046/3030. 26,000. 4/36. W. H. & S. 668/91.

S.O. Code No. 40-9999

BMonthly
Summary.**C**

Particulars of Station.

2780

* The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

Every observer is requested to fill in this section and also the space for notes as far as possible—

Name and Address to which any inquiry relating to this register should be sent:—

RAINFALL IN 1937.

At *Willington Hall, Tarporley*
In the County of *Cheshire*

Hour of observation by the clock—in Winter *9.0* in Summer *9.0*

Nearest Railway Station *Middleworth* Distance *4 miles* Direction from gauge *N.*

Rain Gauge
Diameter of Funnel.....in.
Height of Top above Ground.....ft.....in.
Height of Ground above Sea Level.....ft.

Nearest Parish Church at *Kelwall* Distance *1 1/2 miles* Direction from gauge *N.*

Nature of objects nearest to gauge

Height of objects

Distances ...

Directions from gauge ...

If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



A

B

C

D

E

If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

Month	Total Depth Inches	Greatest Fall In 24 hours Inches	Date	Number of Days with 0.1 in. or more	Number of Days with 0.4 in. or more
JAN.	2.92	.83	18	17	12
FEB.	4.82	.60	12	24	21
MAR.	1.83	.32	11	16	14
APRIL	3.33	.85	16	15	12
MAY	2.25	.56	20	11	8
JUNE	1.68	.69	12	10	7
JULY	1.83	.57	15	11	8
AUG.	2.23	.84	12	11	8
SEPT.	1.52	.42	12	13	6
OCT.	2.08	.62	24	10	10
NOV.	2.12	.60	18	10	8
DEC.	3.70	1.05	5	17	13
TOTAL	31.31			165	127

Signature

C. Wilkinson

* See Instruction 3 (f) below.

D

INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

(a) Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail,

sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) On some measures there is graduation marked .005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this .005 mark or between this .005 and the .01 mark are to be entered as .01 even though they may be nearer to the .005 mark than the .01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction. An entry .005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | } .14 | would show that the reading on the

morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

(e) The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

(f) The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller

Price 1d. Net

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone

Wt. 1046/3030. 26,000. 4/36. W. H. & S. 668/91.

S.O. Code No. 40-9999

* * The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1938.

At Willington Hall
In the County of Cheshire

Rain Gauge
Diameter of Funnel.....in.
Height of Top above Ground.....ft.....in.
Height of Ground above Sea Level.....ft.

Month	Total Depth	Greatest Fall in 24 hours	Number of Days with		
	Inches	Inches	0.1 in.	0.4 in.	or more
JAN.	3.79	1.62	29	25	19
FEB.	1.57	0.25	16	8	4
MAR.	0.70	0.14	24	7	3
APRIL	0.18	0.17	2	2	1
MAY	2.55	0.65	16	15	10
JUNE	2.15	0.69	1	18	10
JULY	2.87	0.57	10	18	14
AUG.	4.23	1.06	5	14	12
SEPT.	1.03	0.26	30	15	8
OCT.	3.77	0.60	26	20	15
NOV.	3.49	0.89	25	19	17
DEC.	3.56	0.40	9	18	18
TOTAL	28.89		179	131	

Signature

C. W. Tomkinson

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Major C. W. Tomkinson
Willington Hall, Tarporley

Hour of observation by the clock—in Winter.....9.0 am.....in Summer.....9.0 am.....

Nearest Railway Station.....Widdsworth.....Direction from.....N.
Distance.....4 miles.....gauge.....N.

Nearest Parish Church at.....Kelcey.....Direction from.....N.
Distance.....1 1/2 miles.....gauge.....N.


Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

D

 INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

(a) Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail,

sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) On some measures there is graduation marked .005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this .005 mark or between this .005 and the .01 mark are to be entered as .01 even though they may be nearer to the .005 mark than the .01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction. An entry .005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 } .14 would show that the reading on the 18 }

morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

(e) The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

(f) The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.

Price 1d. net

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone

Wt. 3079/2165 25,500 12/37 W. H. & S. 668/91

S.O. Code No. 40-9999

Kept at *Mould*
in the County of *Co*

Diameter of Funnel of Gauge.....
Height of top of Gauge above Grou.....
,, Ground ,, Sea I

THE MORNING MEAS

An observer who does not conform to
year in the space on the right of th
Please read

2781

MOUNDSWORTH P.S.
1931 — 40

2781
ORGANIZATION.

*This rule is
served although
space is
filled in*

780414

llowing

Jan. 1, following.
05

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	.15			.02					.09	.07			I
2		.08		.58	.11	.51			.36	.03	.10	.05	2
3						.05	.10		.64	.07	.78	.70	3
4	trace			.22			.01	.30	1.30		.01	.01	4
5		.01		.04	.10	1.28	.46	1.35	.05			.10	5
6		.15				.24	.23	.04	.20	.31	.16		6
7		.01				.26		.29	—	.03	.08	.04	7
8	.03	.02	trace	.26		.10	.08	.76	—		.10	.02	8
9	.07	.30		.14		.08		.15	.02	.03	.12	.01	9
10	.02	.03			.06	.15		.15	.01		.38	.03	10
11	.12	.21		.02			.04		.36		.03	.04	11
12	.11	.22					.43	.10	.12	.07	.12		12
13	—	.22	.04		.08	.02	.07	.47					13
14	.01	.42				1.05	.05	.83	.10		.49		14
15	.09	.41		.14		.13	.37	.46	.01		.01	.19	15
16	.13	.66		.23	.24	.14	.06	.18	.22				16
17	.10	.01		.08	.52	.54	.03	.11	.01		.19		17
18	.28						.27	.12			.51		18
19	.11	.20					.23	.48		.02			19
20	.03	.10	.19				.02	.06			.06	.02	20
21	.25		.01	.10	.35	.10		.03			.19		21
22	.04			.03	.08	.03	.03						22
23	.12			.03	.17	.26	.23				.08	.43	23
24		.01		.04	.25		.08				.06	.09	24
25	.07	.18		.69							.01	.06	25
26	.13	.07		.05			.13		.01		.58		26
27	.14	.23		.07	.49		.06			.10	.43	.09	27
28	.28	trace	.02	.03	.23					.13		.35	28
29	.07	~~trace~~	.02		.01		.13			.44	.05		29
30		X							.05				30
31	.11	X		X	.04	X	.07		X	.01	X	.13	31
TOTAL	2.46	2.52	.28	2.80	2.70	4.94	3.18	6.29	3.55	1.31	4.53	1.76	36.12
Days with "or in. or more.	22	19	5	18	14	16	22	17	16	12	22	17	200
Days with "or in. or more.	18	13	2	13	13	14	18	16	11	7	18	12	155

Kept at Mouldsworth
in the County of Cheshire

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
,, Ground ,, Sea Level 145.5 ft. sample

NB This rule is
observed although
this space is
filled in

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

05

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	.15			.02					.09	.07			I
2		.08		.58	.11	.51			.36	.03	.10	.05	2
3						.05	.10		.64	.07	.78	.10	3
4	trace			.22			.01	.30	1.30		.01	.01	4
5		.01		.04	.10	1.28	.46	1.35	.05			.10	5
6		.15				.24	.23	.04	.20	.31	.16		6
7		.01				.26		.70	—	.03	.08	.04	7
8	.03	.02	trace	.26		.10	.08	.76	—		.10	.02	8
9	.07	.30		.14		.08		.15	.02	.03	.12	.01	9
10	.02	.03			.06	.15		.15	.01		.38	.03	10
11	.12	.21		.02			.04		.36		.03	.04	11
12	.11	.22					.43	.10	.12	.07	.12		12
13	—	.72	.04		.08	.02	.07	.47					13
14	.01	.42				1.05	.05	.83	.10		.49		14
15	.09	.41		.17		.13	.37	.46	.01		.01	.19	15
16	.13	.66		.23	.24	.14	.06	.18	.22				16
17	.10	.01		.08	.52	.54	.03	.11	.01		.19		17
18	.28						.27	.12			.51		18
19	.11	.20					.23	.48		.02			19
20	.03	.10	.19				.02	.06			.06	.02	20
21	.25		.01	.10	.35	.10		.03			.19		21
22	.04			.03	.08	.03	.03						22
23	.12			.03	.17	.26	.23				.08	.43	23
24		.01		.04	.25		.08				.06	.09	24
25	.07	.18		.69							.01	.06	25
26	.13	.07		.05			.13		.01		.58		26
27	.14	.23		.07	.49		.06			.10	.43	.09	27
28	.28	trace	.02	.03	.23					.13		.35	28
29	.07	~~trace~~	.02		.01		.13			.44	.05		29
30		X							.05				30
31	.11	X		X	.04	X	.07		X	.01	X	.13	31
TOTAL	2.46	2.52	.28	2.80	2.70	4.94	3.18	6.29	3.55	1.31	4.53	1.76	36.2
Days with "or in. or more.	22	19	5	18	14	16	22	17	16	12	22	17	200
Days with ".04 in. or more.	18	13	2	13	13	14	18	16	11	7	18	12	155

Section

A

for the entry of Daily Observations.

Station No.

2781

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Mouldsworth
in the County of Cheshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 5 in.
Ground Sea Level 145 ft.



THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.05	.03	—	.09	.79	—	.13	.97	.04	.12	.05	.01	1
2	.45	—	—	—	.32	—	.01	.03	.16	.39	.03	.27	2
3	—	.03	—	.21	.04	—	.15	.05	.02	.01	.03	.10	3
4	—	—	—	.05	—	—	.14	—	—	—	.38	.08	4
5	.17	—	.06	.03	.06	—	—	.04	.23	—	—	—	5
6	.79	—	(SLEET) .27	.20	.05	—	—	—	.17	—	—	—	6
7	.02	—	.16	.31	—	—	—	—	.40	.69	—	—	7
8	.05	—	—	.06	—	—	—	—	.12	.38	—	—	8
9	.32	—	—	—	.02	—	—	—	.06	—	.08	—	9
10	—	—	—	.15	.04	—	—	—	.39	.38	.04	—	10
11	.03	—	.29	.03	.37	.10	.44	—	.02	—	—	—	11
12	.01	—	.17	—	.16	—	.39	—	.10	.23	—	—	12
13	—	—	—	.09	.08	—	.23	.06	.10	.09	—	.20	13
14	.15	—	—	.04	—	—	.01	.20	—	.17	.10	.03	14
15	—	—	—	.03	.50	—	—	—	—	.20	—	—	15
16	.18	—	—	—	.03	—	.04	—	—	—	—	—	16
17	—	—	—	—	—	—	.11	—	.03	.17	—	—	17
18	—	—	—	—	.06	—	—	—	—	.07	.05	—	18
19	—	—	—	.07	.04	—	.02	—	—	.27	—	—	19
20	—	—	—	.15	.42	—	.26	.61	—	.25	.01	—	20
21	—	—	.129	.24	.39	—	—	.13	—	.48	.07	.03	21
22	—	—	.12	.05	.38	—	.40	—	—	.06	.42	—	22
23	—	—	—	—	.18	—	.13	—	.16	.12	.26	.06	23
24	.07	—	—	—	.11	—	.35	—	—	—	.52	—	24
25	—	.01	—	.08	.02	.11	.04	—	.14	.38	.10	—	25
26	—	—	.01	.08	.24	.02	.08	—	.90	.07	.05	—	26
27	—	—	.33	.12	.20	.13	.09	—	.18	.05	.12	—	27
28	—	—	.04	.06	.23	—	.30	—	—	—	—	—	28
29	.02	—	.43	.42	.07	.09	.07	.03	—	.64	.15	.36	29
30	—	X	.05	.14	—	.23	.03	.14	.11	.75	.37	.05	30
31	.03	X	.03	X	—	X	.99	.04	X	.03	X	—	31
TOTAL	2.34	.07	1.73	2.50	4.80	.68	4.41	2.30	3.33	6.00	2.80	1.19	YEAR'S TOTAL 32.35
*Days with ".01 in. or more.	14	3	11	22	24	6	22	11	18	23	18	10	182
*Days with ".04 in. or more.	9	—	9	19	21	5	18	9	15	21	15	7	148

Section

A

for the entry of Daily Observations.

Station No.

2781

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at MOULDSWORTHin the County of CHESHIREDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 12 ft. 12 in.,, Ground ,, Sea Level 145.5 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				.01					.01		.06		1
2	.20	.20	.20		.03			.01					2
3		.49	.07		.07								3
4	.24		.08		.12						.01		4
5	.20	.03	.03		.01						.06		5
6		.20	.03		.21						.06		6
7	.03	.48					.02			.44			7
8		.43	.31	.05	.02		.10					.01	8
9		.03		.01	.01		.43	.01		.27	.12		9
10	.09	.11				.07	.04			.94	.02		10
11	.05			.04			.09			.04	.01	<u>Snow</u> <u>.31</u>	11
12					.04	.05	.34			.09			12
13					.18		.14	.01	.01	.16	.32		13
14							.11	.21		.06	.21		14
15	.24							.05		.61	.17		15
16			.12		.05	.21		.02		.38			16
17						.39			.10		.02	.03	17
18			.50								.02		18
19			.46			.20			.10		.24	.01	19
20		.13			.23	.23		.09	.06		.01	.61	20
21						.48		.24					21
22				.04				.13		.04			22
23				.09		.17				.08			23
24		.54		.10	.11	.13			.15				24
25				.07	.04				.16				25
26		.94		.02					Trace	.27			26
27		.04							.04	.02		.11	27
28		.02					.06						28
29		X	.08	.18			.30	.09		.02		.04	29
30		X	.05	.23	.15					.20		.13	30
31	.04	X	.15	X		X		.01	X	.24	X	.03	31
TOTAL	1.09	3.21	2.08	.84	1.24	1.93	1.63	.87	.63	3.89	1.33	.68	YEAR'S TOTAL 19.45
*Days with ".01 in. or more.	8	12	12	11	14	9	10	11	8	16	14	9	134
*Days with ".04 in. or more.	7	9	10	8	10	9	9	6	6	14	8	4	100

40-9999

*See Instruction 2 (f) on other side.

(Signed)

P.T.O.

Kept at MOULDWORTH PUMPING STATION
in the County of CHESTER
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
Ground Sea Level 145.5 ft.

Est. days
val

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.
Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	.09	—	—	—	—	—	—	.15	.15	.10	SNOW + RAIN 1.43 1.43	.53	I
2	—	—	.07	—	—	—	—	.58	.04	—	.13	.23	2
3	.32	—	—	—	.01	—	—	.16	—	.11	.01	.01	3
4	.16	—	.08	—	.08	—	—	.55	—	.34	—	.78	4
5	—	—	.04	—	.06	—	—	X	—	.01	.04	.12	5
6	—	—	.11	—	.39	.02	—	.01	—	.28	—	.25	6
7	.20	.03	.03	—	.01	.04	—	—	—	X	.04	.14	7
8	—	—	.02	—	.10	.24	—	—	—	.04	.46	.04	8
9	.01	—	.14	—	—	—	—	.06	—	.04	.55	—	9
10	—	X	.22	.35	—	—	—	.16	—	.12	.09	—	10
11	.04	.06	.02	.34	—	—	—	.11	—	.03	X	.06	11
12	.01	—	.02	—	—	—	.11	.21	—	X	—	.03	12
13	.21	—	X	.05	.01	—	.20	—	—	.05	—	—	13
14	.11	—	.22	.02	—	TRACE	—	—	—	.36	X	X	14
15	.11	—	.26	—	.42	—	—	.11	—	.21	X	.23	15
16	.30	—	.11	—	.06	—	—	.01	—	.09	.01	X	16
17	.10	—	.26	.06	.08	—	.44	—	.35	X	—	.10	17
18	.10	—	.02	.17	X	.23	—	.10	—	.21	—	.10	18
19	—	—	.11	.02	X	.24	—	—	.15	.09	—	.20	19
20	—	—	.04	.08	.06	—	—	—	.05	X	—	—	20
21	—	—	.03	—	TRACE	.18	—	.01	.23	X	—	—	21
22	—	—	.11	.02	.02	TRACE	—	.13	.18	.06	—	.09	22
23	—	—	.08	.63	.02	.16	.32	.12	—	.09	.02	X	23
24	—	.22	.02	.10	—	.01	—	—	.14	.02	—	—	24
25	—	.01	—	.11	.01	—	.01	—	—	.12	—	.36	25
26	.01	—	.05	.16	—	.05	.20	—	.09	.02	—	X	26
27	—	—	—	.16	—	.18	.15	—	—	.02	—	.29	27
28	—	—	—	.06	—	.16	—	.14	.12	.07	—	.50	28
29	—	X	—	—	—	—	.10	.01	X	.15	—	—	29
30	.11	X	—	—	—	—	.01	.17	X	.40	—	.01	30
31	—	X	—	X	—	X	—	.18	X	.31	X	.25	31
TOTAL	1.88	.32	2.06	2.33	1.55	1.51	1.54	2.97	1.69	3.61	2.89	4.32	YEAR'S TOTAL 26.67
Days with or more.	15	45	23	15	16	11	9	20	X/12	X/29	X/12	24	190
Days with or more.	12	2	15	12	10	9	7	15	X/12	X/23	8	X/19	138

Section **A** for the entry of Daily Observations.

Station No.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at MOULDSWORTHin the County of CHESHIREDiameter of Funnel of Gauge.....5.....in.Height of top of Gauge above Ground.....1.....ft.....—.....in.,, Ground ,, Sea Level 145.5.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.29	.07	—	—	—	.01	.11	—	.56	.23	.04	.30		1
2	—	.06	.06	—	—	.33	.07	—	.11	.10	.02	.69 ^x		2
3	.09	.24	.10	.15	—	—	—	—	—	—	.14	—		3
4	—	.01	.03	.08	—	.18	Trace	—	—	.46	.13	.02		4
5	—	.25	.16	.15	—	.06	—	—	.05	.05	.30	—		5
6	—	Trace	—	.10	—	.07	—	—	—	—	.01	.05 ^x		6
7	—	—	—	—	—	.09	—	—	—	.02	—	—		7
8	—	—	—	.12	—	—	—	—	—	.15	.29 ^x	.30 ^x		8
9	.07	.02	—	.18	—	.04	—	—	.01	.71	.04	—		9
10	—	.07	—	.02	—	—	Trace	—	—	—	.04	—		10
11	.29	.02	—	—	—	.11	—	.03	—	.08	.05	—		11
12	.09	—	—	—	—	.50	—	—	—	—	.01	—		12
13	.22	Trace	—	.04	.30	.09	—	—	.16	—	—	—		13
14	.03	—	—	Trace	—	.06	—	—	.01	—	.75	—		14
15	.01	.20	—	.42	.06	.03	.02	—	.14	.04	—	.88		15
16	—	.22	.08	.04	—	.29	.02	.01	.34	.02	1.00 ^x	.07		16
17	—	—	—	.38 ^x	.25	.27	.29	.14	.08	.02	.39	.01		17
18	—	—	—	—	.32	.07	.16	—	.13	.22	—	.01		18
19	—	—	—	.12	.14	.42	.23	—	—	.22	.17	—		19
20	—	.14	—	.50	—	.05	.10	—	—	—	.15	.01		20
21	—	.41	—	—	—	—	—	—	.16	.01	—	.04		21
22	.03	.21	—	—	—	—	—	—	.29	.15	—	.25		22
23	—	—	.34	—	—	—	—	.05	.23	.70 ^x	—	—		23
24	.18	.33	.05	—	—	—	—	Trace	.92	.07	.03	.17		24
25	.28	.12	.02	—	—	.05	—	—	.02	.01	.05	.05		25
26	—	.05	—	—	—	—	—	.57	.67	—	.10	.21		26
27	—	.01	—	—	.15	—	.03	.02	.01	.08 ^x	.36	—		27
28	.02	.04	—	—	.13	.01	—	.12	.75	—	.02	—		28
29	—	X	.05	—	—	—	—	.14	.29	.34 ^x	—	.05		29
30	.02	X	—	.02	—	.27	—	.11	.15	—	.46	.07		30
31	.01	X	—	X	—	X	—	—	X	.41 ^x	X	.46		31
TOTAL	1.63	2.47	.89	2.38	1.38	3.00	1.03	1.19	5.08	3.70	4.55	3.64	30.94	Year's Total
* Days with .01 in. or more.	14	.18	9	15	7	23	9	9	21	23	24	21	193	
* Days with .04 in. or more.	8	.14	7	12 ¹³	7	19	6	6	16	17	16	16	187	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

H. Robinson

[P.T.O.]

Section



for the entry of Daily Observations

Station No.

2781

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Mouldsworth.....

in the County of Dorset.....

Diameter of Funnel of Gauge.....5".....in.

Height of top of Gauge above Ground.....1.....ft.....in.

,, Ground ,, Sea Level 145.5.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01	.16	.03	.42	—	.05	—	.33	.03	—	.20	.72		1
2	.03	.02	—	.11	—	.59	—	.03	.02	—	.08	.12		2
3	—	—	—	—	—	.57	—	.02	.44	—	—	.05		3
4	—	.03	.19	—	—	—	—	.06	.41	—	.28	.14		4
5	.09	.02	.06	—	—	—	.01	.33	.13	—	.02	.55		5
6	—	—	—	—	.07	.04	.07	.28	.19	—	.04	—		6
7	.01	—	.06	—	—	—	.15	—	.37	—	.07	.09		7
8	.08	—	.15	—	—	.13	—	—	.13	—	.23	.05		8
9	.31	—	.05	—	—	—	.15	.01	.42	—	.05	.01		9
10	.13	—	—	—	—	—	.08	.02	—	—	.02	—		10
11	—	—	—	—	—	.07	.25	.02	.05	—	.30	.05		11
12	—	—	—	—	.04	.08	.35	—	.28	.03	.10	—		12
13	—	—	—	.05	—	.02	.23	—	.03	.14	.02	.82		13
14	—	—	—	.11	—	.31	.01	—	.28	.01	.22	.40		14
15	snow .07	—	—	.47	.12	.14	.01	—	.18	—	.31	.05		15
16	snow .07	.07	—	.23	.13	—	.05	—	—	—	.45	Trace		16
17	.03	.39	—	—	.02	—	.30	.07	—	.02	.03	—		17
18	—	.10	—	.04	—	.02	.68	.21	—	.20	—	—		18
19	snow .75	.09	.01	.20	—	.57	.01	.23	—	.23	—	—		19
20	snow .40	—	.06	—	—	.06	—	—	—	.02	—	—		20
21	snow 1.47	—	.02	.10	—	1.10	—	—	—	—	—	.08		21
22	snow .04	.52	.03	—	—	.15	.28	—	—	—	—	.08		22
23	—	.09	.10	—	.01	.01	.27	—	—	.05	—	—		23
24	.18	—	—	—	—	—	—	—	.22	.02	—	—		24
25	.17	—	.01	.05	—	—	—	—	.64	.03	—	—		25
26	.05	.11	.24	.01	—	—	.11	—	.17	.15	—	—		26
27	.93	—	.01	—	—	—	.02	—	.27	.26	—	—		27
28	.31	.32	.12	.02	—	—	—	—	—	.05	—	.05		28
29	.05	.18	.07	—	.03	.53	.11	—	—	.03	.10	.13		29
30	.06	✕	—	—	.44	.04	.31	—	—	.34	.04	.01		30
31	.11	✕	.02	✕	.03	✕	.01	—	✕	—	✕	.10		31
TOTAL	5.35	2.10	1.23	1.81	.89	4.48	3.46	1.61	4.26	1.58	2.56	3.50	Year's Total 32.83	✓
* Days with .01 in. or more.	22	13	17	12	9	18	21	12	18	15	18	18	193	✓
* Days with .04 in. or more.	18	10	10	10	5	15	15	7	15	8	14	16	143	✓

† Spare column, no entries required.

(Signed)

* See Instruction 3 (f) on other side.

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No.

2781

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at ...*Mouldsworth*...in the County of ...*B. Leister*...Diameter of Funnel of Gauge...*5*...in.Height of top of Gauge above Ground...*1*...ft...*5*...in.,, Ground ,, Sea Level...*145*...ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.02	.20	.04	—	—	.04	.01	—	.11	.07	.01	.03		1
2	—	.05	.12	.31	—	—	.03	—	—	—	—	.35		2
3	—	.06	—	.01	.04	.29	.03	—	—	—	—	Trace		3
4	.24	.04	.01	—	.09	—	—	—	—	—	—	—		4
5	.51	—	.13	.13	—	—	.01	.02	.01	—	—	—		5
6	—	.52	—	.03	.09	—	—	—	—	—	—	—		6
7	—	—	—	.07	—	.07	.01	.03	—	—	Trace	Trace		7
8	—	.28	—	.07	.19	.03	.12	—	Trace	—	.11	—		8
9	—	.01	—	.05	—	—	.35	.15	Trace	—	—	—		9
10	—	.34	—	—	—	—	Trace	.01	—	—	—	.15		10
11	—	—	.29	—	.48	—	Trace	—	—	—	—	.13		11
12	—	.52	.02	—	—	.60	.01	.53	.41	—	—	—		12
13	—	.03	.24	—	—	—	—	.46	Trace	.01	—	—		13
14	—	—	—	—	—	—	.52	.75	.04	—	—	.25		14
15	.21	.15	.02	.37	—	—	—	—	.11	—	.12	.16		15
16	—	.15	.22	.65	—	—	—	.08	.02	—	—	—		16
17	.05	.03	.10	.44	—	.02	—	.01	.45	—	—	—		17
18	.51	.15	.02	—	—	—	—	.02	Trace	—	.37	—		18
19	.02	.19	.16	.37	.04	.13	.20	Trace	Trace	—	.10	—		19
20	.06	—	—	.21	.59	—	—	—	—	—	—	.04		20
21	.02	.45	.08	.19	.04	—	.22	—	—	.07	—	.01		21
22	.13	.04	.02	—	.44	—	.06	—	—	.13	.12	.07		22
23	.02	.01	—	—	—	—	.10	—	—	.51	.21	Trace		23
24	.13	.30	.24	—	—	—	.02	—	.20	.57	Trace	—		24
25	—	.33	—	—	—	—	—	.06	—	.13	—	—		25
26	—	.32	.10	—	.33	—	—	.01	.01	Trace	—	.03		26
27	—	—	—	.28	—	—	Trace	—	—	.50	—	—		27
28	—	.87	.02	—	—	—	—	—	—	.13	—	Trace		28
29	.19	—	—	—	—	—	—	—	—	.59	.22	Trace		29
30	.25	—	—	—	—	.26	—	—	.10	—	.38	—		30
31	—	—	—	—	—	—	Trace	—	—	.18	—	—		31
TOTAL	2.36	5.04	1.83	3.18	2.33	1.44	1.69	2.12	1.46	2.89	1.64	3.03	29.01	✓
* Days with .01 in. or more.	14	22	17	14	10	8	14	12	10	11	9	11	152	✓
* Days with .04 in. or more.	40	18	11	12	10	6	7	6	7	10	8	8	113	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

P.T.O.

Section



for the entry of Daily Observations

Station No.

2781

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at *Mouldsworth near Letchworth*in the County of *Hertfordshire*Diameter of Funnel of Gauge.....*5* in.Height of top of Gauge above Ground.....*1* ft. *0* in.,, Ground ,, Sea Level*145* ft. (e.p.)

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1						.52	.06		.05	.07	.09	.13		1
2	.01			.10	.05	.20	.09			.21		.32		2
3						.05	.04		.13	.39	.05			3
4	.02	.02					.11			.02		.26		4
5	.09	.01				.02		.95	.10	.11		.06		5
6	.09					.01	.31			.09		.01		6
7	.42						.21	.35	.04					7
8	.41	.01					.32	.65		.31		.37		8
9	.05	.12	.06			.13	.28	.52				.22		9
10	.13	.04	.02			.04	.49	.01				.14		10
11	.22	.01				.06	.05		.01	.13	.07	.08		11
12	.02				.09		.01	.09		.22	.53			12
13	.04									.03	.06	.06		13
14	.26				.03		.13		.04		.03			14
15					.01		.17	.21		.11	.01	.12		15
16	.16				.28		.10	.01			.03	.05		16
17					.06		.02	.01	.02	.26		.01		17
18	.01				.07	.02		.16	.03	.10	.16			18
19								.11						19
20	.08		.02					.01	.06		.18			20
21			.02								.15	.01		21
22				.01		.16					.28	.01		22
23					.15	.09			.10		.12			23
24	.01		.24		.09	.01		.72	.50	.02	.06			24
25	.04	.01	.15				.05	.01		.63	.80	.06		25
26	.15	.21			.04	.06			.04	.32	.06	.08		26
27	.24	.04	.21		.59	.20	.11	.22	.01		.28			27
28	.19					.29	.19	.07	.03	.01		.15		28
29					.63	.01	.01			.13	.05	.19		29
30	.72	X							.22	.01	.09	.28		30
31	.04	X	X	X	.22	X			X	.15	X	.45		31
TOTAL	3.40	.47	.72	.11	2.31	1.87	2.75	4.10	1.38	3.32	3.10	3.06	26.59	✓
* Days with .01 in. or more.	22	9	7	2	13	16	19	16	15	20	19	21	179	✓
* Days with .04 in. or more.	17	4	4	1	11	11	16	11	10	15	16	17	133	✓
Year's Total														

† Spare column, no entries required.

(Signed)

[P.T.O.]

* See Instruction 3 (f) on other side.

Section



for the entry of Daily Observations

Station No. 2781

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Mousdown Pumping Station

in the County of Cheshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 2 in.

Ground Sea Level 165 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.33	—	.04	.33	—	—	.02	.10	—	.02	—	.04		1
2	.13	—	—	.18	—	—	.06	.51	.26	—	—	.09		2
3	.31	—	.03	.16	—	—	—	.01	—	—	.05	.26		3
4	.42	—	.16	.06	.01	—	.36	—	—	.06	.01	.18		4
5	—	—	—	.02	.22	—	.17	.07	—	.06	.14	.01		5
6	.74	—	—	—	—	—	.28	.01	—	—	.08	—		6
7	.01	—	—	—	.21	—	.10	—	—	—	.12	.42		7
8	.07	.11	.48	—	.01	—	.68	.26	—	.12	.27	.12		8
9	.04	.11	—	—	—	—	.01	.22	—	.04	—	.05		9
10	.51	—	.03	—	—	—	—	.03	.26	—	.01	.12		10
11	.39	.03	.22	—	—	.21	—	—	.02	—	—	—		11
12	.24	.08	—	—	—	.12	—	—	.01	—	—	—		12
13	—	—	.02	.19	.09	.20	.19	—	.22	.04	.01	—		13
14	.23	—	.01	.01	.37	.40	.20	—	—	.07	.12	—		14
15	.15	—	—	.06	.06	.63	.29	—	—	—	.21	—		15
16	.03	.06	.08	—	.33	—	.01	—	—	.05	.18	—		16
17	.44	.06	—	—	.04	.03	.06	—	—	.22	.05	—		17
18	.11	.09	.04	—	—	.29	.10	—	—	.02	.77	—		18
19	.19	.02	—	—	—	—	.46	.01	—	—	.02	—		19
20	.10	—	.04	—	.06	.14	.22	.02	—	—	.01	—		20
21	.11	—	.32	.10	.06	.05	.01	.16	.06	—	—	—		21
22	.07	.30	.06	.08	—	—	.15	.01	—	.01	.72	—		22
23	.05	.04	.03	.21	—	—	.16	—	—	.17	.27	—		23
24	—	.03	.06	.01	—	.09	.21	—	—	.29	.03	—		24
25	.13	.01	.01	.11	—	—	.11	—	—	.03	.16	—		25
26	—	—	—	.02	—	—	—	—	—	—	.20	.02		26
27	—	.18	.05	—	—	.14	.05	.05	—	—	.06	.19		27
28	—	.22	.12	.01	—	.06	.27	—	—	—	.35	—		28
29	—	—	—	.10	—	—	.39	—	—	.11	.05	—		29
30	—	X	—	.02	—	.11	.08	—	—	.01	.05	—		30
31	—	X	—	X	—	X	.02	—	X	—	X	.06		31
TOTAL	4.80	2.34	1.80	1.67	1.46	2.47	5.66	1.46	.83	2.32	3.94	1.76	30.51	
* Days with .01 in. or more.	22	14	18	17	11	13	26	13	6	16	24	12	192	
* Days with .04 in. or more.	20	10	12	11	9	12	21	7	4	11	18	10	145	
Year's Total														

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) P.T.O.

Section

A

for the entry of Daily Observations

Station No. 2781

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1934

Kept at MOULDSWORTH Pumping Station.

in the County of CHESHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

Ground Sea Level 145.5 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	NIL	SNOW •01	NIL	•05	TRACE	NIL	NIL	NIL	TRACE	NIL	•17	•02		1
2	NIL	NIL	NIL	•21	NIL	NIL	•05	NIL	NIL	NIL	•14	•14		2
3	NIL	•05	TRACE	•11	NIL	NIL	•21	NIL	NIL	•05	•05	•10		3
4	NIL	•06	NIL	•01	NIL	NIL	•02	NIL	NIL	•11	•12	•05		4
5	•01	•02	NIL	NIL	•15	NIL	•01	NIL	NIL	•03	•14	•10		5
6	•03	•30	NIL	NIL	NIL	NIL	•19	NIL	NIL	•72	•07	•06		6
7	TRACE	•24	NIL	•10	•06	NIL	•14	•02	•13	•01	NIL	NIL		7
8	TRACE	TRACE	NIL	•01	NIL	NIL	NIL	TRACE	•06	•07	NIL	•26		8
9	NIL	NIL	•29	NIL	NIL	NIL	•81	•09	•02	•11	•90	•25		9
10	NIL	NIL	•06	NIL	NIL	NIL	•55	•16	•03	•43	•32	•27		10
11	NIL	NIL	TRACE	•03	NIL	NIL	•05	NIL	NIL	NIL	•38	•15		11
12	NIL	NIL	•24	NIL	NIL	•23	•21	•04	•40	NIL	•10	NIL		12
13	NIL	SNOW •04	SNOW & RAIN •39	NIL	NIL	NIL	TRACE	•04	•24	NIL	NIL	•03		13
14	NIL	NIL	TRACE	•22	•08	NIL	•22	•09	•65	•03	•30	•15		14
15	NIL	NIL	NIL	•18	•79	NIL	NIL	NIL	•32	•02	•07	NIL		15
16	NIL	SNOW •18	•18	NIL	TRACE	NIL	•24	NIL	•43	•38	•44	•20		16
17	NIL	NIL	•52	•03	•04	NIL	•17	NIL	NIL	TRACE	1.30	•02		17
18	SNOW •05	SNOW & RAIN •41	•12	•44	NIL	NIL	NIL	•13	•29	NIL	NIL	•21		18
19	NIL	•28	•03	TRACE	NIL	NIL	•24	NIL	•35	NIL	•12	NIL		19
20	NIL	•01	NIL	•19	NIL	NIL	•15	•03	NIL	•41	•04	NIL		20
21	NIL	NIL	•01	TRACE	•02	•61	•08	•03	•02	TRACE	•96	NIL		21
22	NIL	NIL	•01	TRACE	•20	•10	NIL	•02	NIL	•02	NIL	NIL		22
23	NIL	•09	TRACE	•16	•02	NIL	•02	NIL	•05	NIL	•07	NIL		23
24	SNOW •10	NIL	•02	TRACE	TRACE	NIL	•12	NIL	•01	NIL	NIL	NIL		24
25	•01	TRACE	NIL	NIL	•26	•10	TRACE	NIL	NIL	NIL	NIL	NIL		25
26	SNOW 1.14	•13	TRACE	NIL	•05	•21	•39	NIL	NIL	NIL	•05	NIL		26
27	SNOW •64	•18	NIL	TRACE	NIL	NIL	•27	NIL	NIL	NIL	•13	•01		27
28	•29	•12	NIL	NIL	TRACE	NIL	NIL	•05	NIL	NIL	NIL	NIL		28
29	NIL	NIL	•15	•04	NIL	•10	•04	NIL	NIL	•04	NIL	•35		29
30	TRACE	X	NIL	•42	•03	NIL	NIL	NIL	NIL	•26	NIL	•12		30
31	SNOW & RAIN •06	X	•08	X	•01	X	NIL	NIL	X	•66	X	•09		31
TOTAL	2.33	2.12	2.10	2.20	1.71	1.35	4.18	•70	3.00	3.35	5.87	2.58	31.49	✓
* Days with •01 in. or more.	9	15	13	15	12	6	21	11	14	16	20	19	171	✓
* Days with •04 in. or more.	6	12	9	11	8	6	18	7	10	14	2	15	133	✓

† Spare column, no entries required.

(Signed)

P.T.O.

* See Instruction 3 (f) on other side.

Section

A

for the entry of D
AIR MINISTRY

FORM 1090

REGIS

Kept at

Manley

in the County of

Chesh

Diameter of Funnel of Gauge.....

Height of top of Gauge above Grou

,, Ground

Sea L

THE MORNING MEASURE

An observer who does not conform to
year in the space on the right of this

Plea

on No. 2781/5
ORGANIZATION

794265/38

MANLEY RAVELSTONE
1938-40

AY

wing

Jan. 1, following

Date	Jan.	Feb.	Mar.	Apr	780414								Dec.		Date		
	in.	in.	in.	in									in.	†			
1		Tr											07	08	13	16	1
2				15	04	23	07				25		40		2		
3						06	06			16	42	07	Tr		3		
4		05					09			03	04	Tr	33		4		
5	09					02	Tr	76		10	12		02		5		
6	14	02				01	39				13		Tr		6		
7	40						33	34	07	02					7		
8	41	02					36	65			34		42		8		
9	07	17	09			37	37	49					20		9		
10	10	09				04	56	Tr				Tr	18		10		
11	23					03	07	08		03	17	08	11		11		
12	04					09			22		32	59			12		
13	03					01		Tr		08	03	08	07		13		
14	32					05		16		01		04			14		
15	11					03		21	29		11	02	14		15		
16	12		Tr			33		15	03			05	07		16		
17						13		02	02	04	22	01	02		17		
18						16	08		16	06	13	22			18		
19	04								09		Tr				19		
20	12		02						07	09		21			20		
21			04									19			21		
22				01	02	18						39			22		
23				01	18	10				11		15			23		
24	07		32		02	Tr		75	03	07	08	Tr			24		
25	04	04	21			08	07	02			70	84			25		
26	13	22	22		09	12			06	35	10	21			26		
27	28	05			62	16	11	27	01		31				27		
28	27					40	21	12	03	03		22			28		
29	60		02		88	01	03				16	05	23		29		
30	07	X								28		09	40		30		
31	05	X		X	24	X				X	24	X	48		31		
TOTAL	3.73	.66	.92	.17	2.92	2.53	3.39	4.28	1.26	3.93	3.70	3.66	31.15				
* Days with .01 in. or more.	22	8	7	3	16	16	18	15	17	20	20	20	182				
* Days with .04 in. or more.	21	6	5	1	11	13	16	12	11	17	18	16	147				

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed)

Alfred Hawthth

[P.T.O.]

Section

A

for the entry of

on No. 2781/5.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1938

Kept at Manley
in the County of Cheshire 13
Diameter of Funnel of Gauge 5 ins.
Height of top of Gauge above Ground 1 ft. 0 in.
Ground Sea Level 360 ft.

File number 794263/38

Totals
over

Map 8

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		<u>Tr</u>				<u>60</u>	<u>12</u>		<u>07</u>	<u>08</u>	<u>13</u>	<u>16</u>		1
2				<u>15</u>	<u>04</u>	<u>23</u>	<u>07</u>			<u>25</u>		<u>40</u>		2
3						<u>06</u>	<u>06</u>		<u>16</u>	<u>42</u>	<u>07</u>	<u>Tr</u>		3
4		<u>05</u>					<u>09</u>		<u>03</u>	<u>04</u>	<u>Tr</u>	<u>33</u>		4
5	<u>09</u>					<u>02</u>	<u>Tr</u>	<u>76</u>	<u>10</u>	<u>12</u>		<u>02</u>		5
6	<u>14</u>	<u>02</u>				<u>01</u>	<u>39</u>			<u>13</u>		<u>Tr</u>		6
7	<u>40</u>						<u>33</u>	<u>34</u>	<u>07</u>	<u>02</u>				7
8	<u>41</u>	<u>02</u>					<u>36</u>	<u>65</u>		<u>34</u>		<u>42</u>		8
9	<u>07</u>	<u>17</u>	<u>09</u>			<u>37</u>	<u>37</u>	<u>49</u>				<u>20</u>		9
10	<u>10</u>	<u>09</u>				<u>04</u>	<u>56</u>	<u>Tr</u>			<u>Tr</u>	<u>18</u>		10
11	<u>23</u>				<u>03</u>	<u>07</u>	<u>08</u>		<u>03</u>	<u>17</u>	<u>08</u>	<u>11</u>		11
12	<u>04</u>				<u>09</u>			<u>22</u>		<u>32</u>	<u>59</u>			12
13	<u>03</u>				<u>01</u>		<u>Tr</u>		<u>08</u>	<u>03</u>	<u>08</u>	<u>07</u>		13
14	<u>32</u>				<u>05</u>		<u>16</u>		<u>01</u>		<u>04</u>			14
15	<u>11</u>				<u>03</u>		<u>21</u>	<u>29</u>		<u>11</u>	<u>02</u>	<u>14</u>		15
16	<u>12</u>		<u>Tr</u>		<u>33</u>		<u>15</u>	<u>03</u>			<u>05</u>	<u>07</u>		16
17					<u>13</u>		<u>02</u>	<u>02</u>	<u>04</u>	<u>22</u>	<u>01</u>	<u>02</u>		17
18					<u>16</u>	<u>08</u>		<u>16</u>	<u>06</u>	<u>13</u>	<u>22</u>			18
19	<u>04</u>							<u>09</u>		<u>Tr</u>				19
20	<u>12</u>		<u>02</u>					<u>07</u>	<u>09</u>		<u>21</u>			20
21			<u>04</u>								<u>19</u>			21
22				<u>01</u>	<u>02</u>	<u>18</u>					<u>39</u>			22
23				<u>01</u>	<u>18</u>	<u>10</u>			<u>11</u>		<u>15</u>			23
24	<u>07</u>		<u>32</u>		<u>02</u>	<u>Tr</u>		<u>75</u>	<u>03</u>	<u>07</u>	<u>08</u>	<u>Tr</u>		24
25	<u>04</u>	<u>04</u>	<u>21</u>			<u>08</u>	<u>07</u>	<u>02</u>		<u>70</u>	<u>84</u>			25
26	<u>13</u>	<u>22</u>	<u>22</u>		<u>09</u>	<u>12</u>			<u>06</u>	<u>35</u>	<u>10</u>	<u>21</u>		26
27	<u>28</u>	<u>05</u>			<u>62</u>	<u>16</u>	<u>11</u>	<u>27</u>	<u>01</u>		<u>31</u>			27
28	<u>27</u>					<u>40</u>	<u>21</u>	<u>12</u>	<u>03</u>	<u>03</u>		<u>22</u>		28
29	<u>60</u>		<u>02</u>		<u>88</u>	<u>01</u>	<u>03</u>			<u>16</u>	<u>05</u>	<u>23</u>		29
30	<u>07</u>	~~X~~								<u>28</u>	<u>09</u>	<u>40</u>		30
31	<u>05</u>	~~X~~		~~X~~	<u>24</u>	~~X~~			~~X~~	<u>24</u>	~~X~~	<u>48</u>		31
TOTAL	3.73	.66	.92	.17	2.92	2.53	3.39	4.28	1.26	3.93	3.70	3.66	Year's Total 31.15	
* Days with .01 in. or more.	22	8	7	3	16	16	18	15	17	20	20	20	182	
* Days with .04 in. or more.	21	6	5	1	11	13	16	12	11	17	18	16	147	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) Alfred Haworth

[P.T.O.]

Section



for the entry of Daily Observations

Station No. 794253/33

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

2781/5

Kept at Ravelstone, Manley.

in the County of Chester.

Diameter of Funnel of Gauge... 5 in.

Height of top of Gauge above Ground... 1 ft. 2 in.

Ground Sea Level about 160 ft.

Days

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.28		.03	.49			.01	.22		.01		.04		1
2	.08			.20			.08	.41	.47		T	.07		2
3			.03	.18				.02			.05	.27		3
4	.24		.18	.10	.02		.32			.08	.01	.18		4
5					.26		.19	.05		.07	.14			5
6	.84						.26	.03			.07			6
7	.01	.01	.02		.27		.10	.01			.12	.47		7
8	.12	.13	.45	.01	.02		.84	.30		.13	.27	.10		8
9	.04	.13					.01	.21		.31	T	.29		9
10	~~snore~~ .49		.05			.03		.07	.32	.04	.01	.13		10
11	.33	.06	.28			.39			.03					11
12	.28	.13				.09			.01					12
13	.03		.05	.20	.20	.21	.20		.22	.03	.01			13
14	.29			.03	.33	.38	.29			.04	.10			14
15	.17	.05	.01	.05	.07	.68	.34				.11			15
16	.03		.08		.35		.01			.05	.18			16
17	.48	.07			.05	.04	.06			1.29	.06			17
18	.16	.13	.05			.29	.09			.02	.96			18
19	.19				T		.58	.01			.06			19
20	.11		.06		.07	.21	.31	.03	T					20
21	.11		.35	.14	.12	.05	.01	.19	.08					21
22	.07	.34	.05	.06			.18	T		.01	.82			22
23	.07	.07	.07	.21		.01	.16			.25	.25			23
24	.15	.03	.02			.09	.08			.19	.04			24
25				.11			.09			.02	.24	.04		25
26				.03				T		T	.20	.06		26
27		1.28	.05		T	.17	.04	.02			.09	~~snore~~ .18		27
28		.21	.11	.02		.06	.27			T	.37			28
29				.09			1.47	.07		.11	.03			29
30		~~X~~				.27	.09			T	.04	.03		30
31		~~X~~		~~X~~		~~X~~	.05		~~X~~		~~X~~			31
TOTAL	4.57	2.64	1.94	1.92	2.76	2.97	6.13	1.64	1.13	2.65	4.23	1.86	33.44	Year's Total
* Days with .01 in. or more.	22	13	18	15	11	15	26	14	6	16	23	12	191	
* Days with .04 in. or more.	19	11	13	11	9	13	22	8	4	11	19	11	151	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) Alfred Haworth P.T.O.

Section



for the entry of Daily Observations

Station No.

2781/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940.

Kept at Ravelstone, MANLEY,.....

in the County of Cheshire.....

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1		.01		.06					.01		.23	.04		1
2		T		.23			.08				.14	.17		2
3		.05	.01	.12			.32				.04	.11		3
4		.12								.17	.12	.07		4
5		.02			.17		.03			.05	.16	.09		5
6	.09	.30					.10			.82	.05	.10		6
7	.01	.22		.10	.06		.15	.03	.11	.02				7
8	T			.03					.03	.08		.27		8
9			.32				.89	.04	.02	.15	.96	.24		9
10			.07				.48	.18	.04	.51	.46	.34		10
11				.06			.18				.42	.16		11
12			.33			.21	.15	.04	.48		.12	.05		12
13		snow .05	S & R .48					.06	.25			.17		13
14				.25	.13		.44	.08	.69	.04	.28			14
15			S & R .16	.70					.17	.01	.09			15
16		snow .18	.17				.36		.57	.45	.50	.16		16
17			.63	.01	.02		.07		.01		1.35	.01		17
18	snow .06	S & R .40	.11	.45				.13	.30		T	.22		18
19		.28	.06	.01			.22		.42		.14			19
20		T		.21			.12	.06	.48	.46	.06			20
21			.01		.02	.71	.04	.05			1.14			21
22		T	.02		.19	.05		.04	.28	.01	.08			22
23		.09		.15	.04		.04		.02					23
24	snow & rain .10		.03				.03							24
25					.20	.09	.01		.03					25
26	S & R 1.06	.13	.05		.05	.16	.28				.06	.02		26
27	S .66	.20					.17	.08			.11			27
28	S .11	.17			.02									28
29			.18	.05		.12	.05			.04		.46		29
30	S .02	X		.47	.04					.24		.08		30
31	.05	X	.08	X	.01	X			X	.74	X	.03		31
TOTAL	2.16	2.22	2.55	2.36	1.65	1.34	4.21	.79	3.91	3.79	6.51	2.79	Year's Total 34.28	
* Days with .01 in. or more.	9	14	15	15	13	6	21	11	14	15	20	19	145	
* Days with .04 in. or more.	7	12	11	12	9	6	18	10	11	12	20	16	144	

† Spare column, no entries required.

(Signed)

* See Instruction 3 (f) on other side.

P.T.O.

2782

INCE HALL
1931-34

Kept at
in the County of

Diameter of Funnel of Gauge
Height of top of Gauge above Ground
Ground Sea

THE MORNING MEAS

An observer who does not conform to
year in the space on the right of t

following
Jan. 1, following
26

780414

Date	Jan.	Feb.	March	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.12	.22	.48	..	.01	.04	..	.09	..	.04	..	.01	1
2	.18	..	..	.04	..	..	..	..	.11	.07	..	..	2
3	..	.06	..	.56	.09	.48	..	..	.44	.07	.03	.05	3
4	.16	..	..	.01	..	.12	.13	..	.59	.11	.54	.028	4
5	..	..	..	.23	..	..	.03	.13	.83	..	.01	.01	5
6	..	.01	..	.04	.11	1.040	.35	1.20	.02	..	..	.07	6
7	.01	.17	..	.01	.02	.40	.05	.03	.18	.40	.14	.01	7
8	.00	.02	..	..	..	.60	..	.71	..	.20	.04	.05	8
9	.04	.04	..	.19	..	.11	.11	.73	..	..	.15	.02	9
10	.05	.20	..	.09	.02	.18	..	.17	.01	.02	.13	.02	10
11	.04	.04	..	..	.10	.20	..	.16	..	..	.40	.03	11
12	.37	.11	..	.01	..	.01	.10	..	.20	..	.04	.03	12
13	.13	.19	..	..	..	..	.15	.11	.20	.06	.08	..	13
14	..	..	.02	..	.05	.02	.37	.71	..	..	.01	..	14
15	.02	.14	.17	..	..	1.04	.05	.81	.07	..	.49	..	15
16	.09	.41	..	.17	.08	..	.25	.29	.01	..	.01	.25	16
17	.14	.17	..	.20	.13	.10	.07	.33	.25	..	..	..	17
18	.12	.01	..	.08	.32	.07	.06	.05	.02	..	.24	..	18
19	.28	..	..	..	..	.61	.35	.10	.01	..	.39	..	19
20	.13	.29	..	..	..	.18	.17	.57	..	..	..	.01	20
21	.02	.18	.16	..	..	.02	.00	.05	..	..	.06	.02	21
22	.30	..	.02	..	.33	.04	..	.05	..	..	.20	..	22
23	.09	..	..	.04	.15	.04	.04	..	..	..	..	..	23
24	.24	..	..	.05	.16	.18	.17	..	..	..	.07	.49	24
25	.03	..	..	.08	.25	..	.10	..	..	..	.06	.10	25
26	.07	.24	..	.62	.11	..	..	..	..	..	.02	.06	26
27	.12	.08	.29	.05	..	..	.08	..	..	..	.45	.01	27
28	.27	.31	.08	.05	.32	..	.06	..	..	.19	.49	.12	28
29	.24	..	.03	.08	.25	..	.03	..	..	.13	.01	.24	29
30	.09	X	.04	..	..	..	.15	..	..	.47	.50	.01	30
31	..	X	..	X	..	X	..	..	X	..	X	..	31
TOTAL	.22	.48	..	.01	.04	..	.09	..	.04	..	.01	.26	YEAR'S TOTAL
*Days with or in. or more.	3.25	3.89	.92	2.60	2.64	5.48	2.84	6.29	3.04	1.76	4.11	1.89	27.67
*Days with .04 in. or more.	254	192	193	320	173	319	222	417	815	210	625	1121	2194
	21	16	76	16	74	15	17	16	9	10	18	11	174

FORM 1090. AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1931.

Kept at Ince Hall
in the County of Cheshire
Diameter of Funnel of Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
Ground _____ Sea Level 95 ft.

h20
corr. for WD 2

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

26

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.12	.22	.48	..	.01	.04	..	.09	..	.04	..	.01	1
2	.18	..	..	.04	..	..	..	..	.11	.07	..	..	2
3	..	.06	..	.56	.09	.48	..	..	.44	.07	.03	.05	3
4	.16	..	..	.01	..	.12	.13	..	.59	.11	.54	.028	4
5	..	..	..	.23	..	..	.03	.13	.63	..	.08	.01	5
6	..	.01	..	.04	.11	1.040	.35	1.20	.02	..	..	.07	6
7	.01	.12	..	.01	.02	.40	.05	.03	.18	.40	.14	.01	7
8	.00	.02	..	..	..	.60	..	.71	..	.20	.04	.05	8
9	.04	.04	..	.19	..	.11	.11	.73	..	..	.15	.02	9
10	.05	.20	..	.09	.02	.18	..	.17	.01	.02	.13	.02	10
11	.04	.04	..	..	.10	.20	..	.16	..	..	.40	.03	11
12	.37	.11	..	.01	..	.01	.10	..	.20	..	.04	.03	12
13	.13	.19	..	..	..	..	.15	.11	.20	.06	.08	..	13
14	..	..	.02	..	.05	.02	.37	.71	..	..	.01	..	14
15	.02	.14	.17	..	..	1.04	.05	.81	.67	..	.49	..	15
16	.09	.41	..	.17	.08	..	.25	.29	.01	..	.01	.25	16
17	.14	.17	..	.20	.13	.10	.07	.33	.25	..	..	..	17
18	.12	.01	..	.08	.32	.07	.06	.05	.02	..	.24	..	18
19	.28	..	..	..	..	.61	.35	.10	.01	..	.39	..	19
20	.13	.29	..	..	..	.16	.17	.57	..	..	..	.01	20
21	.02	.18	.16	..	..	.02	.00	.05	..	..	.06	.02	21
22	.30	..	.02	..	.33	.04	..	.05	..	..	.20	..	22
23	.09	..	..	.04	.15	.64	.04	..	..	..	..	..	23
24	.24	..	..	.05	.16	.18	.17	..	..	..	.07	.49	24
25	.03	..	..	.08	.25	..	.10	..	..	..	.06	.10	25
26	.07	.24	..	.62	.11	..	..	..	..	..	.02	.06	26
27	.12	.08	..	.05	..	..	.05	..	..	..	.45	.01	27
28	.27	.31	.08	.05	.32	..	.06	..	..	.19	.49	.12	28
29	.24	..	.03	.08	.25	..	.03	..	..	.13	.01	.24	29
30	.09	X	.04	..	..	..	.15	..	..	.47	.50	.01	30
31	..	X	..	X	..	X	..	..	X	..	X	..	31 37.81
TOTAL	.22	.48	..	.01	.04	..	.09	..	.04	..	.01	.26	YEAR'S TOTAL
*Days with or in. or more.	3.25	3.89	.92	2.60	2.60	5.48	2.85	6.29	3.04	1.76	4.11	1.89	37.67
*Days with .04 in. or more.	254	198	198	820	173	819	222	417	815	110	625	1121	219
	21	16	26	16	14	15	17	20	12	10	18	11	166

Section

A

for the entry of Daily Observations.

Station No.

2782

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Free Hallin the County of ChesterDiameter of Funnel of Gauge all as usual

Height of top of Gauge above Ground _____ ft. _____ in.

,, Ground ,, Sea Level _____ ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

.8

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.26	.01	-	.06	.18	-	.21	.66	-	.01	.01	.57	1
2	.10	.04	-	.09	.52	-	.12	.28	.06	.03	.04	.04	2
3	.40	-	-	-	.48	-	.06	.01	.23	.48	.03	.19	3
4	-	.03	-	.20	.09	-	.10	.07	.04	.01	.06	.12	4
5	-	.01	-	-	-	-	.16	-	.05	.01	.27	.02	5
6	.22	.01	.12	.04	.03	-	.02	-	.17	-	-	-	6
7	.70	-	.17	.37	.01	-	.02	-	.29	-	.01	.01	7
8	.02	-	.24	.24	-	-	-	-	.49	.75	-	-	8
9	.06	-	-	.05	.01	-	-	-	.10	.45	-	-	9
10	.19	-	-	-	-	-	-	-	.03	-	.01	-	10
11	.33	-	-	.04	-	-	-	-	.47	.46	.08	-	11
12	.03	-	-	.07	.49	.07	.66	-	.08	-	-	-	12
13	.15	-	-	-	.30	-	.45	.01	.06	.30	-	-	13
14	.04	-	-	.10	.12	-	.25	.05	.20	.28	-	-	14
15	.14	-	-	.14	-	-	-	.15	-	.24	.11	.17	15
16	.03	-	-	.04	.44	-	-	-	-	.06	-	.04	16
17	.15	-	-	.02	.01	-	-	-	-	.02	-	-	17
18	.01	-	-	-	-	-	.15	-	.04	.24	-	.01	18
19	-	-	-	-	.06	-	.01	-	.02	.06	.04	.01	19
20	-	-	-	.01	.01	-	.01	-	-	.31	-	-	20
21	-	-	-	.14	.30	-	.13	.53	-	.23	.09	.05	21
22	.03	.01	.25	.12	.53	-	-	.36	-	.65	.14	.01	22
23	.02	-	.10	.07	.34	-	.42	-	.03	.06	.62	.01	23
24	-	.01	-	.09	.22	-	.03	-	-	.18	.31	.10	24
25	.06	-	-	-	.36	-	.42	-	.14	-	.54	.01	25
26	.01	-	-	.04	.01	.02	-	-	.20	.45	.08	.01	26
27	-	-	.01	.06	.17	-	.22	-	.25	.12	.08	.01	27
28	-	-	.36	.10	.25	.20	.11	-	-	.13	.12	.06	28
29	-	-	.02	.06	.34	.01	.29	-	-	-	.01	.02	29
30	.03	X	.38	.49	.06	.10	.02	.6	.15	.78	.28	.31	30
31	.01	X	.10	X	-	X	.03	.13	X	.72	X	.06	31
TOTAL	2.74	.12	X.85	2.76	5.36	.40	5.90	2.31	3.11	7.03	3.49	1.24	31.34.08
*Days with .01 in. or more.	22	8	10	23	24	5	22	11	22	25	20	21	210
*Days with .04 in. or more.	12	1	8	21	19	3	15	9	17	20	15	11	152

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No.

2782

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1933.

Kept at *three*in the County of *Cheshire*Diameter of Funnel of Gauge _____ in. *all as before*

Height of top of Gauge above Ground _____ ft. _____ in.

,, Ground ,, Sea Level _____ ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

008

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.08	.01	.	.08	.20	..	-	-	.2	-	.22	.	.	1
2	.08	.15	.10	..	.06	..	-	-	..	.	.06	..	.	2
3	.15	..	.15	.02	.02	.04	..	.05	..	-	-	..	.	3
4	.02	.46	.13	.	.16	-	-	-	-	-	-	-	.	4
5	.35	.01	.	.	.25	-	-	-	-	-	-	-	.	5
6	.20	.62	.05	.	.03	..	-	-	-	-	.02	-	.	6
7	.010	.15	.	.	.20	-	-	-	..	-	.05	-	.	7
8	.040	.44	.09	.	..	-	.03	.05	-	.48	.04	-	.	8
9	.080	.60	.36	.01	.03	-	.16	..	-	-	-	-	.	9
10	-	..	-	.	.01	.10	.22	-	..	.55	.10	-	.	10
11	.040	.18	-	.	..	..	.04	..	-	1.02	.04	-	.	11
12	.040	..	-	.02	..	.04	.24	-	-	.18	-	-	.	12
13	.030	..	-	..	.02	-	.26	..	-	.14	-	-	.	13
14	-	..	-	..	.20	-	.20	.16	.01	.24	.40	-	.	14
15	-	..	-	..	..	-	.08	.08	-	.12	.30	-	.	15
16	.25	..	-	..	-	..	-	.12	-	.27	.15	.02	.	16
17	.040	.04	.02	..	.03	.24	-	.02	..	.44	-	-	.	17
18	.090	.02	.15	..	..	.16	..	.04	.08	-	-	-	.	18
19	.080	..	.44	..	..	.48	..	-	-	..	-	-	.	19
20	.010	.10	.13	-	-	.06	-	-	.11	-	.12	-	.	20
21	-	.10	.30	.18	.32	.15	-	.22	.06	-	.10	-	.	21
22	-	-	.30	.14	..	.10	-	.24	-	-	-	-	.	22
23	-	-	-	.05	-	-	..	.15	-	-	-	-	.	23
24	-	-	-	.20	-	.16	-	-	.03	-	-	-	.	24
25	-	.02	-	-	.11	.24	..	-	.16	.6	-	-	.	25
26	-	.13	-	-	-	-	-	-	.22	-	.20	.15	.	26
27	-	.05	-	-	-	-	-	-	-	.21	-	.04	.	27
28	-	.02	-	-	.02	-	.10	-	-	.35	-	-	.	28
29	-	-	-	.02	..	-	.10	.22	-	.03	-	-	.	29
30	-	X	-	.03	-	-	.08	.06	-	.02	-	.2	.	30
31	.090	X	.14	X	.17	X	-	.02	X	.22	X	.15.08	.	31
TOTAL	1.68	2.89	2.44	0.87	1.63	1.77	1.51	1.43	.67	.33	.15	.38	Year's Total	20.79
*Days with .01 in. or more.	18	18	18	10	15	11	11	12	8	15	12	5	138	148
*Days with .04 in. or more.	13	12	13	5	8	11	10	14	6	13	11	9	123	116

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

C. Park

[P. T. O.]

Section

A

for the entry of Daily Observations.

Station No. 2782

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934

Kept at Ince Hall, Chester

in the County of Cheshire

Diameter of Funnel of Gauge same in.

Height of top of Gauge above Ground " ft. " in.

Ground Sea Level " ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

12.4.35

28

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	4	"	"	"	"	"	"	"	4	8	51	"		1
2	14	"	"	"	"	"	"	7	25	6	92	71		2
3	"	2	"	"	"	"	"	44	6	2	17	19		3
4	32	"	"	"	"	"	"	18	"	10	1	3		4
5	16	"	13	"	3	"	"	3	2	48	"	83		5
6	"	"	"	"	13	"	"	56	"	3	3	5		6
7	"	12	11	"	36	"	"	3	"	20	"	27		7
8	28	"	"	6	4	"	"	"	"	9	9	18		8
9	"	"	6	"	15	37	"	2	"	4	43	5		9
10	"	3	"	2	"	"	"	8	2	1	44	1		10
11	"	"	12	32	"	"	"	28	"	5	3	2		11
12	4	"	25	43	"	"	"	10	"	1	6	6		12
13	"	"	3	4	"	"	8	14	"	3	"	4		13
14	24	"	4	12	"	"	6	"	"	1	3	2		14
15	16	"	"	2	"	"	"	"	"	41	3	8		15
16	14	"	15	"	44	"	"	12	"	21	5	16		16
17	35	2	30	"	8	"	"	3	"	10	2	7		17
18	24	"	14	5	20	"	25	"	37	15	"	10		18
19	12	"	18	28	34	35	"	"	2	2	"	8		19
20	"	"	4	4	6	34	"	4	21	6	"	9		20
21	"	"	6	10	4	2	"	"	5	"	"	2		21
22	"	31	4	"	6	42	"	14	24	14	"	1		22
23	4	"	2	2	"	3	"	"	27	17	"	6		23
24	"	"	10	51	12	"	18	"	2	6	2	5		24
25	"	"	5	13	"	22	"	"	14	5	"	"		25
26	"	"	2	28	"	"	"	"	10	16	"	50		26
27	"	"	6	16	"	9	5	"	5	2	"	2		27
28	"	"	"	14	"	10	40	22	1	7	"	38		28
29	"	"	"	3	"	11	"	2	8	25	"	61		29
30	4	X	"	"	"	"	6	1	20	28	1	4		30
31	11	X	"	X	"	X	"	10	X	32	X	28		31
TOTAL	2.27	50	1.90	2.85	2.05	2.23	1.08	2.68	2.15	3.68	2.34	5.03	Year's Total.	28.92
* Days with .01 in. or more.	13	5	19	18	13	10	7	20	18	30	15	31	144	
* Days with .04 in. or more.	13	2	16	14	12	8	7	14	13	22	7	22	150	

FRODSHAM (CASTLE

Section **A** for the entry of
AIR MINISTE
FORM 1090

Kept at "CASTLE PARK", F
in the County of **CHESTER**

Diameter of Funnel of Gauge.....
Height of top of Gauge above Gro

Ground Sea
THE MORNING MEASUREMENT

An observer who does not conform to
year in the space on the right of the
Ple

E NUMBER:- 572862/36

ation No. **2782/5**
ORGANIZATION

2782/5

FRODSHAM CASTLE PARK
1936, 37

DAY
flowing

Jan. 1, following

.080"

780414

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			(.02)	.015	—	.060	tr.	—	.025	—	—	.04		1
2			—	.445	—	.075	.120	.50	.020	—	.165	.60		2
3			—	.157	—	.40	—	.165	.01	—	.060	.30		3
4			—	—	—	.605	.005	.715	.53	—	—	.05		4
5			.200	—	—	—	—	.010	.810	—	.265	.16		5
6			.065	tr.	—	—	—	.370	.20	—	.01	.29		6
7			—	—	.125	—	.070	.110	.26	—	.02	.29		7
8			.035	—	—	—	.125	—	.445	—	.10	.110		8
9			.210	—	—	—	—	—	.055	—	.28	.030		9
10			.015	—	—	.040	.175	—	.385	—	.080	—		10
11			—	—	—	—	.205	—	tr.	—	—	—		11
12			—	—	—	.085	.35	.030	.065	—	.380	.015		12
13			—	—	.030	.105	.585	—	.71	.070	.125	—		13
14			—	tr.	.010	.015	.250	—	.03	.170	.010	.555		14
15			—	.065	—	.370	—	.070	.325	.010	.40	.350		15
16			—	.455	.325	.095	—	—	.305	—	.29	—		16
17			—	.150	.02	—	.065	—	—	—	.470	.010		17
18			—	—	.020	—	.170	.075	—	.35	.005	—		18
19			—	—	—	.010	.775	.145	—	.095	—	—		19
20			—	.225	—	.105	.095	.355	—	.040	—	—		20
21			.050	—	—	.090	—	—	—	.020	—	—		21
22			.060	.070	—	.430	—	—	—	—	—	.050		22
23			.075	—	—	.195	.310	—	—	—	tr.	.045		23
24			.080	—	—	.015	.320	—	—	.045	—	—		24
25			—	.005	—	—	—	—	.250	.06	—	—		25
26			.005	—	—	—	—	—	.535	.08	—	tr.		26
27			.230	—	—	—	.025	—	.085	.193	—	—		27
28			—	—	—	—	.16	—	.01	.200	—	—		28
29			.067	.010	—	.010	.035	—	—	.025	—	.050		29
30		X	.335	—	.110	.585	.215	—	—	.020	(.15)	.075		30
31		X	.01	X	.440	X	.275	.025	X	.270	.04	.08		31
TOTAL	(4.00)	(2.00)	1.46	1.59	1.12	3.290	3.980	1.90	5.07	1.65	2.85	2.81	(31.72)	
* Days with .01 in. or more.	(22)	(14)	(15)	9	8	15	17	10	14	13	12	13	(162)	
* Days with .04 in. or more.	(17)	(10)	(11)	7	5	12	16	7	13	9	10	10	(126)	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

[P.T.O.]

* TOTAL FROM DATE OF INSTALLATION OF STATION.

THE ENGINEER AND SURVEYOR

Section

A

for the entry of Daily Observations

Station No. 2782/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at "CASTLE PARK", FRODSHAM.

in the County of CHESTER

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 9 1/2 in.

Ground Sea Level 40-50 ft.

Days allocated by surrounding stations.

W.D.

you rule ist d.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

.080"

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			(.02)	.015	—	.060	tr.	—	.025	—	—	.04		1
2			—	.445	—	.075	.120	.50	.020	—	.165	.60		2
3			—	.157	—	.40	—	.155	.01	—	.060	.30		3
4			—	—	—	.605	.005	.06	.53	—	—	.05		4
5			.200	—	—	—	—	.010	.810	—	.265	.16		5
6			.065	tr.	—	—	—	.370	.20	—	.01	.29		6
7			—	—	.125	—	.070	.110	.26	—	.02	.29		7
8			.035	—	—	—	.125	—	.445	—	.10	.110		8
9			.210	—	—	—	—	—	.055	—	.28	.030		9
10			.015	—	—	.040	.175	—	.385	—	.080	—		10
11			—	—	—	—	.205	—	tr.	—	—	—		11
12			—	—	—	.085	.35	.030	.065	—	.380	.015		12
13			—	—	.030	.105	.235	—	.71	.070	.125	—		13
14			—	tr.	.010	.015	.250	—	.03	.170	.010	.555		14
15			—	.065	—	.370	—	.070	.325	.010	.40	.350		15
16			—	.455	.325	.095	—	—	.305	—	.29	—		16
17			—	.150	.02	—	.065	—	—	—	.470	.010		17
18			—	—	.020	—	.170	.075	—	.35	.005	—		18
19			—	—	—	.010	.775	.145	—	.095	—	—		19
20			—	.225	—	.105	.095	.355	—	.040	—	—		20
21			.050	—	—	.090	—	—	—	.020	—	—		21
22			.060	.070	—	.430	—	—	—	—	—	.050		22
23			.075	—	—	.195	.310	—	—	—	tr.	.045		23
24			.080	—	—	.015	.320	—	—	.045	—	—		24
25			—	.005	—	—	—	—	.250	.06	—	—		25
26			.005	—	—	—	—	—	.535	.08	—	tr.		26
27			.230	—	—	—	.025	—	.085	.193	—	—		27
28			—	—	—	—	.16	—	.01	.005	.200	—		28
29			.067	.010	—	.010	.035	—	—	.025	—	.050		29
30		X	.335	—	.110	.585	.215	—	—	.020	(.15)	.075		30
31		X	.01	X	.440	.06	.275	.025	X	.270	.04	.08		31
TOTAL	(4.00)	(2.00)	1.46	1.59	1.12	3.290	3.980	1.90	5.07	1.65	2.85	2.81	(31.72)	
* Days with .01 in. or more.	(22)	(14)	(15)	9	8	15	17	10	14	13	12	13	(162)	
* Days with .04 in. or more.	(17)	(10)	(11)	7	5	12	16	7	13	9	10	10	(120)	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) THE ENGINEER AND SURVEYOR

* TOTAL FROM DATE OF INSTALLATION OF STATION.

THE ENGINEER AND SURVEYOR

Section



for the entry of Daily Observations

Station No. 2782/5.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937.

Kept at "Castle Park", Frodsham

in the County of Chester 13

Diameter of Funnel of Gauge..... 8 in.

Height of top of Gauge above Ground..... 1 ft. 9 1/2 in.

Ground Sea Level 40-50 ft. 4 1/2

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	Tr.	.230	-	-	-	-	Tr.	-	.150	-	-	.060		1
2	-	.040	-	.240	-	-	Tr.	-	-	.065	Tr.	.090		2
3	-	.060	-	-	.095	.205	.045	-	-	-	-	-		3
4	.195	.020	.135	.010	.055	-	-	Tr.	-	-	-	.630		4
5	.545	-	.085	.155	-	-	Tr.	-	-	-	Tr.	1.100		5
6	.010			.020	.075	Tr.	.010	.040	-	-		.010		6
7	-	.400	Tr.	.125	-	.100	-	-	-	-	Tr.	.010		7
8	-	.220	-	.070	-	.030	.210	-	Tr.	-	.070	-		8
9	-	.040	Tr.	.025	.215	Tr.	.150	.040	-	-	-	-		9
10	-	.335	-	-	-	-	-	.010	-	-	-	.130		10
11	-	-	.255	-	.405	-	-	-	-	-	.010	-		11
12	.035	.455	Tr.	-	Tr.	.350	-	.255	.370	-	-	.170		12
13	-	-		Tr.	-	Tr.	-	.530	.030	-	-	.150		13
14	-	.090	.100	-	-	-	-	.150	.015	-	.120	.150		14
15	.235	.130	.010	.325	-	-	.440	-	.075	-	-	.050		15
16	-	.140	.195	.585	-	-	-	.100	.055	-	-	-		16
17	.035	.050	.130	.255	-	.030	-	.015	.520	-	-	-		17
18	.425	.210	.010	-	-	-	.060	.035	-	-	.560	.020		18
19	.010	.075	.125	.410	.125	-	.100	Tr.	.060	-	.100	-		19
20	.030			.170	.475	.100	.020	-	Tr.	-	-	.020		20
21	.010	.260	.035	.140	.010	Tr.	.160	-	-	.105	-	.010		21
22	.120	.040	.015	-	-	-	.050	-	-	.110	.120	.110		22
23		-	Tr.	-	.355	.010	.210	-	.260	.480	.245	Tr.		23
24	.200		.090	-	-	-	.080	-	-	.815	Tr.	-		24
25	-	.650	-	-	-	-	-	.075	-	.075	-	-		25
26	-	.255	.080	-	.330	-	Tr.	.035	.010	-	-	-		26
27	-		.015	.190	-	-	-	-	Tr.	.500	-	.030		27
28	-	.520	-	-	-	.045	-	-	-	.105	-	Tr.		28
29	.025		-	-	-	.035	-	-	-	.375	.170	.010		29
30			-	-	-	.200	-	-	.140	.085	.530	Tr.		30
31	.415		-	-	-	-	-	-	-	.040	-	-		31
TOTAL	2.290	4.220	1.280	2.720	2.140	1.105	1.535	1.285	1.685	2.755	1.925	2.750	25.690	Year's Total
* Days with .01 in. or more.	14	20	14	14	10	10	12	11	11	11	9	17	153	
* Days with .04 in. or more.	7	19	9	11	9	6	10	7	8	11	8	10	115	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed)

ENGINEER AND SURVEYOR

Kept at HOOTON PUM
in the County of CHE

Diameter of Funnel of Gauge.....
Height of top of Gauge above Ground.....
Ground Sea Level

THE MORNING MEASU

An observer who does not conform to
year in the space on the right of the

2783

HOOTON PUMPING STATION
1931 — 40

2783
PY FOR OFFICIAL USE.
ORGANIZATION.

18 for Jan 9th *Stewart*
This rule is
observed.

Jan. 1, following

owing

Date	Jan.	Feb.	March								Nov.	Dec.	Date
	in.	in.	in.								in.	in.	
1	.21	—	—	.13	—	—	—	—	.33	.07	—	—	1
2	—	.13	—	.66	.08	.54	—	—	—	.07	.02	.03	2
3	.22	—	—	—	—	.14	.29	—	1.15	.14	.60	.23	3
4	—	—	.03	.25	—	—	.01	.20	.48	.01	—	.02	4
5	—	—	—	.10	.14	.96	.28	.92	.01	—	—	.08	5
6	—	.19	—	.02	—	.34	.03	.10	.13	.43	.07	—	6
7	—	.02	—	—	—	.29	—	.95	—	.15	.05	.04	7
8	.05	.04	—	.09	—	.32	.05	.60	—	.05	.16	.03	8
9	~~.18~~	.18	—	.05	.05	.19	—	.22	.02	—	.15	.03	9
10	.01	.04	.01	—	.10	.25	—	.10	—	—	.37	.04	10
11	.29	.13	—	—	—	—	.05	—	.47	—	.06	.02	11
12	.20	.09	—	.01	—	—	.42	.12	.12	.03	.10	—	12
13	—	—	.02	—	.14	.02	.05	1.45	—	—	—	—	13
14	.04	.16	—	—	—	1.28	.03	.93	.12	—	.65	.01	14
15	.05	.50	—	.18	.10	—	.32	.50	—	—	—	.28	15
16	.12	.19	—	.20	.13	.10	.11	.30	.23	—	—	—	16
17	.05	—	—	.16	.29	.02	.05	.05	.03	—	.27	—	17
18	.20	—	—	.01	—	.80	.31	.10	.01	—	.33	—	18
19	.14	.20	—	—	—	.01	.07	.81	—	.01	—	—	19
20	.01	.08	.11	—	—	.03	.05	.04	—	—	.02	.02	20
21	.34	—	—	—	.34	.02	—	.10	—	—	.10	—	21
22	.05	—	—	.03	.08	.04	.01	—	—	—	—	—	22
23	.28	—	—	.14	.16	.13	.02	—	—	—	.12	.16	23
24	.03	.04	—	.10	.32	—	.05	—	—	—	.11	.15	24
25	.05	.32	—	.72	.05	—	—	—	—	—	.02	.06	25
26	.19	.09	—	.08	—	—	.19	—	—	—	.84	—	26
27	.31	.25	—	.04	.44	—	.08	—	—	.18	.44	.11	27
28	.13	.42	.05	.04	.26	—	—	—	—	.07	—	.28	28
29	.07	X	.05	—	.04	—	.27	—	—	.49	.01	—	29
30	—	X	—	—	—	—	—	—	.03	—	—	—	30
31	.20	X	—	X	.03	X	.15	—	X	.03	X	.12	31
TOTAL	~~3.42~~	3.07	.27	3.01	2.75	5.48	2.89	7.29	3.30	1.75	4.49	1.71	31
*Days with ".01 in. or more.	24	18	6	19	17	18	22	17	14	13	20	18	206
*Days with ".04 in. or more.	21	17	3	15	16	13	17	17	9	9	16	11	164
													31
													39.43
													YEAR'S TOTAL

40-9999

*See Instruction 2 (f) on other side.

(Signed)

WEST CHESHIRE WATER BOARD.

P.T.O.

FORM 1090.

REGISTER OF RAINFALL IN 1931 .

Kept at HOOTON PUMPING STATION
in the County of CHESTER

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
Ground Sea Level 97 ft.

Jan 1 high
906 read April 26th supplanting 18 for Jan 9th Plunket
Observer agrees 25/4/32 Plunket NB This rule is observed.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.21	—	—	.13	—	—	—	—	.17	.09	—	—	1
2	—	.13	—	.66	.08	.54	—	—	.33	.07	.02	.03	2
3	.22	—	—	—	—	.14	.29	—	1.15	.14	.60	.23	3
4	—	—	.03	.25	—	—	.01	.20	.48	.01	—	.02	4
5	—	—	—	.10	.14	.96	.28	.92	.01	—	—	.08	5
6	—	.19	—	.02	—	.34	.03	.10	.13	.43	.07	—	6
7	—	.02	—	—	—	.29	—	.95	—	.15	.05	.04	7
8	.05	.04	—	.09	—	.32	.05	.50	—	.05	.16	.03	8
9	~~.18~~	.18	—	.05	.05	.19	—	.22	.02	—	.15	.03	9
10	.01	.04	.01	—	.10	.25	—	.10	—	—	.37	.04	10
11	.29	.13	—	—	—	—	.05	—	.47	—	.06	.02	11
12	.20	.09	—	.01	—	—	.42	.12	.12	.03	.10	—	12
13	—	—	.02	—	.14	.02	.05	1.45	—	—	—	—	13
14	.04	.16	—	—	—	1.28	.03	.93	.12	—	.65	.01	14
15	.05	.50	—	.18	.10	—	.32	.50	—	—	—	.28	15
16	.12	.19	—	.20	.13	.10	.11	.30	.23	—	—	—	16
17	.05	—	—	.16	.29	.02	.05	.05	.03	—	.27	—	17
18	.20	—	—	.01	—	.80	.31	.10	.01	—	.33	—	18
19	.14	.20	—	—	—	.01	.07	.81	—	.01	—	—	19
20	.01	.08	.11	—	—	.03	.05	.04	—	—	.02	.02	20
21	.34	—	—	—	.34	.02	—	.10	—	—	.10	—	21
22	.05	—	—	.03	.08	.04	.01	—	—	—	—	—	22
23	.28	—	—	.14	.16	.13	.02	—	—	—	.12	.16	23
24	.03	.04	—	.10	.32	—	.05	—	—	—	.11	.15	24
25	.05	.32	—	.72	.05	—	—	—	—	—	.02	.06	25
26	.19	.09	—	.08	—	—	.19	—	—	—	.84	—	26
27	.31	.25	—	.04	.44	—	.08	—	—	.18	.44	.11	27
28	.13	.42	.05	.04	.26	—	—	—	—	.07	—	.28	28
29	.07	X	.05	—	.04	—	.27	—	—	.49	.01	—	29
30	—	X	—	—	—	—	—	—	.03	—	—	—	30
31	.20	X	—	X	.03	X	.15	—	X	.03	X	.12	31
TOTAL	~~3.42~~	3.07	.27	3.01	2.75	5.48	2.89	7.29	3.30	1.75	4.49	1.71	31
*Days with or in. or more.	24	18	6	19	17	18	22	17	14	13	20	18	206
*Days with .04 in. or more.	21	17	3	15	16	13	17	17	9	9	16	11	164
YEAR'S TOTAL													3139.43

40-9999

WEST CHESHIRE WATER BOARD.

*See Instruction 2 (f) on other side.

(Signed)

P.T.O.

Section



for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL

FORM 1090.

REGISTER OF RAINFALL IN 1932

Kept at HOOTON PUMPING STATION

in the County of CHESHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

Ground Sea Level 97 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.09	.02		.04	.75		.08	.03	.05	.02	.02	.07	1
2	.20				.36		.06	.01	.15	.43	.01	.11	2
3		.03		.32	.03		.08		.04	.04	.21	.12	3
4							.08		.02		.07	.03	4
5	.21		.06	.02	.09			.01	.21			.03	5
6	.42		.15	.19	.09				.25				6
7	.01		.16	.34					.56	.73			7
8				.14	.03				.04	.28			8
9	.22			.06	.04				.05		.02		9
10	.16			.09	.02				.43	.53	.06		10
11	.03			.04	.31	.09	.17		.02				11
12	.04			.02	.28		.16	.04	.09	.38			12
13	.01			.06	.09		.23	.08	.12	.18		.18	13
14	.17			.28				.13		.19	.11	.02	14
15	.02			.02	.60					.04			15
16	.09			.08			.01			.02			16
17					.01		.19		.05	.20		.03	17
18					.03						.04		18
19				.15	.03		.08		.02	.25			19
20				.09	.26		.07	.28		.25	.04	.04	20
21	.02		.27	.07	.34			.05		.64	.02		21
22			.08	.06	.29		.29			.01	.26	.02	22
23				.05	.12		.04			.12	.20	.06	23
24	.08			.03	.10		1.04		.16		.52		24
25				.05	.01	.01	.08		.23	.46	.09		25
26		.01	.04	.04	.22		.21		.25	.15	.03		26
27			.67	.11	.15	.05	.15			.12	.09	.03	27
28			.02	.18	.14		.27						28
29	.01		.39	.38	.08	.12		.05	.13	.92	.34	.27	29
30	.02	X	.08	.36		.10	.06	.05	.03	.53	.70	.03	30
31		X	.21	X		X	1.06	.03	X	.01	X	.01	31
TOTAL	2.13	.06	2.13	3.30	4.46	.37	4.41	.76	2.90	6.50	2.83	1.04	30.89
*Days with .01 in. or more.	17	3	11	26	25	5	20	11	20	23	18	15	194
*Days with .04 in. or more.	10		10	22	18	9	19	7	16	19	13	7	145

Section

A

for the entry of Daily Observations.

Station No.

2783

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at HOOTON PUMPING STATION.

in the County of CHESHIRE

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 6 in.
Ground Sea Level 97 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	.15	.08			.12			.01		.04		1
2	.03		.14	.01	.01			.01					2
3	.04	.30	.17		.15								3
4	.28	.01	.15		.10								4
5	.14	.01	.06		.07						.02		5
6		.19	.13		.12						.03		6
7	.02	.44					.27	.03		.32	.02	.01	7
8	.10		.30		.06		.09					.02	8
9		.09				.01	.28			.21	.13		9
10	.06	.12				.15	.07			1.04	.09		10
11				.02	.01		.03			.09		.23	11
12	.05				.02	.03	.38			.08		.04	12
13					.15		.03	.09	.02	.15	.43		13
14	.10						.16	.08		.05	.22		14
15	.18		.04				.66	.07		.20	.11	.02	15
16	.13	.04	.12		.06	.23		.02		.27		.01	16
17	.07		.30			.75			.03		.02		17
18	.10		.13			.16					.02		18
19		.01	.40						.08		.15	.02	19
20		.10	.08		.17	.02		.25	.06				20
21						.22		.17					21
22				.05	.01			.23		.01			22
23				.08		.11		.01	.02	.04			23
24		.24		.12	.11	.19			.29	.02			24
25		.06		.14					.05			.15	25
26		.80		.21						.40			26
27					.01					.02		.01	27
28		.02		.07			.10	.45		.02			28
29	.01	X	.11				.07					.01	29
30	.07	X	.04	.31	.14		.02			.33		.33	30
31	.01	X		X		X			X	.45	X	.03	31
TOTAL	1.40	2.58	2.25	1.01	1.19	1.99	2.16	1.41	.56	3.70	1.28	.88	YEAR'S TOTAL 20.41
*Days with .01 in. or more.	17	15	15	9	15	11	12	11	8	17	12	12	154
*Days with .04 in. or more.	12	11	15	7	10	8	9	7	4	13	*7	4	107

40-9999

*See Instruction 2 (f) on other side.

(Signed)

P.T.O.

Kept at HOOTON PUMPING STATION
in the County of CHESTER

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
Ground Sea Level 97 ft.

B.O.
✓
Young Counsel
aly

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	.07	—	—	—	—	—	—	.15	.10	.01	<u>1.47</u>	.59	I
2	—	—	.16	—	—	—	—	.34	.03	—	.16	.27	2
3	.19	—	—	—	—	—	—	.25	—	.27	—	.02	3
4	.11	—	.07	.05	.09	—	—	.05	.03	.53	—	<u>.79</u>	4
5	.01	—	.07	—	.07	—	—	<u>.71</u>	—	.05	.03	.04	5
6	—	—	.11	.02	.25	—	—	—	—	.20	—	.20	6
7	.22	.03	.10	.02	.03	—	—	—	—	.05	.14	.17	7
8	—	—	.03	—	.18	.03	—	—	.03	.02	.50	.03	8
9	—	—	.14	.01	—	—	—	.06	.05	.01	.34	—	9
10	—	.04	.15	—	—	—	—	.27	—	.02	.03	—	10
II	.01	—	.05	.23	—	—	—	.23	—	—	.11	.09	II
I2	—	—	.02	<u>.45</u>	—	—	.01	.14	—	.04	—	—	I2
I3	.25	—	.02	.03	—	—	.28	—	—	.04	—	—	I3
I4	.17	—	.20	.05	—	.01	—	—	—	.35	.02	.94	I4
I5	.15	—	<u>.45</u>	.01	.23	—	.01	.12	.21	.15	.03	.14	I5
I6	.30	—	.08	—	.11	—	—	.07	.01	.14	.02	.18	I6
I7	.10	—	.17	.03	.21	—	.03	—	.09	.16	—	.06	I7
I8	.19	—	.01	.12	<u>.27</u>	.24	—	—	—	.01	—	.08	I8
I9	—	—	.14	.01	.07	.14	—	.01	.25	.08	—	.16	I9
20	—	—	.02	—	.03	.05	—	—	.02	—	—	.04	20
21	—	—	.03	—	—	.30	—	.03	<u>.32</u>	.15	—	—	21
22	.06	—	.06	.02	.02	.02	—	.03	.12	.16	—	.05	22
23	—	—	.04	.36	.09	.29	<u>.36</u>	—	.01	.13	.01	.04	23
24	—	<u>.16</u>	.01	—	.02	.01	.05	—	.16	.03	—	—	24
25	—	—	—	.10	—	—	.13	—	.08	.15	—	.42	25
26	.01	—	.03	.16	—	.08	.17	—	.02	—	—	.01	26
27	—	—	—	.02	—	.05	.15	—	—	.03	—	.32	27
28	.01	—	—	.03	—	—	—	.21	.08	.21	—	.70	28
29	—	X	—	—	—	—	.08	.02	.17	.33	—	.02	29
30	.13	X	—	—	—	—	.03	.08	.16	<u>.55</u>	—	—	30
31	—	X	—	X	—	X	—	.20	X	.41	X	.31	31
TOTAL	2.00	.23	2.16	1.72	1.67	1.22	1.30	2.97	1.94	4.28	2.86	4.72	27.07
Days with ".01 in. or more.	16	3	23	18	14	11	11	18	19	27	12	24	196
Days with ".04 in. or more.	12	2	15	8	10	7	7	14	12	20	6	20	133

Section



for the entry of Daily Observations.

Station No.

2783

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1935.

Kept at HOOTON PUMPING STATIONin the County of CHESHIREDiameter of Funnel of Gauge.....5.....in.Height of top of Gauge above Ground.....1 ft. 6 in.,, Ground ,, Sea Level 9 ft. 9 in.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.24	.01	—	—	—	.01	.21	—	.61	.24	.09	.42		1
2	—	.04	—	—	—	.22	—	—	.01	.03	—	.21		2
3	.04	.25	.04	.21	—	.31	—	—	.14	.03	.16	.54		3
4	—	.03	.03	.12	—	.11	—	—	.01	.28	.03	—		4
5	—	.26	.14	.08	—	.04	.02	—	.11	.03	.11	.04		5
6	—	—	—	.13	—	.13	—	—	.02	—	.06	—		6
7	—	—	—	.02	—	.14	—	—	—	.10	.05	.24		7
8	—	—	—	.14	—	.01	—	—	.01	.02	.13	.13		8
9	.06	—	—	.10	—	.12	—	—	—	<u>1.20</u>	.04	—		9
10	—	.09	—	.10	—	.12	—	—	—	.08	.02	—		10
11	<u>.33</u>	—	—	—	—	.16	—	.03	—	.08	.09	—		11
12	.09	—	—	—	—	.15	—	—	.06	—	—	—		12
13	.19	—	—	.08	.21	.06	—	—	.11	.04	—	—		13
14	.02	—	—	.01	—	.11	<u>.40</u>	—	.03	—	.44	.14		14
15	—	.14	—	.35	.09	.02	.04	—	.10	—	—	<u>.89</u>		15
16	—	.14	.08	.09	.12	<u>.86</u>	.14	—	.58	—	.51	.05		16
17	—	—	—	.24	.49	.38	.05	.32	.05	.03	<u>.63</u>	—		17
18	—	—	—	.12	<u>.54</u>	.10	.10	—	.16	.04	—	—		18
19	—	—	—	.28	.28	.44	.14	—	—	.62	.20	—		19
20	—	.15	—	<u>.34</u>	—	.03	.15	—	—	—	.09	—		20
21	—	.24	—	—	—	—	—	—	.46	.05	.02	.02		21
22	—	.16	—	.05	—	—	—	—	.23	—	—	.21		22
23	—	.01	<u>.27</u>	—	—	—	—	.08	.28	.65	—	—		23
24	.18	.25	.10	—	—	—	—	—	<u>.81</u>	.08	—	.23		24
25	<u>.20</u>	.15	—	—	—	.02	—	—	—	.05	.03	—		25
26	—	.06	—	—	—	—	—	<u>.51</u>	.69	.01	.04	.16		26
27	—	.02	—	—	.02	.08	—	.03	.19	.04	.33	.02		27
28	.04	.14	—	—	.10	—	.08	.33	.31	.25	.02	—		28
29	—	~~X~~	.04	—	—	.03	—	.18	.20	.04	.09	.11		29
30	.03	~~X~~	—	.03	—	.34	—	.10	.11	.28	.51	.10		30
31	—	~~X~~	—	~~X~~	—	~~X~~	—	—	~~X~~	.10	~~X~~	.54		31
TOTAL	1.40	2.14	.46	2.55	1.85	4.02	1.33	1.58	5.31	4.43	3.75	4.14	33.35	4.1
* Days with .01 in. or more.	12	17	7	18	8	24	10	8	23	24	22	14	190	
* Days with .04 in. or more.	9	13	6	15	7	18	9	6	18	18	14	15	151	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required

(Signed)

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No.

2783

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at *Hooton Pumping Station, Hooton*in the County of *Cheshire*Diameter of Funnel of Gauge.....*5*.....in.Height of top of Gauge above Ground...*1*.....ft..*5*.....in.,, Ground ,, Sea Level ...*100*.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	.20	.08	<u>.48</u>	—	.13	.03	.36	.03	—	.27	.98		1
2	.06	.03	—	.12	—	.36	—	.05	.02	—	.08	.24		2
3	—	—	—	—	—	.45	.01	.02	.24	—	—	.04		3
4	—	.16	.23	—	—	.01	—	—	.27	—	.24	.19		4
5	.16	.05	.08	—	—	—	—	.27	.15	—	.03	.34		5
6	.06	—	—	—	.05	.02	.08	.12	.15	—	.06	—		6
7	—	—	.07	—	—	—	.10	—	.50	—	.16	.12		7
8	.08	—	<u>.31</u>	—	—	—	—	—	.13	—	.32	.05		8
9	.26	—	.01	—	—	.04	.09	—	.25	—	.05	—		9
10	.11	—	—	—	—	—	.13	—	.01	—	.01	—		10
11	—	—	—	.04	—	.07	.38	.04	.08	—	.33	.10		11
12	—	—	—	—	.03	.11	.30	—	.20	.02	.06	.01		12
13	.02	—	—	.01	—	—	.15	—	.02	.22	.02	.45		13
14	—	—	—	.07	—	.22	.01	.06	.29	.04	.35	.50		14
15	.27	—	—	.29	.08	.13	—	.01	.18	—	.33	.02		15
16	.06	.03	—	.13	<u>.28</u>	—	.05	—	.01	—	.50	—		16
17	.05	.28	—	—	.02	—	.05	.07	—	.02	.02	.01		17
18	—	.10	—	.05	—	—	1.00	.21	—	.26	—	—		18
19	.61	.09	—	.27	—	.25	.01	<u>.38</u>	—	.18	—	—		19
20	.55	.17	—	—	—	.03	.02	.01	—	.01	—	—		20
21	<u>1.36</u>	—	.03	.05	—	<u>.86</u>	—	—	—	—	—	.06		21
22	.02	<u>.52</u>	.04	—	—	.39	.25	—	—	.01	—	.11		22
23	.02	.10	.13	—	—	—	.24	—	—	.06	—	—		23
24	.15	—	—	—	—	—	—	—	.18	.08	—	—		24
25	.18	—	—	—	—	—	—	—	<u>.54</u>	.06	—	—		25
26	.03	.15	.23	—	—	—	.05	—	.11	.16	—	—		26
27	.48	—	—	—	—	—	.07	—	.12	.10	—	—		27
28	.22	.26	.12	.07	—	.13	.01	—	—	.13	—	.05		28
29	.05	.18	.15	—	.03	.26	—	—	—	.01	.11	.08		29
30	.09	~~X~~	—	—	.18	.03	.23	.04	—	.28	.10	—		30
31	.04	~~X~~	.03	~~X~~	.06	~~X~~	—	—	~~X~~	—	~~X~~	.20		31
TOTAL	5.23	2.32	1.51	1.58	.73	3.49	3.26	1.64	3.48	1.64	3.04	3.55	31.47	✓
* Days with .01 in. or more.	23	14	13	11	8	17	21	13	20	16	18	18	192	✓
* Days with .04 in. or more.	19	12	10	10	5	13	15	10	15	11	14	15	149	✓
Year's Total														

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) *A. J. J. J.* [P.T.O.]

COPY FOR OFFICIAL USE

Section

A

for the entry of Daily Observations

Station No.

2783

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1937

Kept at ... Hooton Pumping Station,

in the County of ... Cheshire

Diameter of Funnel of Gauge ... 5 ... in.

Height of top of Gauge above Ground ... One ft. ... in.

„ Ground „ Sea Level ... 100 ... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02	.38	.06	—	—	—	—	—	.20	.15	.03	.03		1
2	—	.07	.12	.29	—	—	.02	—	—	—	—	.11		2
3	—	.13	—	.05	.11	.23	.04	—	—	—	—	—		3
4	.27	.01	.02	.08	.08	—	—	.02	—	—	—	.63		4
5	.44	—	.20	.21	—	—	.03	—	—	—	—	1.22		5
6	.02	—	—	.01	—	—	—	—	—	—	—	.01		6
7	—	.33	—	.06	.10	.11	.01	—	.07	—	—	.02		7
8	—	.30	—	.08	—	.05	.22	—	.02	—	.12	—		8
9	—	—	—	.01	.12	.15	.33	.04	—	—	—	—		9
10	.01	.23	—	—	—	—	—	—	—	—	—	.18		10
11	—	—	.25	—	.49	—	—	—	—	—	.02	.01		11
12	.09	.48	.02	—	—	.58	.02	.10	.49	—	—	.08		12
13	—	.03	.04	.03	—	.08	—	.21	—	.03	—	.33		13
14	—	.12	.01	—	—	—	—	.18	.06	.01	.06	.15		14
15	.06	.18	.01	.35	—	—	.75	—	.15	—	—	.24		15
16	—	.13	.28	.81	—	—	—	.12	.09	—	—	—		16
17	.07	.10	.13	.73	—	—	.07	.01	.29	—	—	—		17
18	.40	.28	.03	.02	—	—	.10	.04	.03	—	.44	.03		18
19	.02	.11	.11	.50	.07	.27	.02	.06	.10	—	.14	—		19
20	.08	.09	.01	.31	.77	—	.23	—	—	—	—	.03		20
21	.03	.28	.24	.11	.10	—	.05	—	—	.11	—	.03		21
22	.15	.14	.03	—	.07	—	.20	—	—	.14	.25	.12		22
23	.06	.01	—	—	.33	—	.06	—	—	.57	.15	—		23
24	.09	.32	.20	—	—	—	—	—	.16	.54	—	—		24
25	—	.30	.02	—	—	—	—	.25	—	.07	—	—		25
26	—	.24	.08	—	.25	—	—	.04	—	.08	—	.01		26
27	—	.79	—	.22	—	—	—	—	—	.37	—	—		27
28	—	.03	—	—	—	—	—	—	.01	.12	—	—		28
29	—	—	—	—	—	.02	—	—	—	.26	.17	—		29
30	.17	~~X~~	.01	—	—	.28	—	—	.10	.13	.49	—		30
31	.18	~~X~~	—	~~X~~	—	~~X~~	—	—	~~X~~	.09	~~X~~	—		31
TOTAL	2.16	5.08	1.87	3.87	2.49	1.77	2.15	1.17	1.77	2.67	1.87	3.23	Year's Total	30.10
* Days with .01 in. or more.	17	24	20	17	11	9	15	11	13	14	10	17		178
* Days with .04 in. or more.	12	20	11	13	11	8	10	9	10	12	8	9		133

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

Black Gen manager

[P.T.O.]

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Horton Pumping Station
in the County of Gloucestershire
Diameter of Funnel of Gauge.....5 in.
Height of top of Gauge above Ground.....ft.....in.
„ Ground „ Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		.02		.15	.05	.20	.02			.12	.01	.53		1
2						.10	.07		.14	.34	.05			2
3		.01				.06	.10			.05	.01	.27		3
4	.08					.05		.65	.06	.10		.03		4
5	.12					.05	.33		.26	.12		.03		5
6	.75						.22	.29	.10	.03				6
7	.25	.01					.73	.53		.34		.57		7
8	.08	.11	.11			.36	.18	.91				.15		8
9	.18	.06	.02			.01	.69					.22		9
10	.25				.05	.04	.09		.01	.15	.05	.14		10
11	.03				.32					.50	.42	.03		11
12					.02						.04	.04		12
13	.25				.05		.16		.01	.01	.02			13
14	.15						.04	.25		.08		.05		14
15	.16		.01		.02		.11			.02	.02	.03		15
16					.02		.02			.24		.04		16
17					.12			.02		.13	.32			17
18								.08	.02					18
19	.02		.06						.03		.18			19
20			.06					.09			.20			20
21				.03		.18					.50			21
22					.12	.05			.15		.23	.02		22
23		.01	.25		.06			.88	.10	.10	.05			23
24	.05		.13			.12	.12			.42	.64	.06		24
25	.21	.18	.29		.20	.03			.03	.50	.14	.12		25
26	.17	.04	.01		.54	.28	.08	.34			.16			26
27	.28	.02				.27	.15	.10	.02		.01	.15		27
28	.58				1.23	.04	.04			.15	.04	.20		28
29	.03							.02	.35		.10	.22		29
30	.08	X			.22	.09			.04	.13	.12	.42		30
31	.01	X		X	1.02	X	.02		X	.10	X	.32		31
TOTAL	3.73	.46	.94	.18	4.04	1.93	3.17	4.16	1.32	3.63	3.31	3.64	30.51	✓
* Days with .01 in. or more.	20	9	9	2	15	16	18	12	14	20	21	21	177	✓
* Days with .04 in. or more.	16	4	6	1	12	14	15	10	8	17	16	16	135	✓
Year's Total														

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

Section

A

for the entry of Daily Observations

Station No. 2783

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937.

Kept at Hooton Pumping Station

in the County of Cheshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

Ground Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.32	—	.05	.20	—	—	.02	.27	.20	—	—	.08		1
2	.10	—	.02	.20	—	—	.05	.51	—	—	—	.10		2
3	.22	—	.11	.15	—	—	.02	.08	—	—	.05	.38		3
4	.17	—	.09	.14	—	—	.33	—	—	.02	.17	.32		4
5	—	—	—	—	.24	—	.24	.01	—	.08	.30	.01		5
6	.58	—	—	—	—	—	.25	—	—	—	.04	—		6
7	.02	—	—	—	.10	—	.15	.05	—	—	.10	.40		7
8	.09	.10	.37	.04	—	—	.78	.04	—	.16	.15	.12		8
9	.06	.05	—	—	—	—	—	.09	—	.38	—	.28		9
10	.27	—	—	—	.01	—	—	.11	.12	.03	—	.26		10
11	.35	—	.23	—	—	.07	—	.01	—	.02	—	—		11
12	.50	.14	—	—	—	.08	—	—	.01	—	—	—		12
13	.04	—	.08	.27	.16	.30	.24	—	.26	—	.08	—		13
14	.39	—	—	.03	.34	.48	.32	—	.01	.07	.18	—		14
15	.18	—	—	.07	.12	.70	.36	—	—	—	.20	—		15
16	.04	.05	.11	—	.18	—	.46	—	—	—	.22	—		16
17	.58	.02	—	—	.15	.25	.02	—	—	1.01	.03	—		17
18	.06	.20	.05	—	—	.13	.17	—	—	—	.90	—		18
19	.18	—	—	—	—	—	.29	—	—	—	.07	—		19
20	.10	—	—	—	.02	.39	.31	—	—	—	—	—		20
21	.18	—	.34	.07	.02	—	.04	.10	.08	—	—	—		21
22	.20	.45	.05	.05	—	—	.18	—	—	.03	.43	—		22
23	.05	.16	.04	.20	—	—	.04	—	—	.15	.20	—		23
24	—	.01	—	—	—	.07	.34	—	—	.40	.02	—		24
25	.08	.04	—	—	—	—	.07	—	—	.04	.38	—		25
26	—	—	—	—	—	—	—	.01	—	—	.10	.04		26
27	—	.92	.15	—	—	.13	.08	.36	—	—	.06	.21		27
28	—	.20	.20	.12	—	.10	.17	—	—	—	.37	.08		28
29	—	—	—	.08	—	—	1.12	—	—	.08	.05	.02		29
30	—	X	—	—	—	.01	.04	—	—	—	.03	.02		30
31	—	X	—	X	—	X	.02	.13	X	—	X	.02		31
TOTAL	4.76	2.34	1.89	1.79	1.34	2.61	6.11	1.77	.68	2.47	4.13	2.34	32.23	
* Days with .01 in. or more.	23	12	14	14	10	12	26	13	6	13	22	15	181	
* Days with .04 in. or more.	22	10	13	13	7	11	22	10	4	9	19	11	151	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) P.T.O.

Kept at **WILLASTON**
in the County of **CHESHIRE**

Diameter of Funnel of Gauge.....
Height of top of Gauge above Ground
,, Ground ,, Sea L

THE MORNING MEASU

An observer who does not conform to
year in the space on the right of the

2783/5

WILLASTON
1932 — 36

FOR OFFICIAL USE.
ORGANIZATION.

Jan. 1, following

lowing

.01"

Date	Jan.	Feb.	March								Nov.	Dec.	Date
	in.	in.	in.								in.	in.	
I	.07	.02	—	.11	.50	—	.05	.38	.05		.03	.04	I
2	.20	TRACE	—	—	.65	—	.03	TRACE	.05		.01	.09	2
3	—	.02	—	.32	.32	—	.10	TRACE	.11		—	.06	3
4	TRACE	TRACE	—	TRACE	—	—	.08	TRACE	.03		.28	.11	4
5	TRACE	TRACE	.01	.07	—	—	TRACE	.01	.12		—	.06	5
6	.840	—	.08	.06	—	—	—	—	.29		—	TRACE	6
7	.07	—	.07	.14	(SNOW) .05	—	—	—	.78		TRACE	.01	7
8	TRACE	—	.11	.13	TRACE	—	—	—	—		TRACE	—	8
9	.03	—	TRACE	TRACE	.04	—	—	—	.04		—	TRACE	9
10	.27	(SNOW) TRACE	—	.11	—	—	—	—	.39		.08	—	10
II	.07	(SNOW) TRACE	—	.03	.04	.08	—	—	.03		—	—	II
12	.02	—	—	—	.47	—	.11	.04	.14		TRACE	—	12
13	.07	—	—	—	.10	—	.33	—	.01		—	.05	13
14	TRACE	—	—	.22	—	—	.04	.16	—		TRACE	.18	14
15	.18	—	—	—	—	—	—	—	—		.15	.02	15
16	.01	—	—	—	.51	—	—	.02	—		—	—	16
17	.06	—	—	—	—	—	.18	—	—		—	—	17
18	—	—	—	—	.01	—	—	—	.04		—	.03	18
19	—	—	—	—	.03	—	.02	—	.02		.03	—	19
20	—	—	—	—	.10	—	.08	—	—		.05	.05	20
21	—	—	—	—	.24	—	—	.41	—		.01	TRACE	21
22	.02	—	.31	—	.19	—	.29	TRACE	—		.23	TRACE	22
23	TRACE	—	—	—	.36	—	—	—	—		.08	.05	23
24	—	TRACE	—	—	.13	—	.03	—	—		.19	.01	24
25	.07	—	—	—	TRACE	.01	.86	—	—		.40	—	25
26	.02	TRACE	.02	—	—	TRACE	.21	—	.61		TRACE	—	26
27	TRACE	—	.21	—	.26	.01	.16	—	TRACE		.07	.05	27
28	—	—	—	.77	.06	.04	—	—	TRACE		.02	TRACE	28
29	—	—	.38	—	.14	—	.25	—	—		—	—	29
30	.02	×	—	.34	.06	.12	TRACE	.04	—		.93	.26	30
31	.01	×	.12	×	—	×	.49	.05	×		×	.02	31
TOTAL	2.03	.04	1.31	2.23	4.33	.26	3.31	131	2.73	5.69	2.56	1.10	26 90
*Days with or in. or more.	17	2	10	21	5	17	8	15	15	16			
*Days with or in. or more.	10	NONE		19	3	14	6	4	10	11			

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at **WILLASTON**
in the County of **CHESHIRE**

Diameter of Funnel of Gauge **5** in.
Height of top of Gauge above Ground **1** ft. **0** in.
,, Ground ,, Sea Level **100** ft.

NB g not read daily.
Received *through the R. Met. Soc.*
but to be credited to Mr. Harry Procter
24/1/33. Print
OK print

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following
"01"

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	.07	.02	—	.11	.50	—	.05	.58	.05		.03	.04	I
2	.20	TRACE	—	—	.65	—	.03	TRACE	.05		.01	.09	2
3	—	.02	—	.32	.32	—	.10	TRACE	.11		—	.06	3
4	TRACE	TRACE	—	TRACE	—	—	.08	TRACE	.03		.28	.11	4
5	TRACE	TRACE	.01	—	.07	—	TRACE	.01	.12		—	.06	5
6	.840	—	.08	.06	—	—	—	—	.29		—	TRACE	6
7	.07	—	.07	.14	(SNOW) .05	—	—	—	.78		TRACE	.01	7
8	TRACE	—	.11	.13	TRACE	—	—	—	—		TRACE	—	8
9	.03	—	TRACE	TRACE	.04	—	—	—	.04		—	TRACE	9
10	.27	(SNOW) TRACE	—	.11	—	—	—	—	.39		.08	—	10
11	.07	(SNOW) TRACE	—	.03	.04	.08	—	—	.03		—	—	11
12	.02	—	—	—	.47	—	.11	.04	.14		TRACE	—	12
13	.07	—	—	—	.10	—	.33	—	.01		—	.05	13
14	TRACE	—	—	.22	—	—	.04	.16	—		TRACE	.18	14
15	.18	—	—	—	—	—	—	—	—		.15	.02	15
16	.01	—	—	—	.51	—	—	.02	—		—	—	16
17	.06	—	—	—	—	—	.18	—	—		—	—	17
18	—	—	—	—	.01	—	—	—	.04		—	.03	18
19	—	—	—	—	.03	—	.02	—	.02		.03	—	19
20	—	—	—	—	.10	—	.08	—	—		.05	.05	20
21	—	—	—	—	.24	—	—	.41	—		.01	TRACE	21
22	.02	—	.31	—	.19	—	.29	TRACE	—		.23	TRACE	22
23	TRACE	—	—	—	.36	—	—	—	—		.08	.05	23
24	—	TRACE	—	—	.13	—	.03	—	—		.19	.01	24
25	.07	—	—	—	TRACE	.01	.86	—	—		.40	—	25
26	.02	TRACE	.02	—	—	TRACE	.21	—	.61		TRACE	—	26
27	TRACE	—	.21	—	.26	.01	.16	—	TRACE		.07	.05	27
28	—	—	—	.77	.06	.04	—	—	TRACE		.02	TRACE	28
29	—	—	.38	—	.14	—	.25	—	—		—	—	29
30	.02	×	—	.34	.06	.12	TRACE	.04	—		.93	.26	30
31	.01	×	.12	×	—	×	.49	.05	×		×	.02	31
TOTAL	2.03	.04	1.31	2.23	4.33	.26	3.31	131	2.73	5.69	2.56	1.10	26 90
*Days with "or in. or more.	17	2	10	—	21	5	17	8	15	—	15	16	
*Days with ".04 in. or more.	10	NONE	—	—	19	3	14	6	11	—	10	11	

(Signed) *Harry Procter*
H. PROCTER ESQ. P.T.O.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1933 .

Kept at "Melrose" Benty Heath Lane Willington
in the County of Cheshire Wirral

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 2 in.
Ground Sea Level 100 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	.13	.09	.01	.01	—	—	—	—	—	.04	—		1
2	.02	—	.16	—	.01	.08	—	.01	—	—	—	—		2
3	.03	.22	.17	—	.15	—	—	—	—	—	—	—		3
4	.22	.01	.09	TRACE MIST	.08	—	—	—	—	TRACE	TRACE	—		4
5	.12	.01	.05	—	.08	—	—	—	—	—	.04	—		5
6	—	.14	.15	—	.11	—	—	TRACE	—	—	.02	—		6
7	—	.41	—	—	—	—	.16	.05	—	.33	.01	—		7
8	.11	TRACE	.30	TRACE	.03	—	.08	—	—	—	—	.04		8
9	—	.03	—	—	.01	—	.26	—	—	.06	.10	—		9
10	.06	.27	—	—	—	.13	.05	—	—	.45	.10	—		10
11	.01	—	—	.01	.02	—	.10	—	—	.17	—	.18		11
12	.05	—	—	—	—	—	.26	—	—	.07	—	.04		12
13	TRACE	—	—	—	.14	—	.11	.10	.02	.15	.41	—		13
14	.28	—	—	—	—	—	.10	.03	—	.06	.23	—		14
15	—	—	.03	—	TRACE	—	.36	.16	—	.19	.12	.02		15
16	.12	.03	.10	—	.08	.22	—	.01	—	.34	—	TRACE		16
17	.05	TRACE HAIL	.29	—	—	.78	—	—	.03	—	.03	—		17
18	.11	TRACE SNOW	.11	TRACE SNOW	TRACE	.07	—	—	—	—	.19	.03		18
19	—	TRACE SNOW	.18	—	—	—	—	.01	.10	—	—	.01		19
20	—	.12	.22	—	.21	TRACE	—	.18	.05	—	—	—		20
21	—	—	—	—	—	.27	—	.17	—	—	—	.01		21
22	—	—	—	.01	.01	—	—	.20	—	.02	—	—		22
23	—	—	—	.11	—	.10	—	—	TRACE	.03	—	—		23
24	—	SNOW .16	—	.12	.12	.21	—	—	.22	—	—	—		24
25	—	SNOW .05	TRACE	.06	.01	—	—	—	.24	—	—	.16		25
26	—	.81	—	.11	—	TRACE	—	—	—	.36	—	.01		26
27	—	.06	—	—	.02	—	—	—	—	TRACE	—	TR		27
28	—	.02	TRACE	.08	—	—	.08	.49	—	.02	—	—		28
29	—	X	—	—	—	—	.06	—	TRACE	—	—	.03		29
30	.08	X	.10	.32	.05	.01	.04	—	—	.30	—	.31		30
31	TRACE	X	.02	X	—	X	—	.01	X	.46	X	.02		31
TOTAL	1.26	2.47	2.06	.83	1.14	1.87	1.66	1.42	.66	3.51	1.29	.86	Year's total	19.03
*Days with ".01 in. or more.	13	15	15	9	17	9	12	12	6	15	11	12		146
*Days with ".04 in. or more.	10	10	13	6	9	8	12	7	4	12	8	5		104

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No. 2783/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at "Melrose" Benty Heath Lane, Willaston, Warral

in the County of Cheshire

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
Ground Sea Level 100 ft.

Est. day
all

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.09	—	TR	—	TR	—	—	.09	X	.04	.37	.79		1
2	.01	.01	.13	—	—	—	—	.29	X	—	.13	.12		2
3	.13	—	—	—	—	—	—	X	✓	.20	TR	.01		3
4	.08	—	.06	.06	.06	—	—	✓.87	X	.56	—	.87		4
5	—	—	.05	TR	.09	—	—	—	.17	.09	.03	.05		5
6	TR	—	.08	.02	.25	TR	—	X	—	.20	—	.22		6
7	.21	.04	.06	—	TR	—	—	—	—	.03	.12	.12		7
8	—	—	.02	TR	.18	.03	—	TR	✓	.02	.52	.02		8
9	TR	—	.13	.01	—	—	—	.06	✓	.01	.36	TR		9
10	—	.03	.15	.25	TR	—	—	.19	—	.02	.02	.01		10
11	.01	—	.02	.43	—	—	—	.22	TR	—	.09	.06		11
12	TR	TR	.02	.04	.01	—	TR	.12	—	.05	TR	.04		12
13	.29	—	.02	.02	—	—	.20	.02	—	.03	.01	—		13
14	.12	.01	.20	—	—	.01	—	—	—	.33	.03	.04		14
15	.16	—	.43	TR	.20	TR	TR	.09	.12	.18	.02	.15		15
16	.27	—	.06	+	.08	TR	—	—	—	.04	.05	.14		16
17	.07	—	.15	.04	.21	—	.04	—	.07	.21	—	.05		17
18	.14	—	.01	.09	.25	.15	—	—	—	TR	—	.09		18
19	—	—	.15	—	.05	.18	—	TR	.30	.07	—	.15		19
20	—	—	.01	.02	.02	—	—	—	.02	TR	—	.03		20
21	.01	—	.01	—	—	.31	—	.01	.20	.22	—	—		21
22	.05	—	.08	.01	.01	.02	—	.02	.18	X	—	.06		22
23	TR	—	.02	.29	.10	.22	.30	—	—	.10	.01	.04		23
24	—	.15	.02	—	.01	.06	.04	—	.14	.02	—	TR		24
25	.01	.01	—	.08	.01	.09	—	—	.07	.12	—	.42		25
26	.01	—	.02	.12	—	X	.28	—	.02	TR	TR	TR		26
27	.03	—	TR	.02	—	.05	.11	—	—	.05	TR	.26		27
28	.01	—	—	.05	—	—	—	X	.04	.23	—	.67		28
29	NIL #2	X	—	TR	—	—	.10	.50	.20	.34	—	.02		29
30	.12	X	—	TR	—	—	—	X	.15	.44	—	TR		30
31	—	X	—	X	—	X	.02	X	X	.23	X	.32		31
TOTAL	1.82	.25	1.90	1.55	1.53	1.12	1.09	2.48	1.68	3.83	1.76	4.75	Year's Total.	23.76
* Days with .01 in. or more.	19	4	23	16	15	+10	8	+14	+18	+26	13	25		196
* Days with .04 in. or more.	12	2	13	10	10	+4	7	+12	+13	—29	7	20		133

Section

A

for the entry of Daily Observations.

Station No. 2783/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at "MELROSE" BENTY HEATH LANE
WILLASTON, WIRRAL.
in the County of CHESHIRE

Diameter of Funnel of Gauge. 5 ins
Height of top of Gauge above Ground. 1 ft. 1 in.
Ground Sea Level 100 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.19	.02	—	—	.02	.01	.22	—	.51	.27	.10	.28		1
2	—	.06	TR	—	—	.14	TR	—	.02	.03	TR	.18		2
3	.06	.22	.07	.08	—	.26	—	—	.14	TR	.16	.60		3
4	TR	.03	.02	.08	TR	.08	—	—	.01	.26	.02	.02		4
5	—	.25	.16	.03	—	.05	.02	—	.09	.03	.13	.09		5
6	—	—	—	.13	—	.13	—	—	.01	—	.03	—		6
7	—	—	—	.04	—	.11	—	—	—	.13	.06	.29		7
8	—	—	—	.13	—	TR	—	TR	TR	.01	.13	.13		8
9	.06	TR	—	.08	—	.10	—	—	—	.13	.08	—		9
10	.01	.08	SNOW TR	.08	—	.05	TR	—	—	.09	TR	—		10
11	.28	—	—	—	—	.03	—	.04	—	.10	.07	—		11
12	.11	TR	—	—	—	.25	—	—	.05	—	—	—		12
13	.15	TR	—	.07	.19	TR	—	—	.14	.03	.01	—		13
14	.01	—	—	.04	—	.15	.63	TR	.02	—	.44	SNOW .12		14
15	—	.15	—	.33	.08	.02	.03	—	.13	—	—	.78		15
16	.01	.16	.07	.11	TR	.61	.12	TR	.75	TR	.59	.06		16
17	—	—	—	.27	SNOW .66	.35	.06	.34	TR	.02	.69	—		17
18	—	—	—	.12	.66	.10	.04	TR	.17	.03	—	—		18
19	—	—	—	.33	.30	.42	.07	—	—	.61	.21	.01		19
20	TR	.14	—	.35	.01	.05	.16	—	—	(HAIL) TR	.13	—		20
21	DEW TR	.26	—	—	—	—	—	—	.50	.08	.02	#.07		21
22	.02	.16	TR	.03	—	—	—	—	.16	—	—	HAIL .15		22
23	TR	.01	.28	—	—	—	—	.07	.25	.66	—	—		23
24	.19	.22	.08	—	—	—	—	—	.73	.11	—	#.26		24
25	.20	.14	TR	—	—	.01	—	—	—	.04	.02	.01		25
26	—	.01	—	—	—	—	—	.46	.61	.01	.03	.18		26
27	—	.07	—	—	.01	.09	.07	.02	.19	.10	.29	.03		27
28	.05	.11	—	—	.10	—	—	.24	.27	.19	.01	—		28
29	—	X	.05	TR	—	TR	—	.21	.19	.06	.05	.11		29
30	.02	X	—	.01	—	.40	—	.11	.09	.28	.40	.10		30
31	TR	X	TR	X	—	X	—	—	X	.07	X	.53		31
TOTAL	1.36	2.09	.73	2.31	1.93	3.41	1.42	1.49	5.03	4.34	3.67	4.00	Year's Total. 31.78	
* Days with .01 in. or more.	14	17	7	18	9	21	10	8	21	23	22	20	190	
* Days with .04 in. or more.	9	13	6	15	6	17	8	7	17	16	15	16	145	

Section



for the entry of Daily Observations.

Station No. 2783/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at "MELROSE BENTY HEATH LANE
WILLASTON WIRRAL
CHESHIRE

July + Aug. allocated
by subdividing stations.

Diameter of Funnel of Gauge.....5 ins

Height of top of Gauge above Ground.....1 ft.....in.

,, Ground ,, Sea Level .../00.....ft.

Part Oct. 1, however
not for 1936

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	TR	.16	.10	.45	—	.19	.01		.01	—				1
2	.05	HAIL .01	—	.15	—	.52	TR	1.24	—	—				2
3	—	—	—	—	—	.60	—	~~1.24~~	.22	—				3
4	TR	SNOW .15	.20	—	—	TR	TR	(.74)	.25	—				4
5	.17	.05	.05	—	TR	—	—		.21	—				5
6	.04	—	—	—	.10	TR	.09		.16	—				6
7	—	—	.07	—	—	.01	.10		.59	—				7
8	.07	—	.30	—	—	—	—		.12	—				8
9	.27	—	—	—	—	.05	.09		.23	—				9
10	.10	—	—	—	—	—	.21	—	.01	—				10
11	TR	—	TR	HAIL .03	—	.08	.41	.05	.10	—				11
12	—	—	—	TR	.03	.11	.32	—	.21	.02				12
13	.02	—	—	—	.01	—	.14	—	.03	.24				13
14	—	—	—	.09	—	.24	TR	.09	.27	.02				14
15	SNOW .25	—	TR	.32	.10	.21	—	.01	.17	—				15
16	SNOW .12	.04	—	.13	.30	—	.07	.04	TR	—				16
17	HAIL .05	.32	—	—	—	—	.04	—	—	.03				17
18	SNOW TR	.12	—	.05	—	—	.99	.22	TR	.29				18
19	SNOW .60	.08	TR	.27	—	.32	.02	.38	—	—				19
20	.53	.20	—	—	—	.03	.01	TR	—	—				20
21	SNOW 1.20	—	.03	.02	—	.82	—	—	—	—				21
22	.02	.56	.03	—	TR	.49	.28	—	—	—				22
23	.02	.09	.12	TR	TR	.01	.26	—	—	—				23
24	.15	—	—	—	TR	—	(3.04)	—	.25	—				24
25	.18	—	—	—	—	—	—	—	.57	—				25
26	.02	.03	.32	TR	—	—	—	—	.11	—				26
27	.73	—	—	—	—	—	See AUGUST	—	.15 (1.25)	—				27
28	.22	.29	.15	.08	—	.16	(.50)	—	—	—				28
29	.06	.25	.07	—	.03	.25	—	—	—	—				29
30	.11	—	—	—	.21	.01	—	.05	—	—				30
31	.05	—	.03	—	.07	—	—	TR	—	—				31
TOTAL	5.03	2.35	1.47	1.59	.85	4.10	(3.54)	(1.50)	3.66	(1.85)	(3.00)	(3.50)	(32.52)	Year's Total
* Days with .01 in. or more.	23	14	12	10	8	17			18					
* Days with .04 in. or more.	19	12	9	8	5	13			15					

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed)

Harry Procter

[P.T.O.]

imposed
Part value
= 1/2
shut

2784
EASTHAM
1931—37

Kept at *Eastham*
in the County of *Ches*
Diameter of Funnel of Gauge.....
Height of top of Gauge above Grou
Ground ,, Sea

THE MORNING MEAS

An observer who does not conform to
year in the space on the right of t

Following
Jan. 1, following
. 20
for 31/12/31

Date	Jan.	Feb.	March								Nov.	Dec.	Date
	in.	in.	in.								in.	in.	
1	.00	.00	.00	.14	.00	.00	.00	.00	.36	.08	.00	.00	1
2	.22	.09	.00	.70	.08	.53	.00	.00	.36	.08	.00	.04	2
3	.00	.00	.00	.00	.00	.13	.22	.00	.80	.12	.51	.16	3
4	.00	.00	.00	.20	.14	.00	.00	.07	.61	.00	.00	.00	4
5	.00	.07	.00	.04	.00	.94	.20	.95	.01	.00	.01	.10	5
6	.00	.12	.00	.00	.00	.44	.02	.06	.16	.49	.06	.00	6
7	.05	.03	.00	.00	.00	.41	.00	1.24	.00	.16	.07	.01	7
8	.06	.02	.00	.09	.05	.23	.04	.32	.00	.00	.13	.00	8
9	.11	.16	.00	.00	.12	.24	.00	.23	.02	.03	.13	.03	9
10	.00	.07	.00	.05	.00	.32	.00	.14	.00	.00	.05	.02	10
11	.26	.09	.01	.00	.00	.01	.06	.00	.36	.03	.05	.04	11
12	.07	.16	.00	.00	.00	.00	.35	.10	.29	.00	.12	.00	12
13	.00	.00	.00	.00	.09	.03	.05	1.00	.00	.00	.00	.00	13
14	.03	.14	.00	.00	.01	1.39	.03	.90	.11	.00	.64	.00	14
15	.05	.34	.00	.20	.09	.00	.24	.53	.01	.00	.00	.30	15
16	.09	.09	.00	.26	.13	.07	.05	.30	.21	.00	.00	.00	16
17	.06	.00	.00	.12	.27	.04	.06	.05	.04	.00	.18	.00	17
18	.20	.00	.00	.00	.00	.75	.28	.10	.01	.00	.34	.00	18
19	.05	.20	.00	.00	.00	.06	.04	.15	.00	.02	.00	.00	19
20	.00	.06	.22	.00	.00	.03	.09	.02	.00	.00	.02	.03	20
21	.32	.00	.00	.00	.33	.01	.00	.24	.00	.00	.08	.00	21
22	.02	.00	.03	.02	.10	.03	.00	.00	.00	.00	.00	.00	22
23	.28	.00	.00	.14	.17	.14	.15	.00	.00	.00	.08	.20	23
24	.05	.01	.00	.12	.29	.00	.08	.00	.00	.00	.06	.16	24
25	.05	.22	.00	.75	.03	.00	.01	.00	.00	.00	.02	.06	25
26	.15	.13	.00	.08	.00	.00	.00	.00	.00	.00	.75	.00	26
27	.26	.22	.00	.04	.43	.00	.10	.00	.00	.21	.52	.12	27
28	.13	.48	.00	.09	.30	.00	.00	.50	.00	.10	.00	.22	28
29	.09	X	.00	.00	.00	.00	.22	.00	.00	.50	.02	.00	29
30	.00	X	.00	.00	.00	.00	.00	.00	.02	.00	.00	.00	30
31	.21	X	.00	X	.01	X	.24	.00	X	.00	X	.20	31
TOTAL	2.81	2.70	.34	3.04	2.64	5.80	2.53	6.40	3.13	1.86	3.84	1.69	36.78
*Days with or more.	22	19	4	16	17	19	20	17	15	12	20	15	196
*Days with or more.	20	16	2	15	14	14	17	16	10	8	16	11	159

FORM 1090.

REGISTER OF RAINFALL IN 193/ .

Kept at Eastham
in the County of Cheshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 00 in.
Ground Sea Level 100 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following
. 20
for 31/12/31

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.00	.00	.00	.14	.00	.00	.00	.00	.12	.11	.00	.00	1
2	.22	.09	.00	.70	.08	.53	.00	.00	.36	.08	.00	.04	2
3	.00	.00	.00	.00	.00	.13	.22	.00	.80	.12	.51	.16	3
4	.00	.00	.00	.20	.14	.00	.00	.07	.61	.00	.00	.00	4
5	.00	.07	.00	.04	.00	.94	.20	.95	.01	.00	.01	.10	5
6	.00	.12	.00	.00	.00	.44	.02	.06	.16	.49	.06	.00	6
7	.05	.03	.00	.00	.00	.41	.00	1.24	.00	.16	.07	.01	7
8	.06	.02	.00	.09	.05	.23	.04	.32	.00	.00	.13	.00	8
9	.11	.16	.00	.00	.12	.24	.00	.23	.02	.03	.13	.03	9
10	.00	.07	.00	.05	.00	.32	.00	.14	.00	.00	.05	.02	10
11	.26	.09	.01	.00	.00	.01	.06	.00	.36	.03	.05	.04	11
12	.07	.16	.00	.00	.00	.00	.35	.10	.29	.00	.12	.00	12
13	.00	.00	.00	.00	.09	.03	.05	1.00	.00	.00	.00	.00	13
14	.03	.14	.00	.00	.01	1.39	.03	.90	.11	.00	.64	.00	14
15	.05	.34	.00	.20	.09	.00	.24	.53	.01	.00	.00	.30	15
16	.09	.09	.00	.26	.13	.07	.05	.30	.21	.00	.00	.00	16
17	.06	.00	.00	.12	.27	.04	.06	.05	.04	.00	.18	.00	17
18	.20	.00	.00	.00	.00	.75	.28	.10	.01	.00	.34	.00	18
19	.05	.20	.00	.00	.00	.06	.04	.15	.00	.02	.00	.00	19
20	.00	.06	.22	.00	.00	.03	.09	.02	.00	.00	.02	.03	20
21	.32	.00	.00	.00	.33	.01	.00	.24	.00	.00	.08	.00	21
22	.02	.00	.03	.02	.10	.03	.00	.00	.00	.00	.00	.00	22
23	.28	.00	.00	.14	.17	.14	.15	.00	.00	.00	.08	.20	23
24	.05	.01	.00	.12	.29	.00	.08	.00	.00	.00	.06	.16	24
25	.05	.22	.00	.75	.03	.00	.01	.00	.00	.00	.02	.06	25
26	.15	.13	.00	.08	.00	.00	.00	.00	.00	.00	.75	.00	26
27	.26	.22	.00	.04	.43	.00	.10	.00	.00	.21	.52	.12	27
28	.13	.48	.00	.09	.30	.00	.00	.00	.00	.10	.00	.22	28
29	.09	X	.00	.00	.00	.00	.22	.00	.00	.50	.02	.00	29
30	.00	X	.00	.00	.00	.00	.00	.00	.02	.00	.00	.00	30
31	.21	X	.00	X	.01	X	.24	.00	X	.001	X	.20	31
TOTAL	2.81	2.70	.34	3.04	2.64	5.80	2.53	6.40	3.13	1.86	3.84	1.69	36.78
*Days with "or in. or more.	22	19	4	16	17	19	20	17	15	12	20	15	196
*Days with "04 in. or more.	20	16	2	15	14	14	17	16	10	8	16	11	159

Section

A

for the entry of Daily Observations.

2784
COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Eastham
in the County of Cheshire

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
Ground Sea Level 100 ft.

Humphrey B. Vernon
Eastham Cheshire

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.20	.02	.00	.12	.46	.00	.09	1.14	.01	0.01	.01	.78	1
2	.14	.01	.00	.09	.78	.00	.13	.03	.07	.04	.02	.02	2
3	.20	.01	.00	.00	.34	.00	.06	.01	.21	.41	.01	.15	3
4	.00	.02	.00	.27	.03	.00	.07	.00	.03	.01	.24	.19	4
5	.00	.00	.00	.00	.06	.00	.07	.00	.06	.03	.09	.01	5
6	.32	.00	.05	.04	.02	.00	.01	.00	.14	.00	.01	.06	6
7	.65	.00	.06	.27	.08	.00	.00	.00	.30	.00	.00	.00	7
8	.00	.00	.02	.32	.00	.00	.00	.00	.58	.72	.00	.00	8
9	.00	.00	.00	.10	.02	.00	.00	.00	.07	.33	.00	.00	9
10	.20	.00	.00	.09	.02	.00	.00	.00	.06	.00	.03	.03	10
11	.15	.00	.00	.04	.02	.00	.00	.00	.44	.62	.06	.00	11
12	.02	.00	.00	.06	.27	.07	.26	.00	.03	.06	.00	.00	12
13	.06	.00	.00	.00	.31	.00	.19	.05	.05	.42	.01	.00	13
14	.00	.00	.00	.09	.10	.00	.17	.07	.06	.24	.00	.19	14
15	.16	.00	.00	.30	.00	.00	.00	.07	.00	.15	.14	.01	15
16	.00	.00	.00	.02	.42	.00	.00	.00	.00	.03	.00	.00	16
17	.10	.00	.00	.10	.00	.00	.01	.00	.00	.23	.00	.01	17
18	.00	.00	.00	.00	.00	.00	.31	.00	.08	.00	.00	.01	18
19	.00	.00	.00	.00	.01	.00	.00	.00	.01	.03	.05	.00	19
20	.00	.00	.00	.16	.04	.00	.04	.00	.06	.26	.00	.00	20
21	.00	.00	.00	.09	.22	.00	.06	.42	.00	.24	.04	.03	21
22	.00	.00	.52	.06	.42	.00	.00	.13	.00	.59	.03	.00	22
23	.02	.00	.07	.09	.24	.00	.37	.00	.00	.10	.36	.02	23
24	.00	.03	.00	.06	.21	.00	.05	.00	.05	.09	.17	.07	24
25	.09	.00	.00	.00	.06	.00	.84	.00	.04	.00	.51	.00	25
26	.00	.00	.00	.04	.00	.02	.07	.00	.18	.49	.07	.00	26
27	.00	.00	.02	.04	.21	.00	.33	.00	.33	.18	.08	.00	27
28	.00	.00	.27	.16	.18	.04	.13	.00	.00	.13	.05	.00	28
29	.00	.00	.22	.28	.16	.00	.29	.00	.15	.00	.00	.00	29
30	.01	X	.52	.40	.06	.11	.00	.03	.01	.96	.62	.26	30
31	.00	X	.13	X	.00	X	.03	.04	X	.46	X	.07	31
TOTAL	2.32	.09	1.88	3.29	4.66	0.24	3.58	1.99	3.02	6.77	2.60	1.91	32.35
*Days with or in. or more.	14	5	10	24	24	4	21	10	23	24	20	16	195
*Days with or in. or more.	11	—	8	23	18	3	18	7	19	19	14	8	148

40-9999

*See Instruction 2 (f) on other side.

(Signed) Humphrey B. Vernon

P.T.O.

Section **A** for the entry of Daily Observations.
AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Eastham
in the County of CheshireDiameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
Ground Sea Level 100 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	.15	.09	—	.01	—	—	—	—	—	.07	—	1
2	.03	—	.14	—	.01	.10	—	—	—	—	—	—	2
3	.03	.34	.19	—	.16	—	—	—	—	—	—	—	3
4	.27	.01	.08	—	.10	—	—	—	—	—	.02	—	4
5	.11	.02	.04	—	.04	—	—	—	—	—	.03	—	5
6	—	.16	.19	—	.09	—	—	.01	—	—	.04	—	6
7	.02	.45	—	—	.01	—	.15	.10	—	.35	.02	—	7
8	.11	—	.18	—	.05	—	.11	—	—	—	—	.07	8
9	—	.35	—	.03	.04	—	.46	—	—	.21	.12	—	9
10	.04	.14	—	—	—	.22	.11	—	—	.98	.03	—	10
11	.04	—	—	—	—	.02	.13	—	—	.08	—	.02	11
12	.05	.01	—	—	—	.02	.53	—	—	.08	—	—	12
13	—	—	—	—	.18	—	.01	.09	.04	.22	.35	—	13
14	.24	—	—	—	—	—	.10	.06	—	.05	.20	—	14
15	.08	—	.04	—	—	—	.42	.23	—	.25	.15	—	15
16	.08	.03	.08	—	.08	.28	—	.02	—	.48	—	.18	16
17	.08	—	.43	—	—	.62	—	—	.04	—	.01	—	17
18	.08	—	.14	—	—	.17	—	—	—	—	.02	—	18
19	.01	—	.31	—	—	—	—	.01	.06	—	.17	.03	19
20	—	.10	.04	—	.19	.02	—	.46	.09	—	—	—	20
21	—	—	—	—	—	.13	—	.29	—	—	—	—	21
22	—	—	—	.04	.01	—	—	.21	—	.01	—	—	22
23	—	—	—	.10	—	.11	—	—	.04	.06	—	—	23
24	—	.23	—	.13	.12	.23	—	—	.27	.42	—	—	24
25	—	.04	—	.11	—	—	—	—	.13	.01	—	.14	25
26	—	.84	—	.22	—	—	—	—	—	—	—	.01	26
27	—	—	—	—	.02	—	—	—	—	—	—	—	27
28	—	—	—	.07	—	—	.08	.50	—	—	—	—	28
29	—	—	—	—	—	—	.06	—	—	—	—	.03	29
30	.07	X	.12	.30	.03	.03	—	—	—	.34	—	.32	30
31	—	X	.04	X	—	X	.02	—	X	.35	X	.05	31
TOTAL	1.35	2.87	2.11	1.00	1.14	1.95	2.18	1.98	.67	3.89	1.23	.85	YEAR'S TOTAL 21.22
*Days with .01 in. or more.	17	14	15	8	16	12	12	11	7	15	13	9	149
*Days with .04 in. or more.	12	9	15	7	10	8	10	8	7	13	7	5	111

Section **A** for the entry of Daily Observations.Station No. **2784**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.Kept at **EAST HAM**in the County of **CHESHIRE**Diameter of Funnel of Gauge **5** in.Height of top of Gauge above Ground **1** ft. **-** in.,, Ground ,, Sea Level **100** ft.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.07	-	-	-	-	-	-	.09	.12	.02	.91	.69		1
2	-	.01	.17	-	-	-	-	.41	.02	-	.87	.14		2
3	.28	-	-	-	-	-	-	.15	-	.26	.01	-		3
4	.12	-	.06	.06	-	-	-	.03	.02	.53	-	.92		4
5	-	-	.05	-	.08	-	-	.63	-	.07	.03	.07		5
6	.07	-	.14	.01	.08	-	-	-	-	.17	-	-		6
7	.35	.13	.04	.03	.29	-	-	-	-	.05	.12	.32		7
8	-	-	.04	-	.01	.06	-	-	.01	.03	.43	.02		8
9	-	-	.10	.01	.19	-	-	.08	.02	.02	.36	-		9
10	-	.04	.18	.27	-	-	-	.32	-	.05	-	.01		10
11	.01	-	.04	.43	-	-	-	.20	-	-	.12	.06		11
12	-	-	.01	.12	-	-	-	.10	-	.04	-	-		12
13	.36	-	.01	.02	-	-	.20	-	-	.02	.03	-		13
14	.02	-	.16	.01	.02	.01	-	-	-	.47	.03	.05		14
15	.16	-	.40	-	.02	-	-	.10	.22	.13	.02	.13		15
16	.28	-	-	-	.35	-	-	.01	-	.12	.02	.20		16
17	.09	-	.19	.04	.04	-	.02	-	.07	.15	-	.04		17
18	.19	-	.03	.23	.26	.20	-	-	-	-	-	.08		18
19	-	-	.13	-	.29	.26	-	-	.40	.07	-	.19		19
20	-	-	.01	.19	.03	.02	-	-	.13	-	-	-		20
21	.01	-	.03	-	.03	.36	-	.01	.30	.12	-	-		21
22	.05	-	.05	.44	-	.02	-	.04	.15	.12	-	.09		22
23	-	-	.04	.02	.01	.32	.13	-	-	.11	.02	.01		23
24	-	.22	.01	.09	.08	.01	-	-	.18	.03	-	-		24
25	-	-	-	.16	.02	-	.04	-	.07	.11	-	.35		25
26	.04	-	-	.03	-	.09	.38	-	.03	.01	-	.02		26
27	-	-	-	.04	-	.12	.16	-	-	.14	-	.28		27
28	-	-	-	-	-	-	-	.26	.07	.24	-	.67		28
29	-	-	-	-	-	-	.05	.02	.19	.34	-	.02		29
30	.16	X	-	.01	-	-	-	.06	.20	.48	-	.01		30
31	-	X	-	X	-	X	-	.17	X	.25	X	.32		31
TOTAL	2.26	.40	1.89	2.21	1.80	1.47	.98	2.68	2.20	4.15	2.97	4.69	27.70	
* Days with .01 in. or more.	16	4	21	19	16	11	7	17	17	27	13	23	191	
* Days with .04 in. or more.	13	3	15	11	9	7	6	13	12	21	6	17	133	

Section

A

for the entry of Daily Observations.

Station No. 2784

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at EAST HAM

in the County of CHESHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 100 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.25	.06	—	—	—	.02	.23	—	.55	.30	.08	.24		1
2	—	.04	—	—	—	.10	—	—	.08	.02	.01	.14		2
3	.10	.26	.09	.08	—	.29	—	—	.17	.02	.11	.62		3
4	—	—	.02	.09	—	.13	—	—	—	.18	.02	.02		4
5	—	.28	.16	.13	—	.01	—	—	.08	.05	.13	.13		5
6	—	—	—	.12	—	.13	—	—	.02	—	.06	—		6
7	—	—	—	.02	—	.13	—	—	—	.11	.08	.31		7
8	—	—	—	.14	—	.03	—	.01	.01	.03	.16	.13		8
9	.04	—	—	.07	—	.07	—	—	—	1.21	.04	—		9
10	.34	.10	—	.05	—	.10	.02	—	—	.10	.01	—		10
11	✓	—	—	—	—	.07	—	.04	—	.09	.08	—		11
12	.07	.01	—	—	—	.29	—	—	.03	—	—	—		12
13	.19	—	—	.06	.23	.02	—	—	.13	.04	.01	—		13
14	.03	—	—	.04	—	.10	.47	—	.03	—	.49	.12		14
15	—	.22	—	.38	.08	.06	.03	—	.10	—	—	1.00		15
16	.01	.26	.08	.12	.02	.54	.11	—	.51	—	.29	—		16
17	—	—	—	.29	.60	.41	.11	.37	.12	.03	.45	—		17
18	—	—	—	.12	.20	.14	.04	—	.14	.07	—	—		18
19	—	—	—	.31	.31	.41	.08	—	—	.37	.09	—		19
20	—	.16	—	.42	.13	.05	.22	—	—	.01	.02	—		20
21	—	.25	—	—	—	—	—	—	.47	.08	—	.19		21
22	.01	.24	.02	.01	—	—	—	—	.28	—	—	.15		22
23	—	.02	.35	—	.05	—	—	.08	.22	.52	—	—		23
24	.26	.19	.10	—	—	—	—	—	.73	.06	—	.15		24
25	.25	.13	.03	—	—	.02	—	.53	—	.01	.38	.02		25
26	—	.02	—	—	—	—	—	✓	.60	.01	.03	.17		26
27	—	.02	—	—	.01	.14	.09	—	.20	.14	.43	.02		27
28	.05	.13	—	—	.07	—	—	.33	.31	.27	.02	—		28
29	—	X	.06	—	—	.04	—	.27	.23	.05	.13	.09		29
30	.03	X	—	.03	—	.37	—	.13	.09	.31	.33	.10		30
31	—	X	—	X	—	X	—	—	X	.09	X	.57		31
TOTAL	1.63	2.39	.91	2.48	1.70	3.67	1.40	1.76	5.10	4.17	3.45	4.17	32.83	
* Days with .01 in. or more.	14	17	9	18	10	24	10	8	22	25	23	18	198	
* Days with .04 in. or more.	9	13	6	15	8	19	8	7	18	18	16	15	152	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed)

Humphrey B. Vernon

P.T.O.

Section



for the entry of Daily Observations.

Station No.

2784

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at

EASTHAM

in the County of

CHESHIRE

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	.15	.10	.47	—	.11	.03	.41	.03	—	.29	1.11		1
2	.04	.02	—	.15	—	.41	—	.03	.03	—	.07	.22		2
3	—	—	—	—	—	.49	.01	.03	.22	—	—	.02		3
4	.02	—	.23	—	—	—	.01	.06	.14	—	.22	.18		4
5	.11	.19	.07	—	—	—	—	.32	.24	—	.01	.18		5
6	.03	—	—	—	.05	.06	.10	.07	.15	—	.06	—		6
7	—	—	.05	—	—	—	.12	—	.52	—	.15	.13		7
8	—	—	.29	—	—	—	—	—	.11	—	.32	.05		8
9	.24	—	.01	—	—	.04	.10	—	.21	—	.07	.01		9
10	.08	—	—	—	—	—	.20	—	.01	—	.05	—		10
11	—	—	—	—	—	.08	.54	.04	.09	—	.28	.10		11
12	—	—	—	.04	.03	.08	1.18	—	.21	.02	.07	.02		12
13	.02	—	—	.01	.02	—	.13	—	.05	.26	.01	.34		13
14	—	—	—	.05	—	.28	.02	.06	.29	.03	.36	.53		14
15	—	—	—	.25	.08	.13	—	.01	.19	—	.30	.02		15
16	—	.04	—	.11	.27	—	.08	—	—	—	.51	—		16
17	—	.25	—	—	.01	—	.05	.12	—	.04	.02	.01		17
18	—	.07	—	.03	—	—	1.13	.22	—	.53	—	—		18
19	.57	.09	.01	.30	—	.38	.17	.30	—	.06	—	—		19
20	.77	.15	—	—	—	.03	.01	—	—	.01	—	—		20
21	1.08	—	.06	.03	—	.52	—	—	.01	—	—	.05		21
22	.12	.55	.06	—	—	.27	.24	—	—	.01	—	.07		22
23	—	.05	.09	.01	—	—	.22	—	—	.06	—	—		23
24	.25	—	—	.01	—	—	—	—	.19	.10	—	—		24
25	—	—	—	—	—	—	.01	—	.56	.11	—	.01		25
26	.02	.20	.28	—	—	—	.08	—	.10	.16	—	—		26
27	.70	—	—	—	—	—	.04	—	.14	.18	.03	—		27
28	.19	.23	.12	.07	—	.35	.02	—	—	.09	.02	.06		28
29	.05	.24	.13	—	.02	.22	—	—	—	—	.12	.08		29
30	.13	X	—	—	.25	.01	.26	.03	—	.26	.03	—		30
31	.04	X	.03	X	.06	X	—	.02	X	—	X	.19		31
TOTAL	4.56	2.23	1.53	1.53	.79	3.46	4.75	1.72	3.49	1.92	2.99	3.38	32.35	Year's Total
* Days with .01 in. or more.	18 4	13 7	14 3	13 5	9 4	2 16	9 23	5 14	4 20	4 15	6 20	6 20	51	195
* Days with .04 in. or more.	14	12	11	8	5	14	16	9	16	11	14	14	144	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) Humphrey B. Vernon [P.T.O.]

COPY FOR OFFICIAL USE

Section

A

for the entry of Daily Observations

Station No.

2784

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at EASTHAM

in the County of CHESHIRE

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			(.25)	—	—	.01	.02	—	.21	.19	.02	.10		1
2			(.05)	.29	—	.01	—	—	—	—	—	.10		2
3			(.10)	.02	.10	.30	.03	—	—	—	—	.01		3
4			.01	.05	.09	—	—	.01	—	—	—	.73		4
5			.16	.22	—	—	—	.02	—	—	—	1.19		5
6			—	.02	.10	.01	—	—	—	—	—	.19		6
7			—	.09	—	.09	.04	—	.02	—	.01	—		7
8			—	.06	—	.06	.29	—	—	—	.13	—		8
9			.1	—	.17	.10	.34	.05	.02	—	—	—		9
10			.01	—	—	—	—	—	—	—	—	.16		10
11			.23	.01	.48	—	—	—	—	—	.01	.02		11
12			.02	—	—	.44	.01	.13	.43	—	—	.12		12
13			.02	.03	—	.23	—	.20	.11	—	—	.41		13
14			—	—	—	—	—	.06	.04	—	.05	.06		14
15			.03	.32	—	—	.75	—	.12	—	—	.09		15
16			.21	.89	—	—	—	.14	.07	—	.01	—		16
17			.10	.62	—	—	—	.02	.15	—	—	—		17
18			.03	.04	—	—	.15	.13	—	—	.46	.15		18
19			.10	.59	.04	.25	.01	.03	.29	—	.13	—		19
20			—	.33	.81	—	.01	—	—	—	—	.02		20
21			.11	.11	.02	—	.23	—	—	.06	—	.03		21
22			.13	—	.02	—	.08	—	—	.18	.24	.14		22
23			.01	—	.34	—	.66	—	—	.59	.16	—		23
24			.17	—	—	—	.07	—	.22	.50	—	—		24
25			.01	—	—	—	—	.44	—	.04	—	.02		25
26			.10	—	.26	—	—	.02	—	.07	—	.01		26
27			—	.27	—	—	—	—	—	.48	—	—		27
28			.01	—	—	.02	—	—	—	.11	—	—		28
29			—	—	—	.03	—	—	—	.35	.20	—		29
30		X	—	—	—	.30	—	.01	.10	.05	.50	—		30
31		X	—	X	—	X	—	—	X	.07	X	—		31
TOTAL	(1.90)	(4.75)	(1.86)	3.94	2.41	1.85	2.69	1.31	1.78	2.69	1.92	3.55	3.60	(30.65)
* Days with .01 in. or more.	(15)	(24)	21	17	11	13	14	13	12	12	12	18	14	(182)
* Days with .04 in. or more.	(12)	(22)	12	13	9	8	9	7	10	12	8	12	9	(134)

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) *A. Humphrey B. Carr* [P.T.O.]*A. Turner*

Kept at Cross Hill
in the County of _____

Diameter of Funnel of Gaug
Height of top of Gauge above
" Ground "

THE MORNING M

An observer who does not conf
year in the space on the right

2785
CROSS HILL NO1
1931-40

DAY.
the following

Jan. 1, following

Date	Jan.	Feb.	Ma								Oct.	Nov.	Dec.	Date
	in.	in.									in.	in.	in.	
I	.19	-	-	.10	-	-	-	-	.07	.03	-	-	-	I
2	-	.14	-	.45	.02	.55	-	-	.48	.10	.02	.02	-	2
3	.23	-	-	-	-	.14	.26	-	1.12	.06	.49	.10	-	3
4	-	-	.02	.19	-	-	-	.18	.46	-	-	.02	-	4
5	.01	-	-	.04	.05	.72	.11	.72	-	-	-	.15	-	5
6	-	.20	-	-	.02	.28	-	-	.13	.34	.05	-	-	6
7	-	.02	-	-	-	.28	-	.92	-	.12	.04	-	-	7
8	.03	.07	-	.07	-	.12	.07	.28	.02	.01	.12	.02	-	8
9	.05	.12	-	.05	.11	.15	.01	.32	.01	.25	.16	.02	-	9
10	.01	.05	-	-	.14	.23	-	.05	-	-	.41	.02	-	10
11	.30	.06	-	-	-	-	.03	.02	.51	-	.07	.03	-	11
12	.08	.07	-	.01	-	-	.12	.18	.09	.03	.09	-	-	12
13	-	-	.03	-	.03	.03	.04	1.82	.01	-	-	-	-	13
14	.03	.10	-	-	-	2.00	.15	.63	.18	-	.65	.01	-	14
15	.03	.27	-	.22	.14	-	.19	.22	.01	-	-	.33	-	15
16	.11	.11	-	.21	.09	.04	.03	.39	.23	-	-	.01	-	16
17	.05	.01	-	.13	.26	-	.04	.03	.04	-	.26	-	-	17
18	.12	-	-	-	-	.34	.38	.15	-	-	.27	-	-	18
19	.08	.12	-	-	-	.15	.01	.62	.01	.01	-	-	-	19
20	-	.06	.06	.01	-	.02	.11	.03	-	-	.03	.02	-	20
21	.24	-	.01	.01	.35	.01	-	.10	-	-	.03	-	-	21
22	.05	-	-	.04	.02	.02	-	-	-	-	-	-	-	22
23	.13	-	-	.09	.18	.15	-	-	-	.01	.05	.20	-	23
24	.03	-	-	.13	.24	-	.08	-	-	-	.01	.14	-	24
25	.06	.50	-	.60	.15	-	-	-	-	-	.03	.07	-	25
26	.13	.07	-	.02	-	-	.04	-	-	-	.90	.01	-	26
27	.30	.27	-	.05	.53	-	.04	-	-	.17	.41	.13	-	27
28	.20	.24	.06	.03	.19	-	-	-	-	.07	-	.19	-	28
29	.07	X	.06	-	.02	-	.21	-	.01	.49	.03	-	-	29
30	-	X	-	.01	-	-	-	-	.01	-	.01	.18	-	30
31	.13	X	-	X	.02	X	.17	-	X	.01	X	.03	-	31
TOTAL	2.66	2.63	.24	2.46	2.57	5.23	2.09	6.66	3.39	1.70	4.13	1.70	35.46	YEAR'S TOTAL
*Days with ".02 in. or more.	24	18	6	20	18	17	19	17	17	14	21	20	211	
*Days with ".04 in. or more.	18	16	3	14	12	13	15	14	10	8	14	9	146	

Section

A

for the

AIR MI

2785
FOR OFFICIAL USE.

ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193/ .

Kept at Gross Hill Reservoir No. 1
in the County of Chester

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
,, Ground ,, Sea Level 237 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.19	—	—	.10	—	—	—	—	.07	.03	—	—	1
2	—	.14	—	.45	.02	.55	—	—	.48	.10	.02	.02	2
3	.23	—	—	—	—	.14	.26	—	1.12	.06	.49	.10	3
4	—	—	.02	.19	—	—	—	.18	.46	—	—	.02	4
5	.01	—	—	.04	.05	.72	.11	.72	—	—	—	.15	5
6	—	.20	—	—	.02	.28	—	—	.13	.34	.05	—	6
7	—	.02	—	—	—	.28	—	.92	—	.12	.04	—	7
8	.03	.07	—	.07	—	.12	.07	.28	.02	.01	.12	.02	8
9	.05	.12	—	.05	.11	.15	.01	.32	.01	.25	.16	.02	9
10	.01	.05	—	—	.14	.23	—	.05	—	—	.41	.02	10
11	.30	.06	—	—	—	—	.03	.02	.51	—	.07	.03	11
12	.08	.07	—	.01	—	—	.12	.18	.09	.03	.09	—	12
13	—	—	.03	—	.03	.03	.04	1.82	.01	—	—	—	13
14	.03	.10	—	—	—	2.00	.15	.63	.18	—	.65	.01	14
15	.03	.37	—	.22	.14	—	.19	.22	.01	—	—	.23	15
16	.11	.11	—	.21	.09	.04	.03	.39	.23	—	—	.01	16
17	.05	.01	—	.13	.26	—	.04	.03	.04	—	.26	—	17
18	.12	—	—	—	—	.34	.38	.15	—	—	.27	—	18
19	.08	.12	—	—	—	.15	.01	.62	.01	.01	—	—	19
20	—	.06	.06	.01	—	.02	.11	.03	—	—	.03	.02	20
21	.24	—	.01	.01	.35	.01	—	.10	—	—	.03	—	21
22	.05	—	—	.04	.03	.02	—	—	—	—	—	—	22
23	.13	—	—	.09	.18	.15	—	—	—	.01	.05	.20	23
24	.03	—	—	.13	.24	—	.08	—	—	—	.01	.14	24
25	.06	.50	—	.60	.15	—	—	—	—	—	.03	.07	25
26	.13	.07	—	.02	—	—	.04	—	—	—	.90	.01	26
27	.30	.27	—	.05	.53	—	.04	—	—	.17	.41	.13	27
28	.20	.24	.06	.03	.19	—	—	—	—	.07	—	.19	28
29	.07	X	.06	—	.02	—	.21	—	.01	.49	.03	—	29
30	—	X	—	.01	—	—	—	—	.01	—	.01	.18	30
31	.13	X	—	X	.02	X	.17	—	X	.01	X	.03	31
YEAR'S TOTAL													
TOTAL	2.66	2.63	.24	2.46	2.57	5.23	2.09	6.66	3.39	1.70	4.13	1.70	35.46
*Days with or more.	24	18	6	20	18	17	19	17	17	14	21	20	211
*Days with or more.	18	16	3	14	12	13	15	14	10	8	14	9	146

40-9999

*See Instruction 2 (f) on other side.

(Signed)

R. H. Baker

[P.T.O.]

Kept at Cross Hill, No 1
in the County of Chester
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
Ground Sea Level 237 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.11	.01	—	.06	.72	—	.19	.08	.07	.02	.06	.12	1
2	.28	—	—	—	.41	—	.05	.02	.13	.40	.03	.08	2
3	—	.05	—	.23	.01	—	.13	—	.03	.01	.05	.11	3
4	—	—	—	—	—	—	.07	—	.02	.04	.06	.02	4
5	.61	—	.07	.02	.05	—	—	.05	.17	—	—	.03	5
6	.86	.01	.14	.24	.02	.07	—	—	.18	—	—	—	6
7	.02	—	.18	.20	—	—	—	—	.51	.46	—	.01	7
8	—	—	.01	.10	.02	—	—	—	.26	.28	—	—	8
9	.12	—	—	.12	.01	—	—	—	.02	—	.02	—	9
10	.08	—	—	.03	.01	—	—	—	.35	.66	.01	—	10
11	.01	—	—	.01	.32	.03	.09	.01	.02	—	—	—	11
12	.05	—	—	.02	.21	—	.42	—	.02	.26	—	.02	12
13	—	—	—	.04	.08	—	.21	.08	.11	.22	—	.29	13
14	.14	—	—	.08	—	—	.09	.16	.01	.06	.15	.01	14
15	—	—	—	.01	.37	—	—	—	—	.03	.02	—	15
16	.08	—	—	.13	—	—	.04	—	—	.02	—	.01	16
17	—	—	—	—	.01	—	.03	.01	.04	.11	—	.01	17
18	—	—	—	—	.04	—	—	—	.02	—	.04	—	18
19	—	—	—	.16	.04	—	.05	—	.02	.27	—	—	19
20	—	—	—	.06	.19	—	.03	.56	—	.17	.04	.04	20
21	.01	—	.18	.01	.23	—	.04	.19	—	.62	.06	—	21
22	.01	—	.06	.03	.54	—	.50	—	—	.05	.37	.01	22
23	—	—	—	.06	.06	—	.06	—	—	.09	.12	.06	23
24	.09	—	—	—	.01	.01	.74	—	.21	—	.44	.01	24
25	.01	.01	—	.02	.01	.03	.08	—	.21	.34	.07	—	25
26	—	—	.02	.07	.19	—	.34	—	.29	.15	.09	—	26
27	—	—	.53	.31	.10	.26	.13	.01	—	.12	.06	.01	27
28	—	—	.02	.20	.13	—	.29	—	—	—	—	—	28
29	.01	—	.27	.30	.13	.10	.01	.04	.13	.86	.29	.28	29
30	.01	×	.04	.37	—	.17	.01	.07	.06	.36	.40	.04	30
31	—	×	.20	×	—	×	.54	.02	×	.02	×	.07	31
TOTAL	2.50	.08	1.72	2.88	3.91	.67	4.14	1.30	2.88	5.62	2.38	1.23	29.31
*Days with "or in. or more.	17	4	12	25	25	7	23	13	22	24	19	19	210
*Days with "or in. or more.	10	1	9	17	17	4	19	8	14	19	15	9	142

Section

Station No. _____

2785

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Cross Hill (No. 1)

in the County of Chester

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....4 ft - in.

Ground Sea Level 237 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	.13	.08	-	-	-	-	-	-	-	.06	.03	1
2	.02	-	.15	.01	-	.16	-	-	-	-	-	-	2
3	.01	.33	.26	-	.19	-	-	-	-	-	-	-	3
4	.26	.01	.06	-	.12	-	-	-	-	-	.02	-	4
5	.09	.02	.06	-	.13	-	-	-	-	-	.02	-	5
6	-	.18	.15	-	.15	-	-	-	-	-	.04	.01	6
7	.03	.38	-	-	-	-	.06	-	-	.40	-	.01	7
8	.09	.01	.29	-	.01	-	.05	-	-	-	.01	.03	8
9	-	.37	-	.01	.01	.01	.41	-	-	.22	.08	-	9
10	.02	.13	-	-	-	.13	.01	-	-	1.70	.04	-	10
11	.01	-	-	.02	.03	-	.18	-	-	.19	-	.09	11
12	.10	.01	-	-	.02	.04	.21	-	-	.10	-	.08	12
13	-	-	-	-	.14	-	.03	.19	.03	.28	.34	-	13
14	.22	-	-	-	-	-	.11	.09	-	.01	.41	-	14
15	.16	-	.02	-	-	-	.35	.12	-	.25	.12	.01	15
16	.09	.04	.08	-	.07	.16	-	-	-	.15	.04	.01	16
17	.09	-	.40	-	-	.55	-	-	.02	-	.03	-	17
18	.13	-	.09	-	-	.15	-	-	-	-	.03	.01	18
19	-	-	.45	-	-	-	.02	.01	.18	-	.14	.03	19
20	-	.07	.07	-	.47	.26	-	1.00	.04	-	-	.01	20
21	-	-	-	-	-	.08	-	.08	-	-	-	-	21
22	-	-	-	.08	.15	-	-	.13	-	.03	-	-	22
23	-	-	-	.12	-	.10	-	-	.02	.04	-	-	23
24	-	.22	-	.13	.14	.27	-	-	.27	.05	-	-	24
25	-	.03	-	.07	-	-	-	-	.10	-	-	.19	25
26	-	1.10	-	.10	-	.01	-	-	-	.39	-	.01	26
27	-	.01	-	-	.07	-	-	-	-	.02	-	-	27
28	-	-	-	.02	-	-	.23	.50	-	.02	-	-	28
29	.02	X	.01	-	-	-	.03	-	-	-	-	.01	29
30	.08	X	.05	.23	.01	-	.03	-	-	.24	-	.26	30
31	-	X	.04	X	-	X	-	-	X	.46	X	.10	31
TOTAL	1.42	3.04	2.26	.79	1.71	1.92	1.72	2.12	.66	4.55	1.38	.89	YEAR'S TOTAL
*Days with .01 in. or more.	16	16	16	10	15	12	13	8	7	17	14	16	22 1/2
*Days with .04 in. or more.	10	10	14	6	10	10	8	7	4	13	9	5	106

40-9999

*See Instruction 2 (f) on other side.

(Signed).

[P.T.O.]

Section



for the entry of Daily Observations.

Station No.

2785

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Gross Hill (No. 1)in the County of LancasterDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft. — in.,, Ground ,, Sea Level 237 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.08	—	—	—	—	—	—	.14	.20	.01	.75	.78		1
2	—	—	.06	—	—	—	—	.26	.16	.02	.27	.11		2
3	.05	—	—	—	—	—	—	—	—	.09	—	.01		3
4	.09	—	.03	.03	.01	—	—	—	.07	.47	—	.83		4
5	—	—	.06	—	.06	—	—	.65	—	.02	.02	.03		5
6	—	—	.09	.01	.24	—	—	—	—	.23	—	.20		6
7	.21	.11	.04	.03	—	—	—	—	—	.02	.09	.34		7
8	—	—	.05	—	.25	.32	—	.01	—	.09	.41	—		8
9	—	—	.13	—	—	—	—	.10	.03	.02	.35	—		9
10	—	.02	.14	.25	—	—	—	.60	—	.03	.02	—		10
11	.01	—	.04	.49	—	—	—	.10	—	—	.11	.09		11
12	—	—	.02	.04	—	—	—	.07	—	.04	—	.03		12
13	.24	—	.01	.04	—	—	.38	—	—	.04	—	—		13
14	.09	—	.21	—	.01	.02	.01	—	—	.29	.01	.03		14
15	.11	—	.29	—	.28	—	—	.13	.22	.22	—	.13		15
16	.25	—	.05	—	.03	.01	—	—	—	.19	.07	.02		16
17	.07	—	.15	.05	.27	—	.17	—	.09	.03	—	.30		17
18	.12	—	.01	.16	.39	.11	—	—	—	—	—	.07		18
19	—	—	.11	—	.03	.23	—	.05	.56	.07	—	.15		19
20	—	—	.01	.02	.03	—	—	—	.34	—	—	—		20
21	—	—	.05	—	—	.25	—	.03	.28	.12	—	—		21
22	.02	—	.05	.05	.03	—	—	.05	.12	.10	.01	.07		22
23	—	—	.03	.15	—	.25	.12	—	—	.18	—	—		23
24	—	.14	.01	—	.01	.01	.02	—	.19	.04	—	—		24
25	—	.01	—	.08	—	—	.04	—	.10	.08	—	.28		25
26	.01	—	.01	.22	—	.14	.16	—	—	.01	—	.01		26
27	.02	—	—	.03	—	.06	.06	—	—	.10	—	.18		27
28	—	—	—	.02	—	—	—	.34	.05	.25	—	.48		28
29	—	X	—	—	—	—	.08	.07	.31	.32	—	.20		29
30	.16	X	—	—	—	—	.01	.07	.20	.48	—	.03		30
31	—	X	—	X	—	X	—	.09	X	.50	X	.29		31
TOTAL	1.53	.28	1.65	1.67	1.64	1.40	1.05	2.76	2.92	4.06	2.11	4.66	25.73	
*Days with .01 in. or more.	15	4	23	16	13	10	10	16	15	28	11	23	184	
*Days with .04 in. or more.	11	2	15	10	6	7	7	14	14	20	7	16	129	

† Spare column, no entries required.

(Signed)

R. T. Baker

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No.

2785

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Cross Hill (No 1)in the County of ChesterDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft. — in.,, Ground ,, Sea Level 237 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.20	.03	—	—	.01	.01	.20	—	.47	.26	.10	.19		1
2	.01	.03	.01	—	—	.10	—	—	—	.02	—	.15		2
3	.07	.30	.06	.06	—	.50	—	—	.31	—	.09	.57		3
4	.02	.01	—	.02	—	.31	—	—	—	.22	.01	.12		4
5	—	.24	.16	.05	—	—	.01	—	.18	.07	.10	.23		5
6	—	—	—	.12	—	.08	—	—	—	—	—	—		6
7	—	—	—	.01	—	.08	—	—	—	.05	.06	.27		7
8	—	—	—	.09	—	.13	—	.05	—	.05	.10	.19		8
9	.04	.01	—	.11	—	—	—	—	—	1.51	.13	—		9
10	—	.09	—	.09	—	.10	.01	—	—	.12	—	—		10
11	.34	—	—	—	—	.12	—	.05	—	.07	.06	—		11
12	.08	.01	—	—	—	.20	—	—	.01	.01	—	—		12
13	.19	.01	—	.10	.26	—	—	—	.09	.01	—	—		13
14	.02	—	—	—	—	.02	.48	—	.04	—	.40	.11		14
15	—	.15	—	.40	.05	.07	.06	—	.10	—	—	.76		15
16	.01	.17	.08	.17	—	.81	.09	—	.55	—	.47	.03		16
17	—	—	—	.17	.75	.46	.28	.47	.14	.01	.06	.01		17
18	—	—	—	.11	.65	.09	.07	.03	.22	.08	—	—		18
19	—	—	—	.09	.44	.47	.06	—	—	.13	.15	—		19
20	—	.17	—	.29	—	.04	.25	—	.34	.34	.16	—		20
21	—	.21	—	—	—	—	—	.03	.33	.33	.02	.04		21
22	.02	.17	.02	.06	—	—	—	—	.06	.06	—	.12		22
23	.03	.07	.22	—	—	—	—	.04	.14	.14	—	—		23
24	.15	.21	.11	—	—	—	—	—	.56	.56	—	.27		24
25	.16	.14	.07	—	—	—	—	—	—	—	.02	.01		25
26	—	—	—	—	—	—	—	.46	.59	.59	.02	.15		26
27	—	.08	—	—	—	.12	.10	—	.21	.21	.27	.02		27
28	.02	.14	—	—	.09	—	—	.22	.21	.21	.04	—		28
29	—	X	.03	—	—	.09	—	.48	.24	.24	.02	.07		29
30	.04	X	—	—	—	.64	—	.24	.20	.20	.40	.08		30
31	—	X	—	X	—	X	—	—	X	—	X	.58		31
TOTAL	1.40	2.24	.76	1.94	2.25	4.44	1.61	2.07	4.99	5.49	3.58	3.99	34.76	
*Days with or in. or more.	16	19	9	16	7	20	11	10	20	24	20	20	192	
*Days with .04 in. or more.	9	13	6	14	6	19	9	8	19	20	15	16	153	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

R. F. Daker. F.T.O.

Section



for the entry of Daily Observations.

Station No. 2785

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at ...Cross Hill, No. 1

in the County of ...Chester

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....1.....ft.....0.....in.

„ Ground „ Sea Level 227.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01	.12	.08	.32	—	.16	.02	.33	.05	—	.21	.95		1
2	.02	.02	—	.12	—	.57	—	.04	.01	—	.11	.29		2
3	.01	—	—	—	—	.69	.03	—	.55	—	—	.01		3
4	.02	.18	.07	—	—	.01	—	—	.08	—	.25	.23		4
5	.14	.12	.06	—	—	—	—	.19	.28	—	—	.29		5
6	.03	—	—	—	.07	—	.07	.22	.26	—	.05	—		6
7	—	—	.05	—	—	—	.05	—	.42	—	.20	.07		7
8	.06	—	.31	—	—	—	—	.01	.09	—	.29	.13		8
9	.35	—	—	—	—	.05	.09	—	.22	—	.25	.01		9
10	.04	—	—	—	—	—	.20	—	—	—	.07	—		10
11	—	—	—	—	—	.11	.45	.06	.05	—	.31	.29		11
12	—	—	—	—	.06	.18	.31	—	.19	.02	.11	.02		12
13	.03	—	—	—	.01	.01	.08	.07	.14	.23	—	.39		13
14	—	—	—	.06	—	.41	.04	.10	.09	.02	.38	.69		14
15	.20	—	—	.12	.15	.07	—	—	.13	—	.29	.03		15
16	.04	.04	—	.03	.40	—	.03	—	—	—	.56	—		16
17	.08	.35	—	—	.01	—	.01	.02	—	.03	.01	.01		17
18	—	.08	—	.05	—	—	1.19	.27	—	.32	—	—		18
19	.62	.10	.01	.28	—	.30	.04	.27	—	.21	—	—		19
20	.53	.11	.02	—	—	.02	—	.01	—	.02	—	—		20
21	.95	—	.01	.04	—	.49	—	.01	—	—	—	.08		21
22	.10	.50	.02	—	—	.68	.32	—	—	—	—	.14		22
23	.03	.04	.27	—	—	—	.20	—	—	.04	—	—		23
24	.10	—	—	—	—	—	—	—	.18	.07	—	—		24
25	.16	—	—	—	—	—	—	—	.61	.10	—	.01		25
26	.06	.08	.36	—	—	—	.32	—	.04	.15	—	—		26
27	.46	—	—	—	—	—	.05	—	.03	.26	.02	—		27
28	.26	.19	.08	.05	—	.09	.01	—	—	.13	.03	.08		28
29	.05	.31	.07	—	—	.21	—	—	—	.01	.08	.05		29
30	.12	X	—	—	.34	.79	.20	.05	—	.30	.03	—		30
31	.04	X	.01	X	—	X	.01	—	X	—	X	.18		31
TOTAL	X 4.51	X 2.24	X 1.42	X 1.14	X 1.04	X 4.84	X 3.72	X 1.65	X 3.42	X 1.91	X 3.25	X 3.95	X 33.09	
* Days with .01 in. or more.	26	14	14	9	7	17	21	14	18	15	18	20	193	
* Days with .04 in. or more.	19	13	9	8	5	14	15	10	16	10	14	14	147	

Section



for the entry of Daily Observations.

Station No. 2785

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Crosstall Res. 019.9.in the County of Cheshire

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground...1...ft....0...in.

,, Ground ,, Sea Level 237.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following



Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	.25	.07	—	—	—	—	—	.06	.16	.02	.04		1
2	—	.06	.12	.29	—	—	—	—	.02	—	.01	.04		2
3	—	.12	—	.02	.20	—	.10	—	.01	—	—	.01		3
4	.26	—	—	.02	.46	—	.02	—	—	—	—	.53		4
5	.47	—	.18	.21	—	.04	.07	—	—	—	—	1.35		5
6	—	—	—	.02	.13	—	.02	—	—	—	—	.01		6
7	—	.45	—	.02	—	.08	.02	—	—	—	.01	—		7
8	—	.34	—	.07	—	.03	.21	—	.02	—	.14	—		8
9	—	.05	—	.02	.22	.22	.30	.06	—	—	—	—		9
10	.01	.20	—	—	—	.01	.01	—	—	—	—	.28		10
11	—	—	.23	—	.49	—	.01	—	—	—	.02	.01		11
12	.08	.40	.01	—	—	.32	.02	.04	.43	—	—	.20		12
13	—	.04	—	.03	—	.01	—	.23	.01	—	—	.22		13
14	—	.15	—	—	—	—	.01	.06	.04	—	.04	.14		14
15	.04	.15	—	.43	—	—	.53	—	.19	—	—	.14		15
16	—	.04	.34	.52	—	—	—	.12	.17	—	—	—		16
17	.06	.10	.09	.40	—	—	—	—	.29	—	—	—		17
18	.17	.30	.01	.02	—	—	.14	.04	—	—	.37	.03		18
19	.10	.15	.09	.30	.19	.50	—	.04	.15	—	.11	—		19
20	.04	.06	—	.27	1.06	—	.05	—	—	—	.01	.02		20
21	.01	.29	.20	.09	.18	—	.19	—	—	.09	—	.02		21
22	.04	.12	.01	—	.07	—	.06	—	—	.10	.20	.13		22
23	.05	.01	—	—	.74	.01	.50	—	—	.63	.15	—		23
24	.29	.37	.08	—	—	—	.13	—	.20	.50	—	.01		24
25	—	.38	—	—	—	—	—	.24	—	.02	—	.01		25
26	—	.28	.06	—	.20	—	—	.12	—	.14	—	.01		26
27	—	.43	—	.25	—	—	—	—	—	.39	.01	—		27
28	—	.03	—	—	—	.02	—	—	—	.11	—	—		28
29	—	X	—	—	—	.01	—	—	—	.15	.23	—		29
30	.08	X	—	—	—	.22	—	.01	.08	.07	.26	—		30
31	.17	X	—	X	—	X	—	—	X	.07	X	—		31
TOTAL	1.87	4.77	1.49	2.98	4.14	1.47	2.40	1.06	1.68	2.43	1.58	3.21	29.08	
* Days with .01 in. or more.	15	24	13	17	11	12	18	10	13	12	14	19	178	
* Days with .04 in. or more.	13	22	10	10	11	6	11	9	9	11	8	10	130	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

A. F. Dabbs.

[P.T.O.]

Sect



for the entry of Daily Observations

Station No. 2785

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Crosshill Reservoir old gaugein the County of CheshireDiameter of Funnel of Gauge.....5.....in.Height of top of Gauge above Ground.....1.....ft.....in.,, Ground ,, Sea Level 237.....ft.TRAVELLING FORM.
VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	-	-	-	-	-	<u>1.40</u>	-	<u>.53</u>	-	<u>.04</u>	<u>.16</u>	<u>.14</u>		1
2	-	<u>.02</u>	-	<u>.17</u>	<u>.04</u>	<u>.12</u>	-	-	-	<u>.29</u>	<u>.01</u>	<u>.49</u>		2
3	-	-	-	-	-	<u>.03</u>	<u>.09</u>	-	<u>.04</u>	<u>.35</u>	<u>.07</u>	-		3
4	<u>.01</u>	-	-	<u>.01</u>	-	<u>.03</u>	<u>.14</u>	-	-	<u>.08</u>	<u>.01</u>	<u>.42</u>		4
5	<u>.13</u>	-	-	-	-	-	<u>.20</u>	<u>.92</u>	<u>.09</u>	<u>.23</u>	-	<u>.01</u>		5
6	<u>.13</u>	-	-	-	-	-	<u>.38</u>	-	<u>.62</u>	<u>.11</u>	-	<u>.01</u>		6
7	<u>.36</u>	-	-	-	-	-	<u>.23</u>	<u>.26</u>	<u>.03</u>	<u>.13</u>	-	<u>.01</u>		7
8	<u>.20</u>	<u>.02</u>	-	-	-	-	<u>.58</u>	<u>.54</u>	-	<u>.33</u>	-	<u>.67</u>		8
9	<u>.04</u>	<u>.11</u>	<u>.08</u>	-	-	<u>.18</u>	<u>.15</u>	<u>.63</u>	-	-	-	<u>.11</u>		9
10	<u>.18</u>	<u>.06</u>	<u>.01</u>	-	-	<u>.01</u>	<u>.51</u>	-	<u>.01</u>	-	-	<u>.26</u>		10
11	<u>.21</u>	<u>.01</u>	-	-	<u>.11</u>	<u>.05</u>	<u>.02</u>	-	<u>.02</u>	<u>.25</u>	<u>.07</u>	<u>.07</u>		11
12	<u>.05</u>	-	-	-	<u>.04</u>	-	-	-	-	<u>.54</u>	<u>.39</u>	-		12
13	<u>.02</u>	-	-	-	<u>.02</u>	-	-	-	-	-	<u>.06</u>	<u>.02</u>		13
14	<u>.25</u>	-	-	-	<u>.03</u>	-	<u>.02</u>	-	<u>.05</u>	-	<u>.17</u>	-		14
15	<u>.12</u>	-	-	-	<u>.03</u>	-	<u>.02</u>	<u>.20</u>	-	<u>.03</u>	<u>.02</u>	<u>.09</u>		15
16	<u>.13</u>	-	<u>.07</u>	-	-	-	<u>.21</u>	-	<u>.04</u>	-	<u>.03</u>	<u>.02</u>		16
17	-	-	-	-	-	-	<u>.02</u>	<u>.02</u>	-	<u>.16</u>	-	-		17
18	-	-	-	-	<u>.12</u>	<u>.20</u>	-	<u>.06</u>	-	<u>.18</u>	<u>.20</u>	-		18
19	-	-	-	-	-	<u>.02</u>	-	<u>.09</u>	<u>.04</u>	-	-	-		19
20	<u>.04</u>	-	<u>.10</u>	-	-	-	-	<u>.10</u>	<u>.03</u>	-	<u>.16</u>	-		20
21	-	-	<u>.03</u>	-	-	<u>.01</u>	-	-	<u>.02</u>	-	<u>.28</u>	-		21
22	-	-	-	<u>.02</u>	<u>.02</u>	<u>.25</u>	-	-	-	-	<u>.48</u>	<u>.03</u>		22
23	-	-	-	-	<u>.06</u>	<u>.09</u>	-	-	<u>.23</u>	-	<u>.06</u>	-		23
24	<u>.04</u>	-	<u>.24</u>	-	<u>.02</u>	-	-	<u>.60</u>	<u>.05</u>	<u>.13</u>	<u>.03</u>	-		24
25	<u>.03</u>	<u>.01</u>	<u>.13</u>	-	-	<u>.10</u>	<u>.21</u>	-	-	<u>.38</u>	<u>.62</u>	<u>.10</u>		25
26	<u>.05</u>	<u>.11</u>	<u>.28</u>	-	<u>.18</u>	<u>.07</u>	-	-	<u>.08</u>	<u>.39</u>	<u>.39</u>	<u>.14</u>		26
27	<u>.13</u>	<u>.02</u>	<u>.01</u>	-	<u>.28</u>	<u>.09</u>	<u>.09</u>	<u>.33</u>	<u>.02</u>	-	<u>.14</u>	-		27
28	<u>.16</u>	<u>.02</u>	-	-	-	<u>.25</u>	<u>.24</u>	<u>.05</u>	-	<u>.01</u>	<u>.02</u>	<u>.16</u>		28
29	<u>.68</u>	~~X~~	-	-	<u>.90</u>	<u>.01</u>	<u>.02</u>	-	-	<u>.23</u>	<u>.02</u>	<u>.19</u>		29
30	<u>.03</u>	~~X~~	-	-	-	<u>.02</u>	-	<u>.11</u>	<u>.45</u>	-	<u>.15</u>	<u>.26</u>		30
31	<u>.10</u>	~~X~~	-	~~X~~	<u>.22</u>	~~X~~	-	-	~~X~~	<u>.21</u>	~~X~~	<u>.54</u>		31
TOTAL	<u>3.09</u>	<u>.38</u>	<u>.95</u>	<u>.20</u>	<u>2.07</u>	<u>2.93</u>	<u>3.26</u>	<u>4.44</u>	<u>1.82</u>	<u>4.37</u>	<u>3.60</u>	<u>3.74</u>	Year's Total	<u>30.85</u>
* Days with .01 in. or more.	<u>22</u>	<u>9</u>	<u>9</u>	<u>3</u>	<u>14</u>	<u>19</u>	<u>17</u>	<u>14</u>	<u>16</u>	<u>19</u>	<u>22</u>	<u>20</u>		<u>193</u>
* Days with .04 in. or more.	<u>18</u>	<u>3</u>	<u>6</u>	<u>1</u>	<u>9</u>	<u>11</u>	<u>13</u>	<u>13</u>	<u>10</u>	<u>17</u>	<u>16</u>	<u>14</u>		<u>131</u>

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

R. D. Baker

[P.T.O.]

Section



for the entry of Daily Observations

Station No. 2785

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1939.

Kept at Basshill Reservoir Gld. Gauge.
in the County of B.eshire

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....1.....ft.....in.

„ Ground „ Sea Level 237.....ft.

TRAVEL FORM
VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.38	-	.03	.30	-	-	.01	.01	.02	-	-	.02		1
2	.15	-	.02	.17	-	-	.18	.61	.15	-	-	.11		2
3	.16	-	.13	.27	-	-	-	.16	-	-	.02	.45		3
4	.16	-	.09	.26	.11	-	.22	-	-	.14	.39	.27		4
5	-	-	-	.02	.42	-	.49	.02	-	.04	.28	.01		5
6	.48	.01	-	-	-	-	.27	-	-	-	.03	-		6
7	.01	-	-	-	.06	-	.10	-	-	-	.11	.44		7
8	.07	.15	.34	.04	-	-	.80	.02	-	.17	.20	.12		8
9	.06	.05	-	-	-	-	.01	.10	.01	.40	-	.21		9
10	.26	-	-	-	-	.04	-	.19	.15	.06	.01	.21		10
11	.65	.10	.23	-	-	.11	-	-	-	.23	-	-		11
12	.62	.06	-	.01	-	.17	-	-	.05	-	-	-		12
13	.02	-	.05	.19	.21	.17	.18	-	.10	.03	.17	-		13
14	.42	-	-	-	.36	.58	.67	-	.01	.03	.28	-		14
15	.12	-	-	.11	.07	.55	.34	-	-	-	.30	-		15
16	.01	.02	.09	-	.31	-	.12	-	-	-	.18	-		16
17	.16	.02	-	-	.10	.13	.02	-	-	.98	.03	-		17
18	.05	.18	.04	-	-	.23	.22	-	-	-	1.07	-		18
19	.14	-	-	-	-	-	.31	-	-	-	.06	-		19
20	.10	-	-	-	-	.03	.26	-	-	-	-	-		20
21	.11	-	.37	.07	.07	-	-	.16	.14	-	-	-		21
22	.17	.49	.02	.08	-	-	.13	-	-	.02	.43	-		22
23	.03	.32	-	.11	-	.01	.05	-	-	.19	.20	-		23
24	-	.06	.02	.01	-	.08	.01	-	-	.23	.01	-		24
25	.09	.05	-	.44	-	-	.03	-	-	.05	.36	.01		25
26	-	-	-	-	-	-	-	.02	-	-	.14	.05		26
27	.01	.69	.15	-	-	.16	.18	.13	-	-	.11	.15		27
28	-	.10	.18	.05	-	.04	.17	-	-	-	.43	.09		28
29	-	X	-	.11	-	-	1.20	-	-	.09	.04	.02		29
30	-	X	-	-	-	.15	-	-	-	-	.04	.02		30
31	-	X	-	X	-	X	.02	.05	X	.05	X	-		31
TOTAL	4.80	2.30	1.76	2.25	1.71	2.45	5.99	1.48	6.3	2.71	4.89	2.18	33.15	
* Days with .01 in. or more.	24	14	14	16	9	14	24	11	8	15	23	15	187	
* Days with .04 in. or more.	19	11	10	13	9	12	18	7	5	12	18	10	144	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

R. F. Daker.

P.T.O.

Section



for the entry of Daily Observations

Station No. 2785✓

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Crosshill Reservoir Old gauge

in the County of Wiltshire

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....1.....ft.....in.

„ Ground „ Sea Level 237.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	-	.07	-	.03	-	-	-	-	.01	-	.14	.07		1
2	-	-	-	.15	-	-	.14	-	-	-	.13	.20		2
3	-	.08	-	.15	-	-	.03	-	-	.04	.03	.10		3
4	-	.11	-	.01	-	-	-	-	-	.11	.20	.02		4
5	.01	-	-	-	.17	-	.25	-	-	.10	.25	.11		5
6	.09	.26	-	-	-	-	.18	-	-	.75	.06	.04		6
7	-	.50	-	.08	.12	-	-	.02	.28	.07	-	.04		7
8	.01	-	-	-	-	-	-	-	.23	.09	-	.26		8
9	-	-	.26	.08	-	-	.70	.01	.05	.22	1.09	.27		9
10	-	-	.04	-	-	-	.28	.08	-	.36	.21	.21		10
11	-	-	-	.05	-	-	.15	-	-	-	.67	.09		11
12	-	-	.24	-	-	.17	.32	.07	.35	-	.12	-		12
13	-	-	.17	.02	-	-	-	.03	.33	-	.08	.01		13
14	-	-	.15	.10	.11	-	.09	.08	.63	.01	.26	.07		14
15	-	-	.01	.07	.40	.05	-	-	.18	.26	.07	-		15
16	-	.13	.17	-	-	-	.20	-	.49	.16	.27	.08		16
17	-	-	.69	.09	-	-	.04	-	.06	-	.57	-		17
18	.01	.24	.14	.26	-	-	-	.23	.26	-	-	.22		18
19	-	.29	.13	.04	-	-	.02	-	.16	.02	.13	-		19
20	-	-	-	.23	-	.01	.10	.02	-	.47	.06	-		20
21	-	-	.04	.01	.09	.29	-	.05	.02	-	.72	-		21
22	-	.02	.02	.01	.20	.13	-	.03	.06	.01	-	-		22
23	-	.03	-	.21	.01	-	.04	-	.18	-	.07	-		23
24	.08	-	.10	-	.01	-	.01	-	.05	-	-	-		24
25	.03	-	-	-	.19	-	-	-	.03	-	-	-		25
26	.76	.07	-	.26	.04	.03	.19	.02	-	-	.09	-		26
27	.99	.30	-	-	-	-	-	-	-	-	.09	-		27
28	.02	.17	-	-	.47	.06	-	.01	-	-	.04	-		28
29	.27	-	.26	.07	-	-	.05	-	-	.04	-	.05		29
30	-	X	-	.40	.02	-	-	-	-	.22	-	.22		30
31	.01	X	.03	X	.02	X	-	.04	X	.64	X	-		31
TOTAL	2.28	2.27	2.45	2.32	2.35	.74	2.79	.69	3.36	3.57	5.35	2.06	30.23	✓
* Days with .01 in. or more.	11	13	15	20	13	7	17	13	17	17	22	17	182	✓
* Days with .04 in. or more.	5	11	12	15	9	5	14	6	14	14	21	15	141	✓

† Spare column, no entries required.

(Signed)

R. P. Baker

P.T.O.

* See Instruction 3 (f) on other side.

REGI

Kept at Cross Hill
in the County of.....

Diameter of Funnel of Gauge.....
Height of top of Gauge above G.....
,, Ground ,, S.....

THE MORNING ME

An observer who does not conform
year in the space on the right c

2786
FOR OFFICIAL USE.
ALL ORGANIZATION.

2786

CROSS HILL No2

1931-40

AY.
e following

Jan. 1, following

Date	Jan.	Feb.	Mar.								Nov.	Dec.	Date
	in.	in.	in.								in.	in.	
1	.19	-	-	.10	-	-	-	-	.07	.04	-	-	1
2	-	.14	-	.45	.02	.55	-	-	.50	.10	.02	.02	2
3	.23	-	-	-	-	.14	.26	-	1.13	.06	.49	.10	3
4	-	-	.02	.19	-	-	-	.21	.46	-	-	.02	4
5	.01	-	-	.04	.05	.75	.11	.69	-	-	-	.15	5
6	-	.20	-	-	.01	.29	-	-	.13	.36	.05	-	6
7	-	.02	-	-	-	.27	-	.92	-	.12	.04	-	7
8	.03	.07	-	.07	-	.15	.07	.28	.02	.01	.12	.02	8
9	.05	.10	-	.05	.11	.14	.01	.35	.01	.25	.16	.02	9
10	.01	.05	-	-	.14	.23	-	.04	-	-	.42	.02	10
11	.30	.07	-	-	-	-	.03	.02	.52	-	.07	.03	11
12	.08	.07	-	.01	-	-	.12	.19	.10	.03	.09	-	12
13	-	-	.03	-	.03	.03	.04	1.82	.01	-	-	-	13
14	.03	.10	-	-	-	1.94	.15	.64	.20	-	.65	.01	14
15	.03	.34	-	.20	.13	-	.20	.19	.01	-	-	.34	15
16	.10	.10	-	.21	.09	.04	.03	.40	.23	-	-	.01	16
17	.05	.01	-	.13	.25	-	.04	.02	.04	-	.26	-	17
18	.12	-	-	-	-	.35	.38	.16	-	-	.29	-	18
19	.08	.12	-	-	-	.20	.01	.60	.01	.01	-	-	19
20	-	.05	.06	.01	-	.02	.10	.03	-	-	.03	.02	20
21	.24	-	.01	.01	.35	.01	-	.11	-	-	.03	-	21
22	.05	-	-	.04	.03	.02	-	-	-	-	-	-	22
23	.13	-	-	.09	.19	.14	-	-	-	.01	.05	.20	23
24	.03	-	-	.13	.24	-	.08	-	-	-	.01	.15	24
25	.06	.46	-	.60	.18	-	-	-	-	-	.03	.08	25
26	.13	.07	-	.02	-	-	.04	-	-	-	.92	.01	26
27	.30	.26	-	.05	.53	-	.04	-	-	.17	.41	.13	27
28	.20	.32	.06	.02	.19	-	-	-	-	.07	-	.19	28
29	.07	X	.06	-	.02	-	.21	-	.01	.52	.03	-	29
30	-	X	-	.01	-	-	-	-	.01	-	.01	.18	30
31	.13	X	-	X	.02	X	.17	-	X	.01	X	.03	31
TOTAL	2.65	2.55	.24	2.43	2.58	5.27	2.09	6.67	3.46	1.76	4.16	1.73	35.59
*Days with "or in. or more.	24	18	6	20	18	17	19	17	17	14	21	20	211
*Days with ".04 in. or more.	18	16	3	14	12	13	15	14	10	9	14	9	147

40-9999

*See Instruction 2 (f) on other side.

(Signed)

R. H. Baker

1820

Section

A

for the entry

AIR MINIS

2786
FOR OFFICIAL USE.

LL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193 / .

Kept at Cross Hill Reservoir No. 2
in the County of Chester

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
,, Ground ,, Sea Level 212 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.19	-	-	.10	-	-	-	-	.07	.04	-	-	1
2	-	.14	-	.45	.02	.55	-	-	.50	.10	.02	.02	2
3	.23	-	-	-	-	.44	.26	-	1.13	.06	.49	.10	3
4	-	-	.02	.19	-	-	-	.21	.46	-	-	.02	4
5	.01	-	-	.04	.05	.75	.11	.69	-	-	-	.15	5
6	-	.20	-	-	.01	.29	-	-	.13	.36	.05	-	6
7	-	.02	-	-	-	.27	-	.92	-	.12	.04	-	7
8	.03	.07	-	.07	-	.15	.07	.28	.02	.01	.12	.02	8
9	.05	.10	-	.05	.11	.14	.01	.35	.01	.25	.16	.02	9
10	.01	.05	-	-	.44	.23	-	.04	-	-	.42	.02	10
11	.30	.07	-	-	-	-	.03	.02	.52	-	.07	.03	11
12	.08	.07	-	.01	-	-	.12	.19	.10	.03	.09	-	12
13	-	-	.03	-	.03	.03	.04	1.82	.01	-	-	-	13
14	.03	.10	-	-	-	1.94	.15	.64	.20	-	.65	.01	14
15	.03	.34	-	.20	.13	-	.20	.19	.01	-	-	.34	15
16	.10	.10	-	.21	.09	.04	.03	.40	.23	-	-	.01	16
17	.05	.01	-	.13	.25	-	.04	.02	.04	-	.26	-	17
18	.12	-	-	-	-	.35	.38	.16	-	-	.27	-	18
19	.08	.12	-	-	-	.20	.01	.60	.01	.01	-	-	19
20	-	.05	.06	.01	-	.02	.10	.03	-	-	.03	.02	20
21	.24	-	.01	.01	.35	.01	-	.11	-	-	.03	-	21
22	.05	-	-	.04	.03	.02	-	-	-	-	-	-	22
23	.13	-	-	.09	.19	.44	-	-	-	.01	.05	.20	23
24	.03	-	-	.13	.24	-	.08	-	-	-	.01	.15	24
25	.06	.46	-	.60	.18	-	-	-	-	-	.03	.08	25
26	.13	.07	-	.02	-	-	.04	-	-	-	.02	.01	26
27	.30	.26	-	.05	.53	-	.04	-	-	.17	.41	.13	27
28	.20	.32	.06	.02	.19	-	-	-	-	.07	-	.19	28
29	.07	X	.06	-	.02	-	.21	-	.01	.52	.03	-	29
30	-	X	-	.01	-	-	-	-	.01	-	.01	.18	30
31	.13	X	-	X	.02	X	.17	-	X	.01	X	.03	31
TOTAL	2.65	2.55	.24	2.43	2.58	5.27	2.09	6.67	3.46	1.76	4.16	1.73	35.59
*Days with or in. or more.	24	18	6	20	18	17	19	17	17	14	21	20	241
*Days with or in. or more.	18	16	3	14	12	13	15	14	10	9	14	9	147

40-9999

*See Instruction 2 (f) on other side.

(Signed)

R. H. Palmer

[Signature]

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1932.

Kept at Cross Hill, No 2
in the County of Chester
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
Ground Sea Level 212 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.11	.01	—	.06	.74	—	.19	.09	.05	.02	.05	.12	1
2	.25	—	—	—	.40	—	.05	.02	.12	.44	.03	.08	2
3	—	.05	—	.23	.01	—	.12	—	.03	.01	.05	.10	3
4	—	—	—	—	—	—	.07	—	.01	.04	.06	.02	4
5	.59	—	.06	.02	.05	—	—	.05	.16	—	—	.03	5
6	.88	.01	.14	.26	.02	.07	—	—	.18	—	—	—	6
7	.02	—	.17	.20	—	—	—	—	.51	.46	—	.01	7
8	—	—	.01	.10	.02	—	—	—	.26	.28	—	—	8
9	.12	—	—	.12	.01	—	—	—	.02	—	.02	—	9
10	.08	—	—	.02	.01	—	—	—	.35	.68	.01	—	10
11	.01	—	—	.01	.33	.03	.09	.01	.02	—	—	—	11
12	.05	—	—	.01	.21	—	.40	—	.02	.27	—	.02	12
13	—	—	—	.04	.08	—	.22	.08	.11	.23	—	.27	13
14	.14	—	—	.08	—	—	.09	.16	.01	.06	.15	.01	14
15	—	—	—	.01	.37	—	—	—	—	.03	.02	—	15
16	.08	—	—	.13	—	—	.04	—	—	.01	—	.01	16
17	—	—	—	—	.01	—	.03	.01	.04	.10	—	.01	17
18	—	—	—	—	.04	—	—	—	.02	—	.04	—	18
19	—	—	—	.16	.04	—	.04	—	.02	.27	—	—	19
20	—	—	—	.06	.19	—	.03	.56	—	.17	.04	.04	20
21	.01	—	.18	.01	.22	—	.04	.19	—	.63	.06	—	21
22	.01	—	.06	.03	.53	—	.50	—	—	.05	.34	.01	22
23	—	—	—	.05	.05	—	.06	—	—	.09	.12	.06	23
24	.09	—	—	—	.01	.01	.75	—	.22	—	.46	.01	24
25	.01	.01	—	.02	.01	.02	.08	—	.22	.34	.06	—	25
26	—	—	.02	.07	.19	—	.36	—	.29	.14	.09	—	26
27	—	—	.53	.31	.10	.24	.13	.01	—	.12	.07	.01	27
28	—	—	.02	.20	.13	—	.29	—	—	—	—	—	28
29	.01	—	.27	.30	.13	.09	.01	.04	.13	.87	.30	.28	29
30	.01	✕	.05	.37	—	.16	.01	.07	.06	.39	.40	.04	30
31	—	✕	.19	✕	—	✕	.54	.02	✕	.02	✕	.07	31
TOTAL	2.47	.08	1.70	2.87	3.90	.62	4.14	1.31	2.85	5.69	2.37	1.20	29.20
*Days with "or in. or more.	17	4	12	25	25	7	23	13	22	24	19	19	210
*Days with "04 in. or more.	10	1	9	17	17	4	19	8	14	19	15	9	142

Section

A

for the entry of Daily Observations.

Station No. 2786

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Gross Hill (No. 2)in the County of CheshireDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft - in.,, Ground ,, Sea Level 212 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	.08	.08	-	-	-	-	-	-	-	.06	.02	1
2	.02	-	.15	.01	-	.16	-	-	-	-	-	-	2
3	.01	.30	.26	-	.20	-	-	-	-	-	-	-	3
4	.23	.01	.06	-	.12	-	-	-	-	-	.02	-	4
5	.09	.02	.06	-	.15	-	-	-	-	-	.03	-	5
6	-	.18	.15	-	.16	-	-	-	-	-	.04	.01	6
7	.02	.38	-	-	-	-	.07	-	-	.40	-	.01	7
8	.07	.01	.29	-	.01	-	.04	-	-	-	.01	.03	8
9	-	.38	-	.01	.01	.01	.40	-	-	.23	.08	-	9
10	.02	.13	-	-	-	.13	.01	-	-	1.69	.04	-	10
11	.01	-	-	.02	.03	-	.17	-	-	.18	-	.08	11
12	.10	.01	-	-	.02	.04	.22	-	-	.09	-	.10	12
13	-	-	-	-	.14	-	.03	.19	.02	.28	.35	-	13
14	.22	-	-	-	-	-	.11	.10	-	.01	.41	-	14
15	.16	-	.02	-	-	-	.36	.14	-	.23	.12	.01	15
16	.09	.04	.08	-	.07	.16	-	-	-	.14	.04	.01	16
17	.09	-	.40	-	-	.55	-	-	.02	-	.02	-	17
18	.13	-	.09	-	-	.15	-	-	-	-	.03	.01	18
19	-	-	.44	-	-	-	.02	.01	.18	-	.14	.03	19
20	-	.07	.07	-	.49	.29	-	1.00	.03	-	-	.01	20
21	-	-	-	-	-	.08	-	.08	-	-	-	-	21
22	-	-	-	.08	.14	-	-	.10	-	.03	-	-	22
23	-	-	-	.12	-	.10	-	-	.03	.05	-	-	23
24	-	.26	-	.13	.12	.24	-	-	.27	.05	-	-	24
25	-	.03	-	.07	-	-	-	-	.09	-	-	.20	25
26	-	1.10	-	.10	-	.01	-	-	-	.14	-	.01	26
27	-	.01	-	-	.07	-	-	-	-	.01	-	-	27
28	-	-	-	.02	-	-	.23	.50	-	.01	-	-	28
29	.02	X	.01	-	-	-	.03	-	-	-	-	.01	29
30	.07	X	.05	.23	.01	-	.03	-	-	.26	-	.28	30
31	-	X	.04	X	-	X	-	-	X	.48	X	.10	31
TOTAL	1.35	3.01	2.25	.79	1.74	1.92	1.72	2.12	.64	4.55	1.39	.92	22.40
*Days with or in. or more.	16	16	16	10	15	12	13	8	7	17	14	16	160
*Days with .04 in. or more.	10	10	14	6	10	10	8	7	3	13	9	5	105

40-9999

*See Instruction 2 (f) on other side.

(Signed)

R. E. Dams

P.T.O.

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No.

2786

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Gross Hill (No. 2)in the County of ChesterDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft. — in.,, Ground ,, Sea Level 212 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.08	—	—	—	—	—	—	.14	.20	.01	.75	.78		1
2	—	—	.06	—	—	—	—	.27	.18	.02	.28	.10		2
3	.05	—	—	—	—	—	—	—	—	.09	—	.01		3
4	.09	—	.03	.03	.01	—	—	—	.08	.44	—	.82		4
5	—	—	.06	—	.06	—	—	.64	—	.02	.02	.03		5
6	—	—	.09	.01	.23	—	—	—	—	.23	—	.21		6
7	.23	.12	.04	.03	—	—	—	—	—	.03	.10	.33		7
8	—	—	.05	—	.25	.33	—	.01	—	.09	.42	—		8
9	—	—	.12	—	—	—	—	.10	.02	.02	.35	—		9
10	—	.02	.14	.26	—	—	—	.61	—	.04	.02	—		10
11	.01	—	.04	.49	—	—	—	.11	—	—	.12	.08		11
12	—	—	.02	.03	—	—	—	.07	—	.04	—	.03		12
13	.24	—	.01	.03	—	—	.39	—	—	.04	—	—		13
14	.09	—	.20	—	.01	.02	.01	—	—	.25	.02	.03		14
15	.13	—	.30	—	.30	—	—	.14	.20	.21	—	.14		15
16	.24	—	.05	—	.02	.01	—	—	—	.18	.07	.02		16
17	.07	—	.13	.04	.27	—	.16	—	.09	.03	—	.30		17
18	.11	—	.01	.16	.38	.11	—	—	—	—	—	.07		18
19	—	—	.11	—	.03	.23	—	.05	.58	.07	—	.15		19
20	—	—	.01	.02	.03	—	—	—	.35	—	—	—		20
21	—	—	.05	—	—	.26	—	.03	.28	.11	—	—		21
22	.02	—	.05	.05	.03	—	—	.05	.12	.11	.01	.07		22
23	—	—	.03	.15	—	.25	.12	—	—	.19	—	—		23
24	—	.14	.01	—	.01	.01	.02	—	.18	.04	—	—		24
25	—	.01	—	.05	—	—	.04	—	.10	.08	—	.28		25
26	.01	—	.01	.20	—	.15	.17	—	—	.01	—	.01		26
27	.02	—	—	.03	—	.06	.06	—	—	.10	—	.18		27
28	—	—	—	.02	—	—	—	.34	.05	.30	—	.50		28
29	—	X	—	—	—	—	.08	.06	.31	.35	—	.20		29
30	.18	X	—	—	—	—	.01	.07	.19	.50	—	.03		30
31	—	X	—	X	—	X	—	.09	X	.51	X	.30		31
TOTAL	1.57	.29	1.62	1.60	1.63	1.43	1.06	2.78	2.93	4.11	2.16	4.67	25.85	
*Days with or in. or more.	15	4	23	16	13	10	10	16	15	28	11	23	184	
*Days with or in. or more.	11	2	15	8	6	7	7	14	14	21	7	16	128	

† Spare column, no entries required.

(Signed)

R. T. Doherty

P. T. O.

40-9999

*See Instruction 2 (f) on other side.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1935.

Kept at Cross Hill (No. 2)
in the County of Chester.

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft — in.
Ground Sea Level 212 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.19	.03	—	—	.01	.01	.20	—	.48	.25	.10	.17		1
2	.01	.03	.02	—	—	.12	—	—	—	.02	—	.13		2
3	.08	.32	.06	.06	—	.50	—	—	.31	—	.10	.57		3
4	.02	.01	—	.03	—	.32	—	—	—	.22	.02	.09		4
5	—	.24	.16	.06	—	—	.01	—	.19	.07	.10	.22		5
6	—	—	—	.11	—	.07	—	—	—	—	—	—		6
7	—	—	—	.01	—	.08	—	—	—	.05	.07	.27		7
8	—	—	—	.09	—	.13	—	.05	—	.05	.11	.19		8
9	.03	.01	—	.11	—	—	—	—	—	1.51	.12	—		9
10	—	.09	—	.05	—	.09	.01	—	—	.11	—	—		10
11	.34	—	—	—	—	.12	—	.04	—	.06	.06	—		11
12	.08	.01	—	—	—	.20	—	—	.01	.01	—	—		12
13	.18	.01	—	.10	.24	—	—	—	.07	.01	—	—		13
14	.02	—	—	—	—	.03	.44	—	.04	—	.39	.09		14
15	—	.12	—	.39	.05	.07	.06	—	.10	—	—	.68		15
16	.01	.12	.09	.18	—	.81	.09	—	.53	—	.48	.04		16
17	—	—	—	.17	.75	.46	.31	.53	.12	.01	.94	.01		17
18	—	—	—	.10	.62	.09	.06	.03	.22	.08	—	—		18
19	—	—	—	.10	.43	.48	.07	—	—	.13	.15	—		19
20	—	.16	—	.29	—	.04	.24	—	.33	.33	.17	—		20
21	—	.21	—	—	—	—	—	.03	.33	.33	.02	.06		21
22	.02	.17	.02	.06	—	—	—	—	.05	.05	—	.12		22
23	.03	.07	.21	—	—	—	—	.04	.14	.14	—	—		23
24	.44	.21	.11	—	—	—	—	—	.58	.58	—	.24		24
25	.16	.44	.07	—	—	—	—	—	—	—	.02	.01		25
26	—	—	—	—	—	—	—	.13	.58	.58	.04	.15		26
27	—	.08	—	—	—	.11	.10	—	.23	.23	.25	.02		27
28	.02	.16	—	—	.09	—	—	.21	.19	.19	.02	.01		28
29	—	X	.03	—	—	.08	—	.46	.27	.27	.03	.07		29
30	.04	X	—	—	—	.61	—	.25	.16	.16	.35	.10		30
31	—	X	—	X	—	X	—	—	X	—	X	.58		31
TOTAL	1.37	2.19	.77	1.91	2.19	4.42	1.59	2.07	4.93	5.44	3.54	3.82	34.24	
*Days with or in. or more.	16	19	9	16	7	20	11	10	20	24	20	21	193	
*Days with .04 in. or more.	8	13	6	14	6	18	9	8	17	20	15	17	153	

Section



for the entry of Daily Observations.

Station No. 2786

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at *Cross Hill, N^o 2*in the County of *Chester*Diameter of Funnel of Gauge.....*5*.....in.Height of top of Gauge above Ground....*1*.....ft....*2*.....in.,, Ground ,, Sea Level*212*.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01	.12	.08	.39	—	.14	.02	.32	.04	—	.19	.90		1
2	.02	.02	—	.12	—	.58	—	.04	.01	—	.11	.29		2
3	.01	—	—	—	—	.67	.03	—	.55	—	—	.01		3
4	.02	.16	.07	—	—	.01	—	—	.08	—	.22	.21		4
5	.13	.11	.05	—	—	—	—	.19	.25	—	—	.26		5
6	.04	—	—	—	.08	—	.07	.22	.23	—	.05	—		6
7	—	—	.04	—	—	—	.05	—	.36	—	.19	.08		7
8	.06	—	.31	—	—	—	—	.01	.08	—	.28	.11		8
9	.37	—	—	—	—	.06	.10	—	.21	—	.24	.01		9
10	.04	—	—	—	—	—	.18	—	—	—	.06	—		10
11	—	—	—	—	—	.12	.42	.06	.05	—	.30	.30		11
12	—	—	—	—	.06	.19	.30	—	.17	.01	.11	.01		12
13	.03	—	—	—	.01	.01	.08	.07	.14	.22	—	.32		13
14	—	—	—	.06	—	.37	.04	.10	.08	.02	.36	.60		14
15	.19	—	—	.10	.44	.06	—	—	.14	—	.21	.03		15
16	.04	.05	—	.03	.40	—	.03	—	—	—	.54	—		16
17	.07	.35	—	—	.01	—	.01	.02	—	.03	.02	.01		17
18	—	.09	—	.05	—	—	1.15	.28	—	.27	—	—		18
19	.35	.10	.01	.28	—	.32	.05	.28	—	.21	—	—		19
20	.53	.12	.02	—	—	.02	—	.01	—	.02	—	—		20
21	.95	—	.01	.04	—	.46	—	.01	—	—	—	.08		21
22	.09	.50	.02	—	—	.63	.31	—	—	—	—	.14		22
23	.03	.04	.26	—	—	—	.21	—	—	.04	—	—		23
24	.11	—	—	—	—	—	—	—	.17	.09	—	—		24
25	.16	—	—	—	—	—	—	—	.60	.09	—	.01		25
26	.06	.08	.35	—	—	—	.30	—	.04	.12	—	—		26
27	.43	—	—	—	—	—	.04	—	.03	.21	.02	—		27
28	.26	.19	.08	.05	—	.09	.01	—	—	.13	.03	.08		28
29	.04	.28	.08	—	—	.20	—	—	—	.01	.06	.03		29
30	.12	X	—	—	.35	.73	.20	.05	—	.30	.03	—		30
31	.04	X	.01	X	—	X	.01	—	X	—	X	.17		31
TOTAL	4.20	2.21	1.39	1.12	1.05	4.26	3.61	1.66	3.23	1.77	3.02	3.65	31.57	Year's Total
* Days with .01 in. or more.	26	14	14	9	7	17	21	14	18	15	18	20	193	✓
* Days with .04 in. or more.	20	13	9	8	5	14	15	10	16	10	14	13	147	✓

40-9999.

† Spare column, no entries required

* See Instruction 2 (f) on other side.

(Signed)

R. P. Baker

[P.T.O.]

Section



for the entry of Daily Observations.

Station No. 2786

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Crosshill Res. new g.

in the County of Cheshire

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....1.....ft.....0.....in.

,, Ground ,, Sea Level 212.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following



Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	.25	.06	—	—	—	—	—	.06	.16	.02	.04		1
2	—	.06	.12	.29	—	—	—	—	.02	—	.01	.05		2
3	—	.11	—	.02	.20	—	.10	—	.02	—	—	.01		3
4	.25	—	—	.02	.60	—	.02	—	—	—	—	.52		4
5	.49	—	.18	.21	—	.04	.04	—	—	—	—	1.32		5
6	—	—	—	.02	.12	—	.02	—	—	—	—	.01		6
7	—	.45	—	.02	—	.08	.02	—	—	—	.01	—		7
8	—	.33	—	.07	—	.03	.21	—	.02	—	.12	—		8
9	—	.05	—	.02	.23	.22	.31	.06	—	—	—	—		9
10	.01	.19	—	—	—	.01	.01	—	—	—	—	.28		10
11	—	—	.26	—	.48	—	.02	—	—	—	.02	.01		11
12	.07	.41	.01	—	—	.33	.02	.04	.43	—	—	.19		12
13	—	.04	—	.02	—	.02	—	.34	.01	—	—	.24		13
14	—	.14	—	—	—	—	.01	.07	.04	—	.04	.14		14
15	.04	.15	—	.43	—	—	.49	—	.19	—	—	.13		15
16	—	.04	.32	.51	—	—	—	.12	.18	—	—	—		16
17	.05	.10	.09	.41	—	—	—	—	.29	—	—	—		17
18	.16	.30	.01	.02	—	—	.14	.03	—	—	.39	.03		18
19	.10	.15	.09	.28	.18	.51	—	.02	.19	—	.11	—		19
20	.04	.06	—	.27	1.02	—	.04	—	—	—	.01	.02		20
21	.01	.28	.19	.10	.17	—	.16	—	—	.09	—	.03		21
22	.03	.12	.01	—	.07	—	.06	—	—	.09	.19	.11		22
23	.04	.01	—	—	.79	.01	.47	—	—	.63	.15	—		23
24	.28	.38	.09	—	—	—	.12	—	.19	.57	—	.01		24
25	—	.27	—	—	—	—	—	.25	—	.02	—	.01		25
26	—	.28	.06	—	.19	—	—	.13	—	.14	—	.01		26
27	—	.43	—	.27	—	—	—	—	—	.39	.01	—		27
28	—	.03	—	—	—	.02	—	—	—	.11	—	—		28
29	—	X	—	—	—	.01	—	—	—	.15	.22	—		29
30	.07	X	—	—	—	.19	—	.01	.07	.06	.25	—		30
31	.17	X	—	X	—	X	—	—	X	.97	X	—		31
TOTAL	1.81	4.73	1.50	2.99	4.05	1.47	2.26	1.07	1.72	2.48	1.56	3.18	28.82	
* Days with .01 in. or more.	15	24	13	17	11	12	18	10	13	12	14	19	178	
* Days with .04 in. or more.	12	22	10	10	11	6	11	7	9	11	8	10	127	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed)

R. T. Dabner

[P.T.O.]

Sec. **A** for the entry of Daily Observations
AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Station No. 2786

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Crosshill Reservoir, near gaugein the County of Cheshire

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....1.....ft.....in.

,, Ground ,, Sea Level 212.....ft.

TRAVELLING FORM.
VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	-	-	-	1.42	-	5.1	-	0.1	15	12		1
2	-	02	-	18	0.4	13	-	-	-	27	02	47		2
3	-	-	-	-	-	03	10	-	0.1	33	08	-		3
4	01	-	-	01	-	03	15	-	-	08	01	43		4
5	12	-	-	-	-	-	21	90	09	24	-	01		5
6	12	-	-	-	-	-	37	-	64	11	-	01		6
7	37	-	-	-	-	-	22	26	03	13	-	01		7
8	20	02	-	-	-	-	56	54	-	32	-	65		8
9	03	11	09	-	-	18	16	68	-	-	-	11		9
10	18	06	02	-	-	01	56	-	01	-	-	25		10
11	20	01	-	-	11	05	03	-	02	25	07	07		11
12	05	-	-	-	04	-	-	-	-	55	40	-		12
13	02	-	-	-	02	-	-	-	-	-	06	02		13
14	25	-	-	-	03	-	03	-	05	-	17	-		14
15	12	-	-	-	03	-	03	19	-	03	02	09		15
16	13	-	07	-	-	-	21	-	02	-	03	02		16
17	-	-	-	-	-	-	02	02	-	44	-	-		17
18	-	-	-	-	12	20	-	06	-	17	20	-		18
19	-	-	-	-	-	02	-	10	0.1	-	-	-		19
20	04	-	09	-	-	-	-	10	03	-	16	-		20
21	-	-	03	-	-	02	-	-	02	-	29	-		21
22	-	-	-	02	02	26	-	-	-	-	49	02		22
23	-	-	-	-	06	08	-	-	24	-	07	-		23
24	04	-	23	-	02	-	-	62	05	11	03	-		24
25	03	01	13	-	-	10	22	-	-	42	62	10	25	25
26	05	11	28	-	17	05	-	-	07	41	41	13		26
27	14	02	01	-	28	12	09	33	02	-	14	-		27
28	16	02	-	-	-	25	24	05	-	01	02	15		28
29	67	X	-	-	83	02	07	-	-	24	08	19		29
30	03	X	-	-	-	02	-	10	47	-	15	26		30
31	09	X	-	X	22	X	-	-	X	17	X	54		31
TOTAL	3.05	38	25	21	1.99	2.99	2.27	4.49	1.84	4.32	3.67	3.65	30.91	
* Days with .01 in. or more.	22	9	9	3	24	18	17	14	16	19	22	20	183	
* Days with .04 in. or more.	17	3	6	1	9	11	13	13	9	17	16	14	129	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) R. H. Baker [P.T.O.]

Section

A

for the entry of Daily Observations

Station No.

2786

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1939.

Kept at Gross Hill Reservoir New Gauge.
in the County of Cheshire

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

TRAVELLING FORM.

VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.39	—	.03	.30	—	—	.01	.01	.02	—	—	.03		1
2	.16	—	.02	.16	—	—	.18	.60	.14	—	—	.12		2
3	.19	—	.13	.28	—	—	—	.16	—	—	.02	.45		3
4	.23	—	.08	.27	.10	—	.22	—	—	.14	.10	.27		4
5	—	—	—	.03	.40	—	.49	.02	—	.04	.31	.02		5
6	.52	.01	—	—	—	—	.27	—	—	—	.02	—		6
7	.01	—	—	—	.06	—	.10	—	—	—	.10	.12		7
8	.07	.15	.33	.05	—	—	.78	.04	—	.17	.18	.13		8
9	.06	.05	—	—	—	—	.01	.10	.01	.41	—	.23		9
10	.24	—	—	—	—	.04	—	.19	.15	.06	.01	.22		10
11	.71	.09	.23	—	—	.11	—	—	—	.25	—	—		11
12	.69	.09	—	.01	—	.16	—	—	.05	—	—	—		12
13	.02	—	.04	.19	.20	.16	.17	—	.09	.02	.17	—		13
14	.42	—	—	—	.36	.56	.67	—	—	.02	.28	—		14
15	.12	—	—	.11	.07	.54	.35	—	—	—	.29	—		15
16	.01	.02	.09	—	.32	—	.12	—	—	—	.18	—		16
17	.41	.03	—	—	.10	.14	.02	—	—	.98	.02	—		17
18	.05	.19	.04	—	—	.22	.24	—	—	—	1.05	—		18
19	.20	—	—	—	—	—	.30	—	—	—	.06	—		19
20	.11	—	—	—	—	.03	.28	—	—	—	—	—		20
21	.11	—	.36	.05	.08	—	—	.16	.14	—	—	—		21
22	.17	.51	.01	.09	—	—	.14	—	—	.02	.42	—		22
23	.02	.30	—	.09	—	.01	.05	—	—	.20	.20	—		23
24	—	.26	.02	.01	—	.07	.01	—	—	.23	.01	—		24
25	.08	.06	—	.42	—	—	.03	—	—	.05	.35	.02		25
26	—	—	—	—	—	—	—	.02	—	—	.15	.05		26
27	.01	.70	.15	—	—	.17	.19	.13	—	—	.11	.20		27
28	—	.10	.18	.04	—	.04	.18	—	—	—	.41	.16		28
29	—	X	—	.11	—	—	1.23	—	—	.09	.04	.02		29
30	—	X	—	—	—	.14	—	—	—	—	.04	.02		30
31	—	X	—	X	—	X	.02	.05	X	.05	X	—		31
TOTAL	5.00	2.36	1.71	2.21	1.69	2.39	6.06	1.48	6.2	2.74	4.82	2.37	Year's Total	33.45
* Days with .01 in. or more.	24	14	14	16	9	14	24	11	7	15	23	15		186
* Days with .04 in. or more.	19	11	10	13	9	12	18	7	5	12	18	10		144

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

R. F. Daker

[P.O.]

Section

A

for the entry of Daily Observations

Station No.

2786

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1934

Kept at Crosshill Reservoir New gauge

in the County of Cheshire

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....1.....ft.....in.

„ Ground „ Sea Level.....212.....ft.

TRAVELLING FORM

VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	-	.07	-	.02	-	-	-	-	.01	-	.13	.07		1
2	-	-	-	.15	-	-	.13	-	-	-	.12	.20		2
3	-	.11	-	.16	-	-	.03	-	-	.03	.03	.10		3
4	-	.11	-	.01	-	-	-	-	-	.11	.19	.02		4
5	.01	-	-	-	.15	-	.25	-	-	.09	.24	.10		5
6	.09	.24	-	-	-	-	.18	-	-	.73	.05	.04		6
7	-	.50	-	.08	.11	-	-	.02	.27	.06	-	.04		7
8	.01	-	-	-	-	-	-	-	.23	.08	-	.27		8
9	-	-	.25	.08	-	-	.61	.01	.04	.21	1.08	.28		9
10	-	-	.04	-	-	-	.28	.07	-	.35	.20	.20		10
11	-	-	-	.04	-	-	.15	-	-	-	.65	.08		11
12	-	-	.24	-	-	.16	.32	.06	.37	-	.12	-		12
13	-	-	.19	.02	-	-	-	.03	.32	-	.08	.01		13
14	-	-	.13	.10	.09	-	.09	.08	.65	.01	.26	.08		14
15	-	-	.01	.06	.85	.04	-	-	.18	.27	.07	-		15
16	-	.08	.18	-	-	-	.20	-	.45	.16	.26	.08		16
17	-	-	.63	.09	-	-	.04	-	.05	-	.59	-		17
18	.02	.24	.15	.26	-	-	-	.23	.26	-	-	.21		18
19	-	.27	.13	.03	-	-	.02	-	.16	.02	.13	-		19
20	-	-	-	.22	-	.01	.09	.01	-	.45	.06	-		20
21	-	-	.04	.01	.07	.30	-	.05	.02	-	.70	-		21
22	-	.02	.01	.01	.20	.13	-	.03	.05	.01	-	-		22
23	-	.03	-	.20	.01	-	.04	-	.13	-	.07	-		23
24	.05	-	.09	-	.01	-	.01	-	.08	-	-	-		24
25	.03	-	-	-	.19	-	-	-	.02	-	-	-		25
26	.79	.07	-	.27	.04	.03	.17	.02	-	-	.09	-		26
27	.99	.30	-	-	-	-	-	-	-	-	.08	-		27
28	.01	.17	-	-	.46	.06	-	.02	-	-	.04	-		28
29	.26	-	.27	.06	-	-	.05	-	-	.04	-	.05		29
30	-	X	-	.38	.02	-	-	-	-	.20	-	.22		30
31	.01	X	.03	X	.01	X	-	.03	X	.66	X	-		31
TOTAL	2.27	2.21	2.39	2.25	2.21	.73	2.71	.66	3.30	3.48	5.24	2.05	29.32	/
* Days with .01 in. or more.	11	13	15	20	13	7	17	13	17	17	22	17	182	/
* Days with .04 in. or more.	5	11	12	14	9	5	14	5	14	13	21	15	138	/

† Spare column, no entries required.

(Signed)

A. J. Baker

P.T.O.

* See Instruction 3 (f) on other side.

Kept at PRENTON PUMP
in the County of Ch

Diameter of Funnel of Gauge.....
Height of top of Gauge above Ground .. Sea

THE MORNING MEASUREMENT

An observer who does not conform to the year in the space on the right of the

2787

PRENTON PUMPING STN.

1931 — 40

rule is observed
Prenton Pumping
this space is filled in

following
Jan. 1, following
20

780414

Date	Jan.	Feb.	March								Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.40			.15					.05	.10		.01	1
2				.50		.57			.60	.05	.06	.02	2
3	.21	.10		.01	.01	.17	.35		1.15	.05		.10	3
4			.03	.19				.18	.63		.02		4
5					.12	.45	.15	.88				.18	5
6		.19		.02		.30		.07	.10	.40	.07		6
7		.04		.01		.30		1.42		.05		.01	7
8		.08		.08		.10	.10	.40			.16	.04	8
9	.08	.15		.07	.06	.18		.30	.06	.30	.18	.02	9
10		.03				.32		.20			.42	.03	10
11	.32	.06						.05	.54		.10	.05	11
12	.10	.10						.15	.19		.08		12
13	.05		.06					1.00					13
14		.12				2.00	.06	.95	.20		.70	.01	14
15	.05			.22	.14		.55	.35	.25		.01	.32	15
16		.15			.10	.06	.02	.70					16
17		.02		.11	.25		.03	.12	.05		.28		17
18		.01				.40	.45	.20			.30		18
19	.20	.20		.01		.32	.02	.90		.01	.01		19
20	.08	.10	.08				.17	.03			.02	.03	20
21	.34			.34	.02			.16					21
22	.03	.02		.05	.16	.02	.02				.01		22
23	.17			.15	.16							.25	23
24	.10			.12	.27		.07				.01	.14	24
25	.13	.60		.60	.34						.05	.08	25
26	.18	.06		.07			.05				.85		26
27	.35	.20	.02		.45		.03			.21	.63	.15	27
28	.20	.43	.07		.26		.02			.08		.20	28
29	.10			.07			.18			.53	.04	.02	29
30	.07	X		.02								.20	30
31		X		X	.01	X	.15		X		X	.05	31
TOTAL	3.20	2.66	.26	2.23	2.67	5.67	2.42	8.06	3.82	1.78	3.99	1.91	YEAR'S TOTAL 38.67
*Days with .01 in. or more.	20	19	5	16	15	15	17	18	11	10	20	20	186
*Days with .04 in. or more.	18	15	3	11	12	13	11	17	11	9	14	13	146

Section **A** for the entry
AIR MINIST

2787
COPY FOR OFFICIAL USE.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at PRENTON PUMPING STATION
in the County of Cheshire

Diameter of Funnel of Gauge 5 inches
Height of top of Gauge above Ground 1 ft. 6 in.
Ground Sea Level 90 ft.

N.B. This rule is observed
at the Prenton Pumping
although this space is filled in

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

20

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.40			.15					.05	.10		.01	1
2				.50		.57			.60	.05	.06	.02	2
3	.21	.10		.01	.01	.17	.35		1.15	.05		.10	3
4			.03	.19				.18	.63		.02		4
5					.12	.45	.15	.88				.18	5
6		.19		.02		.30		.07	.10	.40	.07		6
7		.04		.01		.30		1.42		.05		.01	7
8		.08		.08		.10	.10	.40			.15	.04	8
9	.08	.15		.07	.06	.18		.30	.06	.30	.18	.02	9
10		.03				.32		.20			.42	.03	10
11	.32	.06						.05	.54		.10	.05	11
12	.10	.10						.15	.19		.08		12
13	.05		.06					1.00					13
14		.12				2.00	.06	.95	.20		.70	.01	14
15	.05			.22	.14		.55	.35	.25		.01	.32	15
16		.15			.10	.06	.02	.70					16
17		.02		.11	.25		.03	.12	.05		.28		17
18		.01				.40	.45	.20			.30		18
19	.20	.20		.01		.32	.02	.90		.01	.01		19
20	.08	.10	.08				.17	.03			.02	.03	20
21	.34				.34	.02		.16					21
22	.03	.02		.05	.16	.02	.02				.01		22
23	.17				.15	.16						.25	23
24	.10			.12	.27		.07				.01	.14	24
25	.13	.60		.60	.34						.05	.08	25
26	.18	.06		.07			.05				.85		26
27	.35	.20	.02		.45		.03			.21	.63	.15	27
28	.20	.43	.07		.26		.02			.08		.20	28
29	.10				.07		.18			.53	.04	.02	29
30	.07	X		.02								.20	30
31		X		X	.01	X	.15		X		X	.05	31
TOTAL	3.20	2.66	.26	2.23	2.67	5.67	2.42	8.06	3.82	1.78	3.99	1.91	YEAR'S TOTAL 38.67
*Days with ".01 in. or more.	20	19	5	16	15	15	17	18	11	10	20	20	186
*Days with ".04 in. or more.	18	15	3	11	12	13	11	17	11	9	14	13	146

WEST CHESHIRE WATER BOARD

Section

A

for the entry of Daily Observations.

Station No.

2787

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Penton Pumping Station
in the County of CheshireDiameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
Ground Sea Level 90 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				.13	.43		.15	.40		.10	.35	.30	1
2	.20				.18		.10	.10	.10	.07	.05	.03	2
3	.32				.38		.16	.02	.20	.52	.65	.17	3
4	.01	.10		.25	.02				.05	.05		.10	4
5	.01						.10	.03		.06	.05	.05	5
6	.80		.07	.05	.05			.05	.08			.10	6
7	.85		.15		.03				.10				7
8	.03		.23	.32					.65	.44			8
9				.10	.03				.32	.31			9
10	.12								.05		.03		10
11	.10			.11					.35	.60	.02		11
12	.02			.05	.40	.05	.30		.05				12
13	.07			.03	.30		.20			.34		.65	13
14	.01			.05	.10		.50	.07	.15	.32		.35	14
15	.18			.04			.15	.10		.07	.15	.05	15
16				.02	.42		.06			.06	.03		16
17	.12			.42			.05						17
18	.01						.05	.03		.10		.04	18
19					.06				.10		.05		19
20				.20	.08					.38		.02	20
21				.12	.20			.50		.20	.05		21
22	.01		.17		.35		.05	.30		.65		.07	22
23			.07	.04	.75					.13	.50	.05	23
24					.05		.04			.10	.20		24
25	.10			.05	.02		.60		.20		.40		25
26	.02			.03		.04	.10		.30	.42	.10		26
27			.007	.04	.20		.20			.10	.05		27
28				.35	.10	.16	.10			.07	.05	.40	28
29				.15	.15		.35				.05		29
30	.02	X	.40	.32	.15	.10	.02		.10	.75	.30		30
31		X	.07	X		X		.10	X		X	.05	31
TOTAL	3.02	.10	1.167	2.87	5.00	.34	3.201	1.70	2.80	5.79	2.48	1.83	YEAR'S TOTAL 30.307
*Days with .01 in. or more.	19	1	8	21	22	4	19	11	15	22	19	16	174
*Days with .04 in. or more.	10	1	7	18	18	4	18	8	15	22	16	14	151

40-9999

*See Instruction 2 (f) on other side.

(Signed)

P.T.O.

Section



for the entry of Daily Observations.

Station No.

2787

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at PRENTON WATER PUMPING STATION.in the County of CheshireDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft. 6 in.Ground Sea Level 90 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03	.14	.10								.10	.02	1
2			.16	.02		.20							2
3		.37	.26		.17								3
4	.30		.07		.12						.03		4
5	.10	.04	.08		.10						.07		5
6		.20	.15		.18						.05		6
7		.45			.005		.10	.03		.40		.02	7
8			.30		.03		.05					.03	8
9		.30	.005	.05		.05	.55			.25	.10		9
10	.02	.15		.02		.10	.05			<u>1.10</u>	.05		10
11					.10		<u>.75</u>			.20		.13	11
12	.10					.05	.30			.007		.15	12
13					.45		.03	.25		.30	.45	.02	13
14	.25		.02				.07	.10		.008	<u>.50</u>		14
15	.50						.27	.06		.20	.10		15
16		.03	.12		.10	.20							16
17			<u>.42</u>			<u>.50</u>		.02	.05		.05		17
18	.10		.13			.25					.03	.01	18
19			.40			.35			.25		.15	~~.01~~	19
20		.08			<u>.50</u>			<u>.85</u>	.03				20
21						.15		.05				.04	21
22				.10	.10			.25		.05			22
23				.15		.10			.05	.08			23
24		.42		<u>.20</u>	.15	.22			<u>.35</u>				24
25		.30		.08					.12			.22	25
26		<u>1.00</u>		.17						.38		.01	26
27					.08								27
28				.05			.20	.55		.05			28
29	.02						.05			.05		.03	29
30	.08	X	.10	.01			.25			.30		<u>.23</u>	30
31	.01	X	.07	X		X			X	.40	X		31
TOTAL	1.505	3.48	2.385	.85	2.085	2.17	2.67	2.16	.85	3.775	1.68	.91	YEAR'S TOTAL 24.535
*Days with ".01 in. or more.	11	12	14	10	12	11	12	9	6	13	12	12	134
*Days with ".04 in. or more.	7	11	13	7	11	11	11	7	5	13	10	5	111

for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

2787

Kept at PRENTON PUMPING STATION
in the County of CHESTER.

Diameter of Funnel of Gauge.....5".....in.
Height of top of Gauge above Ground.....1 ft. 6 in.
" Ground " Sea Level 90 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
I	in. .13	in. —	in. —	in. —	in. —	in. —	in. —	in. .15	in. .28	in. —	in. <u>.125</u>	in. .75	I
2	—	~~.01~~ ~~.006~~	.10	—	—	—	—	.35	.06	.05	.25	.23	2
3	.10	—	—	—	—	—	—	—	—	.14	—	—	3
4	.10	—	.06	.05	—	—	—	—	.05	.47	~~.01~~ ~~.005~~	.93	4
5	—	—	.06	—	~~.01~~ ~~.006~~	—	—	.77	—	~~.01~~ ~~.006~~	—	.02	5
6	—	—	.10	—	.32	—	—	—	—	.21	—	.22	6
7	.25	.10	—	.04	—	—	—	—	—	.10	—	.37	7
8	—	—	.05	—	.26	.35	—	—	—	.16	.57	—	8
9	—	—	.15	—	—	—	—	.10	.02	~~.01~~ ~~.005~~	.28	—	9
10	—	—	.15	.22	—	—	—	.95	—	.05	.03	—	10
II	~~.003~~	—	.06	.50	—	—	—	.15	—	—	—	.15	II
I2	~~.01~~ ~~.005~~	—	.04	.10	—	—	.04	.07	—	.05	—	—	I2
I3	.23	—	.01	.05	—	—	.33	—	—	.04	—	—	I3
I4	.13	—	.25	—	—	.02	—	—	—	.18	.02	.04	I4
I5	.15	—	.35	—	.38	—	~~.004~~	.10	.25	.20	.03	.14	I5
I6	.32	—	.10	—	.05	—	—	—	—	.07	—	.29	I6
I7	.10	—	.25	.06	.35	—	.12	—	.20	.10	—	.12	I7
I8	.13	—	.02	.20	.40	.25	—	—	.05	—	—	.10	I8
I9	—	—	.13	—	.10	.13	—	—	.30	.08	—	.15	I9
20	—	—	—	.06	.05	.02	—	—	.28	—	—	—	20
21	—	—	.05	—	—	.35	—	.07	.29	.13	—	—	21
22	.03	—	.06	—	—	—	—	.09	.16	.12	—	.05	22
23	~~.01~~ ~~.005~~	—	.05	.40	.01	.28	.08	—	.02	.20	.01	.02	23
24	—	.15	—	—	~~.01~~ ~~.008~~	.03	.05	—	.27	.07	—	—	24
25	—	—	—	.10	—	—	.05	—	.11	.08	—	.32	25
26	—	—	.02	.15	—	.15	.09	—	—	.03	—	.23	26
27	—	—	—	~~.01~~ ~~.008~~	—	.15	.07	—	—	.28	—	—	27
28	—	—	—	~~.01~~ ~~.008~~	—	—	—	.73	.10	—	—	.33	28
29	—	—	—	—	—	—	.07	.03	.31	.43	—	.04	29
30	.20	X	—	—	—	—	—	—	.21	.93	—	.05	30
31	—	X	—	X	—	X	—	.09	X	.28	X	.25	31
TOTAL	1.89	.26	2.06	1.95	1.94	1.73	.90	3.65	2.96	4.47	2.45	4.80	29.06
Days with "or in. or more.	14	3	20	14	11	10	9	13	17	26	9	21	167
Days with ".04 in. or more.	11	2	17	12	8	7	9	12	15	23	4	19	139

Section

A

for the entry of Daily Observations.

Station No.

2787

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at PRENTON PUMPING STATION

in the County of CHESHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

Ground Sea Level 90 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.21	.07	—	—	.02	.005	.25	—	.34	.30	.11	.17	1
2	.06	.04	—	—	—	.30	—	—	—	.007	—	.15	2
3	—	.37	.12	.05	—	.24	—	—	.25	—	.12	.67	3
4	—	.25	—	.03	—	.15	—	—	—	.25	.006	.09	4
5	—	—	.18	.04	—	—	—	—	.24	.10	.15	.25	5
6	—	—	—	.14	—	.10	—	—	.01	.005	—	—	6
7	—	—	—	.03	—	.10	—	—	—	.07	.08	.28	7
8	—	—	—	.09	—	—	—	.05	—	.05	.18	.06	8
9	.05	.03	—	.20	—	.07	—	—	—	1.66	.07	—	9
10	—	.11	—	—	—	.11	—	—	—	.07	—	—	10
11	.37	—	—	—	—	.16	—	.04	—	.08	.08	—	11
12	.07	.03	—	—	—	.16	—	—	.01	.03	—	—	12
13	.21	.02	—	.08	.27	—	—	—	.13	.02	—	—	13
14	.04	—	—	—	—	.08	.91	—	.08	—	.50	.19	14
15	—	.24	—	.45	.05	—	.06	—	.03	—	—	.88	15
16	.01	.26	.08	.19	.13	.65	.12	—	.55	—	.52	—	16
17	—	—	—	.12	.66	.47	.51	.96	.10	.005	.71	—	17
18	—	—	—	.14	.48	.07	.008	—	.26	.09	—	—	18
19	—	—	—	.12	.58	.48	.07	—	—	.75	.15	—	19
20	—	.22	—	.40	—	.07	.30	—	—	—	.15	—	20
21	—	.22	—	—	—	—	—	—	.60	.11	—	.12	21
22	—	.26	—	.02	—	—	—	—	.19	—	—	.10	22
23	—	.09	.30	—	—	—	—	.07	.20	.63	—	—	23
24	.21	.27	.11	—	—	—	—	—	.46	.07	—	.30	24
25	.15	—	.10	—	—	.008	—	—	—	—	.05	.006	25
26	—	.07	—	—	—	—	—	.52	.53	.01	.03	.14	26
27	—	.02	—	—	.005	.12	.06	.02	.23	.17	.37	.009	27
28	.04	.20	—	—	.05	—	—	.48	.22	.31	.006	—	28
29	—	X	.04	—	—	.09	—	.18	.41	.08	.05	.08	29
30	.04	X	—	—	—	.73	—	.12	.14	.21	.35	.10	30
31	—	X	—	X	—	X	—	—	X	.06	X	.60	31
TOTAL	1.46	2.77	.93	2.10	2.245	4.163	2.288	2.44	4.98	5.137	3.682	4.195	36.39
*Days with or in. or more.	12	18	7	15	9 8	19 18	8	9	20	21 ²³	19 17	18 16	16 9
*Days with .04 in. or more.	11	14	7	12	7	18	8	8	17	18	16	16	15 2

40-9999

*See Instruction 2 (f) on other side.

(Signed)

A. Robinson

P.T.O.

Section



for the entry of Daily Observations.

Station No.

2787

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at *R. Prenton Pumping Station, Prenton*
in the County of *Cheshire*

Diameter of Funnel of Gauge *5* in.Height of top of Gauge above Ground *1* ft. *6* in.,, Ground ,, Sea Level *90* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	.15	.10	.31	—	.11	.03	.38	.04	—	.26	1.06		1
2	.04	.01	—	.13	—	.39	—	.02	.05	—	.14	.27		2
3	.03	—	—	—	—	.66	.04	.02	.50	—	.24	.02		3
4	.03	.26	.19	—	—	.01	—	.03	.10	—	—	.30		4
5	.15	.10	.08	—	.03	—	—	.33	.23	—	—	.25		5
6	.04	—	—	—	.02	—	.08	.05	.26	—	.08	—		6
7	—	—	.07	—	—	—	.08	—	.35	—	.22	.12		7
8	.08	—	.32	—	—	—	—	.02	.07	—	.31	.05		8
9	.37	—	—	—	—	.05	.18	—	.24	—	.14	—		9
10	.09	—	—	—	—	—	.10	.08	—	—	.08	—		10
11	—	—	—	—	—	.11	.34	—	.05	—	.32	.21		11
12	—	—	—	—	.07	.23	.29	—	.28	.02	.12	.02		12
13	.05	—	—	—	.03	—	.10	—	.10	.22	—	.42		13
14	—	—	—	.05	—	.46	.04	.10	.08	.02	.29	.56		14
15	.25	—	—	.07	.19	.08	—	—	.15	—	.27	.03		15
16	.10	.07	—	.06	.30	—	.05	—	—	—	.55	.03		16
17	.10	.33	—	—	—	—	—	.03	—	.03	.02	—		17
18	.08	.20	—	.05	—	—	.90	.30	—	.37	—	—		18
19	.73	.13	.008	.28	—	.14	.05	.25	—	.16	—	—		19
20	.64	.15	.006	.06	—	.04	—	—	—	—	—	—		20
21	.90	—	—	—	—	.40	—	—	—	.02	—	.10		21
22	.10	.54	.05	.03	—	.27	.41	—	—	—	—	.08		22
23	.02	.03	—	—	—	—	.16	—	—	.05	—	—		23
24	.17	—	—	—	—	—	—	—	.19	.10	—	—		24
25	.16	—	—	—	—	—	.04	—	.50	.11	—	.02		25
26	.03	.11	.84	—	—	—	.20	—	.03	.18	—	—		26
27	.60	—	—	—	—	—	.02	—	.04	.21	—	—		27
28	.23	.20	.23	.06	—	.12	.01	—	—	.05	—	.10		28
29	.06	.30	.15	—	.006	.24	—	—	—	.01	.11	—		29
30	.12	×	—	—	.35	.90	.25	.04	—	.27	—	.02		30
31	.08	×	.05	×	.05	×	.01	—	×	—	×	.17		31
TOTAL	5.25	2.58	1.594	1.10	1.046	4.21	3.38	1.65	3.26	1.82	3.15	3.83	32.87	✓
* Days with .01 in. or more.	26	14	10	10	8	16	21	13	18	15	15	19	185	✓
* Days with .04 in. or more.	22	12	10	9	5	15	17	8	17	10	14	13	152	✓

Section



for the entry of Daily Observations

Station No. 2787

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Preston Pumping Station.....

in the County of Cheshire.....

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....1.....ft.....6.....in.

,, Ground ,, Sea Level 7.0.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02		.10						.23	.13	.01	.02		1
2		.30	.13	.25					.04			.02		2
3		.14	.01	.01	.16	.20	.07							3
4	.28		.19		.10		.03	.01				.70		4
5	.66			.22		.05	.05					<u>1.08</u>		5
6				.05	.13		.02					.02		6
7		.43		.05		.09			.04					7
8		.30		.10		.03	.22				.10			8
9		.05		.03	.20	.16	.15	.17						9
10	.01	.20	.05									.34		10
11			.27		.45	.05	.01				.03			11
12	.08	.40				.34	.02	.05	<u>.68</u>			.30		12
13		.06		.04		.03		.37	.03	.03		.30		13
14		.13						.04	.04		.07	.15		14
15	.07	.16	.05	.40			<u>.50</u>	.01	.23			.23		15
16		.13	<u>.37</u>	<u>.50</u>				.15	.18					16
17	.06	.08	.09	.42				.01	.27					17
18	.10	.28		.03		.02	.12	.09			<u>.43</u>	.04		18
19	.05	.18	.23	<u>.50</u>	.16	<u>.48</u>		.02			.15			19
20	.05	.09		.27	<u>1.13</u>		.20		<u>.15</u>			.03		20
21	.01	.34	.21	.12		.05	.16		.08	.10		.04		21
22	.07	.10	.03		.07	.02	.04			.08	.20			22
23	.06				.44		.14			<u>.54</u>	.13	.10		23
24	.26	.42	.07				.13	<u>.50</u>	.17	.52				24
25		.40								.03		.04		25
26		.30	.08		.22					.17		.01		26
27		<u>.65</u>		.26						.37				27
28						.04				.12				28
29	.03	.05				.02				.16	.25			29
30	.14	~~X~~				.26			.09	.07	.31			30
31	.15	~~X~~		~~X~~		~~X~~			~~X~~	.05	~~X~~			31
TOTAL	2.10	5.19	1.88	3.25	3.06	1.84	1.86	1.42	2.23	2.37	1.68	3.42	Year's Total 30.30	✓
* Days with .01 in. or more.	17	22	14	16	10	15	15	11	13	13	10	16	172	✓
* Days with .04 in. or more.	13	22	12	13	10	10	11	7	12	11	8	11	140	✓

† Spare column, no entries required

* See Instruction 3 (f) on other side.

(Signed)

Clerk & General Manager [P.T.O.]

Section



for the entry of Daily Observations

Station No.

2787

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at ...*Prenton Pumping Station*...

in the County of ...*Cheshire*...

Diameter of Funnel of Gauge.....*5*.....in.

Height of top of Gauge above Ground....*1*...ft...*3*....in.

„ Ground „ Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1								.50	.03	.06	.12	.15		1
2		.04		.21		1.35	.18			.35		.23		2
3						.13	.25		.03	.45	.10			3
4				.01		.05	.04			.05		.50		4
5	.10					.08		.80	.08	.10		.02		5
6	.16					.02	.46		.90	.10		.01		6
7	.50						.30	.25	.04	.05		.01		7
8	.30	.03					.40	.65		.37		.68		8
9		.14	.06			.17	.25	.35				.13		9
10	.13	.10	.005			.02	.50		.007			.25		10
11	.25	.01			.12	.15	.03			.15	.06	.08		11
12	.04				.06		.05		.02	.63	.40			12
13	.03				.03				.05		.05	.03		13
14	.25				.05				.01		.10			14
15	.15				.005		.03	.16		.06	.08	.10		15
16	.12		.10		.01		.20	.02	.04		.03	.01		16
17							.04			.62				17
18	.01				.10	.04		.13		.20	.20			18
19								.16	.04					19
20	.08		.10					.12	.02		.17			20
21			.04			.02		.04	.01		.29			21
22				.01	.03	.28					.51	.10		22
23					.07	.09			.25		.15			23
24	.04		.30		.02	.01		.62	.05	.15	.06			24
25	.03	.04	.18			.02	.25			.38	.65	.09		25
26	.13	.14	.28		.31	.28			.10	.50	.45	.14		26
27	.21	.03			.58	.01	.12	.33			.20			27
28	.20					.35	.25	.03		.02	.02	.15		28
29	.70				.94	.06	.08			.23	.10	.20		29
30	.04	X						.06	.55		.21	.11		30
31	.13	X		X	.25	X			X	.20	X	.65		31
TOTAL	3.60	.53	1.065	.23	2.575	3.13	3.43	4.22	2.227	4.67	3.86	3.64	33.17	✓
* Days with .01 in. or more.	21	8	7	3	13	18	17	15	16	19	20	20	179	✓
* Days with .04 in. or more.	18	5	7	1	9	12	15	13	10	18	18	15	141	✓

† Spare column, no entries required.

(Signed)

[P.T.O.]

* See Instruction 3 (f) on other side.

Section



for the entry of Daily Observations

Station No. 2287

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at PRENTON PUMPING STATION.....

in the County of CHESHIRE.....

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....1.....ft.....6.....in.

,, Ground ,, Sea Level 9.0.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.45	—	.03	.28	—	—	.02	.01	—	—	—	.07		1
2	.11	—	.03	.14	—	—	.08	.81	.21	—	—	.83		2
3	.22	—	.13	.25	—	—	.005	.10	—	—	.07			3
4	.20	—	.12	.23	.15	—	.25	—	—	—	.15	.25		4
5	—	—	—	.02	.29	—	.45	.04	—	.20	.30	.10		5
6	.52	.02	—	—	—	—	.30	—	—	—	.04	—		6
7	—	—	—	—	.05	—	.10	.005	—	—	.11	.40		7
8	.07	.18	.30	.03	—	—	.74	.01	—	.17	.19	.17		8
9	.07	.08	—	—	—	—	—	.12	—	.40	—	.33		9
10	.35	—	—	—	—	.06	—	.30	.22	.10	.02	.25		10
11	.55	.03	.25	—	—	.06	—	—	—	.27	—	—		11
12	.65	.10	—	—	—	.12	—	—	.08	—	—	—		12
13	.08	—	.04	.25	.24	.14	.15	—	.17	.10	.16	—		13
14	.45	—	—	.05	.32	.60	.50	—	—	.03	.30	—		14
15	.15	—	—	.13	.08	.55	.50	—	—	—	.22	—		15
16	.07	.02	.10	—	.30	—	.07	—	—	—	.20	—		16
17	.65	.03	—	—	.13	.15	.02	—	—	—	.02	—		17
18	.07	.21	.04	—	—	.25	.24	—	—	—	1.03	—		18
19	.23	—	—	—	—	—	.30	—	—	—	.06	—		19
20	.14	—	.02	—	—	.04	.45	.04	—	—	—	—		20
21	.10	—	.37	.06	.10	—	—	.06	.12	.01	—	—		21
22	.14	.60	.02	.11	—	—	.12	—	—	—	.45	—		22
23	.03	.37	.01	.09	—	.06	.07	—	—	.37	.22	—		23
24	—	.10	.04	—	—	—	—	—	—	.11	.02	—		24
25	.08	.10	—	.42	—	—	—	—	—	.04	.41	—		25
26	—	—	—	—	—	.03	.005	.02	—	—	.12	.01		26
27	.02	.70	.15	—	—	.20	.21	.09	—	—	.13	.35		27
28	—	.12	.17	.05	—	.03	.16	—	—	—	.42	.03		28
29	—	—	—	.10	—	.15	1.17	—	—	.10	.05	—		29
30	—	X	—	—	—	—	.02	—	—	—	.05	—		30
31	—	X	—	X	—	X	.12	.07	X	.05	X	—		31
TOTAL	5.40	2.66	1.82	2.21	1.66	2.44	6.05	1.67	.80	2.85	4.74	2.79	35.0	
* Days with .01 in. or more.	23	14	16	15	9	14	22	12	5	13	23	4	178	
* Days with .04 in. or more.	21	10	11	13	9	12	19	9	5	11	20	9	150	
Year's total														178
														150
														149

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) P.T.O.

Section

A

for the entry of Daily Observations

Station No.

2787

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1934

Kept at Prenton Pumping Stationin the County of CheshireDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft. 6 in.Ground Sea Level 87 ft. (Approx.)Jan 26-28th estd for snow
snow circ sent 30-4-41

decs

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	—	.02	.01	—	—	—	—	—	.18	.08		1
2	—	—	—	.18	—	—	.12	—	—	—	.18	.20		2
3	—	.10	—	.19	—	—	— [✓]	—	—	.03	.07	.10		3
4	—	.16	—	—	—	—	—	—	—	— [✓]	.21	.05		4
5	—	—	—	—	.18	—	.18	—	—	.22	.26	.13		5
6	.10	.30	—	—	—	—	.18	—	—	.70	.05	— [✓]		6
7	—	.45	—	.11	.08	—	—	—	.23	.08	—	— [✓]		7
8	—	—	—	—	—	—	—	—	.13	— [✓]	—	.35		8
9	—	—	.25	.08	—	—	— [✓]	—	.04	.55 [✓]	1.14	.37		9
10	—	—	.04	—	—	—	.25 [✓]	.08	—	.32	.25	.13		10
11	—	—	—	—	—	—	— [✓]	—	—	—	1.30	.07		11
12	—	—	.20	—	—	.18	.44	— [✓]	.35	—	.33	—		12
13	—	—	.32	.02	—	—	—	.03	.17	—	.07	.05		13
14	—	—	.01	.10	.14	—	—	.07	.70	.02	—	.05		14
15	—	—	—	.20	.95	.03	—	—	.17	.03	.26	—		15
16	—	.23	.27	—	—	—	.20	—	.50	.30	.27	.08		16
17	—	—	.60	.10	—	—	— [✓]	—	— [✓]	—	.50	—		17
18	.08	.25	.18	.25	—	—	—	—	.25	—	—	.24		18
19	—	.31	.17	—	—	—	.05	—	—	.03	.12	—		19
20	—	—	—	.24	—	—	.07	.04	—	.44	.07	—		20
21	—	—	.04	—	.11	.30	.07	.03	—	.01	.73	—		21
22	—	.03	.02	—	.18	.20	—	—	—	—	—	—		22
23	.06	.05	—	.24	—	—	.05	—	—	—	.10	—		23
24	.12	.01	.14	—	—	—	.04	—	—	—	—	—		24
25	.04	—	—	—	.17	— [✓]	—	—	—	—	—	—		25
26	.45	.09	—	.14	.04	— [✓]	—	—	—	—	.08	—		26
27	.185	.35	—	—	—	—	—	—	—	—	.12	—		27
28	.70	.14	—	—	.55	—	—	.05	—	—	.06	.07		28
29	—	—	.45	— [✓]	—	.13	.04	—	—	.06	—	.40		29
30	—	—	—	— [✓]	— [✓]	—	—	—	—	.24	—	.05		30
31	— [✓]	—	.04	—	— [✓]	—	—	.07	—	.75	—	—		31
TOTAL	5.25	2.47	2.73	1.87	2.41	.84	1.69	.37	2.54	3.78	6.35	2.42	Year's Total	30.17
* Days with .01 in. or more.	9	7	13	14	18	16	10	12	8	7	10	9	14	29
* Days with .04 in. or more.	8	7	11	12	14	13	9	10	4	16	12	5	17	138

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

P.T.O.

Kept at *Rock Ferry*
in the County of *Chen*

Diameter of Funnel of Gauge
Height of top of Gauge above Gro
Ground Sea

THE MORNING MEA

An observer who does not conform
year in the space on the right of

2788
Rock Ferry High School
1931 — 38

following
Jan. 1, following

Date	Jan.	Feb.	March								Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.25	Tr	Tr	.11	Tr	Tr	Tr	Tr	.06	.07	Tr	Tr	1
2	.01	.08	Tr	.52	.04	.53	Tr	Tr	.41	.13	.04	.03	2
3	.04	Tr	Tr	Tr	Tr	.12	.36	Tr	.81	.06	.50	.12	3
4	Tr	Tr	.02	.18	Tr	Tr	.02	.18	.41	Tr	Tr	.03	4
5	.02	Tr	Tr	.04	.12	.70	.10	.80	.01	Tr	Tr	.20	5
6	Tr	.16	Tr	Tr	Tr	.51	Tr	.02	.05	.40	.07	Tr	6
7	Tr	.03	Tr	Tr	Tr	.70	Tr	1.00	Tr	.06	.05	.02	7
8	.02	.03	Tr	.07	Tr	.24	.09	.42	Tr	.04	.15	.02	8
9	.08	.13	Tr	.07	.06	.14	Tr	.27	.01	.16	.16	.02	9
10	.30	.03	Tr	Tr	.23	.30	Tr	.05	Tr	Tr	.35	.04	10
11	.27	.06	Tr	Tr	Tr	Tr	.06	Tr	.46	Tr	.13	Tr	11
12	.14	.09	Tr	.02	Tr	Tr	.35	.12	.13	.05	.06	Tr	12
13	Tr	Tr	.35	Tr	.07	.04	.03	.71	Tr	Tr	Tr	Tr	13
14	.02	.13	Tr	Tr	Tr	1.19	.06	.78	.14	Tr	.63	.30	14
15	.04	.50	Tr	.20	.11	Tr	.55	.12	.01	Tr	Tr	Tr	15
16	.10	.07	Tr	.18	.09	.05	.03	.36	.21	Tr	Tr	Tr	16
17	.09	.01	Tr	.08	.23	Tr	.04	.08	.05	Tr	.22	Tr	17
18	.14	Tr	Tr	Tr	Tr	.37	.46	.22	.01	Tr	.24	Tr	18
19	.09	.29	Tr	Tr	Tr	.30	.02	.96	Tr	Tr	.03	.01	19
20	Tr	.08	Tr	Tr	Tr	.03	.03	.03	Tr	Tr	.04	Tr	20
21	.29	.02	Tr	Tr	.27	.02	Tr	.09	Tr	Tr	.04	Tr	21
22	.03	Tr	.10	.04	.05	.04	.01	Tr	Tr	Tr	.02	Tr	22
23	.17	Tr	Tr	.20	.19	.13	.03	Tr	Tr	Tr	.10	.28	23
24	.08	Tr	Tr	.08	.29	Tr	.06	Tr	Tr	Tr	.03	.14	24
25	.06	.44	Tr	.53	.08	Tr	Tr	Tr	Tr	Tr	.04	.07	25
26	.10	.10	Tr	.09	Tr	Tr	.05	Tr	Tr	Tr	.70	.02	26
27	.28	.17	Tr	.05	.31	Tr	.03	Tr	Tr	.20	.59	.12	27
28	.20	.30	.05	.04	.26	Tr	.02	Tr	Tr	.17	Tr	.18	28
29	.11	X	.04	Tr	Tr	Tr	.23	Tr	Tr	.51	Tr	Tr	29
30	Tr	X	Tr	.01	Tr	Tr	Tr	Tr	.04	Tr	Tr	.02	30
31	.16	X	Tr	X	Tr	X	.24	Tr	X	.03	X	.07	31
TOTAL	3.09	2.72	0.56	2.56	2.40	5.41	2.87	6.27	2.81	1.88	4.19	1.69	36.45
*Days with or in. or more.	25	19	5	18	15	17	22	17	15	12	21	18	204
*Days with or in. or more.	20	14	4	16	15	15	13	15	11	11	18	10	162

FORM 1090.

REGISTER OF RAINFALL IN 193/ .

Kept at Rock Ferry High School for Boys
in the County of Cheshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
Ground Sea Level 100 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.25	Tr	Tr	.11	Tr	Tr	Tr	Tr	.06	.07	Tr	Tr	1
2	.01	.08	Tr	.52	.04	.53	Tr	Tr	.41	.13	.04	.03	2
3	.04	Tr	Tr	Tr	Tr	.12	.36	Tr	.81	.06	.50	.12	3
4	Tr	Tr	.02	.18	Tr	Tr	.02	.18	.41	Tr	Tr	.03	4
5	.02	Tr	Tr	.04	.12	.70	.10	.80	.01	Tr	Tr	.20	5
6	Tr	.16	Tr	Tr	Tr	.57	Tr	.02	.05	.40	.07	Tr	6
7	Tr	.03	Tr	Tr	Tr	.70	Tr	1.00	Tr	.06	.05	.02	7
8	.02	.03	Tr	.07	Tr	.24	.09	.42	Tr	.04	.15	.02	8
9	.08	.13	Tr	.07	.06	.14	Tr	.27	.01	.16	.16	.02	9
10	.30	.03	Tr	Tr	.23	.30	Tr	.05	Tr	Tr	.35	.04	10
11	.27	.06	Tr	Tr	Tr	Tr	.06	Tr	.46	Tr	.13	Tr	11
12	.14	.09	Tr	.02	Tr	Tr	.35	.12	.13	.05	.06	Tr	12
13	Tr	Tr	.35	Tr	.07	.04	.03	.77	Tr	Tr	Tr	Tr	13
14	.02	.13	Tr	Tr	Tr	1.19	.06	.78	.14	Tr	.63	.30	14
15	.04	.50	Tr	.20	.11	Tr	.55	.12	.01	Tr	Tr	Tr	15
16	.10	.07	Tr	.18	.09	.05	.03	.36	.21	Tr	Tr	Tr	16
17	.09	.01	Tr	.08	.23	Tr	.04	.08	.05	Tr	.22	Tr	17
18	.14	Tr	Tr	Tr	Tr	.37	.46	.22	.01	Tr	.24	Tr	18
19	.09	.29	Tr	Tr	Tr	.30	.02	.96	Tr	Tr	.03	.01	19
20	Tr	.08	Tr	Tr	Tr	.03	.03	.03	Tr	Tr	.04	Tr	20
21	.29	.02	Tr	Tr	.27	.02	Tr	.09	Tr	Tr	.04	Tr	21
22	.03	Tr	.10	.04	.05	.04	.01	Tr	Tr	Tr	.02	Tr	22
23	.17	Tr	Tr	.20	.19	.13	.03	Tr	Tr	Tr	.10	.28	23
24	.08	Tr	Tr	.08	.29	Tr	.06	Tr	Tr	Tr	.03	.14	24
25	.06	.44	Tr	.53	.08	Tr	Tr	Tr	Tr	Tr	.04	.07	25
26	.10	.10	Tr	.09	Tr	Tr	.05	Tr	Tr	Tr	.70	.02	26
27	.28	.17	Tr	.05	.31	Tr	.03	Tr	Tr	.20	.59	.12	27
28	.20	.30	.05	.09	.26	Tr	.02	Tr	Tr	.17	Tr	.18	28
29	.11	X	.04	Tr	Tr	Tr	.23	Tr	Tr	.51	Tr	Tr	29
30	Tr	X	Tr	.01	Tr	Tr	Tr	Tr	.04	Tr	Tr	.02	30
31	.16	X	Tr	X	Tr	X	.24	Tr	X	.03	X	.07	31
TOTAL	3.09	2.72	0.56	2.56	2.40	5.41	2.87	6.27	2.81	1.88	4.19	1.69	YEAR'S TOTAL
*Days with .01 in. or more.	25	19	5	18	15	17	22	17	15	12	21	18	204
*Days with .04 in. or more.	20	14	4	16	15	15	13	15	11	11	18	10	162

Section

A

for the entry of Daily Observations.

Station No.

2788

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.Kept at *Rock Ferry High School*
in the County of *Cheshire*Diameter of Funnel of Gauge *5* in.Height of top of Gauge above Ground *100* ft. *0* in.,, Ground ,, Sea Level *100* ft.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.16	.02	/	.13	.58	/	.11	.15	.10	.05	.04	.02	1
2	.22	/	/	/	.42	/	.08	.03	.18	.48	.06	.17	2
3	TR.	.04	TR.	.17	.03	/	.09	.03	.03	.01	.05	.11	3
4	TR.	TR.	TR.	TR.	/	/	.08	/	/	.07	.06	.03	4
5	.64	TR.	.06	.05	.10	/	/	.04	.12	/	.22	.08	5
6	.75	/	.14	.29	.06	/	/	/	.18	/	.02	TR.	6
7	.05	/	.21	.27	/	/	/	/	.63	.38	/	.01	7
8	/	/	/	.07	.04	/	/	/	.52	.41	/	/	8
9	.16	/	TR.	.13	.01	/	/	/	.04	TR.	.04	/	9
10	.07	TR.	/	.05	TR.	/	/	/	.40	.48	.03	/	10
11	.02	/	/	.05	.44	.07	.14	/	.06	TR.	/	/	11
12	.04	/	/	TR.	.28	/	.14	TR.	.03	.38	TR.	TR.	12
13	TR.	/	/	.08	.08	/	.34	.06	.13	.30	TR.	.26	13
14	.15	TR.	/	.03	/	/	.15	.07	TR.	.11	.15	.09	14
15	TR.	TR.	/	.03	.49	/	/	/	/	.45	.03	TR.	15
16	.12	TR.	/	.11	/	/	.04	/	/	.02	/	.04	16
17	TR.	TR.	/	/	.01	/	.11	.03	.04	.07	/	.03	17
18	/	TR.	/	/	.03	/	/	/	.02	.02	.04	/	18
19	/	TR.	/	.16	.03	/	.04	/	.04	.30	TR.	.02	19
20	/	TR.	/	.10	.19	/	.05	.32	/	.19	.04	.06	20
21	.02	TR.	.16	.03	.39	/	.01	.34	/	.57	.12	.01	21
22	TR.	TR.	.07	.04	.45	/	.33	/	/	.07	.46	TR.	22
23	/	TR.	/	.04	.08	/	.04	/	TR.	.11	.19	.06	23
24	.10	TR.	/	/	.06	.03	.54	/	.25	TR.	.32	.02	24
25	TR.	/	/	.02	TR.	.04	.08	/	.20	.41	.08	.02	25
26	/	TR.	.03	.05	.17	/	.18	/	.26	.14	.02	TR.	26
27	/	TR.	.63	.30	.14	.05	.13	TR.	/	.17	.05	.06	27
28	TR.	/	.02	.19	.15	/	.26	.03	TR.	/	TR.	TR.	28
29	.02	/	.33	.33	.07	.09	.03	.04	.13	.68	.30	.26	29
30	.02	×	.06	.43	/	.12	.03	.05	.02	.38	.49	.05	30
31	TR.	×	.13	×	/	×	.50	TR.	×	.02	×	.09	31
TOTAL	2.54	.06	1.84	3.15	4.30	.40	3.50	1.19	3.38	6.27	2.81	1.49	30.93
*Days with .01 in. or more.	15	2	11	24	23	6	23	12	20	25	21	20	202
*Days with .04 in. or more.	11	1	9	20	18	5	20	8	16	21	17	12	158

YEAR'S TOTAL

Section

A

for the entry of Daily Observations.

Station No.

2788

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at

Rock Ferry High School

in the County of

Cheshire

Diameter of Funnel of Gauge

5

in.

Height of top of Gauge above Ground

1

ft.

0

in.

Ground Sea Level

100

ft.

906 sent 22/6/34 suggesting -35 for 24/9-

(906) Observer informs that error in transcription occurred and gives (amended) correct readings for 23rd & 24th September. Amended total agrees reasonably well. Corrected 29/6/34 J.S.O.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.03	.11	.06	—	.01	—	—	—	—	—	.08	Tr		1
2	.04	—	.14	.02	Tr	.04	—	Tr	—	—	—	—		2
3	.03	.36	.20	—	.11	—	—	—	Tr	—	—	—		3
4	.32	.82	.06	—	.07	—	—	.01	—	Tr	.04	—		4
5	.09	.03	.50	—	.07	Tr	—	.03	—	—	.02	—		5
6	—	.16	.15	—	.14	—	—	—	—	—	.35	.01		6
7	.02	.42	—	—	Tr	—	.25	.04	—	.38	—	.01		7
8	.10	.82	.24	Tr	.01	—	.05	—	—	—	.02	.02		8
9	—	.29	Tr	.02	.02	.02	.55	—	—	.25	.06	—		9
10	.03	.17	—	—	—	.14	.10	—	—	1.10	.02	Tr		10
11	.05	Tr	—	.01	.01	—	.37	—	—	.22	Tr	.05		11
12	.09	.01	Tr	—	.02	.04	.25	—	—	.04	Tr	—		12
13	.01	—	—	—	.10	—	.14	.16	Tr	.22	.48	—		13
14	.20	—	—	—	—	—	.05	.05	—	.03	.43	.01		14
15	.19	—	.02	—	Tr	Tr	.43	.03	—	.22	.12	.02		15
16	.12	.01	.09	—	.88	.22	—	.01	—	.35	.01	.15		16
17	.05	.03	.32	—	—	.47	Tr	Tr	.05	Tr	Tr	Tr		17
18	.10	—	—	—	—	.21	—	Tr	Tr	—	.02	Tr		18
19	Tr	Tr	.22	—	—	—	Tr	Tr	.10	—	.13	.02		19
20	Tr	.09	.01	—	.25	—	—	.83	.03	—	—	Tr		20
21	—	—	Tr	—	—	.48	—	.06	—	—	—	Tr		21
22	—	—	—	.05	.03	—	—	.17	—	.03	—	Tr		22
23	—	—	—	.16	—	.11	—	Tr	.04	.04	—	—		23
24	—	.34	—	.11	.12	.12	—	—	.21	.02	—	—		24
25	—	.84	—	.08	Tr	—	—	Tr	.12	—	—	.15		25
26	—	.80	Tr	.42	—	.01	—	—	Tr	.36	—	—		26
27	—	.04	Tr	—	.08	—	.01	—	—	.02	—	—		27
28	—	Tr	—	.03	—	—	.21	.47	—	—	—	—		28
29	—	X	Tr	Tr	—	—	.01	.03	Tr	.02	—	.02		29
30	.08	X	.05	.21	.01	.01	.02	—	—	.26	—	.19		30
31	Tr	X	.05	X	—	X	—	Tr	X	.20	X	.02		31
TOTAL	1.56	3.74	2.22	0.81	1.13	1.87	2.44	1.89	.55	3.76	1.78	0.67	22.45	22.41
*Days with .01 in. or more.	17	17	15	10	16	12	13	12	6	17	13	12	158	160
*Days with .04 in. or more.	12	11	13	6	9	9	10	7	5	12	8	4	104	106

† Spare column, no entries required.

(Signed)

L. Davies. Shiel

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No.

2788

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193 .

Kept at *Rock Ferry High School*in the County of *Cheshire*Diameter of Funnel of Gauge *5* in.Height of top of Gauge above Ground *1* ft *0* in.,, Ground ,, Sea Level *100* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	<i>50</i>	in.	†	
1	<i>.08</i>	—	<i>fr</i>	—	<i>fr</i>	—	—	<i>.13</i>	<i>.22</i>	<i>.01</i>	<i>50</i>	<i>.63</i>		1
2	<i>fr</i>	<i>fr</i>	<i>.01</i>	—	—	—	—	<i>.34</i>	<i>.03</i>	<i>.01</i>	<i>.28</i>	—		2
3	<i>.14</i>	<i>fr</i>	<i>fr</i>	—	—	—	<i>fr</i>	—	—	<i>.11</i>	<i>.02</i>	<i>.01</i>		3
4	<i>.20</i>	—	<i>.04</i>	<i>.03</i>	<i>.08</i>	—	—	—	<i>.10</i>	<i>.52</i>	—	<i>.24</i>		4
5	—	—	<i>.07</i>	—	<i>.01</i>	—	—	<i>.65</i>	—	<i>.02</i>	<i>.02</i>	<i>.02</i>		5
6	—	—	<i>.05</i>	<i>fr</i>	<i>.24</i>	—	—	<i>.04</i>	—	<i>.21</i>	—	<i>.17</i>		6
7	<i>.26</i>	<i>.10</i>	<i>.01</i>	<i>.03</i>	<i>.02</i>	—	—	—	—	<i>.08</i>	<i>.08</i>	<i>.16</i>		7
8	—	—	<i>.08</i>	<i>fr</i>	<i>.22</i>	<i>.12</i>	—	<i>.01</i>	—	<i>.03</i>	<i>.40</i>	<i>.01</i>		8
9	—	<i>fr</i>	<i>.10</i>	—	<i>fr</i>	—	—	<i>.06</i>	<i>.01</i>	<i>fr</i>	<i>.27</i>	<i>fr</i>		9
10	—	<i>.01</i>	<i>.14</i>	<i>.21</i>	—	—	—	<i>.88</i>	—	<i>.04</i>	<i>.01</i>	<i>fr</i>		10
11	—	<i>.02</i>	<i>.03</i>	<i>.42</i>	—	—	—	<i>.19</i>	<i>fr</i>	—	<i>.07</i>	<i>.09</i>		11
12	<i>fr</i>	<i>fr</i>	<i>.02</i>	<i>.08</i>	—	—	—	<i>.11</i>	—	<i>.03</i>	<i>fr</i>	<i>.01</i>		12
13	<i>.52</i>	—	<i>fr</i>	<i>.02</i>	<i>fr</i>	—	<i>.24</i>	—	<i>fr</i>	<i>.02</i>	<i>.01</i>	<i>.01</i>		13
14	<i>.09</i>	<i>fr</i>	<i>.16</i>	—	<i>fr</i>	<i>.03</i>	<i>.10</i>	—	—	<i>.12</i>	<i>.02</i>	<i>.08</i>		14
15	<i>.11</i>	<i>fr</i>	<i>.38</i>	—	<i>.39</i>	—	<i>fr</i>	<i>.09</i>	<i>.06</i>	<i>.08</i>	<i>fr</i>	<i>.20</i>		15
16	<i>.31</i>	<i>fr</i>	<i>.06</i>	—	<i>.06</i>	—	—	—	—	<i>.07</i>	<i>.02</i>	<i>.17</i>		16
17	<i>.10</i>	—	<i>.13</i>	<i>.05</i>	<i>.28</i>	—	<i>.08</i>	—	<i>.08</i>	<i>.09</i>	—	<i>.09</i>		17
18	<i>.11</i>	—	<i>.01</i>	<i>.15</i>	<i>.37</i>	<i>.13</i>	—	—	<i>.01</i>	<i>.02</i>	<i>fr</i>	<i>.11</i>		18
19	—	—	<i>.12</i>	—	<i>.34</i>	<i>.22</i>	<i>.01</i>	<i>.03</i>	<i>.21</i>	<i>.08</i>	—	<i>.16</i>		19
20	<i>fr</i>	—	<i>fr</i>	<i>.05</i>	<i>.04</i>	<i>fr</i>	—	—	<i>.24</i>	<i>fr</i>	—	<i>.02</i>		20
21	<i>fr</i>	—	<i>.03</i>	—	—	<i>.46</i>	—	<i>.03</i>	<i>.27</i>	<i>.13</i>	—	—		21
22	<i>.02</i>	—	<i>.05</i>	<i>.06</i>	<i>fr</i>	<i>fr</i>	—	<i>.04</i>	<i>.17</i>	<i>.13</i>	<i>fr</i>	<i>.03</i>		22
23	<i>fr</i>	<i>fr</i>	<i>.03</i>	<i>.48</i>	<i>.01</i>	<i>fr</i>	<i>.07</i>	—	<i>fr</i>	<i>.18</i>	<i>.02</i>	<i>.03</i>		23
24	<i>fr</i>	<i>fr</i>	<i>.01</i>	<i>fr</i>	<i>fr</i>	<i>.01</i>	<i>.10</i>	—	<i>.24</i>	<i>.05</i>	—	—		24
25	<i>fr</i>	<i>fr</i>	—	<i>.07</i>	—	—	<i>.01</i>	—	<i>.09</i>	<i>.08</i>	—	<i>.33</i>		25
26	<i>.01</i>	—	<i>.01</i>	<i>.11</i>	—	<i>.11</i>	<i>.15</i>	—	<i>.02</i>	<i>fr</i>	—	<i>.01</i>		26
27	<i>.02</i>	—	<i>fr</i>	<i>.02</i>	—	<i>.09</i>	—	<i>fr</i>	—	<i>.05</i>	<i>fr</i>	<i>.23</i>		27
28	—	<i>fr</i>	<i>fr</i>	<i>.03</i>	—	—	—	<i>.56</i>	<i>.05</i>	<i>.16</i>	—	<i>.62</i>		28
29	<i>.01</i>	X	—	—	—	—	<i>.05</i>	<i>.20</i>	<i>.32</i>	<i>.40</i>	—	<i>.03</i>		29
30	<i>.05</i>	X	—	—	—	—	<i>.01</i>	<i>.11</i>	<i>.16</i>	<i>.84</i>	—	<i>.02</i>		30
31	<i>fr</i>	X	—	X	—	X	<i>.03</i>	<i>.07</i>	X	<i>.29</i>	X	<i>.10</i>		31
TOTAL	<i>2.14</i>	<i>0.13</i>	<i>1.49</i>	<i>1.81</i>	<i>2.06</i>	<i>1.17</i>	<i>.85</i>	<i>3.54</i>	<i>2.28</i>	<i>3.85</i>	<i>1.72</i>	<i>3.55</i>	<i>24.61</i>	Year's Total.
* Days with .01 in. or more.	<i>15</i>	<i>3</i>	<i>21</i>	<i>15</i>	<i>12</i>	<i>8</i>	<i>11</i>	<i>17</i>	<i>17</i>	<i>27</i>	<i>13</i>	<i>26</i>	<i>185</i>	
* Days with .04 in. or more.	<i>11</i>	<i>1</i>	<i>14</i>	<i>10</i>	<i>9</i>	<i>6</i>	<i>7</i>	<i>14</i>	<i>13</i>	<i>20</i>	<i>6</i>	<i>15</i>	<i>123</i>	

Section



for the entry of Daily Observations.

Station No.

2788

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Rock Ferry High Schoolin the County of CheshireDiameter of Funnel of Gauge.....5 in.Height of top of Gauge above Ground.....1 ft. 0 in.,, Ground ,, Sea Level 100 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.33	.05	Tr.	—	Tr.	.05	.23	L	Tr.	.22	.10	.12		1
2	Tr.	.03	Tr.	—	Tr.	.20	—	L	.36	Tr.	.01	.17		2
3	.03	.34	.07	.04	—	.17	—	—	.25	Tr.	.11	.49		3
4	—	Tr.	.03	.02	—	—	—	—	Tr.	1.1	.02	.10		4
5	—	.23	.15	.02	—	—	—	—	.16	.05	.09	.31		5
6	—	—	—	.11	—	.09	—	—	.03	.03	Tr.	.01		6
7	—	—	—	.01	—	.05	—	—	—	.08	.07	.28		7
8	—	—	—	.08	—	—	—	.01	—	.04	.14	.02		8
9	.03	.01	—	.14	—	.03	—	—	—	1.79	.06	Tr.		9
10	Tr.	.09	—	—	—	—	—	—	—	.06	.04	Tr.		10
11	.35	Tr.	—	—	—	.03	—	.02	—	.06	.03	—		11
12	.05	.02	Tr.	—	—	.39	—	—	.01	.06	.05	—		12
13	.17	.01	—	.08	.29	.01	—	—	.10	.03	.01	.20		13
14	.03	—	—	Tr.	—	.33	.98	—	.04	—	.50	.20		14
15	—	.26	—	.39	.05	Tr.	.04	—	.11	—	.10	.84		15
16	.01	.16	.03	.17	.05	.76	.08	—	.58	Tr.	.46	.03		16
17	—	Tr.	—	.11	.65	.42	.53	.48	.07	.15	.70	—		17
18	—	—	—	.11	.42	.13	.04	—	.27	.16	Tr.	—		18
19	—	—	—	.12	.45	.41	.05	—	—	.14	.14	Tr.		19
20	—	.18	—	.29	—	.11	.18	—	—	Tr.	.10	—		20
21	.01	.20	—	.09	—	—	—	—	.74	.10	Tr.	.14		21
22	.01	.23	.15	Tr.	—	—	—	—	.08	Tr.	Tr.	.14		22
23	Tr.	.08	.35	Tr.	—	—	—	.07	.16	.62	—	—		23
24	.22	.22	.10	—	—	—	—	—	.16	.05	Tr.	.23		24
25	.09	.11	.10	—	—	.03	—	—	Tr.	Tr.	.03	.01		25
26	—	.04	—	—	—	—	—	.51	.54	.01	.05	.12		26
27	—	.03	—	—	.02	.18	.08	.01	.21	.12	.37	.01		27
28	.05	.10	—	—	.03	—	—	.59	.28	.23	.03	Tr.		28
29	Tr.	—	.05	—	—	.66	—	.17	.44	.22	.02	.06		29
30	.02	X	—	Tr.	—	.42	—	.07	.14	.13	.30	.08		30
31	Tr.	X	—	X	—	X	—	—	X	.20	X	.58		31
TOTAL	1.40	2.39	1.05	1.78	1.96	4.47	2.21	1.93	4.73	5.83	3.53	4.14	35.42	Year's Total
* Days with .01 in. or more.	14	19	9	15	8	19	9	9	20	23	24	21	190	
* Days with .04 in. or more.	7	14	8	12	6	15	9	6	18	20	17	16	148	

Section

A

for the entry of Daily Observations

Station No.

2788

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at *Ross Ferry High School*in the County of *Cheshire*

Diameter of Funnel of Gauge.....5 in.

Height of top of Gauge above Ground.....1 ft.....0 in.

,, Ground ,, Sea Level 100 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	Tr	04	15	26	—	20	02	04	Tr	—	28	12		1
2	05	06	Tr	15	—	51	—	02	—	—	14	36		2
3	02	15	—	05	—	63	02	Tr	46	—	Tr	02		3
4	03	Tr	19	—	—	04	Tr	40	30	Tr	21	30		4
5	13	—	06	—	Tr	—	—	03	24	—	Tr	19		5
6	03	Tr	—	—	04	—	08	02	24	—	05	32		6
7	—	—	05	—	—	—	07	—	49	—	21	36		7
8	02	—	29	—	—	—	Tr	—	08	—	34	07		8
9	29	—	Tr	—	—	—	19	01	08	—	12	Tr		9
10	08	—	Tr	—	—	—	23	—	46	—	08	Tr		10
11	—	—	01	03	—	05	46	06	20	—	35	15		11
12	—	—	Tr	—	04	—	32	—	15	—	13	37		12
13	04	—	—	01	01	—	08	—	09	02	Tr	33		13
14	Tr	—	—	03	—	Tr	02	21	06	20	34	57		14
15	14	Tr	—	04	07	02	—	31	08	Tr	29	19		15
16	Tr	06	—	03	22	—	04	—	Tr	—	62	—		16
17	08	33	—	—	01	04	03	06	—	01	02	Tr		17
18	Tr	07	—	03	—	—	87	25	—	01	—	Tr		18
19	06	08	02	26	—	01	06	23	—	30	Tr	—		19
20	61	Tr	—	—	—	16	Tr	Tr	—	01	05	25		20
21	59	—	02	04	—	51	—	—	—	Tr	Tr	12		21
22	05	55	04	—	—	71	27	—	—	—	—	09		22
23	05	05	06	03	Tr	Tr	29	—	—	03	—	—		23
24	11	—	—	—	Tr	—	—	—	14	04	—	—		24
25	16	—	—	Tr	—	—	15	—	52	15	—	01		25
26	02	08	12	—	—	—	22	—	04	21	Tr	Tr		26
27	41	10	12	—	—	—	01	—	12	12	01	—		27
28	08	16	Tr	03	—	17	Tr	—	—	31	Tr	08		28
29	05	28	14	—	04	23	—	—	—	15	13	04		29
30	08	—	—	—	42	40	26	06	—	27	02	Tr		30
31	03	—	05	—	05	—	02	02	—	Tr	—	12		31
TOTAL	3.21	1.91	1.32	0.99	0.90	3.68	3.71	1.72	3.67	1.83	3.39	4.08	Year's Total 30.41	
* Days with .01 in. or more.	24	12	14	13	9	14	21	14	16	14	18	20	179	
* Days with .04 in. or more.	18	12	11	6	7	12	15	9	16	9	15	18	148	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

D. Davies Shiel. [P.T.O.]

Section

A

for the entry of Daily Observations

Station No.

2788

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at *Rock Ferry High School*in the County of *Cheshire*

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....0.....ft.....0.....in.

,, Ground ,, Sea Level.....100.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	TP	.26	.09	—	—	.04	—	—	.22	.14	.02	.04		1
2	TP	.07	.15	.28	—	TP	—	—	.03	TP	—	.01		2
3	—	.13	TP	.01	.10	.25	.30	—	—	TP	TP	.01		3
4	.08	TP	TP	.01	.09	—	.30	—	—	—	—	.45		4
5	~~.04~~ ^{1.40} ⁶²	—	.12	.26	—	.04	.30	—	TP	—	—	1.00		5
6	TP	TP	TP	.06	.12	—	TP	—	—	—	TP	.01		6
7	.12	.32	—	.06	—	.12	.02	—	.02	—	TP	.01		7
8	.01	.35	TP	.07	—	.03	.27	—	.01	—	.13	TP		8
9	TP	.07	.01	—	.17	.08	.17	.07	—	—	—	.01		9
10	.01	.25	TP	.01	—	TP	—	—	—	—	—	.25		10
11	TP	TP	.27	—	.50	TP	.02	—	—	—	TP	.25		11
12	.01	.48	TP	—	—	.38	.02	.06	.20	—	TP	.20		12
13	.05	.06	—	.02	—	.14	TP	.12	TP	TP	.15	.15		13
14	TP	.10	.01	—	—	—	TP	.05	.02	TP	.05	.05		14
15	.01	.16	.02	.34	—	—	.55	.01	.22	—	TP	.13		15
16	.02	.14	.26	.40	—	—	—	.16	.08	—	—	TP		16
17	.17	.07	.09	.15	—	—	—	.01	.06	—	—	TP		17
18	.02	.28	.07	.23	—	—	.12	.07	.03	TP	~~.30~~ ^{1.30}	.04		18
19	.05	.08	.08	.20	.08	.34	.01	.01	~~.10~~ ^{1.10}	—	.15	—		19
20	.05	.12	—	.26	~~.05~~ ^{1.55} ⁹⁵	—	.06	—	.02	—	—	.40		20
21	.06	.37	.16	.10	.08	.02	.32	—	.03	.12	—	.03		21
22	.10	.09	.02	TP	.08	.01	.03	—	TP	.06	.22	.13		22
23	.08	.01	.01	—	.23	TP	.18	—	—	.25	.13	TP		23
24	~~.12~~ ^{1.22}	.38	.04	—	—	—	—	—	.19	.58	—	.02		24
25	TP	.38	—	—	—	—	.20	~~.06~~ ^{1.06} ⁵³	.01	.04	—	TP		25
26	TP	.30	.05	—	.20	—	TP	.02	TP	.08	TP	.02		26
27	TP	.39	—	.32	—	—	—	—	TP	.34	—	.01		27
28	—	—	—	—	—	.03	—	—	—	.01	—	—		28
29	.01	.01	—	—	—	TP	—	—	—	.22	.23	—		29
30	.41	~~1.41~~	—	TP	—	.27	—	—	.13	.09	.30	—		30
31	.14	~~1.14~~	—	~~1.14~~	—	~~1.14~~	—	.05	~~1.05~~	.06	~~1.06~~	—		31
TOTAL	~~2.10~~ ^{1.44} ^{2.06}	4.87	1.45	2.78	~~2.70~~ ^{2.60}	1.75	2.87	~~0.69~~ ^{1.23} ^{1.11}	~~1.37~~ ^{1.28}	1.99	~~1.44~~ ^{1.81}	3.22	Year's Total	~~25.46~~ ^{27.41} ^{28.02}
* Days with .01 in. or more.	20/18	24	16	17	11	13	16	12	16	12	10	21	187	188
* Days with .04 in. or more.	13/12	22	11	12	11	9	11	7	8/7	11	9/8	12	133	136

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

J. J. J. J. J.

[P.T.O.]

Kept at Oxton
in the County of Cl

Diameter of Funnel of Gauge
Height of top of Gauge above G
Ground " S

THE MORNING ME

An observer who does not conform
year in the space on the right

2789
BIRKENHEAD OXTON
1931 — 33

2789
COPY FOR OFFICIAL USE.
ALL ORGANIZATION.

AY.
e following

Jan. 1, following

.18

780414

Date	Jan.	Feb.	Mar.										
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	Date
1	.29			.14				.03	.04				1
2	Tr	.07		.42	.02	.58		.61	.11	.03	.02		2
3	.15			Tr		.11	.31	.98	.03	.47	.08		3
4	.05	Tr	Tr	.17				.15	.50	.04	.03		4
5				.03	.12	.75	.10	.89			.21		5
6		.20				.30	Tr	.04	.50	.05	Tr		6
7		.02				.25		1.15	.05	.05			7
8		.06		.07		.06	.08	.37	.03	.16	.03		8
9	.08	.13		.07	.05	.22		.32	.09	.22	.17	.01	9
10		.04	.02		.32	.28		.05	.01		.38	.02	10
11	.29	.05	Tr	Tr			.05	.52		.20	.05		11
12	.11	.08					.13	.13	.16	.04	.02	Tr	12
13			.03		.03		Tr	.82	Tr				13
14	.04	.12			Tr	1.61	.06	.71	.18		.70	.01	14
15	.04	.35		.19	.11		.62	.47	.03		.01	.30	15
16	.10	.09		.19	.09		.02	.56			Tr		16
17	.06	Tr		.09	.25	.05	.04	.16	.21		.27		17
18	.14	.01		Tr		.36	.36	.17	.05		.30		18
19	.10	.19				.09	.04	.73		Tr	Tr		19
20		.11	.09				.04	.04			.03	.02	20
21	.30	.01	.01	Tr	.29			.15			.03		21
22	.02			.04	.05	.03	.01				.04		22
23	.16	Tr		.08	.15	.15	Tr				.06		23
24	.06	Tr		.10	.33		.08				.01	.23	24
25	.06	.54		.56	.22						.04	.15	25
26	.05	.02		.04	.33		.05				.76	.10	26
27	.31	.18		.06	.25		.03			.23	.66	.05	27
28	.24	.35	.06	.07						.15	Tr	.04	28
29	.11		.05				.09		Tr	.59	.03	.15	29
30		×		.02				.03		Tr	.26		30
31	.21	×		×	Tr	×	.18		×	.03	×	.05	31
TOTAL	2.97	2.62	.26	2.34	2.61	4.74	2.29	6.87	3.44	2.02	4.51	1.81	36.48
*Days with or in. or more.	22	19	6	17	15	14	18	16	14	12	23	19	195
*Days with or in. or more.	21	15	3	15	13	13	15	16	10	9	16	12	158

REGISTER OF RAINFALL IN 1931.

Kept at Coxton Birkenhead
in the County of Cheshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
Ground Sea Level 163 ft.

File Ref. 819564/28
Station No 2789

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

18

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.29			.14					.03	.04			1
2	Tr	.07		.42	.02	.50			.61	.11	.03	.02	2
3	.15		Tr			.11	.31		.98	.03	.47	.08	3
4	.05	Tr	Tr	.17				.15	.50		.04	.03	4
5				.03	.12	.75	.10	.89				.21	5
6		.20				.30	Tr	.04	.50	.05	Tr		6
7		.02				.25		1.15		.05	.05		7
8		.06		.07		.06	.08	.37		.03	.16	.03	8
9	.08	.13		.07	.05	.22		.32	.09	.22	.17	.01	9
10		.04	.02		.32	.28		.05	.01		.38	.02	10
11	.29	.05	Tr	Tr			.05		.52		.20	.05	11
12	.11	.08					.13	.13	.16	.04	.02	Tr	12
13			.03		.03		Tr	.82	Tr				13
14	.04	.12			Tr	1.61	.06	.71	.18		.70	.01	14
15	.04	.35		.19	.11		.62	.47	.03		.01	.30	15
16	.10	.09		.19	.09		.02	.56				Tr	16
17	.06	Tr		.09	.25	.05	.04	.16	.21		.27		17
18	.14	.01		Tr		.34	.36	.17	.05		.30		18
19	.10	.19				.09	.04	.73		Tr	Tr		19
20		.11	.09				.04	.04			.03	.02	20
21	.30	.01	.01	Tr	.29			.15			.03		21
22	.02			.04	.05	.03	.01				.04		22
23	.16	Tr		.08	.15	.15	Tr				.06		23
24	.06	Tr		.10	.33		.08				.01	.23	24
25	.06	.54		.58	.22						.04	.15	25
26	.05	.02		.04	.33		.05				.76	.10	26
27	.31	.18		.06	.25		.03			.23	.66	.05	27
28	.24	.35	.06	.07						.15	Tr	.04	28
29	.11		.05				.09		Tr	.59	.03	.15	29
30		×		.02					.03		Tr	.26	30
31	.21	×		×	Tr	×	.18		×	.03	×	.05	31
TOTAL	2.97	2.62	.26	2.34	2.61	4.74	2.29	6.87	3.44	2.02	4.51	1.81	YEAR'S TOTAL 36.48
*Days with "or in. or more.	22	19	6	17	15	14	18	16	14	12	23	19	195
*Days with "or in. or more.	26	15	3	15	13	13	15	16	10	9	16	12	158

Section



for the entry of Daily Observations.

Station No. *Oxton*

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at *Oxton, Burkenhead*in the County of *Cheshire*Diameter of Funnel of Gauge *5* in.Height of top of Gauge above Ground *1* ft. *1* in.,, Ground ,, Sea Level *163* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

1932

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-- <i>18</i>	<i>TR</i>		<i>.07</i>	<i>.53</i>	<i>TR</i>	<i>.04</i>	<i>.19</i>	<i>.10</i>	<i>.03</i>	<i>.04</i>	<i>.08</i>	1
2	<i>.25</i>	<i>TR</i>			<i>.49</i>		<i>.07</i>	<i>.03</i>	<i>.18</i>	<i>.52</i>	<i>.04</i>	<i>.14</i>	2
3		<i>.06</i>		<i>.18</i>	<i>.05</i>		<i>.09</i>	<i>.03</i>	<i>.05</i>	<i>.01</i>	<i>.06</i>	<i>.10</i>	3
4							<i>.07</i>			<i>.10</i>	<i>.06</i>	<i>.05</i>	4
5	<i>.65</i>		<i>.11</i>	<i>.04</i>	<i>.03</i>			<i>.05</i>	<i>.12</i>		<i>TR</i>	<i>.05</i>	5
6	<i>.78</i>		<i>.13</i>	<i>.22</i>	<i>.01</i>				<i>.19</i>				6
7	<i>.04</i>		<i>.27</i>	<i>.31</i>					<i>.32</i>				7
8	<i>TR</i>			<i>.05</i>	<i>.01</i>				<i>.29</i>	<i>.41</i>		<i>.01</i>	8
9	<i>.12</i>			<i>.09</i>					<i>.04</i>	<i>.31</i>	<i>.06</i>		9
10	<i>.11</i>			<i>.05</i>	<i>.02</i>				<i>.39</i>	<i>.59</i>	<i>.02</i>		10
11	<i>TR</i>	<i>TR</i>		<i>.02</i>	<i>.41</i>	<i>.05</i>	<i>.28</i>		<i>.02</i>	<i>TR</i>	<i>TR</i>	<i>.01</i>	11
12	<i>.05</i>				<i>.25</i>		<i>.20</i>	<i>TR</i>	<i>TR</i>	<i>.34</i>		<i>.30</i>	12
13				<i>.08</i>	<i>.10</i>		<i>.48</i>	<i>.06</i>	<i>.12</i>	<i>.30</i>		<i>.12</i>	13
14	<i>.15</i>			<i>.02</i>	<i>.03</i>		<i>.23</i>	<i>.05</i>		<i>.07</i>	<i>.15</i>	<i>.01</i>	14
15	<i>TR</i>			<i>.02</i>	<i>.40</i>					<i>.05</i>	<i>.05</i>		15
16	<i>.07</i>			<i>.10</i>			<i>.02</i>			<i>TR</i>	<i>TR</i>	<i>.04</i>	16
17							<i>.09</i>	<i>.01</i>	<i>.02</i>	<i>.08</i>			17
18					<i>.03</i>		<i>TR</i>		<i>.01</i>	<i>.02</i>	<i>.05</i>		18
19				<i>.17</i>	<i>.04</i>		<i>.04</i>		<i>.04</i>	<i>.30</i>			19
20				<i>.13</i>	<i>.19</i>		<i>.05</i>	<i>.44</i>		<i>.21</i>	<i>.05</i>	<i>.07</i>	20
21	<i>.04</i>		<i>.18</i>	<i>TR</i>	<i>.35</i>		<i>.03</i>	<i>.37</i>		<i>.30</i>	<i>.12</i>		21
22	<i>TR</i>		<i>.04</i>	<i>.03</i>	<i>.65</i>		<i>.47</i>			<i>.34</i>	<i>.54</i>		22
23	<i>TR</i>			<i>.03</i>	<i>.06</i>		<i>.04</i>			<i>.16</i>	<i>.13</i>		23
24	<i>.10</i>	<i>TR</i>		<i>.02</i>	<i>.01</i>	<i>.01</i>	<i>.58</i>		<i>.19</i>		<i>.32</i>	<i>.06</i>	24
25	<i>TR</i>	<i>TR</i>			<i>TR</i>	<i>.05</i>	<i>.10</i>		<i>.21</i>	<i>.47</i>	<i>.08</i>		25
26		<i>TR</i>	<i>.02</i>	<i>.05</i>	<i>.19</i>		<i>.15</i>		<i>.21</i>	<i>.09</i>	<i>.02</i>		26
27			<i>.55</i>	<i>.32</i>	<i>.11</i>	<i>.09</i>	<i>.12</i>	<i>TR</i>		<i>.17</i>	<i>.04</i>	<i>.05</i>	27
28			<i>.03</i>	<i>.17</i>	<i>.14</i>		<i>.27</i>	<i>TR</i>					28
29	<i>.02</i>		<i>.34</i>	<i>.43</i>	<i>.11</i>	<i>.10</i>	<i>.01</i>	<i>.02</i>	<i>.12</i>	<i>.70</i>	<i>.31</i>	<i>.11</i>	29
30		<i>X</i>	<i>.05</i>	<i>.45</i>		<i>.14</i>	<i>.02</i>	<i>.06</i>	<i>.07</i>	<i>.32</i>	<i>.39</i>	<i>.07</i>	30
31	<i>.01</i>	<i>X</i>	<i>.07</i>	<i>X</i>		<i>X</i>	<i>.54</i>	<i>.01</i>	<i>X</i>	<i>.01</i>	<i>X</i>		31
TOTAL	<i>2.57</i>	<i>.06</i>	<i>1.73</i>	<i>3.05</i>	<i>4.21</i>	<i>.44</i>	<i>3.99</i>	<i>1.32</i>	<i>2.69</i>	<i>5.90</i>	<i>2.53</i>	<i>1.27</i>	YEAR'S TOTAL <i>29.76</i>
*Days with ".01 in. or more.	<i>14</i>	<i>1</i>	<i>11</i>	<i>23</i>	<i>23</i>	<i>6</i>	<i>23</i>	<i>12</i>	<i>19</i>	<i>24</i>	<i>19</i>	<i>16</i>	<i>191</i>
*Days with ".04 in. or more.	<i>12</i>	<i>1</i>	<i>9</i>	<i>17</i>	<i>16</i>	<i>5</i>	<i>19</i>	<i>7</i>	<i>16</i>	<i>20</i>	<i>17</i>	<i>13</i>	<i>152</i>

40-9999

*See Instruction 2 (f) on other side.

(Signed) *P. P. J. St. Hill*
M. J. M.

P.T.O.

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No.

2789

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at B. x L. D. N.in the County of Cheshire.Diameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft. 1 in.,, Ground ,, Sea Level 163 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.08	.14	.09								.10			1
2	.03		.17	.03		.21								2
3	.04	.38	.28											3
4	.28	.02	.07		.23						.02			4
5	.09	.03	.08		.03						.07			5
6		.16	.13		.20			.04			.04			6
7		.41			.01		.15			.40				7
8	.10	.01	.28		.01		.03				.01			8
9		.18		.06	.03	.04	.57			.30	.11			9
10	.03	.25				.08	.04			1.01	.03			10
11		.01		.02			.45			.27				11
12	.12					.03	.26	.25		.03				12
13					.16		.10	.07		.27	.44			13
14	.32		.02				.06	.02		.02	.45			14
15	.14		.12				.16	.01		.20	.15	.25		15
16	.12	.02	.43		.10	.11				.34				16
17	.06		.15			.42	.02		.07					17
18	.09		.30			.25					.04			18
19			.01				.08		.23		.20			19
20	.01	.10			.46	.48		.03	.02			.04		20
21						.08		.90						21
22				.08	.08			.04		.04				22
23				.20		.10		.23	.06	.05				23
24		.35		.11	.15	.22			.36	.03				24
25		.05		.09					.12					25
26		.95		.12						.35		.20		26
27		.01			.20				.02	.04		.01		27
28				.02			.10	.51						28
29							.03	.02						29
30	.08	X	.12	.20		.01	.04			.25				30
31		X	.7	X		X			X	.27	X	.25		31
TOTAL	1.59	3.07	2.32	.93	1.66	2.03	2.09	2.12	.88	3.87	1.66	.75	22.97	
*Days with .01 in. or more.	15	16	15	10	12	12	14	11	7	16	12	5	145	
*Days with .04 in. or more.	12	10	13	7	8	10	11	7	5	12	8	4	107	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

p.p. J. H. Howell
M. J. M.

[P.T.O.]

Section **A** for the entry of
AIR MINISTRY

FORM IO REGISTER

Kept at *Liverpool*
in the County of.....

Diameter of Funnel of Gauge.....
Height of top of Gauge above Ground
,, Ground ,, Sea Le

THE MORNING MEASURE

An observer who does not conform to the
year in the space on the right of this

2790
FOR OFFICIAL USE.
ORGANIZATION.

2790
LIVERPOOL BIDSTON
1931—35

Jan. 1, following

wing

7804 14

Date	Jan.	Feb.	March								Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.28												1
2													2
3									.86				3
4													4
5						.50	.83					.25	5
6										.56			6
7													7
8													8
9													9
10													10
11		.29											11
12													12
13													13
14						1.66							14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24						.43							24
25				.57									25
26											.82		26
27													27
28			.06										28
29													29
30		X											30
31		X		X		X		X		X			31
TOTAL	2.54	2.11	0.26	2.12	2.50	4.52	2.14	5.58	3.11	1.78	4.47	1.20	32.33
*Days with "or in. or more.	25	19	7	17	14	16	16	16	16	12	21	12	191
*Days with ".04 in. or more.	17	14	3	14	12	10	13	16	11	7	15	8	140

40-9999 64.6 53.7 6.5 53.9 63.4 114.9 54.3 141.7 78.9 45.2 113.5 30.5 824.1
(Signed) P.T.O.

*See Instruction 2 (f) on other side.

Section

A

for the entry of

AIR MINISTRY.—METEOROLOGICAL OFFICE.

2790
FOR OFFICIAL USE.
ORGANIZATION.

FORM 100

REGISTER OF RAINFALL IN 1931.

Kept at Liverpool (Bidston)
in the County of.....

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
Ground Sea Level.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	.28												I
2													2
3									.86				3
4													4
5							.50	.83				.25	5
6										.56			6
7													7
8													8
9													9
10													10
11		.29											11
12													12
13													13
14						1.66							14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24					.43								24
25				.57									25
26											.82		26
27													27
28			.06										28
29													29
30		X											30
31		X		X		X			X		X		31
TOTAL	2.54	2.11	0.26	2.12	2.50	4.52	2.14	5.58	3.11	1.78	4.47	1.20	32.33
* Days with or in. or more.	25	19	7	17	14	16	16	16	16	12	21	12	191
* Days with or in. or more.	17	14	3	14	12	10	13	16	11	7	15	8	140

40-999964.6 53.7 6.5 53.9 63.4 114.9 54.3 141.7 78.9 45.2 113.5 30.5 82.1
(Signed) P.T.O.

*See Instruction 2 (f) on other side.

FORM 1

REGISTER OF RAINFALL IN 1932.

Kept at Liverpool (Bidston)
in the County of Cheshire

HP

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
,, Ground ,, Sea Level ft.

248

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I													I
2													2
3		.02			.47								3
4													4
5													5
6	.80												6
7													7
8									.44				8
9													9
10										0.65			10
II													II
12													12
13												.29	13
14													14
15													15
16													16
17													17
18													18
19													19
20								.59					20
21													21
22													22
23													23
24							.70						24
25													25
26													26
27			.61										27
28													28
29													29
30		X		.46		0.13					.42		30
31		X		X		X			X		X		31
TOTAL	2.22	0.03	1.64	2.77	3.42	1.04	3.50	1.48	2.65	5.14	2.02	1.31	27.22
* Days with or in. or more.	12	2	11	22	18	7	23	11	17	24	17	15	179
* Days with .04 in. or more.	10	0	8	16	16	4	16	6	15	21	14	10	136
40-9999	56.5	0.8	41.7	70.3	86.9	26.3	88.8	37.7	67.2	130.6	51.3	33.4	
													(Signed)
*See Instruction 2 (f) on other side.													[P.T.O.]

FORM IO

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1933.

Kept at Liverpool (Bidston)
in the County of _____

Diameter of Funnel of Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
Ground _____ Sea Level _____ ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	min.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	5	2.8	2.1		1.7						2.1	0.3	1
2	0.5	8.7	4.3			4.1		.1			5	-	2
3	0.6	0.3	5.4		3.3						5	-	3
4	5.3	0.3	1.9		3.5						5	-	4
5	2.4	3.6	2.5		3.1						1.3	-	5
6	-	8.7	0.4		4.8						0.4	.01	6
7	0.2	5	1.7				2.6	.5		10.3	5	0.1	7
8	1.9	2.1	5.0		.1		10.8	.7			0.2	0.3	8
9	-	6.0	-	1.3	.3	1.4	4.3			6.1	1.9	0.2	9
10	0.2	-	5			.5	.2			9.0	0.7	-	10
11	0.4	-	-	.2		.9	4.9			7.5	-	1.5	11
12	2.0	-	-		.8	1.0	4.0			1.2	-	2.1	12
13	0.2	-	-		2.9		3.1	4.1	.01	3.0	8.9	-	13
14	5	-	-				1.4	2.0		5.3	9.6	5	14
15	9.2	-	0.1		.1		1.0	1.6		6.9	2.9	0.2	15
16	1.3	0.1	2.5		2.4	1.8		.3		7.9	0.1	0.1	16
17	1.1	0.3	10.2			6.3	.3	.5			0.2	0.1	17
18	1.6	5	3.6			5.8		.1			5	-	18
19	0.2	5	5.2	.2		.1	.6		20		3.9	0.9	19
20	-	1.3	0.1			.9		.6	.02		-	5	20
21	-	-	-			1.0		1.3	.01		5	-	21
22	-	-	-	.2	1.6					1.0	5	-	22
23	-	-	-	2.1		1.0			.04	.6	-	-	23
24	-	4.4	-	2.6	3.5	5.5			.25	1.2	-	-	24
25	-	3.2	-	2.1					.26		-	4.7	25
26	-	19.7	-	2.9						6.4	-	5	26
27	-	3.1	-		5.1					.2	-	0.2	27
28	-	0.1	-	.8			1.5	10.3		.7	-	5	28
29	-	-	-				.2	1.9			-	0.5	29
30	1.7	X	1.3	3.4			.8			2.8	-	2.4	30
31	0.1	X	1.7	X		X		.1	X	4.5	X	0.1	31
TOTAL	1.14	2.55	1.89	0.79	1.77	2.10	1.26	17.6	0.83	3.48	32.2	13.8	19.37
*Days with or in. or more.	16	14	14	11	13	12	14	11	8	17	11	11	152
*Days with or in. or more.	9	11	13	6	11	10	8	8	5	134	7	4	1056

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No. 2790

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 109

REGISTER OF RAINFALL IN 1933.

Kept at Birkenhead Bidston Observatory
in the County of Cheshire 3Diameter of Funnel of Gauge in.
Height of top of Gauge above Ground ft in.
Ground Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1					.07						.08	.01		1
2				.02		.16								2
3					.13									3
4					.14									4
5					.12						.06			5
6					.19						.02			6
7							.10	.02		.40				7
8							.03				.01	.01		8
9				.05	.01	.06	.43			.24	.07	.01		9
10						.02	.01			.90	.03			10
11				.01		.03	.19			.30		.06		11
12					.03	.04	.15			.05		.08		12
13					.12		.12	.16	.01	.12	.35			13
14							.06	.08		.20	.38			14
15							.04	.06		.27	.11	.01		15
16					.09	.07		.01		.31				16
17						.25	.01	.02	.04		.01			17
18						.23								18
19				.01			.02		.20		.15	.04		19
20					.46	.91		.61	.02					20
21						.04		.05	.01					21
22				.01	.07			.26		.04				22
23				.24		.07			.04	.02				23
24				.10	.14	.22			.25	.05				24
25				.08					.26			.19		25
26				.11						.25				26
27					.20					.01		.01		27
28				.03			.06	.41		.03				28
29							.01	.08				.02		29
30		X		.13			.03			.11		.09		30
31		X	X	X		X			X	.18	X			31
TOTAL				.79	1.77	2.10	1.26	1.76	.83	3.48	1.27	.53	Year's Total	
*Days with or in. or more.														
*Days with .04 in. or more.														

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) [P.T.O.]

Section **A** for the entry of Daily Observations.
AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1934.

Kept at Liverpool (Bidsdon)
in the County of CheshireDiameter of Funnel of Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
„ Ground „ Sea Level _____ ft.

Daily Figures

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	2.3 ⁰⁹	-	tr	-	-	-	-	2.3 ⁰⁹	3.9 ¹⁵	2.7 ¹⁰	17.6 ⁷⁰	12.0 ⁴⁷	1
2	tr	tr	1.1 ⁰⁴	-	tr	-	-	6.0 ²³	1.7 ⁰⁷	0.1 ¹⁴	3.4 ¹⁴	10.5 ⁴¹	2
3	1.8 ⁰⁷	tr	-	-	-	-	-	tr	tr	5.8 ²³	1.1 ⁰⁴	0.2 ⁰¹	3
4	2.7 ¹¹	-	1.0 ⁰⁴	0.9 ⁰⁴	0.5 ⁰²	-	-	tr	0.1 ⁶³	13.9 ⁵⁵	-	26.5 ¹⁰⁸	4
5	0.1 ⁰¹	-	0.2 ⁰¹	-	1.1 ⁰⁴	-	-	16.0 ⁶³	-	1.7 ⁰⁷	0.1 ¹³	1.1 ⁰⁸	5
6	-	-	1.0 ⁰⁴	tr	4.3 ¹⁷	tr	-	2.1 ⁰⁸	-	3.3 ¹³	-	4.6 ¹²	6
7	6.2 ²⁴	0.5 ⁰²	0.2 ⁰¹	0.7 ⁰³	0.1 ²⁶	tr	-	tr	tr	2.4 ⁰⁹	1.6 ⁰⁶	3.1 ⁰⁵	7
8	-	-	0.2 ⁰¹	-	6.5 ²⁶	7.8 ³⁰	-	0.8 ⁰³	-	2.8 ¹¹	11.2 ⁴⁴	1.3 ⁰⁵	8
9	-	tr	2.2 ⁰⁸	tr	-	-	-	2.0 ⁰⁸	1.6 ⁰⁶	2.9 ¹¹	5.7 ²³	0.1 ⁰¹	9
10	tr	0.2 ⁰¹	2.7 ¹¹	4.4 ¹⁷	0.1 ⁰¹	-	-	7.7 ³⁰	-	0.4 ⁰²	1.8 ⁰⁷	-	10
11	0.4 ⁰²	-	0.8 ⁰³	11.4 ⁴⁵	-	-	-	13.9 ⁵⁵	tr	-	2.3 ⁰⁹	2.8 ¹¹	11
12	tr	-	2.3 ⁰⁹	1.8 ⁰⁷	-	-	tr	2.0 ⁰⁸	-	0.1 ¹⁴	tr	0.8 ⁰³	12
13	2.7 ¹¹	-	tr	1.2 ⁰⁵	tr	tr	7.1 ²⁸	-	-	0.5 ⁰⁵	tr	tr	13
14	2.9 ¹¹	-	3.7 ¹⁵	0.1 ⁰¹	tr	0.2 ⁰¹	-	-	-	1.3 ⁰⁵	tr	0.5 ⁰²	14
15	1.7 ⁰⁷	0.1 ⁰¹	5.6 ⁰⁵	7.7 ³⁰	tr	0.3 ⁰¹	1.7 ⁰⁷	5.2 ²⁰	4.5 ¹⁵	0.1 ¹⁶	4.0 ¹⁶	15	
16	5.5 ²²	-	1.2 ⁰⁵	0.7 ⁰³	1.0 ⁰⁴	-	0.2 ⁰¹	tr	0.5 ⁰²	0.6 ⁰²	2.1 ⁰⁸	16	
17	1.7 ⁰⁷	-	2.7 ¹¹	1.4 ⁰⁶	6.1 ²⁴	-	3.7 ¹⁴	tr	2.4 ⁰⁹	2.2 ⁰⁹	-	2.1 ⁰⁸	17
18	4.0 ¹⁶	tr	0.2 ⁰¹	3.8 ¹⁵	9.3 ³⁷	3.9 ¹⁵	-	0.2 ⁰¹	0.8 ⁰³	tr	-	1.9 ⁰⁹	18
19	tr	-	2.5 ¹⁰	0.4 ⁰²	1.8 ⁰⁷	5.8 ²⁹	tr	tr	2.9 ¹¹	1.4 ⁰⁶	-	3.3 ¹³	19
20	-	-	0.1 ⁰¹	1.1 ⁰⁴	0.7 ⁰³	-	tr	0.2 ⁰¹	3.8 ¹⁵	tr	tr	0.2 ⁰¹	20
21	0.1 ⁰¹	tr	tr	-	0.3 ⁰¹	7.3 ²⁹	-	1.2 ⁰⁵	4.1 ¹⁷	1.7 ⁰⁷	-	tr	21
22	0.4 ⁰²	-	2.2 ⁰⁸	0.2 ⁰¹	tr	-	0.2 ⁰¹	1.7 ⁰⁷	7.6 ³⁰	3.2 ¹³	-	tr	22
23	0.1 ⁰¹	-	0.4 ⁰²	7.2 ²⁸	0.2 ⁰¹	4.2 ¹⁷	1.3 ⁰⁵	tr	-	5.6 ²²	tr	1.5 ⁰⁶	23
24	-	2.3 ⁰⁹	0.3 ⁰¹	1.2 ⁰⁵	0.3 ⁰¹	3.3 ¹³	tr	-	4.2 ¹⁷	2.8 ¹¹	-	tr	24
25	tr	tr	-	1.9 ⁰⁷	0.4 ⁰²	-	0.4 ⁰²	-	2.5 ¹⁰	2.0 ⁰⁶	-	6.2 ²⁵	25
26	tr	-	0.3 ⁰¹	4.4 ¹⁷	-	2.3 ⁰⁹	0.7 ⁰³	-	0.3 ⁰¹	0.6 ⁰²	tr	0.1 ⁰¹	26
27	0.3 ⁰¹	-	-	0.2 ⁰¹	-	0.9 ⁰⁴	0.6 ⁰²	tr	-	2.4 ⁰⁹	tr	5.8 ²³	27
28	0.1 ⁰¹	-	-	0.5 ⁰²	-	tr	tr	31.0 ¹²²	0.6 ⁰²	7.6 ¹²	-	8.6 ²⁴	28
29	-	-	-	-	-	-	2.3 ⁰⁹	5.0 ¹⁹	8.3 ³³	15.3 ³³	tr	0.7 ⁰³	29
30	2.8 ¹¹	×	-	tr	-	-	tr	0.1 ⁰¹	5.4 ²²	24.8 ⁹⁸	tr	0.5 ⁰¹	30
31	-	×	-	×	-	×	0.4 ⁰²	1.2 ⁰⁵	×	5.1 ²⁰	×	3.3 ¹³	31
TOTAL	35.8	3.1	30.7	42.8	40.1	36.7	17.0	95.3	55.4	117.6	45.5	103.8	YEAR'S TOTAL
*Days with 0.2 mm. or more.	14	3	20	17	14	10	10	18	16	26	9	24	181
*Days with 1.0 mm. or more.	11	1	12	11	7	8	4	14	13	22	8	18	129
(T44W)	1.41	0.12	1.21	1.69	1.58	1.45	0.67	3.75	2.18	4.63	1.79	4.09	24.86
40-9999							(Signed)						P.T.O.

Section **A** for the entry of Daily Observations.
AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1935.

Kept at Liverpool (Bidston)
in the County of R.P.
Diameter of Funnel of Gauge in.
Height of top of Gauge above Ground ft. in.
Ground Sea Level ft.

TL Duration 24
Daily Values. 150

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	4.8 ¹⁹	0.3 ⁰¹	0.2 ⁰¹	tr	0.2 ⁰¹	tr	5.5 ²¹	-	11.6 ⁴¹	3.8 ¹⁵	1.1 ⁰⁴	1.9 ⁰⁷	1
2	tr	0.4 ⁰²	-	-	-	7.3 ²⁹	-	-	-	0.2 ⁰¹	0.1 ⁻	4.6 ¹⁸	2
3	1.3 ⁰³	9.4 ²⁷	2.1 ⁰⁸	0.3 ⁰¹	-	5.1 ²⁰	-	-	4.1 ¹⁶	tr	2.3 ³⁰	9.6 ³⁸	3
4	0.1 ⁻	tr	1.4 ⁰⁶	0.5 ⁰²	-	3.9 ¹⁵	-	-	1.1 ⁰⁴	3.6 ¹⁴	tr	1.0 ⁰⁴	4
5	-	5.1 ²⁸	3.3 ¹³	0.3 ⁰¹	-	-	tr	-	5.3 ²¹	1.9 ⁰⁷	6.0 ²⁴	7.5 ³⁰	5
6	-	-	0.2 ⁰¹	2.3 ⁰⁹	-	2.3 ⁰⁹	-	tr	0.5 ⁰²	0.3 ⁰¹	0.0 ⁻	0.0 ⁻	6
7	-	-	tr	0.7 ⁰³	-	1.7 ⁰⁷	-	-	-	2.6 ¹⁰	1.9 ⁰⁷	6.2 ²⁴	7
8	-	-	-	1.9 ⁰⁷	-	tr	-	0.9 ⁰⁴	-	0.8 ⁰³	4.0 ¹⁶	0.5 ⁰²	8
9	0.9 ⁰⁴	0.1 ⁻	-	2.2 ⁰⁹	-	0.7 ⁰³	tr	-	-	37.1 ¹⁴⁶	1.5 ⁰⁶	tr	9
10	-	2.3 ⁰⁹	tr	1.1 ⁰¹	-	4.4 ¹⁷	0.3 ⁰¹	tr	-	1.9 ⁰⁷	1.8 ⁰⁷	0.0 ⁻	10
11	9.9 ²⁹	tr	-	-	-	0.7 ⁰³	-	0.6 ⁰²	tr	1.5 ⁰⁶	1.7 ⁰⁷	0.0 ⁻	11
12	2.5 ¹⁰	1.5 ⁰⁶	-	-	-	5.4 ²¹	-	-	0.1 ⁻	tr	tr	0.0 ⁻	12
13	3.5 ¹⁴	0.4 ⁰²	-	1.8 ⁰⁷	4.0 ¹⁶	0.1 ⁻	-	tr	2.6 ¹⁰	0.1 ⁻	tr	0.0 ⁻	13
14	0.4 ⁰²	-	-	0.3 ⁰¹	tr	3.3 ¹³	7.4 ²⁹	tr	2.2 ⁰⁹	-	12.0 ⁴⁷	3.7 ¹⁵	14
15	0.1 ⁻	4.6 ¹⁸	-	10.2 ⁴¹	0.8 ⁻	-	1.3 ⁰⁶	tr	0.9 ⁰⁴	-	tr	15.6 ⁶²	15
16	0.4 ⁰²	4.6 ¹⁸	1.5 ⁰⁶	3.6 ¹⁴	0.1 ⁻	2.2 ⁰⁹	2.0 ⁰⁸	tr	12.9 ⁵¹	-	12.7 ⁵⁰	0.6 ⁰²	16
17	-	-	0.1 ⁻	4.2 ¹⁷	18.2 ³²	9.0 ³⁵	34.3 ¹³⁵	5.5 ²²	0.1 ⁻	0.4 ⁰²	14.3 ⁵⁸	0.0 ⁻	17
18	-	-	-	3.6 ¹⁴	6.8 ²⁸	2.7 ¹¹	0.4 ⁰²	tr	6.8 ²⁷	1.5 ⁰⁶	0.2 ⁰¹	0.0 ⁻	18
19	-	0.0 ⁻	-	1.8 ⁰⁷	10.5 ⁴²	7.4 ²⁹	5.6 ²²	-	-	11.1 ⁴⁴	3.2 ¹³	0.1 ⁻	19
20	tr	3.9 ¹⁵	-	10.0 ³⁹	0.1 ⁻	5.8 ²³	-	-	-	-	2.7 ¹¹	0.1 ⁻	20
21	-	4.5 ¹⁰	-	tr	-	-	-	-	24.4 ⁹⁸	2.2 ⁰⁹	0.1 ⁻	3.6 ¹⁴	21
22	0.4 ⁰²	5.3 ²¹	tr	tr	-	-	tr	-	1.2 ⁰⁵	tr	-	4.8 ¹⁹	22
23	0.6 ⁰²	0.5 ⁰²	6.3 ²⁴	-	-	-	-	1.6 ⁰⁶	3.9 ¹⁵	13.5 ⁵³	-	0.2 ⁰¹	23
24	3.6 ¹⁴	5.6 ¹⁷	2.8 ¹¹	-	-	-	-	-	8.4 ³³	1.5 ⁰⁶	-	6.6 ²⁶	24
25	2.4 ¹⁰	2.1 ⁰⁸	0.7 ⁰³	-	-	0.6 ⁰²	tr	-	-	-	0.3 ⁰¹	0.1 ⁻	25
26	-	tr	-	-	-	-	-	12.2 ⁴⁸	10.7 ⁴²	0.2 ⁰¹	0.8 ⁰³	2.7 ¹¹	26
27	-	1.5 ⁰⁶	-	-	1.9 ⁰⁷	1.4 ⁰⁴	0.9 ⁰⁴	2.6 ¹⁰	6.8 ²⁷	2.8 ¹¹	8.2 ³²	0.9 ⁰⁴	27
28	0.5 ⁰²	4.2 ¹⁷	-	-	0.6 ⁰²	-	-	8.6 ³⁴	5.5 ²⁷	4.8 ¹⁹	0.5 ⁰²	0.0 ⁻	28
29	0.1 ⁻	-	0.8 ⁰³	-	-	2.3 ⁰⁹	tr	4.1 ¹⁶	10.4 ⁴¹	0.7 ⁰³	2.1 ⁰⁹	1.8 ⁰⁷	29
30	0.9 ⁰⁴	×	tr	tr	-	20.4 ⁸⁰	-	1.3 ⁰⁵	3.1 ¹²	3.3 ¹³	7.8 ³¹	1.9 ⁰⁷	30
31	tr	×	-	×	-	×	-	-	×	1.0 ⁰⁴	×	14.4 ⁵⁷	31
TOTAL	32.4	56.3	19.4	44.8	43.2	86.7	57.7	37.4	122.6	96.8	85.3	88.4	YEAR'S TOTAL
*Days with 0.2 mm. or more.	14	17	10	16	8	19	9	9	19	22	20	19	182
*Days with 1.0 mm. or more.	4	13	6	11	5	16	6	7	17	16	16	15	135

1931-40

Station No. 2790 11

E-AIR MINISTRY

NFALL IN 1931

Jan. 1, following

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

[illegible]

*See Instruction 3(g) on other side.

†Spare column, no entries required, except years' total.

(Signed) (P.T.O.)

FORM 1091

REGISTER OF RAINFALL IN 1931

Kept at Liverpool Bidston Observatory
in the County of _____

Diameter of funnel of gauge _____ in.

Height of top of gauge above ground _____ ft. _____ in.

Height of ground above sea level _____ ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
31														
1	7.0	0.1	-	1.9	-	-	-	-	0.2	.6	-	-		1
2		1.3	-	11.9	2.1	12.8	-	-	13.0	2.1	0.1	0.1		2
3	5.1	-	-	-	-	3.4	7.8	-	21.8	0.5	3.3	1.4		3
4	-	-	-	3.4	-	-	0.1	2.3	10.9	-	1.0	0.8		4
5	0.2	-	0.7	0.8	4.1	17.6	12.6	21.0	0.4	-	-	6.3		5
6	-	4.2	-	-	-	7.7	-	1.4	1.4	14.2	1.2	-		6
7	-	0.2	-	-	-	10.0	-	13.8	-	2.5	.9	0.1		7
8	0.6	2.7	-	1.2	-	0.7	1.4	10.6	-	0.2	3.5	0.1		8
9	1.7	3.1	0.1	2.4	0.9	1.6	-	5.1	0.8	3.1	2.6	-		9
10	0.2	0.6	-	-	8.9	7.0	-	1.7	3.0	-	10.1	0.1		10
11	6.2	0.9	0.1	-	-	-	1.3	-	9.0	-	6.4	0.7		11
12	1.7	1.2	-	0.1	-	-	1.4	1.8	6.0	0.8	0.5	-		12
13	-	-	0.6	-	0.2	0.6	0.5	17.6	-	-	-	-		13
14	0.3	2.6	-	-	-	42.1	2.7	19.9	3.3	-	17.9	0.1		14
15	0.7	7.3	-	4.4	3.3	-	5.0	9.8	0.6	-	-	4.9		15
16	1.8	2.3	-	3.0	1.2	0.4	1.1	9.8	5.6	-	-	-		16
17	1.2	0.1	-	1.9	7.0	0.1	0.5	3.2	1.2	-	5.5	-		17
18	2.3	-	-	-	-	7.1	9.6	3.2	-	-	7.6	-		18
19	1.5	4.5	-	-	-	0.2	0.1	17.5	-	-	-	-		19
20	0.3	1.8	0.8	-	-	0.2	2.7	.1	-	0.1	0.7	0.5		20
21	6.7	0.3	1.3	-	6.0	-	-	2.9	-	-	0.2	-		21
22	0.4	0.1	0.2	1.0	2.4	0.3	-	-	-	-	2.0	-		22
23	5.0	-	-	1.6	1.7	3.0	-	-	-	-	1.0	4.5		23
24	0.7	0.4	-	1.7	10.8	-	1.6	-	-	-	1.5	1.1		24
25	1.0	5.8	-	14.6	2.2	-	-	-	-	-	0.9	0.3		25
26	1.1	4.6	-	1.4	-	-	-	-	-	-	20.8	.4		26
27	3.4	3.7	-	.7	7.6	-	0.1	-	-	5.2	15.8	1.1		27
28	6.2	5.9	1.6	1.5	6.9	0.1	0.3	-	-	2.7	-	2.1		28
29	2.6	X	1.1	-	-	-	1.5	-	0.2	12.8	0.3	-		29
30	-	X	-	0.4	-	-	-	-	1.5	-	-	5.7		30
31	6.7	X	-	X	0.1	X	4.0	-	X	0.4	X	0.7		31
TOTAL	99	64.6	53.7	6.5	53.9	63.4	114.9	54.3	141.7	78.9	45.2	113.5	31.0 821.6	
*Days with 0.2 mm. or more														
*Days with 1.0 mm. or more														
OFFICE USE ONLY														

*See Instruction 3(g) on other side.

†Spare column, no entries required, except years' total.

(Signed) _____ (P.T.O.)

Section

A

for the entry of daily observations

METEOROLOGICAL OFFICE—AIR MINISTRY

Station No.

2790/1

FORM 1091

REGISTER OF RAINFALL IN 1932

Kept at Liverpool Bodleian Observatory
in the County of _____

Diameter of funnel of gauge _____ in.

Height of top of gauge above ground _____ ft. _____ in.

Height of ground above sea level _____ ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
32	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1	1.6	0.2	-	2.2	11.5	0.3	1.5	1.7	2.2	1.0	1.1	-		1
2	9.0	-	-	-	12.0	-	0.7	0.3	6.0	3.3	1.0	4.7		2
3	-	0.6	-	3.8	1.5	-	1.9	-	1.1	8.2	-	1.3		3
4	-	-	-	-	-	-	2.1	0.4	-	2.3	2.0	0.3		4
5	11.7	-	2.5	1.6	1.1	-	-	1.9	2.2	0.2	-	1.3		5
6	20.2	-	2.8	5.5	-	-	0.4	-	5.3	-	-	-		6
7	-	-	4.1	6.2	-	-	-	-	9.7	9.2	-	-		7
8	-	-	-	1.0	0.1	-	-	-	11.1	10.1	-	-		8
9	2.0	-	-	1.5	-	-	-	-	0.3	-	1.0	-		9
10	3.5	-	-	1.0	-	-	-	-	4.5	16.5	0.5	-		10
11	0.4	-	-	-	7.9	0.7	8.3	-	5.1	-	-	-		11
12	1.0	-	-	0.1	6.3	-	5.2	-	0.1	6.2	-	0.4		12
13	-	-	-	3.1	2.5	-	12.6	0.7	1.9	7.5	-	7.3		13
14	2.9	-	-	1.3	-	-	4.6	1.7	-	2.4	2.2	-		14
15	-	-	-	0.3	9.6	-	-	-	-	0.8	2.6	2.9		15
16	1.2	-	-	1.9	-	-	0.5	-	-	-	-	0.1		16
17	-	-	-	-	0.1	-	0.7	0.2	0.1	1.3	-	0.8		17
18	-	-	-	-	0.6	-	-	-	0.1	0.5	1.1	-		18
19	-	-	-	4.6	0.5	-	0.3	-	1.4	6.4	-	0.3		19
20	-	-	-	3.8	4.4	-	1.0	15.0	-	4.8	0.7	1.7		20
21	0.5	-	2.6	-	8.2	-	-	12.1	-	15.4	1.7	-		21
22	0.1	-	2.5	0.8	6.4	-	10.0	-	-	1.4	10.1	0.1		22
23	-	-	-	0.4	1.0	-	1.0	-	-	2.6	3.6	0.9		23
24	2.2	-	-	-	-	0.3	17.9	-	3.7	-	6.0	0.1		24
25	-	-	-	0.6	0.1	1.2	2.0	-	3.3	10.2	1.9	-		25
26	-	-	0.3	0.7	3.7	-	2.3	-	5.9	1.5	0.1	-		26
27	-	-	15.4	5.9	3.3	18.2	2.4	-	-	1.7	0.5	1.0		27
28	-	-	0.7	3.3	3.0	-	6.9	-	-	-	-	-		28
29	0.1	-	6.8	10.1	3.1	2.2	0.5	0.4	2.9	10.5	4.6	5.8		29
30	-	X	3.4	11.6	-	3.4	0.4	3.3	0.3	6.6	10.6	1.9		30
31	0.1	X	0.6	X	-	X	5.6	-	X	-	X	2.5		31
TOTAL 99	56.5	8	44.7	70.3	86.9	26.3	88.8	37.7	67.2	130.6	51.3	33.4	691.5	
*Days with 0.2 mm. or more														
*Days with 1.0 mm. or more														
OFFICE USE ONLY														

*See Instruction 3(g) on other side.

†Spare column, no entries required, except years' total.

(Signed) _____ (P.T.O.)

Section

A

for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Not telegraphic gauge.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1933.

Kept at ~~Bidston Observatory~~ (96.)in the County of ~~BIRKENHEAD~~ CheshireDiameter of Funnel of Gauge 8 in.Height of top of Gauge above Ground 1 ft. 0 in.,, Ground ,, Sea Level 198 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
33	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	~~Tr.~~	2.7	2.1	~~Tr.~~	-	~~Tr.~~	-	~~Tr.~~	~~Tr.~~	-	2.5	0.3	1
2	0.6	-	4.3	0.5	~~Tr.~~	4.2	-	0.1	-	-	~~Tr.~~	-	2
3	8.6	8.8	5.6	-	3.4	-	-	~~Tr.~~	0.1	-	~~Tr.~~	-	3
4	6.1	0.2	1.7	-	3.5	-	-	-	-	~~Tr.~~	0.3	-	4
5	2.5	0.3	2.5	-	3.1	-	-	-	-	-	1.2	-	5
6	-	4.1	2.1	~~Tr.~~	4.8	-	-	-	-	-	0.4	0.1	6
7	0.4	8.3	-	~~Tr.~~	~~Tr.~~	-	3.0	0.6	-	10.3	~~Tr.~~	0.1	7
8	1.6	0.1	5.0	0.7	0.3	~~Tr.~~	0.8	~~Tr.~~	-	-	0.2	0.4	8
9	-	5.4	~~Tr.~~	0.6	0.3	1.4	11.3	-	-	6.4	2.0	~~Tr.~~	9
10	0.2	2.8	-	-	-	1.6	1.0	-	-	26.0	0.7	-	10
11	0.4	~~Tr.~~	-	0.2	0.7	-	4.6	-	-	5.5	-	2.0	11
12	2.0	0.1	-	-	0.1	1.0	5.9	-	-	1.3	~~Tr.~~	1.6	12
13	~~Tr.~~	-	-	-	3.1	-	1.2	4.3	0.2	8.9	9.2	-	13
14	4.6	-	-	-	-	-	2.0	2.6	-	0.1	9.5	~~Tr.~~	14
15	4.6	~~Tr.~~	0.1	-	0.1	-	0.4	0.8	-	8.3	2.8	0.2	15
16	1.4	0.2	2.5	-	2.4	2.0	-	0.3	-	7.6	0.1	0.1	16
17	1.0	0.4	10.3	-	-	8.0	0.3	0.7	1.0	~~Tr.~~	0.2	0.1	17
18	1.8	~~Tr.~~	3.7	-	~~Tr.~~	4.7	~~Tr.~~	0.2	-	-	0.5	-	18
19	0.2	~~Tr.~~	5.5	0.2	-	0.1	0.6	0.2	5.2	-	3.4	1.0	19
20	-	1.5	~~Tr.~~	-	11.7	22.8	-	14.9	0.3	-	-	0.1	20
21	-	-	-	-	-	1.1	-	1.6	0.2	~~Tr.~~	~~Tr.~~	-	21
22	-	-	-	2.1	1.8	-	-	6.7	-	1.0	~~Tr.~~	-	22
23	-	-	-	4.5	-	2.0	-	-	1.2	0.9	-	-	23
24	-	5.9	-	2.5	3.5	5.5	-	-	9.7	0.8	-	-	24
25	-	3.5	-	2.0	~~Tr.~~	~~Tr.~~	-	-	3.1	-	-	4.7	25
26	-	23.0	-	3.1	~~Tr.~~	~~Tr.~~	-	-	~~Tr.~~	6.4	-	0.3	26
27	-	1.0	-	-	5.0	-	-	-	0.1	0.4	-	0.1	27
28	-	0.1	-	0.8	-	-	1.5	11.9	-	0.4	-	~~Tr.~~	28
29	0.2	X	0.1	-	-	~~Tr.~~	0.3	0.2	-	-	-	0.5	29
30	1.7	X	1.2	5.1	~~Tr.~~	0.1	1.0	-	-	3.1	-	12.5	30
31	0.3	X	1.9	X	-	X	-	0.1	X	3.0	X	0.6	31
99													YEAR'S TOTAL
TOTAL	30.2	68.4	48.6	22.3	43.8	54.5	33.9	45.2	21.1	92.4	33.0	14.7	508.1
*Days with 0.2 mm. or more.	18	15	13	12	13	10	14	13	8	16	13	11	156
*Days with 1.0 mm. or more.	10	11	13	6	10	10	9	6	5	13	4	5	105

(144W)

40-9999

THE DIRECTOR

(Signed)

19.99

P.T.O.

Section

A

for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1934.

Kept at Liverpool (Biddston) Observatory
in the County of CheshireDiameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft 0 in.
Ground Sea Level 198 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
34	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	1.7	-	-	-	Trace	-	-	2.3	3.9	1.9	17.0	16.3	1
2	Trace	Trace	1.2	-	-	-	-	6.2	1.8	0.1	4.2	6.7	2
3	1.9	Trace	-	-	-	-	-	Trace	Trace	6.2	0.5	0.7	3
4	3.0	-	1.1	0.9	1.5	-	-	Trace	0.1	15.5	-	26.3	4
5	-	-	0.2	-	0.3	-	-	18.1	-	0.4	0.1	0.5	5
6	-	-	1.3	Trace	4.5	Trace	-	Trace	-	3.5	-	4.6	6
7	6.4	0.5	-	0.7	0.8	Trace	-	Trace	-	2.5	2.4	4.4	7
8	-	-	0.2	-	6.0	7.7	-	0.8	-	5.4	10.6	0.1	8
9	Trace	Trace	2.5	Trace	-	-	-	2.0	1.6	0.6	6.6	0.1	9
10	Trace	0.2	2.5	4.7	-	-	-	21.1	-	0.4	0.6	-	10
11	0.4	-	0.8	11.0	-	-	-	1.6	Trace	-	2.4	3.4	11
12	Trace	-	2.1	1.5	-	-	0.5	1.3	-	0.2	0.1	-	12
13	3.6	-	Trace	1.2	Trace	Trace	6.9	-	-	0.6	Trace	-	13
14	2.3	-	4.6	0.1	0.1	0.2	-	-	-	1.6	0.1	0.7	14
15	2.2	0.2	5.1	Trace	8.3	Trace	0.3	1.8	5.2	4.6	Trace	3.9	15
16	5.9	-	1.3	Trace	0.7	1.0	-	0.2	Trace	2.2	0.6	2.2	16
17	1.7	-	2.8	1.5	7.2	-	3.8	Trace	2.4	0.6	Trace	2.3	17
18	4.4	-	0.2	4.2	8.5	6.2	-	0.2	0.8	Trace	-	1.5	18
19	Trace	Trace	2.5	-	2.0	3.8	Trace	0.4	3.4	1.6	-	3.2	19
20	-	-	0.1	1.2	1.1	1.5	-	-	3.5	Trace	-	-	20
21	0.1	-	1.0	-	Trace	6.0	-	1.5	5.9	1.8	-	-	21
22	0.5	-	1.3	0.1	Trace	0.2	0.2	1.5	6.2	3.3	-	1.0	22
23	Trace	-	0.7	8.6	0.2	6.5	1.3	-	0.1	6.0	-	0.6	23
24	-	2.5	0.2	0.3	0.4	0.8	0.6	-	4.0	2.7	-	-	24
25	Trace	Trace	-	2.4	0.2	-	0.1	-	2.7	2.1	-	6.3	25
26	Trace	-	0.3	4.2	-	2.4	0.7	-	0.1	0.6	-	0.1	26
27	0.5	-	-	Trace	-	1.0	0.6	Trace	-	3.3	-	5.7	27
28	0.1	-	-	0.5	-	Trace	Trace	36.2	2.0	7.5	-	8.6	28
29	-	X	-	-	-	-	2.3	-	7.0	16.2	-	1.2	29
30	3.0	X	-	Trace	-	-	Trace	Trace	6.6	25.2	-	0.1	30
31	-	X	-	X	-	X	0.4	1.2	X	4.0	X	4.3	31
TOTAL	37.7	3.4	32.0	43.1	41.8	34.3	17.4	96.4	54.3	120.6	45.2	104.8	637.3
*Days with 0.2 mm. or more.	14	3	20	14	14	12	11	16	15	27	9	21	177
*Days with 1.0 mm. or more.	11	1	13	10	8	9	4	12	14	20	6	17	125

(144W)

40-9999

(Signed) G. Kipland

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No.

2790/1

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1935.Kept at Bridston Observatoryin the County of CheshireDiameter of Funnel of Gauge 8 in.Height of top of Gauge above Ground 1 ft 0 in.,, Ground ,, Sea Level 19.8 ft.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
35	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1	4.0	0.7	~~Trace~~	~~Trace~~	~~Trace~~	0.1	5.5	-	11.6	3.8	1.1	1.9		1
2	~~Trace~~	0.4	~~Trace~~	-	-	7.3	-	-	-	0.2	0.1	4.6		2
3	1.7	<u>9.0</u>	2.2	0.3	-	5.3	-	-	4.1	~~Trace~~	2.3	9.6		3
4	-	~~Trace~~	1.6	0.5	-	4.0	-	-	1.1	3.6	~~Trace~~	1.0		4
5	-	5.2	3.4	0.3	-	-	~~Trace~~	-	5.3	1.9	6.0	7.5		5
6	-	-	~~Trace~~	2.9	-	2.3	-	~~Trace~~	0.5	0.3	-	-		6
7	-	-	-	0.2	-	1.7	-	-	-	2.6	1.9	6.2		7
8	~~Trace~~	-	-	2.5	-	~~Trace~~	-	0.9	-	0.8	4.0	0.5		8
9	1.0	0.2	-	3.0	-	1.8	-	-	-	<u>37.1</u>	1.5	~~Trace~~		9
10	-	2.3	-	~~Trace~~	-	3.3	0.3	~~Trace~~	-	1.9	1.8	-		10
11	<u>11.1</u>	~~Trace~~	-	-	-	4.3	-	0.6	-	1.5	1.7	-		11
12	1.0	1.6	-	-	-	2.0	-	-	0.1	~~Trace~~	~~Trace~~	-		12
13	3.6	0.3	-	1.8	4.0	0.1	-	~~Trace~~	2.6	0.1	~~Trace~~	-		13
14	0.5	-	-	0.2	~~Trace~~	3.3	7.4	~~Trace~~	2.2	-	12.0	3.7		14
15	~~Trace~~	4.6	-	<u>11.0</u>	0.8	-	1.3	~~Trace~~	0.9	-	~~Trace~~	<u>15.6</u>		15
16	0.3	4.6	1.7	3.2	4.1	2.3	2.0	~~Trace~~	12.9	-	12.7	0.6		16
17	~~Trace~~	-	-	4.3	<u>13.8</u>	10.8	<u>34.3</u>	5.5	0.1	0.4	<u>14.3</u>	-		17
18	-	-	-	3.6	8.8	1.0	0.4	~~Trace~~	6.8	1.5	0.2	-		18
19	-	~~Trace~~	-	2.1	8.8	10.4	5.6	-	-	11.1	3.2	0.1		19
20	~~Trace~~	4.0	~~Trace~~	9.8	-	3.1	-	-	-	-	2.7	0.4		20
21	-	4.7	-	~~Trace~~	-	-	-	-	<u>24.4</u>	2.2	0.1	3.6		21
22	0.3	5.3	~~Trace~~	-	-	-	~~Trace~~	-	1.2	~~Trace~~	-	4.8		22
23	1.0	1.2	<u>6.3</u>	-	-	-	-	1.6	3.9	13.5	-	0.2		23
24	4.6	5.0	2.9	-	-	-	-	-	8.4	1.5	-	6.6		24
25	1.4	1.6	0.8	-	-	0.7	~~Trace~~	-	-	-	0.3	0.1		25
26	-	1.0	-	-	-	-	-	<u>12.2</u>	10.7	0.2	0.8	2.7		26
27	-	0.2	-	-	1.9	1.5	0.9	2.6	6.8	2.8	8.2	0.9		27
28	0.7	4.4	-	-	0.6	-	-	8.6	5.5	5.0	0.5	-		28
29	0.1	~~Trace~~	0.8	-	-	2.3	~~Trace~~	4.1	10.4	0.7	2.1	1.8		29
30	0.9	~~Trace~~	~~Trace~~	0.2	-	<u>20.2</u>	-	1.3	3.4	3.3	7.8	1.9		30
31	~~Trace~~	~~Trace~~	~~Trace~~	~~Trace~~	-	~~Trace~~	-	-	~~Trace~~	1.0	~~Trace~~	14.4		31
99													Year's Total.	
TOTAL	32.2	56.3	19.7	45.9	42.8	87.8	54.7	37.4	122.6	94.0	85.3	88.4	773.1	
* Days with 0.2 mm. or more.	14	19	8	16	8	19	9	9	19	22	20	19	185	
* Days with 1.0 mm. or more.	9	14	6	10	6	18	6	7	17	16	16	15	140	

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No.

2790/1

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1936.

Kept at LIVERPOOL (BIDSTON) OBSERVATORY.

in the County of CHESHIRE.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 198 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
36	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1	0.2	4.8	1.2	5.4	-	0.7	0.2	8.6	0.9	-	4.9	20.6		1
2	2.2	0.1	-	3.4	-	8.8	-	0.2	0.8	-	3.9	12.7		2
3	0.4	-	-	-	-	12.4	1.9	1.0	17.2	-	-	0.5		3
4	0.6	6.0	3.3	-	-	tr.	tr.	tr.	2.8	-	6.3	5.3		4
5	2.5	2.8	1.7	-	0.5	tr.	-	7.7	3.9	-	-	2.2		5
6	0.7	-	0.1	-	0.8	tr.	2.4	1.3	7.4	-	1.4	-		6
7	-	-	2.2	-	-	-	1.1	-	6.2	-	6.4	2.6		7
8	1.6	-	7.5	-	-	-	-	-	0.6	-	6.3	1.7		8
9	8.2	-	0.1	-	-	1.0	5.1	-	5.2	-	2.9	tr.		9
10	1.1	-	-	-	-	-	1.7	-	tr.	-	2.3	-		10
11	-	-	0.1	tr.	-	3.2	7.6	1.4	2.1	-	9.0	7.2		11
12	-	-	-	tr.	2.2	7.5	8.3	-	3.8	0.4	1.8	0.3		12
13	0.9	-	-	tr.	0.4	tr.	2.5	-	0.7	4.7	-	6.6		13
14	-	-	-	0.8	-	10.9	1.3	2.2	1.2	0.3	3.5	13.3		14
15	3.0	-	-	0.8	3.0	1.5	-	tr.	2.5	-	5.7	0.8		15
16	3.8	1.5	tr.	1.2	6.3	-	1.0	tr.	-	-	12.0	0.2		16
17	1.1	8.0	-	-	0.3	-	0.2	1.7	-	0.4	0.3	0.9		17
18	0.4	2.4	-	0.7	-	tr.	15.1	9.1	-	6.2	-	-		18
19	15.2	2.7	0.5	6.6	-	6.7	0.5	4.1	-	2.8	-	-		19
20	11.0	3.5	0.3	-	-	1.1	-	-	-	0.4	-	-		20
21	13.0	-	0.2	1.9	-	14.0	-	-	-	-	tr.	2.0		21
22	1.5	10.1	1.2	tr.	tr.	9.6	9.4	-	-	-	tr.	1.9		22
23	0.1	1.2	1.8	0.5	-	tr.	6.0	-	-	0.7	tr.	-		23
24	3.2	-	-	-	0.1	-	tr.	-	4.4	2.5	tr.	-		24
25	3.6	tr.	tr.	-	-	-	0.2	-	13.2	1.7	tr.	0.4		25
26	0.1	2.8	6.6	-	-	-	3.5	-	0.2	5.7	tr.	tr.		26
27	13.0	-	tr.	-	-	-	0.6	-	1.3	4.3	0.3	-		27
28	4.3	3.2	1.8	1.3	-	2.0	0.1	-	-	1.0	-	1.5		28
29	1.1	4.8	2.9	-	tr.	7.3	-	tr.	-	0.4	1.8	0.5		29
30	2.4	X	tr.	-	12.0	21.6	5.7	0.5	-	6.3	1.2	-		30
31	4.3	X	1.8	X	tr.	X	0.5	0.2	X	tr.	X	7.3		31
99													Year's Total	
TOTAL	99.5	53.9	33.3	22.6	25.6	108.3	74.9	38.0	74.4	37.8	70.0	88.5	726.8	
* Days with 0.2 mm. or more.	25	13	14	10	8	15	21	12	18	15	17	20	188	
* Days with 1.0 mm. or more.	19	13	11	6	4	14	15	9	13	9	15	13	141	

(144w)

* See Instructions 2 (f) on other side.

† Spare column, no entries required.

(Signed)

40-9999

[P.T.O.]

Section **A** for the entry of Daily Observations.Station No. **248**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1937.

Burkenhead.
Kept at Liverpoolin the County of CheshireDiameter of Funnel of Gauge 8 in.Height of top of Gauge above Ground 1 ft. — in.,, Ground ,, Sea Level 198 ft. — mm.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. r, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
37	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1	0.2	3.8	1.6	—	—	—	0.1	—	4.0	3.1	0.3	1.8		1
2	—	2.8	3.3	7.9	—	0.8	0.5	—	2.1	—	0.1	0.1		2
3	—	3.0	—	0.5	4.4	3.7	2.7	—	0.8	—	—	0.5		3
4	4.7	—	—	0.2	1.8	—	0.2	0.1	—	—	—	13.2		4
5	15.4	—	3.4	5.0	—	1.3	1.4	—	—	—	—	27.0		5
6	0.4	—	0.1	1.0	3.3	1.9	0.1	—	—	—	0.1	0.4		6
7	—	11.4	—	1.0	—	2.3	—	—	0.5	—	—	0.2		7
8	—	11.3	—	1.7	—	1.0	4.1	—	—	—	2.7	—		8
9	—	2.5	0.1	0.6	4.8	3.9	3.0	3.1	—	—	—	—		9
10	0.1	3.9	0.1	0.1	—	0.2	—	—	—	—	—	6.4		10
11	—	—	6.3	—	12.0	1.5	0.3	—	—	—	0.3	0.2		11
12	1.7	8.2	0.2	—	—	7.5	0.2	1.4	22.7	—	—	5.0		12
13	—	2.3	—	1.0	—	0.9	—	9.6	—	—	—	8.2		13
14	—	2.1	0.1	—	—	—	0.1	0.5	0.1	0.2	1.0	2.2		14
15	1.4	4.1	0.7	8.5	—	—	11.9	0.4	7.8	—	—	3.6		15
16	0.2	2.7	6.6	10.1	—	—	—	3.9	4.0	—	—	0.2		16
17	1.3	1.8	1.9	7.0	—	—	—	0.2	2.2	—	—	0.4		17
18	2.8	4.5	0.5	1.1	—	—	3.0	3.1	—	0.2	10.5	0.5		18
19	0.2	1.8	2.5	9.7	2.2	12.0	—	0.5	2.3	—	2.2	—		19
20	0.8	2.3	—	7.3	29.6	—	4.4	—	0.2	—	0.1	0.9		20
21	0.3	6.5	1.5	2.3	—	1.3	3.0	—	0.2	2.7	—	0.6		21
22	1.7	1.7	1.8	—	2.0	0.2	0.9	—	—	2.2	5.2	1.6		22
23	1.6	—	0.2	—	21.5	—	2.4	—	—	13.9	3.3	0.1		23
24	7.1	9.2	0.5	—	—	—	1.2	—	4.0	14.0	—	0.2		24
25	0.1	10.3	—	—	—	—	—	11.9	0.2	0.7	—	0.2		25
26	—	5.9	1.9	—	5.7	—	—	—	—	4.6	0.1	—		26
27	—	10.7	—	6.6	—	—	—	—	—	8.2	—	—		27
28	—	0.4	—	—	—	0.9	—	—	—	2.8	—	—		28
29	0.9	X	—	—	—	0.7	—	4.7	—	3.8	4.4	—		29
30	3.1	X	—	—	—	6.0	—	—	2.1	1.1	7.3	—		30
31	3.3	X	—	X	—	X	—	1.9	X	1.0	X	—		31
TOTAL	99	47.3	113.2	33.3	71.6	87.3	46.1	39.6	41.3	53.2	58.5	37.7	702.5	✓
* Days with 0.2 mm. or more.	18	23	14	17	10	17	15	12	14	14	10	20	184	✓
* Days with 1.0 mm. or more.	11	22	10	14	10	11	10	8	9	11	8	9	133	✓

COPY FOR OFFICIAL USE.

Section



for the entry of Daily Observations.

Station No. 2790/1

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1938.

Kept at ... Birkenhead (Bidston Clwyd)

in the County of ... Cheshire

Diameter of Funnel of Gauge ... 8 in.

Height of top of Gauge above Ground ... 1 ft. ... in.

,, Ground ,, Sea Level ... 19.8 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
38	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1	—	0.1	—	—	—	21.5	—	11.7	0.7	1.9	2.1	3.1		1
2	—	1.2	—	5.0	—	3.2	0.7	—	—	8.4	0.1	4.9		2
3	0.1	—	—	—	—	0.7	2.1	—	0.1	10.8	2.3	—		3
4	0.1	—	—	0.3	—	1.7	4.6	—	—	0.7	—	13.4		4
5	1.8	—	—	—	—	—	0.7	13.7	1.9	1.8	—	0.5		5
6	4.5	—	—	—	—	0.1	11.1	—	8.0	1.9	—	—		6
7	4.7	—	0.1	—	—	—	7.1	5.6	1.4	0.7	—	—		7
8	7.0	0.3	—	—	—	0.8	5.2	12.1	—	10.3	—	13.9		8
9	0.3	2.1	0.8	—	—	2.5	3.7	23.2	—	0.2	—	4.3		9
10	2.2	2.1	0.3	—	—	0.1	8.1	—	0.7	—	—	7.1		10
11	6.1	0.1	—	—	4.1	1.6	—	1.8	0.3	3.4	1.4	2.0		11
12	0.8	—	—	—	1.9	—	—	—	—	14.7	7.1	—		12
13	0.5	—	—	—	1.9	—	0.9	—	0.5	—	2.0	0.9		13
14	5.9	—	—	—	1.2	—	0.4	—	0.1	—	1.1	—		14
15	2.4	—	—	—	0.7	—	1.0	2.4	—	1.5	0.4	2.2		15
16	3.7	—	3.6	—	2.7	—	3.1	0.7	2.1	1.0	0.7	0.4		16
17	—	—	—	—	0.8	—	1.0	0.5	0.2	10.2	—	1.1		17
18	—	—	—	—	1.3	0.4	—	4.2	—	3.8	5.3	—		18
19	—	—	—	—	—	—	—	1.1	1.0	—	—	—		19
20	0.9	—	2.5	—	—	—	—	0.5	2.1	—	5.6	—		20
21	—	—	0.5	—	—	0.8	—	9.1	0.2	—	8.4	—		21
22	—	—	—	0.3	0.4	7.9	—	—	—	0.5	8.1	—		22
23	—	—	—	—	1.2	2.0	—	—	6.5	—	2.1	—		23
24	0.7	0.5	6.8	—	—	—	—	16.8	0.8	3.3	0.8	—		24
25	0.2	1.9	4.8	—	0.4	—	7.4	—	—	8.7	15.5	2.5		25
26	0.9	2.0	6.5	—	8.2	6.5	—	—	3.2	9.1	5.0	2.2		26
27	5.2	0.4	—	—	13.7	—	1.8	5.4	—	—	4.8	—		27
28	2.7	0.1	—	—	—	9.7	6.3	0.4	—	0.5	0.2	2.6		28
29	14.6	X	—	—	22.1	2.7	2.9	—	0.3	3.7	1.8	4.8		29
30	0.9	X	—	—	0.2	—	—	0.9	12.5	—	6.0	1.7		30
31	2.5	X	—	X	6.6	X	—	—	X	4.7	X	16.6		31
99													Year's Total	
TOTAL	68.7	10.8	25.9	5.6	67.5	67.2	68.9	110.1	42.6	101.8	80.8	84.2	734.1	
* Days with 0.2 mm. or more.	21	8	8	3	16	14	12	17	16	22	20	18	181	✓
* Days with 1.0 mm. or more.	13	5	5	1	11	10	14	12	8	17	16	15	127	✓

(141w)

* See Instruction 2 (f) on other side.

† Spare column, no entries required, except year's total.

40-9999.

2790

43

1.02

22

2.66

2.65

5.27

1.67

(Signed)

4.33

1.68

4.01

3.18

5.31

7.60

P.T.O.

Section



for the entry of Daily Observations.

Station No. 2790/1

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1939.

Kept at Birkenhead (Bidston Cliff)

in the County of Merseyside

Diameter of Funnel of Gauge.....8.....in.

Height of top of Gauge above Ground.....1.....ft.....0.....in.

" Ground " Sea Level 19.2.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
39														
1	9.1	-	0.5	6.6	-	-	0.7	-	0.3	-	-	0.6		1
2	0.8	-	0.8	3.8	-	-	2.2	27.2	5.6	-	-	1.1		2
3	5.6	-	2.8	5.7	-	-	0.2	5.5	-	-	0.8	13.5		3
4	3.6	0.1	3.4	5.8	4.2	-	6.3	-	-	5.2	5.8	7.7		4
5	-	-	-	0.3	5.4	-	17.7	0.4	-	0.6	7.1	0.1		5
6	13.2	0.2	-	-	-	-	6.5	-	-	-	1.2	-		6
7	0.2	0.7	-	-	0.3	-	2.9	0.1	-	-	2.3	9.6		7
8	1.5	4.3	6.8	0.8	-	-	18.0	0.5	-	4.3	4.1	3.7		8
9	2.0	2.3	-	-	-	-	-	9.2	-	8.5	-	8.5		9
10	9.3	-	0.1	-	-	0.8	-	5.0	4.4	3.6	0.6	5.6		10
11	7.3	0.5	5.8	-	-	1.2	-	-	-	4.0	-	-		11
12	11.9	1.2	-	0.6	-	3.1	-	-	1.4	-	0.7	-		12
13	-	-	0.6	6.4	5.8	2.4	4.7	-	5.2	2.5	2.1	-		13
14	9.2	-	-	-	5.3	17.2	14.3	-	-	0.9	9.7	-		14
15	3.4	0.3	-	3.3	1.2	14.6	8.9	-	-	-	5.7	-		15
16	0.3	-	1.8	-	5.7	-	1.8	-	-	3.2	3.0	-		16
17	12.6	0.6	-	-	4.1	3.3	-	-	-	17.5	0.4	-		17
18	3.4	2.0	0.9	-	-	9.0	6.2	-	-	-	22.7	-		18
19	5.4	-	-	-	-	-	7.7	-	-	-	0.6	-		19
20	2.2	-	1.2	-	-	1.4	6.4	3.3	-	-	-	-		20
21	1.7	-	7.2	0.8	1.1	-	-	0.7	2.1	-	-	-		21
22	3.2	13.6	1.5	2.3	-	-	2.8	-	-	0.1	11.8	-		22
23	1.0	7.4	1.0	1.4	-	1.7	2.4	-	-	8.1	5.6	-		23
24	-	2.1	0.1	-	-	0.1	-	-	-	4.2	4	-		24
25	1.0	1.7	-	11.2	-	0.1	0.1	-	-	0.7	8.9	0.1		25
26	-	-	-	-	-	-	-	0.2	-	-	2.2	0.5		26
27	0.1	14.4	2.3	-	-	5.5	4.4	2.0	-	-	1.8	4.5		27
28	-	3.1	3.0	0.3	-	2.9	8.1	-	-	-	12.2	2.5		28
29	-	X	-	2.1	-	0.7	29.8	-	-	1.7	1.2	-		29
30	-	X	-	-	-	0.4	0.8	-	-	-	1.1	0.7		30
31	-	X	-	X	-	X	2.5	1.4	X	0.8	X	-		31
99													Year's Total	
TOTAL	108.0	54.5	39.5	51.4	33.1	64.4	155.4	55.5	19.0	65.9	112.0	58.7	817.4	
* Days with 0.2 mm. or more.	22	15	15	15	9	14	22	11	6	15	24	12	180	
* Days with 1.0 mm. or more.	19	10	11	10	8	11	19	7	5	11	18	9	138	

(141w)

* See Instruction 2 (f) on other side.

Spare column, no entries required, except year's total.

40-9999. 2.15 1.56 2.02 1.30 2.54 6.12 (Signed) 2.59 4.41 2.31 32.19 P.T.O.

COPY FOR OFFICIAL USE

Section

A

for the entry of Daily Observations

Station No. 2488 2490/1

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1091.

REGISTER OF RAINFALL IN 19340

Kept at Birkenhead (Bidston Oks)

in the County of Cheshire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

Ground Sea Level 198 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
40	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1	-	-	-	0.7	-	-	-	-	0.3	-	4.4	2.0		1
2	-	-	-	3.5	-	-	1.6	-	-	-	3.0	5.6		2
3	-	2.0	-	3.3	-	-	0.6	-	-	0.7	1.7	1.1		3
4	-	3.1	-	0.2	-	-	0.2	-	-	2.9	5.0	0.8		4
5	0.2	-	-	-	4.4	-	4.0	-	-	3.4	7.1	1.8		5
6	2.4	7.0	-	-	-	-	1.8	-	-	19.5	1.7	0.6		6
7	0.3	10.1	-	3.5	1.9	-	-	-	2.6	1.5	-	0.4		7
8	0.1	-	-	-	-	-	-	-	2.2	9.2	0.1	5.4		8
9	-	-	5.6	1.3	-	-	24.0	0.7	0.3	8.7	30.1	6.2		9
10	-	-	1.1	-	-	-	4.6	0.3	-	6.9	4.0	3.4		10
11	-	-	0.8	0.7	-	0.3	5.7	-	-	-	20.8	0.6		11
12	-	-	4.1	-	-	9.3	9.0	1.6	6.2	-	4.1	-		12
13	-	-	5.0	-	-	-	-	1.1	4.5	-	3.1	0.3		13
14	-	-	1.7	2.2	3.5	-	-	2.5	1.7	0.4	4.8	1.6		14
15	-	-	-	0.6	22.8	0.7	-	-	2.5	-	2.0	0.2		15
16	-	4.3	5.6	-	-	-	4.4	-	12.5	7.6	3.8	1.6		16
17	-	-	13.8	0.9	-	-	0.9	-	0.4	-	10.0	-		17
18	1.5	6.7	4.0	4.5	-	-	0.2	8.0	6.7	-	-	5.2		18
19	-	6.9	3.4	0.5	-	0.1	3.4	-	3.3	0.3	2.7	-		19
20	-	-	-	6.8	-	0.3	4.0	0.5	2.9	12.0	0.7	-		20
21	-	-	1.1	-	1.5	9.3	-	1.3	-	-	16.3	-		21
22	-	2	0.7	-	4.5	4.2	-	1.0	1.0	0.1	-	-		22
23	1.1	1.0	0.2	5.7	-	-	3.9	-	3.2	-	2.1	-		23
24	2.5	-	0.9	0.1	0.3	-	0.3	-	-	-	-	-		24
25	0.6	-	-	0.4	4.3	0.3	-	-	0.1	-	-	0.4		25
26	26.5	1.9	-	-	1.1	-	8.2	0.4	-	-	0.7	-		26
27	15.7	8.7	-	-	-	-	-	-	-	-	5.1	-		27
28	10.2	3.0	-	-	10.2	-	-	0.3	-	-	-	-		28
29	0.1	-	8.0	1.7	-	3.3	0.7	-	-	1.4	-	8.6		29
30	-	X	-	7.4	0.4	-	-	-	-	4.7	-	1.6		30
31	1.2	X	1.2	X	0.4	X	-	1.6	X	16.1	X	0.2		31
99													Year's Total	
TOTAL	62.4	54.9	54.2	44.0	55.3	27.8	77.4	19.3	50.4	95.4	133.3	47.6	725.0	
* Days with 0.2 mm. or more.	11	12	16	17	12	8	18	12	15	15	21	20	177	
* Days with 1.0 mm. or more.	8	11	12	10	9	4	12	7	12	12	19	12	128	

(141w)

* See Instruction 3 (f) on other side.

† Spare column, no entries required, except year's total.

246 246 225 143 248 109 305 (Signed) 76 199 376 525 187 28 55 [P.T.O.]

Section **A** for the entry of
AIR MINISTR

FORM 1090.

REGIS

Kept at *Hoylake*
in the County of *Ches*

Diameter of Funnel of Gauge.....
Height of top of Gauge above Ground
,, Ground ,, Sea I

THE MORNING MEASU

An observer who does not conform to
year in the space on the right of the

2791
FOR OFFICIAL USE.
ORGANIZATION.

247

2791
HOYLAK
1931 — 40

Jan. 1, following

flowing

780414

Date	Jan.	Feb.	March								Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	.29												I
2													2
3								1.10					3
4													4
5												.30	5
6													6
7													7
8													8
9													9
10													10
II													II
12													12
13							1.30						13
14					2.00								14
15													15
16													16
17													17
18							.47						18
19													19
20			.07										20
21													21
22													22
23													23
24													24
25		.34		.67									25
26											.86		26
27	.29				.45								27
28		.34	.07										28
29										.49			29
30		X											30
31		X		X		X		X		X			31
TOTAL	2.76	2.52	0.34	2.44	2.08	4.66	1.83	5.61	3.59	1.78	4.70	1.53	YEAR'S TOTAL
*Days with or in. or more.	24	20	9	16	17	16	18	17	14	12	21	18	202
*Days with .04 in. or more.	18	17	4	13	11	13	9	14	11	7	19	10	146

40-9999 70.1 64.0 8.6 62.0 52.8 118.4 46.5 142.5 91.2 45.2 119.4 38.9 869.6
(Signed) [R.T.O.]

*See Instruction 2 (f) on other side.

Section

A

for the entry of

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL

2791
FOR OFFICIAL USE.

ORGANIZATION.

FORM 1000.

REGISTER OF RAINFALL IN 193/ .

247

Kept at Hoylake
in the County of Cheshire

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
,, Ground ,, Sea Level 30 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.29												1
2													2
3									1.10				3
4													4
5												.30	5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13								1.30					13
14						2.00							14
15													15
16													16
17													17
18							.47						18
19													19
20			.07										20
21													21
22													22
23													23
24													24
25		.34		.67									25
26											.86		26
27	.29				.45								27
28		.34	.07										28
29									.49				29
30		X											30
31		X		X		X			X		X		31
TOTAL	2.76	2.52	0.34	2.44	2.08	4.66	1.83	5.61	3.59	1.78	4.70	1.53	YEAR'S TOTAL 33.84
* Days with or in. or more.	24	20	9	16	17	16	18	17	14	12	21	18	202
* Days with or in. or more.	18	17	4	13	11	13	9	14	11	7	19	10	146

40-9999 70.1 64.0 8.6 62.0 52.8 118.4 46.5 142.5 91.2 45.2 119.4 38.9 869.6
(Signed) [R.T.O.]

*See Instruction 2 (f) on other side.

Section

A

for the entry of Daily Observations.

2791
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1

REGISTER OF RAINFALL IN 1932.

247

Kept at Hoylake
in the County of Cheshire

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
,, Ground ,, Sea Level 30 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					.78								1
2													2
3		.06											3
4													4
5													5
6	.74												6
7			.56						.65	.70			7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20								.54					20
21													21
22											.44		22
23													23
24							.70						24
25													25
26													26
27						.25							27
28													28
29				.33								.29	29
30		X											30
31		X		X		X			X		X		31
TOTAL	2.55	0.06	1.68	2.95	3.50	0.58	3.56	1.25	2.45	5.45	2.28	1.27	27.58
*Days with .01 in. or more:	12	1	11	23	17	6	22	9	18	23	18	15	175
*Days with .04 in. or more:	10	1	9	20	15	4	17	6	14	19	16	9	140

40-9999 64.8 1.5 42.7 74.9 88.9 14.7 90.4 31.8 62.2 138.4 57.9 32.3

*See Instruction 2 (f) on other side.

(Signed)

P.T.O.

REGISTER OF RAINFALL IN 1933.

Kept at Boylake
in the County of Cheshire

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
Ground „ Sea Level 23 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3													3
4	0.26												4
5													5
6													6
7							47						7
8													8
9													9
10										1.01			10
11													11
12													12
13											37		13
14													14
15													15
16													16
17													17
18													18
19			51										19
20					41	42		56					20
21													21
22													22
23				18									23
24								55					24
25													25
26		97											26
27													27
28													28
29													29
30		X										28	30
31		X		X		X			X		X		31
TOTAL	1.50	2.95	2.07	0.96	1.34	1.63	1.23	1.73	0.89	3.60	1.23	0.95	20.08
*Days with "or in. or more.	17	14	14	12	13	10	10	10	8	15	14	9	146
*Days with "04 in. or more.	12	11	13	8	8	9	8	8	5	14	9	7	112

40-9999 38.1

(Signed)

*See Instruction 2 (f) on other side.

P.T.O.

FORM 1090

REGISTER OF RAINFALL IN 1934.

Kept at Hoylake
in the County of Cheshire

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
Ground Sea Level 23 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1											.97	.85	1
2													2
3													3
4													4
5													5
6													6
7	.26	.15											7
8													8
9													9
10													10
11				.44									11
12													12
13													13
14			.28										14
15					.37								15
16													16
17							.58						17
18													18
19													19
20													20
21									.41				21
22													22
23						.39							23
24													24
25													25
26													26
27													27
28								1.26					28
29													29
30		X								.90			30
31		X		X		X			X		X		31
TOTAL	1.66	0.28	1.49	1.74	1.83	1.44	1.32	3.78	2.18	4.43	2.30	4.14	26.59
*Days with .01 in. or more.	15	4	21	13	15	10	11	17	18	28	9	23	184
*Days with .04 in. or more.	13	2	15	9	10	7	8	13	14	21	8	17	137



for the entry of Daily Observations.

Station No. 247

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1935.

Kept at Weylakein the County of Cheshire

Diameter of Funnel of Gauge _____ in.

Height of top of Gauge above Ground _____ ft. _____ in.

Ground Sea Level 23 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3		.41												3
4														4
5														5
6														6
7														7
8														8
9										1.60				9
10														10
11	0.44													11
12														12
13														13
14														14
15				.46								.60		15
16														16
17					.41		.98				.95			17
18														18
19														19
20														20
21									1.45					21
22														22
23			.20											23
24														24
25														25
26								.46						26
27														27
28														28
29														29
30		X				.81								30
31		X		X		X			X		X			31
TOTAL	1.44	2.35	0.76	1.80	1.76	3.58	1.77	1.18	5.67	4.11	3.48	3.20	31.10	Year's Total
*Days with .01 in. or more.	13	18	8	16	7	20	10	9	20	22	20	19	182	
*Days with .04 in. or more.	9	14	7	13	7	15	8	7	16	19	17	17	149	

† Spare column, no entries required.

(Signed)

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No. 2791 247

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Haylake

in the County of Cheshire

Diameter of Funnel of Gauge in.

Height of top of Gauge above Ground ft. in.

Ground Sea Level 23 ft.

mm.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1												.92		1
2														2
3									.62					3
4														4
5								.28						5
6														6
7														7
8			.34											8
9														9
10														10
11														11
12														12
13														13
14														14
15														15
16					.43						.43			16
17														17
18							.56							18
19				.28										19
20														20
21	.76													21
22		.47				.65								22
23														23
24														24
25														25
26														26
27										.39				27
28														28
29														29
30		X												30
31		X		X		X			X		X			31
TOTAL	4.28	2.22	1.62	0.89	1.11	3.72	2.81	1.29	3.25	1.76	2.56	3.70	29.21	✓
* Days with .01 in. or more.	22	14	14	9	8	16	21	11	18	14	19	18	184	✓
* Days with .04 in. or more.	16	11	10	8	5	12	13	7	17	9	15	13	136	✓

Section

A

for the entry of Daily Observations.

Station No.

2791
247

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1937.

Kept at Haylake (Recreation Gd.)in the County of Cheshire

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft. 0 in.,, Ground ,, Sea Level 23 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1														1
2														2
3														3
4														4
5	.64											.88		5
6														6
7														7
8														8
9														9
10														10
11			.34											11
12									.81					12
13								.60						13
14														14
15				.45			.41							15
16														16
17														17
18											.33			18
19						.23								19
20					1.15									20
21														21
22														22
23										.68				23
24														24
25														25
26														26
27		.58												27
28														28
29														29
30		X												30
31		X		X		X			X		X			31
TOTAL	1.96	4.47	1.58	2.64	3.03	.87	1.50	1.44	2.39	2.47	1.42	2.77	26.54	Year's Total
* Days with 0.2 mm. or more.	17	24	15	16	11	15	16	9	15	12	10	16	176	
* Days with 1.0 mm. or more.	10	22	10	10	10	6	10	7	11	10	9	10	125	

(141w) * See Instruction 2 (f) on other side.

† Spare column, no entries required, except year's total.

(Signed) [P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 2791

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 100

REGISTER OF RAINFALL IN 1938

Kept at Hoylake (Recreation Gd)

in the County of ...Cheshire

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....1.1ft.....0.....in.

,, Ground ,, Sea Level 23.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1						1.33								1
2				14										2
3														3
4														4
5								70						5
6														6
7														7
8														8
9		16												9
10														10
11														11
12										61				12
13														13
14														14
15														15
16														16
17														17
18														18
19														19
20														20
21														21
22														22
23														23
24														24
25							64				49			25
26														26
27														27
28														28
29	59				91									29
30		X							54					30
31		X		X		X			X		X	57		31
TOTAL	3.37	3.38	1.01	14	2.11	2.87	2.69	4.81	1.84	3.91	3.13	3.28	29.57	Year's Total
* Days with .01 in. or more.	20	10	9	3	16	19	16	16	17	22	20	19	187	
* Days with .04 in. or more.	18	4	6	1	10	11	12	14	10	16	16	15	133	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) [P.T.O.]

Section



for the entry of Daily Observations

Station No.

2491

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Boylake (Recreation Ground)
in the County of Wiltshire

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....1 ft. 0.....in.

,, Ground ,, Sea Level 2.3.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2								2.19	.41					2
3												.50		3
4														4
5														5
6														6
7														7
8														8
9														9
10														10
11														11
12	.63													12
13														13
14					.38	.84								14
15														15
16														16
17										.81				17
18											.79			18
19														19
20														20
21			.35											21
22		.52												22
23														23
24														24
25				.31										25
26														26
27														27
28														28
29							.98							29
30		X												30
31		X		X		X			X		X			31
TOTAL	4.43	1.97	1.54	1.98	1.76	2.71	5.58	3.18	.76	2.58	4.31	1.95	32.75	✓
* Days with .01 in. or more.	22	16	14	14	9	15	21	11	7	17	22	13	181	✓
* Days with .04 in. or more.	19	11	11	10	8	10	20	10	4	13	17	10	143	✓
Year's Total														

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) [C.T.O.]

Section

A

for the entry of Daily Observations

Station No. 2791

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1934

Kept at Hoglake (Recreation Ground)in the County of Cheshire

Diameter of Funnel of Gauge.....5 in.

Height of top of Gauge above Ground.....1 ft. 0 in.

,, Ground ,, Sea Level 23 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1														1
2												.28		2
3														3
4														4
5														5
6										.75				6
7		.48												7
8														8
9							.85				1.15			9
10														10
11														11
12														12
13														13
14														14
15					.76				.45					15
16														16
17			.52											17
18								.28						18
19														19
20														20
21						.27								21
22														22
23														23
24														24
25														25
26	.82													26
27														27
28														28
29														29
30		X												30
31		X		X		X			X		X			31
TOTAL	2.88	2.31	2.06	2.07	2.41	.76	3.09	.64	2.53	3.72	5.13	2.24	29.84	✓
* Days with .01 in. or more.	12	13	16	17	14	7	19	10	12	15	23	21	179	✓
* Days with .04 in. or more.	9	11	10	13	9	4	13	6	12	12	20	15	134	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

P.T.O.

WALLASEY (CA)

Section **A** for the entry of
AIR MINIST
FORM 1090.

Kept at **14 CAITHNESS**
in the County of **CHESHIRE**

Diameter of Funnel of Gauge.....
Height of top of Gauge above Gr
Ground " Se

THE MORNING MEASUR

An observer who does not conform
year in the space on the right of the

PI

ation No. **2791/5**
ORGANIZATION.

2791/5

WALLASEY, CAITHNESS DRIVE

1936-39

Jan. 1, following

following

780414

Date	Jan.	Feb.	Mar.	A								Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1											.36	.84		1
2											.18	.50		2
3											-	.02		3
4											.23	.31		4
5											-	.24		5
6											.07	-		6
7											.27	.11		7
8											.30	.06		8
9											.23	.02		9
10											.16	-		10
11											.43	.22		11
12											.12	.03		12
13											TR	.24		13
14											.19	.74		14
15											.24	.03		15
16											.69	-		16
17											.02	.06		17
18											-	-		18
19											-	-		19
20											-	-		20
21											-	.05		21
22											-	.11		22
23											-	-		23
24											-	-		24
25											-	.03		25
26											-	-		26
27											TR	-		27
28											.05	.11		28
29											.10	.02		29
30		X									.07	-		30
31		X		X	X	X		X		X	X	.44		31
TOTAL											3.71	4.78	Year's Total	
* Days with .01 in. or more.											17	20		
* Days with .04 in. or more.											16	14		

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

Harry Procter

[P.T.O.]

WALLASEY (CH)

2791/5
2783/5

Section

A

for the entry of Daily Observations.

ation No.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1936.

Kept at 14 CAITHNESS DRIVE WALLASEY

in the County of CHESHIRE 13

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

Ground Sea Level 75 ft.

Previously at Wallasey

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1											.36	.84		1
2											.18	.50		2
3											—	.02		3
4											.23	.31		4
5											—	.24		5
6											.07	—		6
7											.27	.11		7
8											.30	.06		8
9											.23	.02		9
10											.16	—		10
11											.43	.22		11
12											.12	.03		12
13											TR	.24		13
14											.19	.74		14
15											.24	.03		15
16											.69	—		16
17											.02	.06		17
18											—	—		18
19											—	—		19
20											—	—		20
21											—	.05		21
22											—	.11		22
23											—	—		23
24											—	—		24
25											—	.03		25
26											—	—		26
27											TR	—		27
28											.05	.11		28
29											.10	.02		29
30		X									.07	—		30
31		X		X		X			X		X	.44		31
TOTAL											3.71	4.18	Year's Total	7.89
* Days with .01 in. or more.											17	20		
* Days with .04 in. or more.											16	14		

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

Harry Procter

[P.T.O.]

Section



for the entry of Daily Observations

Station No. 2791/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at 14 CAITHNESS DRIVE, WALLASEY

in the County of CHESHIRE/3

Diameter of Funnel of Gauge 5 in.s

Height of top of Gauge above Ground 1 ft. 1 in.

Ground Sea Level 75 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.02	.15	.06	—	—	—	TRACE	—	.35	.22	.01	.04		1
2	.01	.15	.16	.33	—	TRACE	—	—	.02	—	TRACE	.01		2
3	—	.15	—	—	.15	.25	.08	—	.05	—	—	.06		3
4	.23	—	.01	.02	.14	—	.01	TRACE	TRACE	—	—	.50		4
5	.73	—	.15	.18	—	.03	.05	—	—	—	—	HAUL SLEET .78		5
6	.03	—	—	.05	.12	TRACE	—	—	—	—	TRACE	.01		6
7	—	.41	—	.17	—	.09	—	—	.04	—	—	SNOW .02		7
8	—	.41	—	.06	—	.04	.15	—	—	—	.10	TRACE		8
9	—	.17	.02	.03	.16	.10	.09	.14	TRACE	—	—	—		9
10	TRACE	.21	(SNOW) TRACE	—	—	.07	—	—	—	—	—	SLEET .32		10
11	—	—	.25	—	.49	.01	.01	—	—	—	.01	—		11
12	.07	.41	.03	—	—	.47	.02	.06	1.08	—	—	RAIN & SLEET .16		12
13	—	.11	.01	.03	—	.01	—	.53	.06	—	—	RAIN .32		13
14	—	.10	TRACE	—	—	—	TR	.07	.07	—	.05	.09		14
15	.08	.28	.02	.39	—	—	.68	—	.41	—	—	RAIN & SLEET .12		15
16	—	.18	.29	.46	—	—	—	.16	.12	—	—	—		16
17	X	.06	.10	.34	—	—	—	—	.05	—	—	.02		17
18	X	.18	.02	.03	—	—	.11	.18	.01	.01	.44	.01		18
19	X	.04	.20	.34	.20	.46	—	.01	.01	—	.13	—		19
20	X	.03	TRACE	.25	1.15	—	.32	—	—	—	.03	.05		20
21	✓	.28	SNOW .10	.14	.06	—	.13	—	.02	.11	—	.02		21
22	X	.04	.01	—	.07	.01	—	—	—	.11	.15	.08		22
23	X	—	.02	—	.58	—	.09	—	—	.73	.09	—		23
24	.57	.43	.03	—	—	—	.17	—	.28	.53	—	.01		24
25	—	.49	.01	—	—	—	—	.35	.01	.04	—	—		25
26	—	.30	.18	—	.23	—	—	.01	—	.08	.01	.01		26
27	—	SEE NOTE .82	—	.40	—	—	—	—	—	.28	—	—		27
28	—	.06	TRACE	—	—	TRACE	—	—	—	.11	—	—		28
29	SNOW .02	X	—	—	—	—	—	—	—	.26	.19	—		29
30	SNOW .12	X	—	—	—	.30	—	TRACE	.02	.07	.40	—		30
31	.11	X	—	X	TRACE	X	—	.03	X	.02	X	—		31
TOTAL	1.99	5.46	1.67	3.22	3.35	1.84	1.91	1.54	2.60	2.57	1.61	2.63	Year's Total 30.39	
* Days with .01 in. or more.	(18)	23	19	16	11	12	13	10	16	13	12	19	182	
* Days with .04 in. or more.	(13)	22	9	12	11	8	10	7	10	11	8	11	132	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

Harry Procter

[P.T.O.]

H. PROCTER ESQ

Section



for the entry of Daily Observations

Station No. 2791/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at 14 CAITHNESS DRIVE WALLASEY

in the County of CHESHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

Ground Sea Level 75 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	.01	—	—	—	.96	—	.29	TR	.07	.14	.25		1
2	—	.13	—	.26	—	.09	.03	—	TR	.46	.10	.13		2
3	TR	—	—	—	—	.03	.06	—	.20	.60	.13	.01		3
4	TR	—	—	.03	—	.05	.22	—	—	.04	—	.73		4
5	.03	—	—	—	—	—	.02	1.27	.13	.39	—	.03		5
6	.14	TR	—	TR	—	—	.28	—	.22	.10	—	.03		6
7	.33	—	TR	—	—	—	.33	.05	.04	.02	—	TR		7
8	.33	—	—	—	—	—	.46	.34	—	.43	—	.58		8
9	—	.18	.15	—	—	.18	.25	2.22	—	.01	—	.16		9
10	.12	.11	.01	—	—	.03	.37	TR	.04	TR	—	.29		10
11	.14	.02	TR	—	.20	.02	.01	—	.01	.20	.08	.06		11
12	.03	—	—	—	.07	—	—	.01	—	.83	.38	TR		12
13	.04	—	—	TR	.13	—	.01	—	.01	.01	.05	.03		13
14	.27	—	—	—	.07	—	.05	—	.01	—	.06	—		14
15	.17	—	TR	—	TR	—	.04	✓	—	.10	TR	.12		15
16	.14	—	.15	—	.03	—	.17	✓	.10	TR	.01	.03		16
17	—	—	—	—	TR	—	.06	—	.02	.37	—	.03		17
18	TR	—	—	—	.08	TR	—	✓	—	.13	.27	—		18
19	—	—	—	—	—	—	—	✓	.03	—	—	.01		19
20	.05	—	.09	—	—	—	—	✓	—	—	.18	—		20
21	—	—	.03	—	—	.02	—	✓	.01	—	.21	TR		21
22	—	—	—	.02	.03	.31	—	✓	—	.01	.45	—		22
23	—	—	—	—	.05	.16	—	—	.27	TR	.14	—		23
24	.03	.08	.30	—	.01	—	—	✓	.04	.10	.06	—		24
25	.03	.06	.22	—	TR	—	.33	—	—	.44	.67	✓		25
26	.08	.14	.33	—	.37	.05	—	—	.09	.43	.06	✓		26
27	.27	.03	—	—	.56	.23	.09	✓	.03	—	.31	1.26		27
28	.59	.01	TR	—	—	.50	.21	1.79	—	—	—	.11		28
29	.52	✗	—	—	1.24	.06	.12	—	.01	.16	.09	.21		29
30	.03	✗	—	—	—	—	—	TR	.55	—	.24	.12		30
31	.12	✗	—	✗	.33	✗	—	—	✗	.21	✗	.81		31
TOTAL	3.06	.74	1.28	.31	3.17	2.69	3.11	5.97	1.81	5.11	3.63	4.00	Year's Total	
* Days with .01 in. or more.	20	10	8	3	13	14	19	17	18	21	19	20	34.88	✓
* Days with .04 in. or more.	15	6	6	1	10	10	15	6	10	17	18	13	18.2	✓
													13.4	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed)

Harry Procter [P.T.O.]

Section

A

for the entry of Daily Observations

Station No.

2791/57

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at 14 CAITHNESS DRIVE WALLASEY

in the County of CHESTER

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

,, Ground ,, Sea Level 75 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.39	—	.02	.25	—	—	.05	.60	.02	—	—	.02		1
2	.05	—	.02	.18	—	—	.09	.22	.24	—	TR	.05		2
3	.20	—	.11	.21	—	—	TR	—	—	—	.02	.57		3
4	.26	—	.11	—	.12	—	.26	.02	—	.10	.15	.33		4
5	—	—	—	.01	.31	—	.39	TR	—	.08	.27	.01		5
6	.83	.07	—	—	—	—	.29	.03	—	—	.04	—		6
7	—	.10	.01	—	.02	—	.09	.02	—	—	.09	.38		7
8	—	.20	.28	✓	—	—	.69	.27	TR	.15	.21	.15		8
9	.06	.08	—	—	—	—	—	.26	.01	.31	TR	.42		9
10	.41	—	.01	.02	—	.04	—	—	.23	.16	.02	.16		10
11	.30	.04	.22	—	—	.18	—	—	.01	.32	—	TR		11
12	.46	.05	—	.01	—	.10	—	✓	.03	—	.02	—		12
13	TR	—	.02	.24	.22	.15	.16	—	.26	.09	.04	—		13
14	.43	—	—	.01	.18	.73	.42	—	—	.03	.45	—		14
15	.15	.03	—	.17	.06	—	.32	✓	—	—	.10	—		15
16	.01	—	.10	—	.26	—	.01	—	—	.11	—	—		16
17	.48	.02	—	—	.24	.09	.06	—	—	.60	—	—		17
18	.18	.12	.04	—	—	.28	.22	—	—	—	—	—		18
19	.24	—	—	—	—	—	.39	—	—	—	.87	—		19
20	.18	—	.04	—	—	.10	.14	✓	—	—	—	—		20
21	.06	—	.30	.03	.02	—	—	✓	.08	—	—	—		21
22	.11	.51	.14	.12	—	—	.11	—	—	.02	.50	—		22
23	.03	.30	TR	✓	—	.05	.06	—	—	.37	.26	—		23
24	—	.06	—	—	—	.02	.04	—	—	.15	—	—		24
25	.06	.09	—	.18	—	.01	TR	—	—	.02	.48	—		25
26	—	—	—	—	—	—	—	.07	—	—	.22	—		26
27	—	.55	.08	—	—	.24	.16	.04	—	.01	.10	✓		27
28	—	.11	.13	.02	—	.13	.43	—	—	—	.47	.35		28
29	—	X	TR	.10	—	.02	1.22	—	—	.05	.27	—		29
30	—	X	—	—	—	.03	.08	—	—	—	.02	—		30
31	—	X	—	X	—	X	.03	.05	X	.01	X	—		31
TOTAL	4.89	2.33	1.63	1.55	1.43	2.17	5.71	1.58	.88	2.58	4.60	3.44	Year's Total	31.79
* Days with .01 in. or more.	20	15	16	14	9	15	23	42	8	17	20	41		182
* Days with .04 in. or more.	18	13	11	8	7	11	21	6	4	12	16	8		135

† Spare column, no entries required.

(Signed)

Harry Procter.

* See Instruction 3 (f) on other side.

P.T.O.

Section

A

for the entry

AIR MINIS

FORM 1090.

REG

Kept at

in the County of

Diameter of Funnel of Gauge

Height of top of Gauge above G

Ground

THE MORNING ME

An observer who does not conform
year in the space on the right of

FOR OFFICIAL USE.
ALL ORGANIZATION.

2792

WALLASEY, NEW BRIGHTON
1931—40

AY.

e following

Jan. 1, following

780414

Date	Jan.	Feb.	Mar.										Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3									.82				3
4													4
5								1.03				.32	5
6										.57			6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14						1.72							14
15													15
16													16
17													17
18								.46					18
19													19
20			.10										20
21													21
22													22
23													23
24													24
25		.39		.60									25
26											.89		26
27						.36							27
28													28
29													29
30		X											30
31	.31	X		X		X			X		X		31
TOTAL	2.93	2.41	0.29	2.42	2.39	5.05	2.18	5.35	2.99	1.87	4.71	1.41	34.00
* Days with or in. or more.	23	18	6	20	15	19	19	16	15	13	20	19	203
* Days with or in. or more.	19	14	4	14	12	12	13	15	12	10	16	9	150

40-9999 744 61.2 7.4 61.5 60.7 128.3 55.4 135.9 75.9 47.5 119.6 35.8 863.6

*See Instruction 2 (f) on other side.

(Signed)

[P.T.O.]

Section

A

for the entr

2792
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931 . 250

Kept at Wallasey
in the County of Cheshire

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I													I
2													2
3									.82				3
4													4
5								1.03				.32	5
6										.57			6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14						1.72							14
15													15
16													16
17													17
18							.46						18
19													19
20			.10										20
21													21
22													22
23													23
24													24
25		.39		.60									25
26											.89		26
27					.36								27
28													28
29													29
30		X											30
31	.31	X		X		X			X		X		31
TOTAL	2.93	2.41	0.29	2.42	2.39	5.05	2.18	5.35	2.99	1.87	4.71	1.41	YEAR'S TOTAL 34.00
*Days with or in. or more.	23	18	6	20	15	19	19	16	15	13	20	19	203
*Days with .04 in. or more.	19	14	4	14	12	12	13	15	12	10	16	9	150

40-9999 74.4 61.2 7.4 61.5 60.7 128.3 55.4 135.9 75.9 47.5 119.6 35.8 863.6
(Signed)..... [P.T.O.]

*See Instruction 2 (f) on other side.

FORM I

REGISTER OF RAINFALL IN 1932.

2792
250

Kept at Wallasey
in the County of Cheshire

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					59								1
2													2
3		03											3
4													4
5													5
6	79												6
7									57				7
8													8
9													9
10													10
11													11
12													12
13												31	13
14													14
15													15
16													16
17													17
18													18
19													19
20								65					20
21										64			21
22													22
23													23
24							65						24
25													25
26													26
27			65			97							27
28													28
29				47									29
30		X											30
31		X		X		X			X		X		31
TOTAL	2.70	0.08	2.18	3.14	3.56	1.29	3.59	1.45	3.23	5.42	2.39	1.55	30.88
*Days with or in. or more.	16	6	11	24	19	5	23	12	18	23	18	18	193
*Days with .04 in. or more.	12	0	8	19	14	4	18	8	15	21	16	11	148

FORM 1090

REGISTER OF RAINFALL IN 1933.

Kept at Wallasey

in the County of Cheshire

250

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground 1 ft. 0 in.

Ground Sea Level 57 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3													3
4	0.24												4
5													5
6													6
7													7
8													8
9							.53						9
10										1.03			10
11													11
12													12
13													13
14											.41		14
15													15
16													16
17			.44										17
18													18
19													19
20					.56	.71		.76					20
21													21
22													22
23				.29									23
24									.49				24
25												.19	25
26		.92											26
27													27
28													28
29													29
30		X											30
31		X		X		X			X		X		31
TOTAL	1.42	2.81	1.80	1.02	1.79	2.11	1.22	1.84	1.01	3.37	1.51	0.61	YEAR'S TOTAL 20.51
*Days with .01 in. or more.	17	15	13	9	15	12	11	13	8	15	15	11	154
*Days with .04 in. or more.	12	11	13	7	10	9	7	8	5	13	8	5	108

40-9999 36.1

25.7

FORM 1090

REGISTER OF RAINFALL IN 1934. 279350

Kept at Wallasey
in the County of Cheshire
Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft. 0 in.
Ground Sea Level 57 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1											14		1
2													2
3													3
4												96	4
5													5
6													6
7													7
8													8
9													9
10													10
11				38									11
12													12
13							33						13
14			24										14
15													15
16	28												16
17													17
18													18
19													19
20													20
21													21
22									35				22
23						27							23
24		09											24
25													25
26													26
27													27
28								59					28
29										1.23			29
30		X											30
31		X		X		X			X		X		31
TOTAL	1.68	0.12	1.36	1.66	1.87	1.71	0.90	2.89	2.39	5.39	1.86	2.47	YEAR'S TOTAL 26.30
*Days with .01 in. or more.	15	3	21	16	13	11	8	18	15	27	9	25	181
*Days with .04 in. or more.	12	1	13	12	9	9	5	13	14	19	6	19	132

REGISTER OF RAINFALL IN 1935.

Kept at Wallasey
in the County of CheshireDiameter of Funnel of Gauge in.
Height of top of Gauge above Ground 1 ft. 0 in.
Ground Sea Level 5 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3		.38												3
4														4
5														5
6														6
7														7
8														8
9										1.77				9
10														10
11	0.47													11
12														12
13														13
14														14
15				.39								.67		15
16														16
17					.71		.88				.54			17
18														18
19														19
20														20
21									1.18					21
22														22
23			.31											23
24														24
25														25
26														26
27														27
28								.77						28
29														29
30		×				.79								30
31		×		×		×			×		×			31
TOTAL	1.38	2.48	0.88	1.87	1.76	3.58	1.90	1.77	5.71	4.07	3.39	3.27	32.06	
*Days with or in. or more.	14	20	9	15	9	20	9	8	21	21	19	18	183	
*Days with .04 in. or more.	8	16	7	13	7	17	7	8	17	18	15	14	147	

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No.

250

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at

Wallasey

in the County of

Cheshire

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft. 0 in.

Ground Sea Level.....57 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1								.31				.78		1
2														2
3														3
4														4
5								.31						5
6														6
7														7
8			.31											8
9														9
10														10
11							.40							11
12														12
13														13
14														14
15														15
16											.59			16
17														17
18							.40			.27				18
19				.24										19
20														20
21	.83													21
22		.44				.91								22
23														23
24														24
25									.61					25
26														26
27														27
28														28
29														29
30		X			.32									30
31		X		X		X			X		X			31
TOTAL	4.44	2.34	1.42	0.90	0.94	4.56	2.75	1.34	3.36	1.53	3.05	3.36	30.02	✓
* Days with .01 in. or more.	24	14	13	9	10	15	18	10	18	15	16	20	182	✓
* Days with .04 in. or more.	18	12	11	7	6	12	14	7	15	8	15	13	138	-

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

P.T.O.

COPY FOR OFFICIAL USE.

Station

A

for the entry of Daily Observations.

Station No.

250
2792

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1937.

Kept at *Wallasey (New Brighton)*
in the County of *Cheshire*

Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *1* ft. *0* in.
Ground Sea Level *57* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3														3
4														4
5	<i>.62</i>											<i>.84</i>		5
6														6
7														7
8														8
9														9
10														10
11			<i>.25</i>											11
12						<i>.40</i>			<i>1.16</i>					12
13								<i>.35</i>						13
14														14
15							<i>.47</i>							15
16				<i>.39</i>										16
17														17
18											<i>.40</i>			18
19														19
20					<i>1.06</i>									20
21														21
22														22
23										<i>.68</i>				23
24														24
25								<i>.35</i>						25
26														26
27		<i>.68</i>												27
28														28
29														29
30		X												30
31		X		X		X			X		X			31
TOTAL	<i>1.93</i>	<i>4.76</i>	<i>1.24</i>	<i>2.71</i>	<i>3.27</i>	<i>1.57</i>	<i>1.51</i>	<i>1.34</i>	<i>2.64</i>	<i>2.19</i>	<i>1.55</i>	<i>2.57</i>	<i>27.31</i>	Year's Total
* Days with .01 in. or more.	<i>15</i>	<i>23</i>	<i>18</i>	<i>17</i>	<i>11</i>	<i>13</i>	<i>13</i>	<i>10</i>	<i>15</i>	<i>11</i>	<i>11</i>	<i>16</i>	<i>173</i>	
* Days with .04 in. or more.	<i>10</i>	<i>21</i>	<i>9</i>	<i>12</i>	<i>10</i>	<i>7</i>	<i>11</i>	<i>8</i>	<i>10</i>	<i>9</i>	<i>7</i>	<i>11</i>	<i>125</i>	

COPY FOR OFFICIAL USE

Section



for the entry of Daily Observations

Station No. 2792

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 0

REGISTER OF RAINFALL IN 1938

Kept at Wallasey (New Brighton)

in the County of Cheshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 57 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1						.95								1
2				.23										2
3														3
4														4
5														5
6							.30							6
7														7
8							.30							8
9		.20						2.75						9
10														10
11														11
12										.75				12
13														13
14														14
15														15
16														16
17														17
18														18
19														19
20														20
21														21
22														22
23														23
24			.28											24
25											.63			25
26			.28											26
27														27
28														28
29	.48				1.14									29
30		~~X~~							.47					30
31		~~X~~		~~X~~		~~X~~			~~X~~		~~X~~	.74		31
TOTAL	✓ 2.97	✓ .63	✓ 1.03	✓ .25	✓ 2.94	✓ 2.59	✓ 2.48	✓ 6.06	✓ 1.85	✓ 4.59	✓ 3.38	✓ 3.58	Year's Total 32.35	
* Days with .01 in. or more.	20	11	7	3	14	17	17	18	17	22	21	21	188	
* Days with .04 in. or more.	18	4	5	1	11	9	14	14	11	16	17	16	136	

† Spare column, no entries required.

(Signed) [P.T.O.]

* See Instruction 3 (f) on other side.

Section



for the entry of Daily Observations

Station No. 2792

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1939

Kept at Wallasey (New Brighton)
in the County of Cheshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 57 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2								.55						2
3												.54		3
4														4
5														5
6	.76													6
7														7
8			.30											8
9														9
10									.21					10
11														11
12														12
13														13
14						.75								14
15														15
16														16
17					.27					.59				17
18											.89			18
19														19
20														20
21			.30											21
22		.49												22
23														23
24														24
25				.31										25
26														26
27														27
28														28
29							1.00							29
30		X												30
31		X		X		X			X		X			31
TOTAL	4.55	2.21	1.57	1.90	1.37	2.54	5.83	1.27	.62	2.23	4.33	2.42	30.84	Year's Total
* Days with .01 in. or more.	22	15	15	15	8	15	24	9	6	16	23	12	180	
* Days with .04 in. or more.	19	12	10	10	8	12	21	7	5	12	17	8	141	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) [Signature] [P.T.O.]

Section



for the entry of Daily Observations

Station No. 2792

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1934

Kept at Wallasey (New Brighton) in the County of Cheshire

Diameter of Funnel of Gauge 5 in. Height of top of Gauge above Ground 1 ft 0 in. Ground Sea Level 5.7 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3														3
4														4
5														5
6										.85				6
7		.35												7
8														8
9							.91				1.14			9
10														10
11														11
12														12
13														13
14														14
15					.91									15
16									.46					16
17			.56											17
18								.29						18
19														19
20				.23										20
21						.30								21
22														22
23														23
24														24
25														25
26	.94													26
27		.35												27
28														28
29												.35		29
30		X												30
31		X		X		X			X		X			31
TOTAL	1.95	2.17	2.28	1.49	2.21	.81	2.91	.62	2.32	3.86	5.70	2.10	28.42	
* Days with .01 in. or more.	10	12	16	15	11	6	16	9	16	14	21	18	164	
* Days with .04 in. or more.	7	11	10	10	8	4	13	3	12	11	19	15	123	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) P.T.O.

Kept at Eaton Gardens.
 in the County of Cheshire
 Diameter of Funnel of Gauge 6
 Height of top of Gauge above Ground
 " Ground " Sea Level

THE MORNING MEASUREMENTS

An observer who does not conform to the instructions in the space on the right following year in the space on the right
 Records taken

2793
 FOR OFFICIAL USE.

SECTION.

Read the instructions on the back of this form.

Fill in section C

Y. of the

Jan. 1, following.

0/0

2793

CHESTER EATON GDS.
 1931 — 40

780414

Date	Jan.	Feb.	March	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.22	.18	.18	.2	.3	.5					.4		1
2	.12			.4			.5	.8					2
3		.8		.40	.12	.42	.50	.2	.6	.6			3
4	.8			.1	.8	.8	1.12	.12	.94	.7			4
5				.10		.1	.19	1.20		.7			5
6				.5	.12	1.59	.27	1.21	.8		.11		6
7		.14		.2	.25	.5	.10	.52	.25	.15			7
8		.4			.18		.37		.2	.3	.10		8
9	.5	.7		.24	.7	.5	1.22			.12			9
10	.23	.16	.2	.14	.9	.6	.5		.4	.15	.2		10
11	.9	.3		.4	.8		.15			.56	.7		11
12	.10	.25			.2	.6	.15			.3	.5		12
13	.4	.17		.3		.14	.8	.40	.2	.17	.1		13
14			.3	.2		.13	.21						14
15		.16	.3		1.16	.6	.98	.7		.46			15
16	.4	.28		.8	.9	.17	.21				.27		16
17	.17	.5		.20	.14	.10	.3	.29	.30				17
18	.14			.16	.49	.38	.1	.4	.3	.24			18
19	.12			.3	.48	.23	.8	.2		.30			19
20	.15	.12	.2		.35	.2	.59				.6		20
21		.4	.6		.1	.4	.12			.6	.2		21
22	.21		.7	.28		.6				.25			22
23	.12	.5		.27		.2							23
24	.18			.10	.15	.10	.17			.12	.29		24
25	.2			.14	.24		.9			.10	.11		25
26	.8	.6		.65	.7	.2				.3	.5		26
27	.20	.10		.11		.5				.54			27
28	.8	.33		.5	.57	.5		.12	.28	.9			28
29	.4		.6	.2	.53			.46		.16			29
30		X	.8		.1	.24		.43	.6	.1			30
31	.2	X		X	.1	X		X		X	.6		31
TOTAL	.18	.18	.55	.02	.03	.05	.04						36.83
Days with .01 in. or more.	2.50	2.39	2.55	2.57	3.23	5.39	2.05	6.00	4.44	4.56	4.76	1.61	37.05
Days with .04 in. or more.	2.46	2.39	2.55	2.57	3.24	5.36	2.10	5.95	4.44	4.72	4.72	1.61	37.05
	22	18	88	1920	17	176	2324	1817	12	10	2221	18	205
	20	17	54	14	13	14	1718	1817	10	18	1918	14	168

(Signed) R. B. Bamer

JAN. 13 1932

Section



for the entry of Data

2793
FOR OFFICIAL USE.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1923.Kept at *Satin Gardens.*in the County of *Cheshire.*Diameter of Funnel of Gauge *6* in.Height of top of Gauge above Ground *3* ft. *-* in.„ Ground „ Sea Level *72.1* ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

corr. for WD

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.22	.18	.18		.2	.3		.5			.4		1
2	.12			.4					.5	.8			2
3		.8		.40	.12	.42			.50	.2	.6	.6	3
4	.8			.1		.8	.8		1.12	.12	.94	.7	4
5				.10			.1	.19	1.20		.7		5
6				.5	.12	1.59	.27	1.21	.8			.11	6
7		.14		.2		.25	.5	.10	.52	.25	.15		7
8		.4				.18		.37		.2	.3	.10	8
9	.5	.7		.24		.7	.5	1.22			.12		9
10	.23	.16	.2	.14		.9	.6	.5		.4	.15	.2	10
11	.9	.3			.4	.8		.15			.56	.7	11
12	.10	.25				.2	.6		.15		.3	.5	12
13	.4	.17		.3			.14	.8	.40	.2	.17	.1	13
14			.3		.2		.13	.21					14
15		.16	.3			1.16	.6	.98	.7		.46		15
16	.4	.28		.8	.9		.17	.21				.27	16
17	.17	.5		.20	.14	.10	.3	.29	.30				17
18	.14			.16	.49	.38	.1	.4	.3		.24		18
19	.12			.3		.48	.23	.8	.2		.30		19
20	.15	.12	.2			.35	.2	.59				.6	20
21		.4	.6			.1	.4	.12			.6	.2	21
22	.21		.7		.28			.6			.25		22
23	.12	.5			.27		.2						23
24	.18			.10	.15	.10	.17				.12	.29	24
25	.2			.14	.24		.9				.10	.11	25
26	.8	.6		.65	.7		.2				.3	.5	26
27	.20	.10		.11			.5				.54		27
28	.8	.33		.5	.57		.5			.12	.28	.9	28
29	.4		.6	.2	.53					.46		.16	29
30		X	.8		.1		.24			.43	.6	.1	30
31	.2	X		X	.1	X			X		X	.6	31
TOTAL	.18	.18		.02	.03		.05			.04			36.83
Days with .01 in. or more.	2.50	2.39	.55	2.57	3.23	5.39	2.05	6.00	4.44	1.56	4.76	1.61	27.05
Days with .04 in. or more.	2.46	2.39	.55	2.59	3.24	5.36	2.10	5.95	4.44	1.60	4.72	1.61	205
	22	18	88	1920	17	176	2324	1817	12	11	2221	18	204
	20	17	54	14	13	14	1718	1817	10	8	1918	14	167

(Signed)

JAN. 13 1932

Section

A

for the entry of Daily Observations.

Station No.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Eaton Gardens
in the County of CheshireDiameter of Funnel of Gauge 6 in.Height of top of Gauge above Ground 3 ft. in.Ground Sea Level 72 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

.. 4

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.. 2		.. 16	.. 18		.. 25	.. 52			.. 1	.. 34	1
2	.. 5	.. 3		.. 9	.. 30		.. 15	.. 30	.. 12		.. 4	.. 3	2
3	.. 14	.. 1		.. 2	.. 70			.. 2	.. 11	.. 24	.. 2	.. 15	3
4		.. 3		.. 64	.. 16		.. 12			.. 21		.. 5	4
5				.. 1	.. 6		.. 15					.. 4	5
6	.. 7		.. 6	.. 4	.. 3			.. 6	.. 10				6
7	.. 44		.. 7	.. 10	.. 4				.. 43				7
8	.. 2		.. 13	.. 33					.. 31	.. 57			8
9				.. 3	.. 2				.. 19	.. 53			9
10	.. 44	.. 1		.. 2	.. 15				.. 2		.. 5		10
11	.. 28			.. 17	.. 1				.. 24	.. 25		.. 2	11
12	.. 4	.. 1		.. 14	.. 15	.. 8	.. 23					.. 1	12
13	.. 9				.. 17		.. 15		.. 10	.. 17	.. 2		13
14				.. 13	.. 12		.. 31	.. 13	.. 6	.. 1		.. 10	14
15	.. 15			.. 20			.. 3	.. 21		.. 30	.. 10	.. 2	15
16				.. 1	.. 68					.. 3			16
17	.. 16			.. 10	.. 5		.. 6						17
18	.. 1				.. 1		.. 35		.. 11	.. 3			18
19					.. 6						.. 7		19
20				.. 1	.. 5					.. 30	.. 2		20
21				.. 8	.. 30		.. 2	.. 37		.. 19	.. 9	.. 1	21
22			.. 7	.. 40	.. 41		.. 13	.. 12		.. 69	.. 4	.. 3	22
23	.. 1		.. 25	.. 8	.. 6		.. 33		.. 12	.. 5	.. 28	.. 2	23
24			.. 1		.. 19		.. 6		.. 1	.. 9	.. 12	.. 6	24
25	.. 7				.. 11		.. 28		.. 16		.. 45	.. 2	25
26		.. 2		.. 1	.. 1	.. 6	.. 5		.. 8	.. 17	.. 10		26
27			.. 4	.. 5	.. 11		.. 6		.. 10	.. 6	.. 4		27
28			.. 31	.. 14	.. 29	.. 10	.. 15			.. 1	.. 10	.. 5	28
29			.. 7	.. 3	.. 25		.. 25				.. 2		29
30		×	.. 39	.. 25	.. 10	.. 8	.. 5	.. 15	.. 18	.. 37	.. 2	.. 34	30
31	.. 4	×	.. 7	×	.. 2	×		.. 19	×	.. 67	×	.. 7	31
TOTAL	2.01	.. 13	1.47	3.24	4.79	.. 32	3.18	2.07	2.44	4.94	1.92	1.36	27.87
*Days with or more.	15	7	11	25	29	4	20	10	17	20	18	17	193
*Days with or more.	12		10	17	23	4	18	9	15	16	12	9	145

40-9999

*See Instruction 2 (f) on other side,

JAN. 12 1933

(Signed)

A. Barnes

F.T.O.

Section

A

for the entry of Daily Observations.

Station No.

2793

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at *Eaton Gardens.*in the County of *Cheshire*Diameter of Funnel of Gauge *6* in.Height of top of Gauge above Ground *3* ft. in.,, Ground ,, Sea Level *72* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·4	·19	·1	·12	·56						·58			1
2	·6	·12	·5		·6						·4			2
3	·19		·21		·4	·6			·3					3
4	·3	·26	·7		·15						·1			4
5	·27	·2	·1		·15									5
6	·21		·7		·2						·5			6
7	·1	·17			·15						·7			7
8	·3	·52	·5				·11	·2		·55				8
9	·4	·1	·37		·2		·30			·1				9
10			·1		·2		·25			·20	·19			10
11	·6	·10				·5	·2			·90	·10			11
12				·3		·25	·15			·10		2 3/4" of snow		12
13	·3			·1	·3		·16							13
14					·18	·7	·17	·4	·4	·11	·64			14
15	·3						·15	·6		·10	·24			15
16	·20		·3				·1	·9		·14	·11	·15		16
17	·5	·7	·19		·10	·16				·30		·2		17
18	·5	·1	·40			·15		·3	·7	·1	·5			18
19	·13		·4		·2	·15					·3			19
20			·41			·3			·7		·22			20
21		·6	·15		·31				·8		·2	·1		21
22						·21		·6			·1			22
23				·4				·20		·4				23
24				·6		·25			·1	·4				24
25		·37		·8	·11	·18			·8					25
26		·3		·8		·1			·22	·32		·10		26
27		·73			·2							·2		27
28		·6			·5					·3				28
29				·5			·3	·17		·2				29
30		X		·10			·2	·5						30
31	·19	X	·8	X	·4	X	·6		X	·6	X	·14		31
TOTAL	1.55	2.54	2.27	1.01	1.47	1.57	1.43	·72	·60	·3	1.78	·44	18.92	
*Days with ·01 in. or more.	16	15	16	9	18	12	12	9	8	16	15	6	15	
*Days with ·04 in. or more.	11	11	12	7	12	10	8	7	6	12	11	3	11	

† Spare column, no entries required.

(Signed)

H. B. B. B.

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193 .

Kept at Eaton Gardens, Cheshire.

in the County of Cheshire

Diameter of Funnel of Gauge 1.5 in. 71.0

Height of top of Gauge above Ground 3 ft. in.

Ground Sea Level 72 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

30

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1								9	39	2	80			1
2	10							4	19	10	23	37		2
3			5					42	5	-	10	13		3
4	6							1		8				4
5	9		3		2			8	1	38	80	82		5
6	1		5		12			66		10	2	7		6
7			6		26			2		11		27		7
8	7				2			3		8	2	20		8
9			2		25	82		1		3	28	8		9
10	1		12	5				4	3	6	37			10
11		3	11	25				12		6	3			11
12			1	52				5			11	6		12
13	12		2	1			8	41		3		5		13
14	1		1	9	2		30	1		2		1		14
15	25		20	2		1	2	1		98	8	7		15
16	7		15		9		1	15		30	6	18		16
17	5		22		10	3				4	5	2		17
18	20		13	7	8		20	39	45	15		9		18
19	4			21	14	9			2			12		19
20	6		8		4	10			14	5		16		20
21			6	8	2					1		8		21
22			1			10			15	17				22
23			12	3		1	4	17	8	6		7		23
24	3		4	21		51	3	10	1	6	4	4		24
25		17	5			4		8	5	4		2		25
26		2	5	23					13	16		44		26
27	2			12		10	2		4			3		27
28	4			13		2	4		3	7	2	29		28
29				5		4		16				47		29
30		X					10	2	21	1		2		30
31	15	X		X		X	4	15	X	18	X	34		31
TOTAL	138	22	159	207	118	187	97	304	106	143	141	470	Year's Total.	2435
* Days with .01 in. or more.	18	3	21	15	12	12	12	22	16	26	14	25	1987	
* Days with .04 in. or more.	13	1	15	12	8	8	18	15	10	22	19	22	1412	

Section **A** for the entry of Daily Observations.Station No. **2793**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.Kept at *Eaton Gardens*in the County of *Cheshire*Diameter of Funnel of Gauge *1.5* in.Height of top of Gauge above Ground *2* ft.Ground Sea Level *72.4* ft.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

- 68 -

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	30	3	-	-	-	-	29	-	1	24	14	31		1
2	29	-	-	-	4	-	17	-	62	26	1	15		2
3	2	4	-	-	-	9	-	-	-	5	15	31		3
4	2	18	4	4	-	26	-	-	7	4	-	51		4
5	1	5	2	11	-	12	-	1	2	85	21	15		5
6		19	20	15	-	4	-	-	5	15	-	3		6
7		-	4	12	-	11	-	-	-	4	5	-		7
8		-	-	1	-	17	-	5	-	4	15	16		8
9		-	-	13	-	2	-	-	-	9		17		9
10	11	3	-	20	-	1	-			62	10	-		10
11	-	5	-	7	-	7	-	-	-	1	5	-		11
12	32	1	-	-	-	-	-	-	-	1	15	-		12
13	17	1	-	-	-	80	-	-	5	-	3	-		13
14	11	-	-	4	18	12	-	-	-	-	5	-		14
15	4	-	-	6	3	7	-	-	18	-	66	-		15
16	2	7	-	42	10	1	-	27	15	-	3	18		16
17		23	10	12	-	5	32	-	72	4	53	44		17
18	3	1	-	11	27	15	-	39	1	-	87	13		18
19	-	-	-	6	103	12	31	2	9	-	3	-		19
20	-	-	-	17	38	21	26	-	-	33	24	-		20
21	-	8	-	41	20	11	7	-	-	-	25	-		21
22	-	36	-	-	-	-	-	-	22	-	3	-		22
23	2	20	-	2	-	-	-	-	17	-	-	-		23
24	-	1	12	-	-	-	-	9	20	71	-	23		24
25	12	11	12	1	-	-	1	-	71	22	-	-		25
26	27	15	-	-	-	2	-	-	-	15	-	14		26
27	-	5	-	-	-	-	3	47	59	7	7	-		27
28	8	7	-	10	10	-	-	14	-	10	25	15		28
29	2	-	-	4	9	-	-	-	31	13	8	2		29
30	-	X	1	-	-	-	-	4	6	5	2	13		30
31	4	X	1	X	-	X	-	19	X	22	X	5		31
TOTAL	1:70 197	1:90 192	77	2:25	2:25	2:75 3:04	2:46 1:17	1:60 1:51	4:23 4:46	4:42 4:32	4:17 4:34	3:26 3:60	30:96	31:21
* Days with .01 in. or more.	17	19	11	18	10	20	8	11	17	22	23	17	192	✓
* Days with .04 in. or more.	10	14	6	15	8	16	5	8	16	20	18	15	151	✓

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) *A. J. Jones* [P.T.O.]

7 - JAN 1936

Section



for the entry of Daily Observations.

Station No.

2793

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Saton Gardensin the County of CheshireDiameter of Funnel of Gauge Six in.Height of top of Gauge above Ground 4.2 ft.,, Ground ,, Sea Level 4.2 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

14

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	65	17	32	-	-	-	6	+	-	-	4	16		1
2	1	16	8	49	-	5	4	35	5	-	24	21		2
3	2	3	-	16	-	65	3	3	-	-	10	2		3
4	-	-	-	-	-	41	-	7	56	-	1	-		4
5	7	6	10	-	-	1	1	-	11	-	28	6		5
6	-	3	17	-	-	-	-	11	6	-	4	17		6
7	5	-	-	-	12	1	7	38	17	-	6	4		7
8	-	-	4	-	-	-	28	-	22	-	15	6		8
9	11	-	11	-	-	-	1	-	8	-	28	8		9
10	46	-	15	-	-	7	17	1	40	-	6	1		10
11	4	-	-	-	-	-	4	-	6	4	1	2		11
12	-	-	-	-	-	6	12	-	7	3	25	6		12
13	-	-	-	-	4	11	32	-	33	2	16	-		13
14	-	-	-	-	-	1	2	-	9	-	4	75		14
15	-	-	-	17	8	24	5	5	35	-	12	50		15
16	17	-	4	33	33	14	-	-	4	1	32	9		16
17	16	6	-	10	2	-	4	-	-	5	41	-		17
18	3	35	-	5	-	-	10	6	-	25	2	2		18
19	-	3	-	3	-	-	45	12	-	2	-	1		19
20	-	12	7	29	-	55	2	30	-	-	-	-		20
21	67	13	-	-	-	24	1	-	-	-	-	-		21
22	-	-	4	10	-	171	-	-	-	-	-	-		22
23	-	53	5	-	-	15	24	-	21	-	-	16		23
24	-	7	45	1	1	6	36	-	-	5	-	-		24
25	15	-	-	6	-	-	-	-	22	13	-	-		25
26	25	-	-	1	-	-	-	-	39	5	-	-		26
27	6	5	34	7	-	-	-	-	12	6	-	-		27
28	68	-	4	-	-	-	-	-	13	4	-	-		28
29	27	25	12	6	-	6	-	-	-	15	-	4		29
30	8	~~2~~	7	-	-	30	3	-	-	4	9	20		30
31	6	~~32~~	-	~~2~~	42	~~10~~	14	-	~~2~~	28	~~2~~	1		31
TOTAL	3.63	2.89	1.83	1.93	1.09	4.89	2.26	1.48	3.66	1.26	2.86	3.35	Year's Total	30.32
* Days with .01 in. or more.	19.	14.	16.5	14.	7.	18.9	22	11.0	19	15.6	18.	20.	179	193
* Days with .04 in. or more.	16.	11.	16.5	11.	5.	15.6	15.4	8	19	11.2	15	14	158.	156

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed)

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No.

2793

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Eaton Hall Gardensin the County of CheshireDiameter of Funnel of Gauge.....5.....in.Height of top of Gauge above Ground...1.....ft...2.....in.,, Ground ,, Sea Level 72.7.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	<u>.14</u>	<u>.34</u>	—	—	—	—	<u>.04</u>	—	<u>.03</u>	<u>.15</u>	<u>.09</u>	<u>.24</u>		1
2	<u>.05</u>	<u>.24</u>	<u>.09</u>	—	—	—	—	—	<u>.10</u>	<u>.12</u>	<u>.04</u>	<u>.04</u>		2
3	—	<u>.09</u>	<u>.16</u>	<u>.34</u>	—	—	—	—	—	<u>.03</u>	—	<u>.65</u>		3
4	—	<u>.08</u>	—	—	<u>.01</u>	<u>.17</u>	<u>.06</u>	—	—	—	—	—		4
5	<u>.12</u>	<u>.03</u>	<u>.01</u>	—	<u>.07</u>	—	—	<u>.04</u>	<u>.05</u>	—	—	<u>.94</u>		5
6	<u>.27</u>	<u>.01</u>	<u>.13</u>	<u>.11</u>	—	—	<u>.02</u>	<u>.03</u>	—	—	—	<u>.52</u>		6
7	<u>.05</u>	<u>.02</u>	—	<u>.02</u>	<u>.11</u>	—	—	<u>.02</u>	—	—	—	—		7
8	<u>.03</u>	<u>.31</u>	—	<u>.06</u>	<u>.01</u>	<u>.08</u>	—	—	<u>.03</u>	—	—	<u>.04</u>		8
9	—	<u>.32</u>	—	<u>.04</u>	—	<u>.02</u>	<u>.02</u>	—	—	—	<u>.18</u>	—		9
10	—	<u>.01</u>	<u>.02</u>	<u>.07</u>	<u>.22</u>	<u>.02</u>	<u>.10</u>	<u>.03</u>	<u>.08</u>	—	—	—		10
11	<u>.01</u>	<u>.35</u>	—	<u>.02</u>	—	—	<u>.05</u>	<u>.03</u>	—	—	—	<u>.16</u>		11
12	<u>.01</u>	<u>.07</u>	<u>.35</u>	—	<u>.40</u>	—	<u>.01</u>	<u>.03</u>	—	—	<u>.02</u>	<u>.11</u>		12
13	<u>.10</u>	<u>.56</u>	<u>.01</u>	—	—	<u>.55</u>	—	<u>.08</u>	<u>.36</u>	—	—	<u>.09</u>		13
14	—	<u>.01</u>	<u>.15</u>	<u>.04</u>	—	—	—	<u>.07</u>	<u>.04</u>	<u>.02</u>	—	—		14
15	—	<u>.03</u>	<u>.19</u>	—	—	—	—	<u>.34</u>	<u>.04</u>	<u>.02</u>	<u>.11</u>	<u>.22</u>		15
16	<u>.20</u>	<u>.17</u>	—	<u>.23</u>	—	—	<u>.75</u>	—	<u>.06</u>	—	—	<u>.14</u>		16
17	—	<u>.06</u>	<u>.25</u>	<u>.60</u>	—	<u>.01</u>	—	<u>.11</u>	<u>.06</u>	—	—	—		17
18	<u>.10</u>	<u>.10</u>	<u>.09</u>	<u>.43</u>	—	—	—	—	<u>.43</u>	—	—	—		18
19	<u>.61</u>	<u>.13</u>	<u>.08</u>	<u>.01</u>	—	—	<u>.01</u>	—	<u>.04</u>	—	<u>.49</u>	—		19
20	<u>.03</u>	<u>.07</u>	<u>.02</u>	<u>.20</u>	<u>.17</u>	<u>.15</u>	<u>.22</u>	—	—	—	<u>.07</u>	—		20
21	<u>.11</u>	<u>.04</u>	—	<u>.22</u>	<u>.36</u>	—	—	<u>.05</u>	—	<u>.04</u>	—	<u>.05</u>		21
22	<u>.05</u>	<u>.18</u>	<u>.05</u>	<u>.05</u>	<u>.15</u>	—	<u>.07</u>	—	—	<u>.01</u>	—	<u>.06</u>		22
23	<u>.02</u>	<u>.15</u>	<u>.08</u>	<u>.01</u>	<u>.07</u>	—	<u>.06</u>	—	—	<u>.70</u>	<u>.22</u>	<u>.02</u>		23
24	<u>.05</u>	<u>.04</u>	—	—	<u>.38</u>	<u>.03</u>	<u>.19</u>	—	—	<u>.20</u>	<u>.36</u>	—		24
25	<u>.06</u>	<u>.15</u>	<u>.06</u>	—	—	—	<u>.03</u>	—	<u>.36</u>	<u>.61</u>	—	—		25
26	<u>.02</u>	<u>.32</u>	—	—	—	—	—	<u>.03</u>	—	—	—	—		26
27	—	<u>.22</u>	<u>.05</u>	—	<u>.28</u>	—	—	<u>.04</u>	<u>.03</u>	<u>.51</u>	—	—		27
28	—	<u>.40</u>	—	<u>.23</u>	—	—	—	—	—	<u>.13</u>	—	—		28
29	—	—	—	—	—	—	—	—	—	<u>.25</u>	—	—		29
30	<u>.01</u>	~~X~~	—	—	—	<u>.03</u>	—	—	—	<u>.22</u>	<u>.09</u>	<u>.01</u>		30
31	—	~~X~~	—	~~X~~	—	~~X~~	—	—	~~X~~	—	~~X~~	<u>.02</u>		31
TOTAL	<u>2.04</u>	<u>4.50</u>	<u>1.79</u>	<u>2.68</u>	<u>2.23</u>	<u>1.06</u>	<u>1.63</u>	<u>1.90</u>	<u>1.71</u>	<u>3.01</u>	<u>1.67</u>	<u>3.31</u>	Year's Total <u>27.53</u>	✓
* Days with .01 in. or more.	<u>20</u>	<u>28</u>	<u>17</u>	<u>17</u>	<u>12</u>	<u>9</u>	<u>14</u>	<u>13</u>	<u>14</u>	<u>14</u>	<u>10</u>	<u>16</u>	<u>184</u>	✓
* Days with .04 in. or more.	<u>13</u>	<u>22</u>	<u>13</u>	<u>13</u>	<u>10</u>	<u>4</u>	<u>9</u>	<u>7</u>	<u>11</u>	<u>10</u>	<u>9</u>	<u>13</u>	<u>134</u>	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) [P.T.O.]

Section



for the entry of Daily Observations

Station No. 2793

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Eaton Hall Gardensin the County of CheshireDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft. 2 1/2 in.

,, Ground ,, Sea Level ft.

W.D. V. mess.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

0.23

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		09				29				19	10	15		1
2						1.00	37			11	09	30		2
3				10	01	59	07			12	03	13		3
4	01					03	08		08	52	04	08		4
5	01	03					02			04		20		5
6	03	03						1.84	18	07				6
7	06	01				03	40		03	07		06		7
8	26						38	32	02	02		04		8
9	28	03					23	53		23		39		9
10	02	05	01				02	63				37		10
11	15	10	01			02	33					13		11
12	26	01			02	06	03	04	01	02	11	09		12
13	06				07	03	03	32		11	83	02		13
14	04									04	08	03		14
15	28				05		21		05		04			15
16	20						20	07		09	01	19		16
17	16				41		04	04		06	03	03		17
18					04		06		06	24				18
19	04				10	02		12	02	07	12			19
20								10						20
21	04								06		19			21
22			07								13			22
23				01		18			02		29	05		23
24				05	06	09			07		19			24
25			11		06	04		83	15		07			25
26	03	03	12			08	04	04		44	81	06		26
27	21	24	18		04					39		06		27
28	06	03	01		61	21	13	36	04		20			28
29	16					18	22	08	02			18		29
30	64	X			45	04				15	06	10		30
31	08	X		X	01	X		02	X		X	25		31
TOTAL	324	56	51	16	193	289	286	534	19	10	15	23	27.97	✓
* Days with .01 in. or more.	23	10	7	3	14	15	18	15	14	19	19	21	178	179
* Days with .04 in. or more.	14	3	4	2	10	10	14	14	9	17	16	18	135	136

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) [P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 2793

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at EATON GARDENS

in the County of CHESHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

Ground Sea Level 72 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

0.16

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	23		38		03	—	04	01	04	—	02	05		1
2	33	—	08	25	01	—	—	—	02	—	—	01		2
3	19	—	03	09	—	—	01	53	31	—	—	04		3
4	5 inches snow	—	09	13	—	—	—	04	04	—	06	27		4
5	8 inches snow	—	23	18	03	—	32	—	01	01	18	19		5
6	40	—	01	01	44	—	44	12	—	08	30	07		6
7	50	—	01	—	01	—	40	—	—	—	09	—		7
8	21	01	01	—	15	—	09	01	—	—	13	35		8
9	02	11	45	02	—	—	41	29	—	11	37	11		9
10	02	12	01	—	—	—	04	11	—	36	—	22		10
11	37	—	04	—	01	02	—	06	17	04	01	15		11
12	43	01	30	—	—	33	01	—	09	—	—	—		12
13	05	23	01	—	—	21	—	—	02	03	—	—		13
14	—	04	03	14	11	27	09	—	20	02	04	—		14
15	40	—	01	02	42	44	10	—	10	22	10	—		15
16	29	—	—	—	07	74	45	—	01	—	03	—		16
17	07	03	09	—	30	—	01	—	—	10	14	—		17
18	45	03	—	—	06	04	21	—	—	114	05	—		18
19	25	10	05	—	—	12	06	—	—	04	71	—		19
20	19	—	—	—	—	—	60	—	—	—	10	—		20
21	06	—	—	—	—	22	63	—	—	01	—	—		21
22	21	01	15	04	—	02	03	78	12	—	—	—		22
23	18	32	09	12	—	11	21	—	01	03	55	—		23
24	11	04	01	18	—	—	15	—	—	22	25	—		24
25	—	01	—	06	—	07	23	—	—	53	08	—		25
26	17	02	04	18	—	—	22	—	—	07	18	—		26
27	—	—	01	04	—	—	—	04	—	01	16	05		27
28	—	1'03	13	—	—	11	13	17	—	—	13	2 inches snow (20)		28
29	—	38	23	06	—	09	20	01	—	—	23	—		29
30	—	✕	—	123	—	04	140	—	—	73	02	—		30
31	—	✕	—	03	—	✕	03	54	✕	01	05	12		31
TOTAL	4.90	2.49	2.09	1.78	1.61	2.77	6.46	2.20	1.10	3.78	3.96	1.94	Year's total	34.97
* Days with .01 in. or more.	22 ²¹	15 ¹⁶	24 ²³	16 ¹⁷	12 ¹¹	14 ¹⁵	26	12	13	12	19 ²⁰	23	12	208
* Days with .04 in. or more.	20 ¹⁹	7 ⁸	15 ¹⁴	13	7	12 ¹³	21 ²⁰	9 ¹⁰	9 ⁸	12	19 ²⁰	11	15 ⁵	156

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

H. Barnes

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 2793

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1934

Kept at ... EATON HALL GARDENS
in the County of ... CHESHIRE

Diameter of Funnel of Gauge..... 5 in.
Height of top of Gauge above Ground... - ft. 11 in.
„ Ground „ Sea Level... 72 ft.

cond. for W.D.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

15

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	16	10		12	50	02					63	01		1
2		02		05	01						20	02		2
3		02		13			06				19	07		3
4		02	01	05			12			06	08	05		4
5		10		04			01			12	10	08		5
6		01			20					03	20	05		6
7	08	21					25			115	11	06		7
8	04	40		01	04		06		07	02		07		8
9	02	01		01	02		01		39	07		13		9
10			31				50	06	04	14	55	22		10
11		01	03				49	10	03	11	27	28		11
12			01	05		01	21			01	47	18		12
13			15			09	05	04	34	01	09			13
14		07	43	07				02	25			02		14
15				10	04		28	01	30	01		15		15
16				07	103	09	01	01	17	02	06	02		16
17		12	26		01		15		48	52	47	06		17
18			32	05	01		06		01		106	03		18
19		40	24	45				06	33	02	02	11		19
20		32	04	04			23		15	03	12	02		20
21		06		15			06	05		38	04			21
22		01	03		13	53	07	06	05	01	105			22
23		02	03	03	28	18		01	18	01	01			23
24		10	01	22	01		01	03	02	01	02			24
25	08				01			01	02		01			25
26	02				15	06			02					26
27	95	12			03	07	25				07	01		27
28	55	9					06				12			28
29	10	17		01	30			02			04			29
30	05	×	20	14	01		04			06		21		30
31		×	01	×	04	×			×	34	×	07		31
TOTAL	205	238	208	179	252	1053	298	48	285	373	598	192	2958	
* Days with .01 in. or more.	10	21	22	19	23	87	21	13	17	24	24	22	209	
* Days with .04 in. or more.	8	13	20	15	10	6	17	6	12	8	20	15	138	

† Spare column, no entries required.

(Signed)

[P.T.O.]

* See Instruction 3 (f) on other side.

* * The following register of month
&c., is NOT required if daily
values are given on the other s

RAINFALL IN 1931

At EcclestonIn the County of CheshireDiameter of Funnel 5Height of Top above Ground 1 ft.Height of Ground above Sea Level 9

Month.	Total Depth.	Greatest Fall in 24 hours.	No. of Days or
JAN.	1.83	.21	31
FEB.	1.95	.40	29
MAR.	.43	.13	20
APRIL	2.51	.61	20
MAY	3.07	.88	24
JUNE	4.93	1.56	5
JULY	1.83	.22	15
AUG.	5.88	1.10	14
SEPT.	4.09	1.14	4
OCT.	1.55	.40	28
NOV.	4.65	.86	30
DEC.	1.44	.28	23
Total	34.16		215

JAN. 1.83 .21 31 20 16

FEB. 1.95 .40 29 22 12

MAR. .43 .13 20 9 4

APRIL 2.51 .61 20 20 15

MAY 3.07 .88 24 18 13

JUNE 4.93 1.56 5 18 14

JULY 1.83 .22 15 20 15

AUG. 5.88 1.10 14 18 13

SEPT. 4.09 1.14 4 14 10

OCT. 1.55 .40 28 12 8

NOV. 4.65 .86 30 24 20

DEC. 1.44 .28 23 19 11

Total 34.16 215/151

Signature Edward Wells.

*See Instruction 2 (f) below.

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:-

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.
- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not '00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
 - When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

- The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.
- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as .01 and those which are mere "traces." An entry .005 is not to be made in the register.
- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | } .14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.
- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.
- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02, or 0.3.
- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
- The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt. 26154/1775/2214 15,000 2/31. Gp. 119/110.

2794

2794

ECCLESTON

1931 — 39

780414

and also the space for

register should be sent:—

in Summer

Direction from
gaugeDirection from
gauge

gauge ..

If gauge has been moved during the year state—

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

400

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

RAINFALL IN 1931

At Eccleston
In the County of Cheshire
Diameter of Funnel 5 in.
Height of Top above Ground 1 ft. 1 in.
Height of Ground above Sea Level 93' 6"

Hour of observation by the clock—in Winter _____ in Summer _____

Nearest Railway Station _____ Distance _____ Direction from gauge _____

Nearest Parish Church at _____ Distance _____ Direction from gauge _____

Nature of objects nearest to gauge _____

Heights of objects _____

Distances .. _____

Directions from gauge .. _____

If gauge has been moved during the year state—

Date of move _____ Distance _____ Direction _____

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

400

Month.	Total Depth.	Greatest Fall in 24 hours.	Number of Days with .01 in. or more	Number of Days with .04 in. or more
	Inches.	Inches.	Date.	
JAN.	1.83	.21	31 st	20 16
FEB.	1.95	.40	27 th	22 12
MAR.	.43	.13	20 th	9 4
APRIL	2.51	.61	25 th	20 15
MAY	3.07	.88	24 th	18 13
JUNE	4.93	1.56	5 th	18 14
JULY	1.83	.22	15 th	21 15
AUG.	5.88	1.10	14 th	18 13
SEPT.	4.09	1.14	4 th	14 10
OCT.	1.55	.40	28 th	12 8
NOV.	4.65	.86	3 rd	24 20
DEC.	1.44	.28	23 rd	19 11
Total	34.14			215/151

Signature Edward Wells.

*See Instruction 2 (f) below.

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.
- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not '00'). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
 - When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as .01 and those which are mere "traces." An entry .005 is not to be made in the register.
- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | } .14 | would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.
- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.
- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02, or 0.3.
- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
- The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

Section **A** for the entry of Daily Observations. Station No. **2794**
 AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Ecclestone
 in the County of Leicester
 Diameter of Funnel of Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. 1 in.
 " Ground " Sea Level 93:1 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.10	.03		.07	.61		.18	.10	.08	.01	.04	.08	1
2		.01			.37		.10		.15	.41	.02	.10	2
3		.02		.59 ¹²⁵	.16			.01		.04	.20	.05	3
4				.01			.18				.14	.03	4
5	.08		.06	.03	.05				.15			.02	5
6	.42		.10	.09	.02			.05	.23				6
7	.02		.14	.21	.02				.32	.80			7
8				.07	.08				.17	.31			8
9	.43	.05			.07				.01		.03		9
10	.26			.25	.03				.20	.16	.01	.02	10
11	.04			.11	.19	.08	.21		.05				11
12	.11				.18		.15		.14	.16	.01		12
13	.08			.10	.08		.23	.13	.02	.09		.11	13
14	.10			.18				.22		.22	.09		14
15	.02				.46					.02			15
16	.15			.09	.02		.04						16
17					.07		.37		.03	.05			17
18					.06				.07		.06		18
19				.02	.04		.02			.27	.01		19
20				.08	.37			.32		.20	.11	.01	20
21			.17	.33	.33			.10		.60	.04	.04	21
22	.03		.07	.10	.06		.27		.09	.07	.26	.03	22
23					.14		.07			.08	.15	.06	23
24	.07				.11		.22		.13		.47	.03	24
25	.02	.02		.02		.06	.03		.13	.17	.08		25
26			.03	.10	.20		.11		.07	.05	.02		26
27			.30	.12	.19	.06	.03			.02	.09	.03	27
28			.05	.02	.20		.26			.03			28
29			.37	.39	.08	.07	.02	.11	.15	.52	.01	.34	29
30		X	.08	.16		.25		.21	.01	.57	.29	.05	30
31	.03	X	.16	X		X	.90	.04	X	.01	X	.03	31
TOTAL	1.96	.09	1.53	3.08	4.13	.52	3.34	1.29	2.16	1.80	2.23	1.03	26.06
*Days with ".01 in. or more.	16	5	11	22	26	5	18	10	19	23	20	16	191
*Days with ".04 in. or more.	11	-	10	16	21	5	15	9	14	17	14	8	139

40-9999

*See Instruction 2 (f) on other side.

(Signed)

Edward Wells

P.T.O.

Section

A

for the entry of Daily Observations.

Station No.

2794

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at

in the County of

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 1 in.

Ground Sea Level 93'6" R.

File No. 296545/29.

400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.05	.12	.04		.01						.03		1
2	.21		.21		.05	.05							2
3	.03	.24	.07		.12						.01		3
4	.28	.01	.03		.13								4
5	.21		.06		.02								5
6		.24	.02		.15						.10		6
7	.03	.20					.13			.29			7
8	.05	.01	.36		.02		.23	.03					8
9		.02			.03		.30			.23	.18		9
10	.05	.10				.21	.07			1.09			10
11				.04			.03			.05	.14	.28 ^s	11
12	.03				.01	.06	.30					.02 ^s	12
13					.17		.24	.03	.04	.14	.63		13
14	.06						.23	.14		.06	.22		14
15	.16 ^{1/2}		.02				.20	.07		.16	.12		15
16	.13 ^s	.06	.13		.09	.13	.27	.03		.25		.05	16
17	.10 ^s		.37			.21	.28		.04		.04	.01	17
18	.09		.02		.02	.12	.20				.03		18
19		.02	.49			.03	.27		.05		.25	.03	19
20		.04	.08		.21	.01	.27		.11				20
21						.25		.12					21
22				.05	.02			.21	.02	.03	.01		22
23				.05		.22				.05	.01		23
24		.25 ^s		.13	.10	.11			.21	.05			24
25		.19 ^s		.08					.07		.02	.21	25
26		.53 ^{4/5}			.01					.28	.1	.02	26
27									.05	.04			27
28		.02		.08			.04	.18		.03			28
29	.04 ^{2/3}			.04			.03					.01	29
30	.07	X	.08	.55	.04	.07	.05			.09		.14	30
31	.05	X	.13	X		X		.01	X	.44	X	.02	31
TOTAL	1.64	2.25	2.11	1.02	1.20	1.51	1.33	.76	.59	3.48	1.79	.79	18.47
*Days with or in. or more.	14	15	15	8	17	12	11	9	8	16	14	10	152
*Days with .04 in. or more.	14	10	11	8	9	9	9	4	2	14	8	4	107

40-9999

*See Instruction 2 (f) on other side,

(Signed)

Edward Wilby

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No. 2794

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at

Eccleston

in the County of

Cheshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

Ground Sea Level 93.6 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.10							.06	.19	.05	1.00	.40		1
2	.02		.06					.41	.07	.07	.06	.02		2
3	.05								.01	.08		.07		3
4	.10		.07	.02	.10			.06	.03	.36		.54		4
5			.05		.06			.68		.10	.02	.08		5
6			.05		.29					.11		.25		6
7	.08		.01	.03	.03			.03		.06		.20		7
8			.01		.27	.79			.01	.06	.27	.08		8
9			.12	.06				.05		.02	.40	.02		9
10	.01	.04	.12	.26				.13		.06	.04			10
11	.12		.01	.43				.06			.05	.09		11
12	.01	.02	.02				.06	.37		.03	.01			12
13	.26		.02	.10			.29					.01		13
14	.10	.01	.20			.01				.58	.08	.07		14
15	.06		.13		.15		.01	.18		.21	.07	.15		15
16	.22	.01	.20		.10	.01				.10	.04	.02		16
17	.03		.14	.07	.07		.21	.21	.47	.11		.10		17
18	.05			.20	.16	.16		.02		.02		.13		18
19	.01		.07		.07	.05		.07	.13	.05		.17		19
20			.08	.08	.03				.02			.10		20
21			.05			.10		.01	.17	.13		.02		21
22	.02		.08	.02				.08	.03	.04		.08		22
23			.07	.18	.03	.34	.04	.28		.08	.03			23
24		.15	.03		.12	.07			.06	.04				24
25	.02	.02		.22	.02	.07	.07		.12	.13		.45		25
26	.03		.06	.17		.10	.02		.02			.02		26
27	.03			.12		.12	.04			.05	.03	.20		27
28				.04				.20	.07	.01		.46		28
29							.10		.14	.03		.02		29
30	.10	X					.03	.06	.06	.42				30
31		X		X		X	.05	.25	X	.56	X	.31		31
TOTAL	1.42	.25	1.64	2.00	1.50	1.76	.86	3.23	1.60	3.40	2.10	4.25	24.10	Year's Total
*Days with .01 in. or more.	20	6	22	15	14	14	11	19	16	26	13	26	199	
*Days with .04 in. or more.	15	2	16	12	10	8	4	17	10	21	9	20	143	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

Edward Wells

P.T.O.

Section **A** for the entry of Daily Observations.

Station No. 2794

AIR MINISTRY.—METEOROLOGICAL OFFICE—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at *Seelstoy*
in the County of *Chester*Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *1* ft. *1* in.
Ground Sea Level *95' 6"* #.*File W 896545/29*
1400 days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.23	.03			.02		.16		.60	.17	.06	.15		1
2	.07	.05				.09			.01	.05	.01	.38		2
3	.03	.14	.07	.08		.26			.06	.09	.15	.57		3
4		.04	.02	.10		.33				1.04	.02	.06		4
5		.19	.20	.12					.05	.05	.16	.04		5
6			.02	.12		.09				.02				6
7				.02		.20				.10	.05	.16		7
8				.10		.02		.03	.02	.09	.20	.19		8
9	.09	.03		.22		.06				.56	.09	.02		9
10		.05		.05		.03	.02			.02	.03			10
11	.30					.08		.05			.13			11
12	.13	.01				.40			.05					12
13	.15			.04	.17	.04			.13		.02			13
14	.02			.04	.02	.03			.04		.67	.14		14
15		.12		.50	.09				.16			.50		15
16	.03	.19	.11	.05		.08	.31	.05	.87	.03	.53	.04		16
17				.13	.28	.19	.11	.25		.03	.80			17
18				.07	.51	.10	.22		.08	.01	.01			18
19				.14	.40	.47	.30			.36	.26			19
20		.12		.46		.06	.08				.15			20
21		.35							.20	.04	.02	.02		21
22	.02	.20							.16			.19		22
23		~~1.1~~	.13						.21	.80		.02		23
24	.13	.20	.13					.08	.73	.10	.03	.09		24
25	.38	.16				.08	.01			.14	.09	.03		25
26		.03					.01	.50	.64	.05	.03	.20		26
27		.03			.06		.03	.20	.47	.07	.25	.02		27
28	.03	.03			.06			.07	.27	.12	.02	.03		28
29			.06			.02		.10	.26	.10	.06	.14		29
30	.03	X		.03		.31		.10	.10	.20	.28	.06		30
31		X		X		X			X	.14	X	.46		31
TOTAL	1.64	1.97	.44	2.27	1.61	3.24	1.25	1.43	5.11	4.38	4.12	3.81	21.57	✓
* Days with .01 in. or more.	14	18	8	17	9	20	10	10	20	24	25	22	197	✓
* Days with .04 in. or more.	8	12	6	15	7	16	6	9	18	19	16	16	148	✓

Section



for the entry of Daily Observations.

Station No. *2494*

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at *Eccleston*in the County of *Cheshire*Diameter of Funnel of Gauge *5* in.Height of top of Gauge above Ground *1* ft. *1* in.,, Ground ,, Sea Level *93' 6"* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01	.15	.05	.56		.14	.02	.40	.05		.24	.23		1
2	.04	.02		.12		.55	.01	.02	.03		.10	.05		2
3						.47		.05	.54					3
4		.03	.10						.14		.28	.06		4
5	.06	.02	.19				.02	.23	.02		.05	.27		5
6	.05				.16	.02	.04	.29	.20		.07	.02		6
7			.03				.20		.31		.13	.10		7
8	.08		.20						.03		.30	.05		8
9	.45		.02			.13	.18		.56		.06	.01		9
10	.04						.14				.01			10
11				.02		.05	.14	.02	.07	.01	.28	.09		11
12					.15	.07	.37		.27	.03	.18			12
13				.04					.16	.06	.03	.90		13
14				.12		.26	.05	.02	.27		.16	.40		14
15	.20 ^s	.01		.36	.08	.14			.25		.37	.08		15
16	.10 ^s	.08		.11	.34		.06				.45			16
17	.02 ^s	.25					.08	.05		.04	.03	.02		17
18		.03		.14			.45	.22		.08				18
19	.55	.12	.05	.26		.40		.23		.31				19
20	.41 ^s	.13	.03			.31				.02				20
21	.60 ^s		.07	.12		1.86 ^s					.01	.10		21
22		.48	.03	.48		.20	.35					.05		22
23	.04	.07	.43	.22		.05	.31			.03				23
24	.16	.01		.06		.02			.25	.12				24
25	.22		.01						.46	.05				25
26	.10	.05	.26	.04					.12	.06				26
27	.67		.02						.14	.10	.02			27
28	.26	.26	.13	.08		.02	.02			.16	.01	.04		28
29	.05	.26	.03		.03	.31	.10			.01	.04	.22		29
30	.06	~~x~~			.31	.04				.29	.17	.01		30
31	.14	~~x~~	.02	~~x~~		~~x~~		.01	~~x~~		~~x~~	.11		31
TOTAL	4.31	1.97	1.64	2.05	1.07	5.34	2.54	1.64	3.90	1.37	2.99	2.81	31.56	
* Days with .01 in. or more.	22	16	17	14	6	18	17	11	18	15	21	19	194	
* Days with .04 in. or more.	20	10	9	12	5	15	13	7	15	10	15	15	146	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) *Edward Wells* [P.T.O.]

Section



for the entry of Daily Observations.

Station No. 2794

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Eccleston

in the County of Cheshire

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.05	.19	.06		—	—		—	.09	—	.03	.05		1
2	.01	.08	.10		—	—		—	—	.13	.01	.62		2
3	—	.09	—		.01	.15	.08	—	—	—	—	.01		3
4	.12	.03	.01		.07	—		.05	.04	—	—	1.00		4
5	.32	—	.12		—	—	.01	—	—	—	—	.50		5
6	.02	—	—		.10	—		—	—	—	.01	.01		6
7	—	.25	—		—	.06		—	.03	—	—	.02		7
8	—	.30	—		—	.01	.07	—	.03	—	.17			8
9	—	.01	—		.20	.02	.15	.06	.05	—	—			9
10	.01	.37	.01		—	—		—	—	—	—	.23		10
11	—	.07	.25		.39	.25		.03	—	—	.01			11
12	.13	.48	.10		—	.44		1.80	.40	—	—	.10		12
13	—	.04	.06		—	—		.20	.04	—	—	.06		13
14	—	.05	.16		—	—		.15	.06	.02	.10	.13		14
15	.20	.15	.04		—	.01	.82	—	.07	—	—	.13		15
16	—	.06	.13		—	—		.10	.11	—	—			16
17	.07	.10	.07		—	—		.01	.34	—	—			17
18	.56	.15	.06		—	—	.11	.02	—	—	.47	.06		18
19	—	.06	.03		.15	.16	.11	.09	.02	—	.09			19
20	.09	.08	.02		.62	—		—	—	—	.02	.05		20
21	.04	.26	.10		.01	—	.10	—	—	.08	—	.03		21
22	.03	.13	.04		.08	—	.13	—	—	.08	.27	.03		22
23	.05	.02	.01		.40	.01	.28	—	.02	.65	.28			23
24	.05	.17	.06		—	—	.02	—	.25	.62	—			24
25	—	.39	.01		—	—		—	.04	.13	.01	.02		25
26	—	.18	.04		.30	—	.01	.06	—	—	—	.01		26
27	—	.92	—		—	—		—	—	.50	—	.01		27
28	—	.03	—		—	.02		—	—	.12	—			28
29	.01	—	—		—	.02		—	—	.37	.12	.01		29
30	.18	~~XX~~	—		—	.02		—	.12	.10	.26			30
31	.17	~~XX~~	—	~~XX~~	—	~~XX~~		—	~~XX~~	.10	~~XX~~			31 d
TOTAL	2.11	4.66	1.48	2.97	2.33	1.17	1.89	2.57	1.71	2.90	1.85	3.08	28.72	✓
* Days with .01 in. or more.	18	26	21	(17)	11	12	12	11	16	12	14	20	(190)	✓
* Days with .04 in. or more.	13	22	15	(12)	9	5	9	8	12	11	8	11	(135)	✓

40-9999.

* See Instruction 2 (f) on other side.

Space column, no entries required.

(Signed) [P.T.O.]

COPY FOR OFFICIAL USE

Section

A

for the entry of Daily Observations

Station No. 2794

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Eccleston

in the County of Cheshire

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....1.....ft.....1.....in.

,, Ground ,, Sea Level.....94.....ft.

Copy by B.R.O.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1						1.14	.09	-	-	.10	.09	.25		1
2				.13	.14	.45	.04	-	-	.16	.02	.22		2
3	.01					.03	-	-	.08	.55	.05	.03		3
4	.01	.01				-	.04	-	.02	.04	-	.21		4
5	.01	.04				-	-	1.70	.17	.05	-	.06		5
6	.07					-	.57	-	-	.07	-	-		6
7	.33					-	.28	.37	.03	.01	-	.03		7
8	.31	.01				-	.20	.55	-	.27	-	.48		8
9	.04	.07	.01			.02	.05	.70	-	-	-	.30		9
10	.18	.04	.01			-	.50	.03	-	-	-	.11		10
11	.27	.01			.01	.08	.01	-	-	.03	.24	.13		11
12	.05	.57			.10	.03	.03	.18	-	.12	.68	-		12
13	.04				.01	-	-	-	.05	.03	.07	.04		13
14	.55					-	.27	-	-	-	.07	-		14
15	.18				.04	-	.14	.12	.01	.11	.01	.18		15
16	.15				.50	-	.05	.07	.01	.01	.03	.03		16
17	.01				.05	-	.07	-	.04	.28	-	.05		17
18	.04				.12	.03	-	.16	-	.08	.15	-		18
19	.01					.03	-	.10	.01	-	.01	-		19
20	.05		.04			.01	-	-	.13		.17	-		20
21						.01	-	-	-	-	.13	.01		21
22				.06		.13	-	-	-	-	.30	.03		22
23				.02	.05	.10	-	-	.18	-	.20	-		23
24	.02	.01	.19		.06	.02	-	.90	.07	.05	.09	-		24
25	.01	.01	.10			.07	.05	.01	-	.43	.75	.06		25
26	.24	.29	.18		.05	.10	-	-	.03	.42	.01	.07		26
27	.09	.02	.01		.57	.12	.18	.37	-	-	.20	-		27
28	.17					.23	.22	.07	.02	.01	-	.04		28
29	.60				.50	.04	-	.01	-	.16	.07	.12		29
30	.03	×				-	-	.01	.23	-	.16	.30		30
31	.08	×		×	.28	×	-	-	×	.10	×	.27		31
TOTAL	3.545	5.11	54	2.11	2.48	2.64	2.79	5.35	1.08	3.08	3.50	3.02	28.75	✓
* Days with .01 in. or more.	26	10	7	3	14	18	17	16	15	21	21	22	190	✓
* Days with .04 in. or more.	18	4	4	12	12	10	15	12	8	16	16	17	134	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

Edward Wells

P.T.O.

COPY FOR OFFICIAL USE

Section



for the entry of Daily Observations

Station No. 2794

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at ... *Beccles* ...in the County of ... *Suffolk* ...Diameter of Funnel of Gauge ... *5* ... in.Height of top of Gauge above Ground ... *1* ... ft. ... *1* ... in." Ground " Sea Level ... *94* ... ft.

896545/29

Copy by B.R.O.

Aug-Dec values sent for 13.2.40.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.35	-	.10	.25	-	-	-							1
2	.31	-	.01	.10	-	-	.01							2
3	.40	-	.14	.20	-	-	-							3
4	.30	-	.20	.14	.07	-	.33							4
5	-	-	-	-	.38	-	.35							5
6	.50	-	.01	-	-	-	.31							6
7	.01	.01	-	-	.04	-	.11							7
8	.02	.12	.46	-	.18	-	.28							8
9	.03	.10	.01	-	-	-	.02							9
10	.40	-	.03	-	-	-	-							10
11	.37	.03	.28	-	-	.50	-							11
12	.06	.28	-	-	-	.08	-							12
13	-	-	.02	.11	-	.19	.10							13
14	.40	-	-	-	.37	.43	.10							14
15	.30	-	-	-	.07	.85	.33							15
16	.05	.02	.10	-	.31	-	-							16
17	.48	.04	-	-	.04	.05	.25							17
18	.24	.10	.06	-	-	.18	.07							18
19	.18	-	-	-	-	-	.62							19
20	.10	-	-	-	-	.20	.74							20
21	.18	-	.15	.06	.04	.13	.07							21
22	.17	.30	.10	.13	-	-	.18							22
23	.12	.02	.02	.13	-	-	.15							23
24	-	.04	.02	.09	-	.07	.16							24
25	.16	.04	-	.18	-	-	.22							25
26	-	-	-	-	-	-	-							26
27	-	.34	.18	-	.01	.10	.16							27
28	-	.20	.18	.06	-	.07	.22							28
29	-	-	-	.21	-	-	.41							29
30	-	X	-	-	-	.10	.02							30
31	-	X	-	X	-	X	.02		X		X			31
TOTAL	5.13	2.64	2.07	1.66	1.51	2.95	6.23						Year's Total	
* Days with .01 in. or more.	22	14	18	12	10	13	24							
* Days with .04 in. or more.	19	10	11	12	9	13	20							

† Spare column, no entries required.

(Signed)

* See Instruction 3 (f) on other side.

[P.T.O.]

2795

Rowton Holly Bank
1931 — 40

REG
Kept at "Holly Bank"
in the County of _____

Diameter of Funnel of Gauge _____
Height of top of Gauge above Ground _____

THE MORNING MEASUREMENT

An observer who does not conform to the regulations of the year in the space on the right of the page.

AY. _____
e following _____
Jan. 1, following _____
05

Date	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.20				.11			.10	.14				1
2		.14		.55		.53		.35		.06	.05		2
3	.16				.09	.10		.72	.10		.02		3
4				.17				.26	1.28				4
5				.05		1.52	.15	1.36	.03	.30		.08	5
6		.02			.14	.18		.02	.18	.10	.13	.01	6
7				.01		.29		.69		.01	.04	.08	7
8	.13	.02		.36		.07	.09	1.11			.08		8
9	.09	.17		.13		.06		.14		.02	.12	.02	9
10		.01				.05	.02	.04			.52	.03	10
11	.06					.04		.02	.28		.03	.04	11
12	.03	.22		.05			.29	.13	.28	.04			12
13			.03				.08	.67			.18		13
14		.15				1.66	.08	1.00	.07		.47		14
15	.05	.32		.10	.05		.54	.14			.22		15
16	.13	.08		.15	.16	.11	.05	.23	.30				16
17	.11			.13	.49	.16		.03			.20		17
18	.23					.54	.16	.07			.35		18
19	.01	.16					.05	.49		.01		.03	19
20		.03	.12					.07			.09		20
21	.20				.40		.01	.13			.27	.02	21
22	.06			.03	.20	.10							22
23	.24			.05	.16		.18				.06	.35	23
24		.01		.08	.32		.05				.05	.10	24
25	.07	.11		.82							.01	.06	25
26	.22			.09			.10				.56		26
27	.21	.43		.03	.57		.05			.10	.35	.10	27
28			.04	.02	.37					.18	.01	.17	28
29	.06	X	.02		.02		.21			.53	.05	.01	29
30		X							.01		snow .06		30
31	snow .10	X		X	.05	X	.04		X	.01	X		31 d
TOTAL	2.36	1.87	.21	2.82	3.04	5.40	2.25	6.60	3.60	1.54	3.63	1.45	YEAR'S TOTAL 34.77
*Days with or in. or more.	19	14	4	17	13	14	18	18	11	12	20	18	
*Days with .04 in. or more.	17	9	2	13	12	14	16	16	9	8	17	11	14.4

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1931.

Kept at *"Holly Bank" Rowton*
in the County of *Chester*

Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *1* ft. *5* in.
Ground Sea Level *213* ft.

2796 218.
2790 195
request accept.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

.05

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.20				.11				.10	.14			1
2		.14		.55		.53			.35		.06	.05	2
3	.16					.09	.10		.72	.10		.02	3
4				.17				.26	1.28				4
5				.05		1.52	.15	1.36	.03	.30		.08	5
6		.02			.14	.18		.02	.18	.10	.13	.01	6
7				.01		.29		.69		.01	.04	.08	7
8	.13	.02		.36		.07	.09	1.11			.08		8
9	.09	.17		.13		.06		.14		.02	.12	.02	9
10		.01				.05	.02	.04			.52	.03	10
11	.06					.04		.02	.28		.03	.04	11
12	.03	.22		.05			.29	.13	.28	.04			12
13			.03				.08	.67			.18		13
14		.15				1.66	.08	1.00	.07		.47		14
15	.05	.32		.10	.05		.54	.14				.22	15
16	.13	.08		.15	.16	.11	.05	.23	.30				16
17	.11			.13	.49	.16		.03			.20		17
18	.23					.54	.16	.07			.35		18
19	.01	.16					.05	.49		.01		.03	19
20		.03	.12					.07			.09		20
21	.20				.40		.01	.13			.27	.02	21
22	.06			.03	.20	.10							22
23	.24			.05	.16		.18				.06	.35	23
24		.01		.08	.32		.05				.05	.10	24
25	.07	.11		.82							.01	.06	25
26	.22			.09			.10				.56		26
27	.21	.43		.03	.57		.05			.10	.35	.10	27
28			.04	.02	.37					.18	.01	.17	28
29	.06	X	.02		.02		.21			.53	.05	.01	29
30		X							.01			.06	30
31	snow .10	X		X	.05	X	.04		X	.01	X		31
TOTAL	2.36	1.87	.21	2.82	3.04	5.40	2.25	6.60	3.60	1.54	3.63	1.45	YEAR'S TOTAL 34.77
*Days with or in. or more.	19	14	4	17	13	14	18	18	11	12	20	18	
*Days with .04 in. or more.	17	9	2	13	12	14	16	16	9	8	17	11	14

Section

A

for the entry of Daily Observations.

Station No. 2795

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at "Holly Bank" Rowton
in the County of ChesterDiameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 5 in.
Ground Sea Level 213 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.05	.02					.16	.49	.12	.01	.04	.04	1
2	.10			.09	.51			.01		.49	.01	.18	2
3				.53	.44		.10			.03	.02	.03	3
4					.03		.09	.02			.36	.04	4
5	.06		.03	.04					.15				5
6	.48		.12	.11					.27				6
7	.04		.10	.18					.24	.59			7
8				.02						.46			8
9	.32				.05						.04		9
10	.35			.10	.05				.31	.40			10
11	.05			.04	.27	.07	.34		.02				11
12	.06			.02	.14		.26		.13	.16		.03	12
13				.08	.14		.21	.11	.03	.02		.10	13
14	.14			.02				.18		.22	.07		14
15				.06	.38					.02			15
16	.15			.02	.02		.02						16
17							.19			.05			17
18				.02			.02		.02				18
19					.02		.07			.25			19
20				.08	.36			.47		.20	.11		20
21			.25	.12	.38		.34	.05		.64	.05	.05	21
22	.01		.05	.11	.12		.08		.09	.06	.36		22
23					.10					.08	.13		23
24	.05		.12		.18		.34		.12		.50	.07	24
25	.01					.07	.02		.08	.20	.07		25
26			.02	.08	.23		.12		.09	.02			26
27			.29	.10	.22	.04	.10			.04	.08	.03	27
28			.04	.01	.29		.30						28
29			.35	.40	.15	.05	.03	.11	.14	.64	.07	.35	29
30		×	.03	.42		.19		.16		.81	.30	.06	30 d
31	.03	×	.08	×		×	.71		×	.01	×	.02	31
TOTAL	1.90	.02	1.48	2.65	4.08	.42	3.50	1.60	1.81	5.40	2.21	1.00	YEAR'S TOTAL 26.07
*Days with .01 in. or more.	15	1	12	22	20	5	19	9	14	22	15	12	166
*Days with .04 in. or more.	12	0	9	16	17	5	15	7	12	16	13	8	130

40-9999

*See Instruction 2 (f) on other side,

(Signed) J. H. Salmon

P.T.O.

Section

A

for the entry of Daily Observations.

Station No. 2795

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at "Holly Bank" Rowton
in the County of ChesterDiameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 5 in.
Ground Sea Level 2 1/3 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.03	.12	.03								.04			1
2	.19		.16		.03									2
3	.02	.22	.05		.10									3
4	.25		.04		.13									4
5	.19		.03								.03			5
6	.02	.22	.01		.10						.03			6
7		.84					.04	.02		.49				7
8	.01		.44				.43					.02		8
9					.03		.40			.20	.14			9
10	.04	.04			.7	.25				1.13	.08			10
11	.02			.02	.17		.16			.03		Snow .25		11
12	.01					.05	.40					.02		12
13							.03	.02	.04	.20	.78			13
14	.02		.01				.24	.24		.03	.27			14
15	.17							.02		.32	.15	.02		15
16	Snow .15	.03	.11		.07	.10				.24		.01		16
17	Snow .15		.47			.30			.05		.03			17
18	.09				.02	.22					.01			18
19			.49			.01			.04		.29	.02		19
20		.05	.15		.50				.10					20
21						.43		.12						21
22								.16		.01				22
23				.07						.03				23
24		.46		.07	.10	.25			.21	.02				24
25		.20				.08			.09			.09		25
26		.56								.28				26
27									.03	.01				27
28		.01					.02							28
29				.13	.13		.01	.18						29
30	.10	X	.06	.51	.03		.03			.05		.25		30 "d"
31	.03	X	.14	X		X			X	.43	X	.02		31
TOTAL	1.49	2.75	2.19	.80	1.41	1.69	1.76	.76	.56	3.47	1.85	.70	19.43	
* Days with "or in. or more.	17	11	14	5	12	9	10	7	7	15	11	9	127 days	
* Days with .04 in. or more.	9	9	10	4	7	8	6	4	6	9	7	3	82 days	

† Spare column, no entries required.

(Signed)

J. H. Salmon

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No. 2795

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at "Holly Bank" Rowton

in the County of Chester

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 5 in.

Ground Sea Level 2 1/3 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

27

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.11							.03	.12	.05	1.09	.42		1
2			.06					.51	.03		.06	.23		2
3	.18									.07		.07		3
4	.12		.08		.08			.06		.29		.86		4
5			.03		.04			.64		.05		.05		5
6	.09		.12		.30					.11		.29		6
7			.18	.01						.07	.07	.17		7
8			.02		.18	.11				.06	.39	.05		8
9			.11	.02				.04	.04		.47			9
10		.06	.17	.25				.11		.09	.03			10
11	.11			.53				.04			.05	.09		11
12			.01				.04	.18		.02	.01			12
13	.21			.06	.02		.23							13
14	.15		.19							.46	.07	.03		14
15	.04		.10		.22			.19			.05	.12		15
16	.23		.12		.07				.46	.06	.02	.01		16
17	.01		.17	.07	.12		.38	.06		.20		.09		17
18	.07			.13	.12	.23						.08		18
19			.08	.01	.08				.18	.09		.18		19
20			.04	.11	.01					.02		.08		20
21			.05			.08		.02		.19	.01			21
22			.08	.03			.02	.07	.02	.04		.07		22
23			.05	.30	.01	.12	.27	.05		.07	.03	.03		23
24		.22	.01		.01	.18			.05	.02		.01		24
25				.18					.09	.13		.39		25
26	.01		.05	.11		.08			.01			.02		26
27	.01			.07		.07	.12			.07		.30		27
28				.03		.11		.16	.09	.01		.57		28
29							.07		.14	.03				29
30	.10	×					.07	.07	.03	.44		.02		30
31		×		×		×	.06	.24	×	.45	×	.43		31
TOTAL	1.44	.28	1.72	1.91	1.26	.98	1.26	2.47	1.26	3.09	2.35	4.66	22.68	
*Days with or in. or more.	14	2	20	15	13	8	9	16	12	25	13	25	172	
*Days with .04 in. or more.	11	2	16	10	9	8	8	14	8	20	8	19	133	

† Spare column, no entries required.

(Signed)

J. H. Salmon

[P.T.O.]

Section

A

for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 2795

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935 .

Kept at Holly Bank Rowton
in the County of Chester

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 5 in.
Ground Sea Level 2 1/3 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.27	.04							.53	.21	.04	.10		1
2		.04				.18				.02	.01	.24		2
3	.09	.16	.06	.08		.15			.06	.08	.17	.89		3
4		.06		.09		.09				.95	.02	.02		4
5		.19	.19	.10		.06			.05	.14	.21	.04		5
6				.09										6
7				.01		.10				.12	.05	.14		7
8				.08		.02			.02	.11	.14	.14		8
9	^{show} .05	.01		.20		.03				.72	.08			9
10		.05		.03		.02				.01	.08			10
11	.34					.05		.03			.13			11
12	.12					.81			.05					12
13	.18			.05	.18	.08			.14		~~.81~~	~~.12~~		13
14						.04					.81	.10		14
15		.15		.52	.06				.14	.02		.72		15
16	.03	.16	.08	.06		.04	.29	.11	.45		.58	.05		16
17				.17	.22	.22	.09	.46	.01	.03	1.09			17
18				.05	.38	.15	.17	.20						18
19				.11	.38	.47	.25		.07	.48	.24			19
20		.10		.52		.07	.10				.18			20
21		.41							.17	.01	.05	.02		21
22		.30							.26			.23		22
23			.16					.06	.24	.76				23
24	.15	.24	.15						.92	.06	.03	.14		24
25	.36	.14								.14	.06	.02		25
26		.02						.55	.76	.03	.07	.24		26
27					.03		.03	.37	.45	.04	.27			27
28	.02	.03			.12			.02	.34	.18	.17			28
29		X	.06					.11	.27	.08	.05	.09		29
30	.03	X		.04		.30		.09	.07	.16	.22	.05		30
31		X		X		X			X	.16	X	.71		31
TOTAL	1.64	2.10	.70	2.20	1.37	2.88	.93	2.00	5.00	4.51	4.75	3.94	32.02	
* Days with .01 in. or more.	11	16	6	16	7	18	6	10	19	22	23	18	172	✓
* Days with .04 in. or more.	8	13	6	14	6	15	5	8	17	16	20	15	143	✓

Section **A** for the entry of Daily Observations.Station No. 2795

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936Kept at "Holly Bank"in the County of ChesterDiameter of Funnel of Gauge.....5.....in.Height of top of Gauge above Ground...1...ft...5.....in.,, Ground ,, Sea Level...213.....ft.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		.16	.03	<u>.48</u>		.09	.01	<u>.37</u>	.02		.26	.41		1
2	.06	.03		.12		.35		.04	.02		.10	.11		2
3						.46		.02	.58					3
4		.04	.16						.17		.40	.04		4
5	.06	.03	.22				.01	.29	.03		.03	.20		5
6	.02				.10		.05	.30	.13		.03			6
7			.01				.10		.25		.10	.07		7
8	.06		.22						.12		.30	.07		8
9	.41		.02			.06	.13		.35		.05			9
10	.06						.01	.01						10
11						.04	.13		.10		.27	.06		11
12					.06		.37		.27	.03	.09			12
13						.08	.04		.08	.11	.01	<u>.79</u>		13
14				.10		.32	.04	.02	.27		.17	.51		14
15	.23			.30	.08	.12	.02		.23		.38	.07		15
16	.07	.09		.11	<u>.31</u>		.03				<u>.47</u>			16
17	.02	.28					.12	.09		.01	.02			17
18				.05			<u>.63</u>	.23		.08				18
19	.81	.09	.02	.23		.12		.27		.28				19
20	.51	.07	.02			.01				.01				20
21	<u>1.48</u>			.12		<u>1.55</u>	.06					.09		21
22		<u>.45</u>	.02			.21	.30					.08		22
23		.06	.26			.03	.25			.03				23
24	.14			.05					.19	.08				24
25	.23								<u>.65</u>	.04				25
26	.08	.06	<u>.31</u>	.04					.22	.04				26
27	.78		.01						.22	.17				27
28	.22	.26	.11	.03		.17	.02			.22	.02	.04		28
29	.02	.23	.01		.06	.40					.05	.16		29
30	.05	~~X~~			.20	.01	.23			<u>.41</u>	.13			30
31	.13	~~X~~	.01	~~X~~		~~X~~			~~X~~		~~X~~	.10		31
TOTAL	5.44	1.85	1.43	1.63	.81	4.02	2.55	1.64	3.90	1.51	2.88	2.80	30.46	✓
* Days with .01 in. or more.	20	13	15	11	6	16	19	10	18	13	18	15	174	✓
* Days with .04 in. or more.	18	11	6	10	6	13	13	7	15	9	13	15	146	✓

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) J. H. Salmon [P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 2795

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at "Holly Bank" Rowton
in the County of Chester
Diameter of Funnel of Gauge.....5.....in.
Height of top of Gauge above Ground....1.....ft.....5.....in.
Ground Sea Level ...213.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.03	.22	.05			.03			.08	.01	.03	.03		1
2			.17	.37								.61		2
3		.16			.02	.17	.08							3
4	.21		.01		.04			.04	.03			1.21		4
5	.30		.13	.16								.72		5
6					.06			.01						6
7		.37		.05		.06								7
8		.38		.03			.07		.02		.14	.02		8
9		.01		.05	.17	.01	.09	.08	.03					9
10	.01	.29		.01								.23		10
11			.21		.34	.22								11
12	.05	.58	.13			.65		1.55	.42			.15		12
13		.02	.06	.02				.34	.06			.10		13
14		.06	.14					.12	.04		.10	.19		14
15	.17	.13		.36			.82		.06			.12		15
16		.06	.17	.89				.09	.05					16
17	.05	.10	.07	.43		.05			.74					17
18	.67	.26	.02				.13	.04			.53	.07		18
19	.02	.15	.02	.32	.09	.13	.13	.02	.02		.11			19
20	.08	.03		.23	.81		.08		.02			.02		20
21	.02	.31	.09	.12			.08			.08		.02		21
22	.05	.14	.02		.03		.08			.09	.23	.04		22
23	.04	.01			.42		.19			.51	.30			23
24	.10	.26	.10				.03		.27	.68		.01		24
25		.35	.02					.06	.02	.12		.01		25
26		.27	.09		.33			.01						26
27		.51		.25						.53		.01		27
28		.25								.13				28
29						.04				.74	.24			29
30	.16	X				.08			.13	.15	.30			30
31	.25	X		X		X			X	.07	X			31
TOTAL	2.21	4.92	1.50	3.29	2.31	1.44	1.78	2.36	1.99	3.21	1.98	3.56	30.55	✓
* Days with .01 in. or more.	16	23	17	14	10	10	11	11	15	11	9	17	164	✓
* Days with .04 in. or more.	12	19	12	11	8	8	10	8	9	11	8	10	126	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) J. H. Salmon [P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 2795

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938Kept at "Holly Bank" Rowtonin the County of ChesterDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft. 5 in.Ground Sea Level 213 ft.**THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY**

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1						<u>1.08</u>	<u>.09</u>			<u>.06</u>	<u>.07</u>	<u>.16</u>		1
2				<u>.09</u>	<u>.18</u>	<u>.38</u>	<u>.07</u>			<u>.24</u>	<u>.01</u>	<u>.28</u>		2
3	<u>.01</u>					<u>.03</u>	<u>.03</u>		<u>.05</u>	<u>.49</u>	<u>.04</u>	<u>.01</u>		3
4		<u>.01</u>					<u>.02</u>		<u>.02</u>	<u>.03</u>		<u>.27</u>		4
5	<u>.06</u>	<u>.03</u>				<u>.10</u>		<u>1.57</u>	<u>.14</u>	<u>.03</u>				5
6	<u>.05</u>					<u>.01</u>	<u>.42</u>	<u>.45</u>		<u>.06</u>		<u>.01</u>		6
7	<u>.28</u>						<u>.26</u>		<u>.01</u>			<u>.03</u>		7
8	<u>.44</u>						<u>.29</u>	<u>.83</u>		<u>.27</u>		<u>.50</u>		8
9	<u>.04</u>	<u>.08</u>	<u>.02</u>				<u>.03</u>	<u>1.00</u>				<u>.40</u>		9
10	<u>.23</u>	<u>.02</u>				<u>.04</u>	<u>.58</u>	<u>.02</u>				<u>.23</u>		10
11	<u>.35</u>					<u>.08</u>	<u>.05</u>			<u>.05</u>	<u>.19</u>	<u>.05</u>		11
12	<u>.03</u>				<u>.06</u>	<u>.02</u>		<u>.10</u>		<u>.14</u>	<u>.69</u>			12
13	<u>.05</u>									<u>.01</u>		<u>.04</u>		13
14	<u>.45</u>				<u>.02</u>		<u>.18</u>				<u>.12</u>			14
15	<u>.11</u>				<u>.04</u>		<u>.10</u>	<u>.12</u>	<u>.02</u>	<u>.11</u>		<u>.18</u>		15
16	<u>.15</u>				<u>.81</u>		<u>.04</u>	<u>.01</u>			<u>.03</u>	<u>.04</u>		16
17					<u>.03</u>		<u>.05</u>		<u>.02</u>	<u>.27</u>				17
18	<u>.05</u>				<u>.06</u>			<u>.22</u>		<u>.07</u>	<u>.15</u>			18
19	<u>.02</u>							<u>.09</u>						19
20	<u>.04</u>								<u>.05</u>		<u>.19</u>			20
21			<u>.05</u>								<u>.15</u>	<u>.05</u>		21
22				<u>.05</u>		<u>.16</u>					<u>.31</u>	<u>.04</u>		22
23					<u>.07</u>	<u>.13</u>			<u>.18</u>					23
24	<u>.01</u>		<u>.22</u>		<u>.21</u>			<u>.93</u>		<u>.05</u>	<u>.06</u>			24
25	<u>.01</u>		<u>.07</u>				<u>.03</u>			<u>.60</u>	<u>1.06</u>	<u>.05</u>		25
26	<u>.17</u>	<u>.33</u>	<u>.24</u>		<u>.05</u>	<u>.19</u>			<u>.07</u>	<u>.56</u>		<u>.07</u>		26
27	<u>.09</u>				<u>.61</u>	<u>.12</u>	<u>.27</u>				<u>.22</u>			27
28	<u>.15</u>					<u>.22</u>	<u>.27</u>	<u>.07</u>	<u>.01</u>			<u>.21</u>		28
29	<u>.74</u>				<u>.48</u>	<u>.03</u>				<u>.15</u>	<u>.05</u>	<u>.32</u>		29
30	<u>.04</u>	~~X~~							<u>.24</u>		<u>.12</u>	<u>.52</u>		30
31		~~X~~		~~X~~	<u>.25</u>	~~X~~			~~X~~	<u>.11</u>	~~X~~	<u>.37</u>		31
TOTAL	<u>3.57</u>	<u>.47</u>	<u>.60</u>	<u>.14</u>	<u>2.87</u>	<u>2.47</u>	<u>2.63</u>	<u>5.68</u>	<u>.81</u>	<u>3.30</u>	<u>3.46</u>	<u>3.83</u>	Year's Total	
* Days with .01 in. or more.	<u>23</u>	<u>5</u>	<u>5</u>	<u>2</u>	<u>13</u>	<u>13</u>	<u>17</u>	<u>13</u>	<u>11</u>	<u>18</u>	<u>16</u>	<u>21</u>	<u>158</u>	<u>158</u> ✓
* Days with .04 in. or more.	<u>18</u>	<u>2</u>	<u>4</u>	<u>2</u>	<u>11</u>	<u>9</u>	<u>10</u>	<u>13</u>	<u>11</u>	<u>6</u>	<u>15</u>	<u>14</u>	<u>18</u>	<u>124</u> ✓

† Spare column, no entries required.

(Signed)

* See Instruction 3 (f) on other side.

P.T.O.

Section

A

for the entry of Daily Observations

Station No. 2795

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at "Holly Bank" Rowton

in the County of Cheshire

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground...1...ft...5...in.

,, Ground ,, Sea Level...213.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.55		.05	.26			.01	.01				.02		1
2	.20			.13				.51	.20			.01		2
3	.30		.10	.15							.07	.30		3
4	.24		.15	.11	.06		.43	.13		.05		.28		4
5					.44		.20	.01			.27	.02		5
6	.82						.32		.19		.09			6
7					.08		.11	.01			.13	.55		7
8	.04	.07	.42	.02			.32	.34		.10		.04		8
9	.02	.09					.02	.27		.03	.28	.30		9
10	.39											.21		10
11	.46		.27			Hail .26								11
12	.12	.30				.10			.01					12
13	.01		.02	.13	.24	.18	.11		.34	.02	.03			13
14	.44				.35	.52	.16			.15	.09			14
15	.29			.01	.05	.80	.61				.03			15
16	.03	.04	.08		.35		.11			.06	.15			16
17	.67				.03	.02	.05			1.57	.04			17
18	.23	.16	.04			.10	.15				1.03			18
19	.23						.75				.07			19
20	.10				.05	.17	.36							20
21	.21		.15	.06	.02	.10		.24	.14					21
22	.18	.38	.06	.07			.20			.03	.74			22
23	.15	.03	.01	.18			.17			.49	.23			23
24				.05		.07	.46			.53				24
25	.14	.03		.22			.24			.05	.15			25
26											.01	.07		26
27		1.51	.14		.03	.10	.11	.46			.03	.22		27
28		.17		.07			.22		.07		.26	.02		28
29		X	.16	.14			1.56			.11				29
30		X		.01		.04	.04				.04	.04		30
31		X		X		X	.01		X	.02	X	.05		31
TOTAL	5.82	2.78	1.65	1.61	1.70	2.46	6.72	1.98	.95	3.21	3.74	2.13	34.75	Year's Total
* Days with .01 in. or more.	22	10	13	15	11	12	24	9	6	13	19	14	168	
* Days with .04 in. or more.	19	8	11	12	8	11	21	6	5	9	15	11	136	

† Spare column, no entries required

* See Instruction 3 (f) on other side.

(Signed) J. H. Salmon

P.T.O.

Section



for the entry of Daily Observations

Station No. 2795

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1930

Kept at *Holly Bank Rowton*in the County of *Chester*Diameter of Funnel of Gauge.....*5*.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1				.04							.18	.01		1
2		.03		.10			.04			.04	.19	.14		2
3		.18		.07			.16				.08	.07		3
4		.07								.13	.11	.11		4
5					.27		.03				.20	.17		5
6		.34					.27			1.14	.14	.09		6
7		.45		.04	.03		.10	.02	.04			.02		7
8									.23			.23		8
9			.32				.75		.04	.09	.86	.26		9
10			.08				.47	.08		.09	.23	.31		10
11							.12	.01			.52			11
12	.04		.17			.05	.07	.02	.71		.13	.11		12
13		.06	.35	.01					.13			.05		13
14			.02	.08	.13		.53	.04	.34	.01		.18		14
15				.06	.92	.01		.05	.14	.01	.04	.01		15
16		.13	.20				.22		.40	.50	.66	.08		16
17			.46	.02	.32		.02				1.54	.02		17
18	.04	.53	.18	.50					.48			.17		18
19		.29	.01				.17	.09	.29		.17			19
20				.14				.09		.45				20
21			.03		.14	.78	.07	.04	.04		1.26			21
22		.02	.01		.20	.10			.22	.02				22
23		.07		.03			.03				.04			23
24	.03		.01				.01		.08					24
25					.16	.39								25
26	SNOW 1.06	.12				.15	.51				.03			26
27	.50	.09		.37				.01			.33	.01		27
28	.26	.15			.14			.03						28
29			.24	.11		.11	.03			.05		.26		29
30	.01	~~X~~		.43	.05					.31		.07		30
31	.07	~~X~~	.10	~~X~~		~~X~~			~~X~~	.79	~~X~~	.10		31
TOTAL	2.01	2.53	2.15	2.00	2.36	1.59	3.60	.48	3.14	3.63	6.71	2.47	Year's Total 32.67	
* Days with .01 in. or more.	8	14	14	14	10	7	18	11	13	13	18	21	161	
* Days with .04 in. or more.	6	12	9	11	9	6	13	6	13	10	17	16	128	

† Spare column, no entries required.

(Signed)

J. H. Salmon

[P.F.O.]

* See Instruction 3 (f) on other side.

Kept at Chester Sewage
in the County of Chesh

Diameter of Funnel of Gauge.....
Height of top of Gauge above Ground
,, Ground ,, Sea Le

THE MORNING MEASU

An observer who does not conform to
year in the space on the right of this

2796
PY FOR OFFICIAL USE.
ORGANIZATION.

2796
CHESTER SEWAGE WKS,
1931 — 40

Jan. 1, following

wing

Date	Jan. in.	Feb. in.	March in.								Nov. in.	Dec. in.	Date
1	.16	-	-	-	-	-	-	-	.14	.06	-	-	1
2	-	.13	-	.03	.12	.61	-	-	.53	-	.03	.07	2
3	-	-	-	.52	-	.09	.09	-	.75	-	.63	.05	3
4	-	-	.10	-	-	-	-	.30	1.23	.10	.02	-	4
5	-	.02	-	.20	.09	1.54	.45	1.61	.03	-	-	-	5
6	-	.19	-	.07	-	.28	.11	.03	.32	.29	.09	-	6
7	-	.05	-	-	-	.17	-	.11	-	.02	-	.19	7
8	.12	.03	-	.35	-	.11	.05	1.55	-	-	.18	-	8
9	.28	.19	-	.12	-	.14	-	.16	.03	.04	.18	-	9
10	.12	.02	-	-	.05	.12	-	.04	-	-	.48	.02	10
11	.05	.16	-	-	-	-	-	-	.29	-	.02	.03	11
12	-	.12	-	-	-	-	.13	.13	.29	.06	.13	-	12
13	-	-	.07	-	.08	-	-	.91	-	-	-	-	13
14	-	-	-	-	-	1.35	.04	1.03	.12	-	.51	-	14
15	.20	.46	-	.12	.05	-	.24	.15	-	-	-	.23	15
16	.11	.04	-	.17	-	.10	-	.25	.35	-	.26	-	16
17	.16	-	-	.21	.36	.23	-	-	-	-	.35	-	17
18	-	-	-	-	-	-	-	.18	-	-	-	-	18
19	.15	.15	-	-	-	.79	.20	.52	-	-	-	-	19
20	-	-	.12	-	-	-	.12	.06	-	-	.02	-	20
21	.18	-	-	-	.41	.03	-	.07	-	-	.33	-	21
22	.09	-	.03	.04	.14	-	.02	-	-	-	-	-	22
23	.04	-	-	.07	-	.10	.13	-	-	-	.05	.16	23
24	-	-	-	.14	.35	-	.05	-	-	-	.07	-	24
25	.11	.21	-	.77	.09	-	-	-	-	-	-	.02	25
26	-	-	-	.12	-	-	.19	-	-	-	.63	-	26
27	.30	.41	-	-	.79	-	.04	-	-	.13	.32	.09	27
28	.12	-	.06	.07	.40	-	-	-	-	.32	.03	.11	28
29	.06	X	.07	-	.09	-	.19	-	-	.46	-	-	29
30	-	X	-	-	-	-	-	-	.02	-	-	-	30
31	.12	X	-	X	-	X	.09	-	X	.02	X	.05	31 "d"
TOTAL	2.37	2.18	.45	3.00	3.02	5.66	2.14	7.10	4.10	1.50	4.33	1.04	36.89
*Days with "or in. or more.	17	14	6	15	13	14	16	16	12	10	19	11	143
*Days with ".04 in. or more.	17	11	5	14	13	13	15	15	9	8	14	9	143

40-9999

*See Instruction 2 (f) on other side.

(Signed)

City Engineer Surveyor.

P.T.O.

FORM 1090.

REGISTER OF RAINFALL IN 1931 .

Kept at Chester Sewage Disposal Works.
in the County of Cheshire
Diameter of Funnel of Gauge.....5 in.
Height of top of Gauge above Ground.....1 ft. in.
Ground Sea Level 33 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Féb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.16	—	—	—	—	—	—	—	.14	.06	—	—	1
2	—	.13	—	.03	.12	.61	—	—	.53	—	.03	.07	2
3	—	—	—	.52	—	.09	.09	—	.75	—	.63	.05	3
4	—	—	.10	—	—	—	—	.30	1.23	.10	.02	—	4
5	—	.02	—	.20	.09	1.54	.45	1.61	.03	—	—	—	5
6	—	.19	—	.07	—	.28	.11	.03	.32	.29	.09	—	6
7	—	.05	—	—	—	.17	—	.11	—	.02	—	.19	7
8	.12	.03	—	.35	—	.11	.05	1.55	—	—	.18	—	8
9	.28	.19	—	.12	—	.14	—	.16	.03	.04	.18	—	9
10	.12	.02	—	—	.05	.12	—	.04	—	—	.48	.02	10
11	.05	.16	—	—	—	—	—	—	.29	—	.02	.03	11
12	—	.12	—	—	—	—	.13	.13	.29	.06	.13	—	12
13	—	—	.07	—	.08	—	—	.91	—	—	—	—	13
14	—	—	—	—	—	1.35	.04	1.03	.12	—	.51	—	14
15	.20	.46	—	.12	.05	—	.24	.15	—	—	—	.23	15
16	.11	.04	—	.17	—	.10	—	.25	.35	—	.26	—	16
17	.16	—	—	.21	.36	.23	—	—	—	—	.35	—	17
18	—	—	—	—	—	—	—	.18	—	—	—	—	18
19	.15	.15	—	—	—	.79	.20	.52	—	—	—	—	19
20	—	—	.12	—	—	—	.12	.06	—	—	.02	—	20
21	.18	—	—	—	.41	.03	—	.07	—	—	.33	—	21
22	.09	—	.03	.04	.14	—	.02	—	—	—	—	—	22
23	.04	—	—	.07	—	.10	.13	—	—	—	.05	.16	23
24	—	—	—	.14	.35	—	.05	—	—	—	.07	—	24
25	.11	.21	—	.77	.09	—	—	—	—	—	—	.04	25
26	—	—	—	.12	—	—	.19	—	—	—	.63	—	26
27	.30	.41	—	—	.79	—	.04	—	—	.13	.32	.09	27
28	.12	—	.06	.07	.40	—	—	—	—	.32	.03	.11	28
29	.06	X	.07	—	.09	—	.19	—	—	.46	—	—	29
30	—	X	—	—	—	—	—	—	.02	—	—	—	30
31	.12	X	—	X	—	X	.09	—	X	.02	X	.05	31 ^{"d"}
TOTAL	2.39	2.18	.45	3.00	3.09	5.66	2.14	7.10	4.10	1.50	4.33	1.04	36.89
*Days with or in. or more.	17	14	6	15	13	14	16	16	12	10	19	11	16.3
*Days with .04 in. or more.	17	11	5	14	13	13	15	15	9	8	14	9	14.3

Section



for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at *Chester Sewage Disposal Works*
in the County of *Chester*Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *1* ft. *—* in.
Ground Sea Level *33* ft.

Deepest by Water Works records

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.04	—	—	.06	.60	—	.21	.19	.10	—	—	—	1
2	.17	—	—	—	.40	—	—	.04	.11	.09	—	.15	2
3	—	.02	—	.63	—	—	—	—	—	.34	—	.05	3
4	—	—	—	.01	—	—	—	—	—	—	.31	—	4
5	.09	—	.08	.17	—	—	—	—	.13	—	—	—	5
6	.75	—	.14	.23	—	—	—	—	.32	—	—	—	6
7	.05	—	.20	.04	—	—	—	—	.31	1.01	—	—	7
8	—	—	—	—	—	—	—	—	.13	.39	—	—	8
9	.41	—	—	—	—	—	—	—	—	—	.06	—	9
10	.30	—	—	.15	.10	—	—	—	.34	.26	—	—	10
11	.02	—	—	.06	.18	.11	.14	—	.37	—	—	—	11
12	.09	—	—	—	.20	—	.16	—	.07	.18	—	—	12
13	—	—	—	.11	.13	—	.14	—	.13	—	—	—	13
14	.22	—	—	.31	—	—	—	.42	—	.25	.04	—	14
15	—	—	—	—	—	—	—	—	—	.04	—	—	15
16	—	—	—	.11	—	—	.05	—	—	—	—	—	16
17	—	—	—	—	—	—	.41	—	—	—	—	—	17
18	.07	—	—	—	.04	—	—	—	.06	—	—	—	18
19	—	—	—	.07	.05	—	—	—	—	.38	—	—	19
20	—	—	—	.11	.35	—	.07	.48	—	.23	.23	—	20
21	—	—	.26	.21	.39	—	.03	.07	—	.71	—	—	21
22	—	—	.14	.03	.12	—	.42	—	—	.07	.27	—	22
23	.09	—	—	—	.09	—	.37	—	—	.03	.13	—	23
24	—	—	—	—	.21	—	.09	—	.11	—	—	—	24
25	—	.01	.11	.01	—	—	.05	—	.10	.09	.09	—	25
26	—	—	.07	.04	.15	—	—	—	.23	.12	—	—	26
27	—	—	.03	.11	.13	—	.11	—	—	—	.23	—	27
28	—	—	.15	.07	.19	—	.33	—	—	—	—	—	28
29	—	—	.35	.39	.12	—	—	—	.18	.97	—	—	29
30	—	×	.07	.35	—	.15	—	—	—	.48	.77	—	30
31	.02	×	.19	×	—	×	—	—	×	—	×	.60	31
TOTAL	2.32	0.03	1.79	3.27	3.45	0.26	2.58	1.97	2.69	5.64	2.13	(.80)	YEAR'S TOTAL
*Days with .01 in. or more.	13	2	12	21	17	2	14	5	15	17	9	2	129
*Days with .04 in. or more.	11	—	11	18	17	2	13	5	15	16	19	2	119

40-9999

*See Instruction 2 (f) on other side,

(Signed)

City Engineer & Surveyor

P.T.O.

Section

A

for the entry of Daily Observations.

Station No.

2796

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at *Chert Sewage Disposal Works*in the County of *Cheshire*Diameter of Funnel of Gauge *6* in.Height of top of Gauge above Ground *1* ft. *2* in.,, Ground ,, Sea Level *16* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1						—	—	—	·01	—	·05	—		1
2						·04	—	—	—	—	—	—		2
3						—	—	—	—	—	—	—		3
4						—	—	—	—	—	—	—		4
5						—	—	—	—	—	·03	·01		5
6						—	—	—	—	—	·02	·01		6
7						—	·15	·01	—	·41	—	·02		7
8						—	·09	—	—	—	—	—		8
9						—	·26	—	—	·35	·13	—		9
10						·20	—	—	—	·04	·12	—		10
11						·01	·03	·01	—	·02	—	·05		11
12		Do	Do	Do	Do	·07	·35	—	—	·01	—	·11		12
13						—	—	·04	·11	·14	·47	—		13
14						—	·07	·08	—	·06	·22	—		14
15						—	—	·04	—	·52	·11	—		15
16						·10	—	·02	—	·24	—	—		16
17		Do	Do	Do	Do	·18	—	—	·07	—	·03	—		17
18						·16	—	—	—	·01	·02	—		18
19						·01	—	—	·04	—	·18	—		19
20						·01	—	·08	·09	—	—	—		20
21						·07	—	·26	—	—	—	—		21
22						—	—	·76	—	·03	—	—		22
23						·22	—	—	·01	·04	—	—		23
24						·12	—	—	·10	·03	—	—		24
25						·01	—	—	·13	—	—	·10		25
26						·04	—	—	—	·27	—	·02		26
27						—	·07	—	·02	·02	—	·01		27
28						—	·04	·28	—	—	—	—		28
29						—	·01	—	—	—	—	—		29
30		X				—	·04	—	—	·18	—	·21		30
31		X		X		X	—	·01	X	·20	X	·02		31
TOTAL						1·24	1·11	·99	·58	3·57	1·38	·56	Year's total	
*Days with ·01 in. or more.						14	10	11	9	17	11	10		
*Days with ·04 in. or more.						10	8	7	6	11	7	4		

† Spare column, no entries required.

(Signed)

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No.

2796

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Chester (Sewage Disposal Works)
in the County of Cheshire

Diameter of Funnel of Gauge 6 in.
Height of top of Gauge above Ground 1 ft. 2 in.
,, Ground ,, Sea Level 16 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.08	—	—	—	—	—	—	.20	.08	.06	1.18	.37		1
2	—	—	.04	—	—	—	—	.35	.04	—	.25	.17		2
3	.04	—	—	—	—	—	—	—	—	.11	—	—		3
4	.09	—	.03	.01	.05	—	—	.20	—	.31	—	.64		4
5	—	—	.04	—	.06	—	—	.60	—	.02	.03	.04		5
6	—	—	.11	—	.25	—	—	—	—	.13	—	.28		6
7	.10	—	.03	.01	.02	—	—	—	—	.04	.02	.16		7
8	—	—	—	—	.21	.13	—	—	—	.04	.39	.06		8
9	—	—	.12	.04	—	—	—	.03	—	.01	.44	—		9
10	.01	.04	.09	.28	—	—	—	.12	—	.03	.03	—		10
11	.05	—	.01	.40	—	—	—	.04	—	—	.05	.08		11
12	—	—	.01	—	—	—	.01	.23	—	.03	.01	.01		12
13	.28	—	.01	.08	.02	—	.31	—	—	—	—	—		13
14	.39	—	.12	—	—	—	—	—	—	.27	.03	.05		14
15	.05	—	.07	—	.17	—	—	.09	—	.20	.05	.03		15
16	.21	—	.25	—	.13	—	—	—	—	.07	.02	.11		16
17	.03	—	.23	.06	.10	—	.12	.10	.29	.15	—	.06		17
18	.04	—	—	.30	.19	.16	—	—	—	—	—	.10		18
19	—	—	.09	—	.02	.05	—	.05	.11	.05	—	.23		19
20	.01	—	.04	.04	.04	—	—	—	—	.02	—	.06		20
21	—	—	.02	—	—	.17	—	.13	.20	.11	—	—		21
22	.01	—	.09	.02	—	—	—	.10	.07	.06	—	.07		22
23	—	—	.05	.21	.03	.18	.04	.10	—	.11	—	.02		23
24	—	.04	—	—	.01	—	.01	—	.11	.04	—	.01		24
25	—	—	—	.20	.01	—	.01	—	.03	.12	—	.47		25
26	—	—	.01	.17	—	.05	.01	—	.01	.01	—	—		26
27	.03	—	—	.08	—	.08	.10	—	—	.02	.02	.36		27
28	—	—	—	.02	—	—	—	.12	.03	.02	—	.46		28
29	—	X	—	—	—	—	.05	—	.18	.05	—	—		29
30	.08	X	—	—	—	—	.01	.06	.02	.27	—	.02		30
31	—	X	—	X	—	X	.01	.03	X	.45	X	.36		31
TOTAL	1.50	.08	1.46	1.92	1.29	.82	.58	2.37	1.17	2.80	2.51	4.72	Year's Total.	20.72
* Days with .01 in. or more.	16	2	20	15	15	7	11	17	12	27	13	24		179
* Days with .04 in. or more.	11	2	13	11	8	7	5	15	8	19	6	19		124

Section

A

for the entry of Daily Observations.

Station No.

2796

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at *Chates Sewage Disposal Works*in the County of *Cheshire*Diameter of Funnel of Gauge.....*6* in.Height of top of Gauge above Ground.....*1* ft. *2* in.,, Ground ,, Sea Level*16* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.20	.02	—	—	.02	—	.16	—	.50	.16	.02	.10		1
2	—	.03	.01	—	—	.06	—	—	—	.05	—	.18		2
3	.06	.13	.03	.08	—	.58	—	—	.08	.05	.16	.56		3
4	—	.04	—	.08	—	.27	—	—	.01	.52	—	.04		4
5	—	.18	.22	.18	—	—	—	—	.07	.06	.36	.03		5
6	—	—	—	.16	—	—	—	—	—	—	—	—		6
7	—	—	—	.01	—	.07	—	—	—	.05	.04	.15		7
8	.02	—	—	.06	—	—	—	.02	.01	.06	.15	.13		8
9	.03	.02	—	.15	—	.03	—	—	—	.68	.09	—		9
10	—	.07	—	—	—	.04	—	—	—	.03	.02	—		10
11	.28	—	—	—	—	.04	—	.03	—	.02	.10	—		11
12	.14	—	—	—	—	.52	—	—	.03	—	—	—		12
13	.11	—	—	.04	.18	.01	—	—	.09	—	.01	—		13
14	.03	—	—	.04	.01	.11	—	—	.01	—	.60	.13		14
15	—	.13	—	.57	.07	.03	.02	—	.10	—	—	.54		15
16	.01	.29	.11	.04	.01	.03	.23	—	.52	.02	.53	.04		16
17	—	—	—	.12	.33	.24	.05	.22	.03	.02	.80	—		17
18	—	—	—	.11	.45	.14	.21	.01	.08	.01	—	—		18
19	—	—	—	.14	.43	.35	.20	—	—	.43	.24	—		19
20	—	.09	—	.32	—	.07	.14	—	—	.01	.17	—		20
21	—	.35	—	—	—	—	—	—	.26	.02	.02	—		21
22	.01	.28	—	.02	—	—	—	—	.25	—	—	.20		22
23	—	—	.20	—	—	—	—	.06	.23	.64	—	—		23
24	.10	.19	.12	—	—	—	—	—	.96	.09	—	.11		24
25	.29	.14	—	—	—	.02	—	—	—	.14	.01	—		25
26	—	.01	—	—	—	—	—	.54	.24	.02	.10	.15		26
27	—	.05	—	—	.01	.02	.03	.30	.36	.04	.20	.01		27
28	.03	.02	—	—	.10	—	—	.15	.27	.11	.07	—		28
29	—	~~X~~	.05	—	—	.04	—	.07	.27	.10	.01	.13		29
30	.01	~~X~~	—	.01	—	.36	—	.09	.09	.29	.30	.05		30
31	—	~~X~~	—	~~X~~	—	~~X~~	—	—	~~X~~	.11	~~X~~	.68		31
TOTAL	1.32	2.04	0.74	2.13	1.61	3.03	1.04	1.49	4.46	3.73	4.00	3.23	28.82	Year's Total
* Days with .01 in. or more.	14	17	7	17	10	20	8	10	21	25	21	17	187	
* Days with .04 in. or more.	7	12	5	14	6	14	6	7	16	17	15	15	134	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required

(Signed)

[P.O.]

Section



for the entry of Daily Observations

Station No.

2796

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at *Chester Sewage Disposal Works*in the County of *Cheshire*Diameter of Funnel of Gauge.....*6* in.Height of top of Gauge above Ground.....*1* ft. *2* in.,, Ground ,, Sea Level.....*16* ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	.11	.03	.48	—	.11	.05	.32	.03	—	.13	.30		1
2	.05	—	—	.13	—	.66	—	.02	—	—	.08	.10		2
3	—	—	—	—	—	.48	—	.01	.47	—	—	—		3
4	—	.02	.12	—	—	—	—	—	.10	—	.20	.07		4
5	.06	.03	.20	—	—	—	—	.26	.02	—	.02	.20		5
6	.03	—	—	—	.14	—	.05	.38	.12	—	.03	—		6
7	—	—	.03	—	—	—	.18	—	.26	—	.17	.03		7
8	.08	—	.20	—	—	—	—	—	.05	—	.12	.03		8
9	.42	—	—	—	—	.07	.12	—	.05	—	.03	—		9
10	.08	—	—	—	—	.05	—	—	—	—	.05	—		10
11	—	—	—	—	—	—	.14	.03	.04	—	.30	.04		11
12	—	—	—	—	.10	.07	.36	—	.21	.03	.08	.03		12
13	—	—	—	.02	—	—	.23	—	.05	.06	—	.44		13
14	.01	—	—	.08	—	.32	—	—	.36	—	.15	.30		14
15	.15	—	—	.56	.07	.11	.04	—	.12	—	.22	.02		15
16	.07	.05	—	.08	.31	—	.11	—	.02	—	.13	—		16
17	.02	.25	—	—	—	—	.05	.03	—	.01	—	—		17
18	—	.03	—	.06	—	—	.70	.21	—	.08	—	—		18
19	.67	.15	.02	.26	—	.46	—	.24	—	.17	—	—		19
20	.44	.14	.01	—	—	—	—	—	—	.03	—	—		20
21	1.09	—	.08	.11	—	1.88	.02	—	—	—	—	.08		21
22	.38	.51	.02	—	—	.23	.22	—	—	—	—	.05		22
23	.04	.08	.41	—	—	.06	.19	—	—	.05	—	—		23
24	.12	—	—	—	—	—	—	—	.20	.03	—	—		24
25	.21	—	—	.02	—	—	—	—	.39	.03	—	—		25
26	.04	.07	.27	—	—	—	.05	—	.11	.10	—	—		26
27	.67	—	.02	—	—	—	—	—	.13	.06	—	—		27
28	.21	.27	.13	.12	—	.10	.02	—	—	.20	—	.02		28
29	.06	.16	.06	—	.03	.31	—	—	—	.02	.04	.20		29
30	.05	~~X~~	—	—	.26	—	.13	—	—	.27	.13	—		30
31	.12	~~X~~	—	~~X~~	—	~~X~~	—	—	~~X~~	—	~~X~~	.09		31
TOTAL	5.07	1.87	1.60	1.92	.91	4.91	2.66	1.50	2.73	1.14	1.88	2.00	Year's Total	23.19
* Days with .01 in. or more.	23	13	14	11	6	14	17	9	18	14	16	16	171	✓
* Days with .04 in. or more.	20	10	8	9	5	14	15	5	15	8	13	11	133	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required
(Signed) *[Signature]*

[P.T.O.]

COPY FOR OFFICIAL USE

Section



for the entry of Daily Observations

Station No. 2796

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at *Black-Savage Disposal Works*

in the County of *Cheshire*

Diameter of Funnel of Gauge... 5".....in.

Height of top of Gauge above Ground.....ft. 8".....in. *9" in ground.*

Ground Sea Level ft. 16

873648728

17 JUNE 1939

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1								—	0.02	0.06	0.10	0.19		1
2								—	—	0.10	0.01	0.23		2
3							0.03	—	0.03	0.54	0.02	0.01		3
4							0.06	—	—	0.04	—	0.18		4
5							0.36	1.01	0.13	0.07	—	0.02		5
6							0.29	—	—	0.05	—	0.01		6
7							0.27	0.37	0.05	—	—	0.02		7
8							0.03	0.67	—	—	—	0.58		8
9							0.40	0.57	—	0.03	—	0.14		9
10							0.01	—	—	—	—	0.23		10
11							0.01	—	—	0.04	0.07	0.06		11
12							—	0.14	—	0.13	0.68	—		12
13							0.17	—	0.03	0.01	0.05	0.03		13
14							—	—	0.01	—	—	—		14
15							0.03	0.05	—	—	—	0.14		15
16	<i>No readings prior to this date.</i>						0.04	0.04	—	—	0.02	0.01		16
17							—	—	—	0.09	—	—		17
18							0.05	—	0.03	—	0.13	0.12	—	18
19							0.02	—	0.11	—	—	—	—	19
20							—	—	0.01	0.16	—	0.17	—	20
21							—	—	—	—	0.14	—	—	21
22							0.12	—	—	—	0.32	—	—	22
23							0.05	—	—	—	0.15	—	—	23
24							—	—	0.95	0.06	0.02	0.05	—	24
25							0.06	0.08	0.03	—	0.45	0.72	—	25
26							0.02	—	—	0.02	0.42	0.05	0.08	26
27							0.20	0.08	0.27	—	—	0.20	0.09	27
28							0.18	0.20	0.06	—	—	0.01	0.14	28
29							—	0.01	—	—	0.17	0.03	0.18	29
30							—	—	—	0.31	—	0.13	0.28	30
31							—	—	—	0.08	—	0.31	—	31
TOTAL						<i>imp.</i> 0.70	2.07	4.31	0.82	2.43	3.04	2.90	<i>Part</i> 16.27	Year's Total
* Days with .01 in. or more.						8	16	14	10	17	19	20	104	
* Days with .04 in. or more.						6	10	11	5	14	14	14	74	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed)

Charles Greenwood

P.T.O.

Section



for the entry of Daily Observations

Station No. 2796.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at Chester..Sewage..Disposal..Wprks..

in the County of ..CHESHIRE..

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....ft.....6.....in.

„ Ground „ Sea Level 16.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.26	-	0.06	0.25	-	-	-	-	-	-	-	0.06		1
2	0.10	-	0.02	0.09	-	-	-	0.04	-	-	-	0.02		2
3	0.11	-	0.08	0.15	-	-	-	0.41	0.30	-	0.08	0.42		3
4	0.54	-	0.21	0.14	-	-	0.32	0.02	-	0.02	0.19	0.24		4
5	-	-	-	-	0.31	-	0.21	-	-	0.04	0.33	0.03		5
6	0.57	-	-	-	-	-	0.27	0.06	-	-	0.05	0.30		6
7	-	-	-	-	0.16	-	0.11	-	-	-	0.09	0.08		7
8	0.02	0.11	0.36	0.03	-	-	0.44	0.02	-	0.18	0.19	0.18		8
9	0.04	0.06	-	-	-	-	0.01	0.36	-	0.35	-	0.11		9
10	0.34	-	-	-	-	-	-	0.12	0.12	-	0.03	-		10
11	0.40	0.38	0.25	-	-	0.19	-	0.09	-	-	-	-		11
12	0.08	-	-	-	-	0.08	-	-	-	-	-	-		12
13	-	-	0.03	0.09	0.17	0.18	0.07	-	0.17	0.02	0.03	-		13
14	0.45	-	-	-	0.35	0.35	0.27	-	-	0.07	0.16	-		14
15	0.19	-	-	-	0.04	0.72	0.36	-	-	-	0.03	-		15
16	-	-	0.07	-	0.35	-	0.03	-	-	0.05	0.17	-		16
17	0.54	0.04	-	-	0.02	0.03	0.09	-	-	1.35	0.03	-		17
18	0.21	-	0.02	-	-	0.06	0.08	-	-	0.01	0.82	-		18
19	0.14	0.11	-	-	-	-	0.44	-	-	-	0.12	-		19
20	0.08	-	-	-	-	0.22	0.21	-	-	-	-	-		20
21	0.09	-	0.61	0.04	0.01	0.03	0.05	0.17	0.08	-	-	-		21
22	0.14	0.36	0.06	0.09	-	-	0.16	-	-	0.02	0.54	-		22
23	0.07	0.04	-	0.04	-	-	0.19	-	-	0.25	0.23	-		23
24	-	-	-	0.04	-	0.05	0.14	-	-	0.51	0.02	-		24
25	0.19	-	-	0.18	-	-	0.17	-	-	0.05	0.22	-		25
26	-	-	-	-	-	-	-	0.01	-	-	0.15	0.07		26
27	-	1.24	0.15	-	-	0.15	0.06	0.27	-	-	0.04	-		27
28	-	0.23	0.20	0.07	-	0.09	0.18	-	-	0	0.22	0.24		28
29	-	XXXX	-	0.18	-	-	1.51	-	-	0.07	0.01	-		29
30	-	X	-	-	-	-	0.01	-	-	-	0.03	0.02		30
31	-	X	-	X	-	X	0.06	0.05	X	-	X	0.04		31
TOTAL	4.56	2.57	1.67	1.39	1.41	2.15	5.49	1.62	0.67	2.99	3.78	1.81	30.11	
* Days with .01 in. or more.	20	9	13	13	8	12	24	12	4	14	23	13	165	
* Days with .04 in. or more.	19	9	10	12	6	10	21	9	4	10	16	10	136	

C. GREENWOOD, Esq., C.E.

† Spare column, no entries

(Signed)

* See Instruction 3 (f) on other side.

P.T.O.

Section



for the entry of Daily Observations

Station No. 2796.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at C. hester Sewage Works.....

in the County of Cheshire.....

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....ft....6.....in.

,, Ground ,, Sea Level 16.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	-	-	-	-	-	-	-	-	0.17	-		1
2	-	-	-	-	-	-	-	-	-	-	0.14	0.08		2
3	-	-	-	0.17	-	-	0.22	-	-	0.05	0.08	0.05		3
4	-	-	-	0.07	0.23	-	0.24	-	-	0.11	0.11	0.11		4
5	-	-	-	0.03	0.23	-	0.24	-	-	-	0.27	0.18		5
6	0.04	0.35	-	-	-	-	0.28	-	-	0.97	0.12	0.13		6
7	-	0.45	-	-	0.02	-	0.32	-	0.02	0.02	-	0.03		7
8	-	-	-	-	-	-	-	-	0.40	0.05	-	0.21		8
9	-	-	0.37	-	-	-	0.54	0.02	0.04	0.20	0.55	0.25		9
10	-	-	0.02	-	-	-	0.46	0.06	-	0.08	0.25	0.25		10
11	-	-	-	0.02	-	0.20	0.04	-	-	-	0.36	0.15		11
12	-	-	0.29	-	-	0.35	0.28	0.02	0.50	-	0.15	-		12
13	-	-	0.36	0.02	-	-	-	0.01	0.18	-	-	-		13
14	-	-	0.05	0.10	0.03	-	0.61	0.08	0.28	-	0.12	0.17		14
15	-	-	-	0.05	0.95	0.02	-	-	0.09	-	0.02	-		15
16	-	-	0.22	-	-	-	0.17	-	0.39	-	0.51	0.09		16
17	-	-	0.46	0.06	-	-	0.02	-	-	0.48	0.88	-		17
18	-	-	0.11	0.35	-	-	-	0.10	0.23	-	0.01	0.13		18
19	-	0.25	0.03	0.06	-	-	0.06	-	0.34	-	0.13	-		19
20	-	-	-	0.15	-	-	0.06	0.03	-	0.37	0.05	-		20
21	-	-	0.02	-	0.10	0.46	0.14	0.05	0.03	-	0.98	-		21
22	-	-	0.03	0.01	0.20	0.10	-	-	0.18	-	-	-		22
23	-	-	0.02	0.21	-	-	-	-	0.05	-	0.04	-		23
24	-	-	0.05	-	-	-	0.04	-	-	-	-	-		24
25	0.08	-	-	-	0.15	0.12	-	-	-	-	-	-		25
26	0.78	0.08	-	-	0.09	0.08	0.45	-	-	-	0.05	-		26
27	0.65	0.21	-	-	-	-	-	-	-	-	0.24	-		27
28	0.24	0.12	-	-	0.40	-	-	-	-	-	0.04	-		28
29	-	-	0.18	0.12	-	-	-	-	-	0.05	-	0.25		29
30	-	X	-	0.49	0.07	-	-	-	-	0.25	-	0.07		30
31	-	X	0.09	X	-	X	-	-	X	0.67	X	0.12		31
TOTAL	1.79	1.46	2.30	1.91	2.24	1.33	3.93	0.37	2.73	3.30	5.21	2.27	28.84	✓
* Days with .01 in. or more.	5	6	15	15	10	7	16	8	13	12	22	16	145	✓
* Days with .04 in. or more.	5	6	10	11	8	6	15	4	11	11	20	15	122	✓

† Spare column, no entries required.

(Signed)

CITY ENGINEER & SURVEYOR.

P.T.O.

* See Instruction 3 (f) on other side.

CHESTER (THE CROSS)

Section **A** for the entry of D
AIR MINISTRY

FORM 1090

REGIST

Kept at *Chester*

in the County of *Cheshire*

Diameter of Funnel of Gauge *5*

Height of top of Gauge above Ground

„ Ground „ Sea Level

THE MORNING MEASUREMENT

An observer who does not conform to the year in the space on the right of this

Please

2796/3

CHESTER, THE CROSS
1938-39

No. 2796/3
ORGANIZATION

Y
wing

Jan. 1, following

Date	Jan.	Feb.	Mar.	Apr.								Dec.		Date
	in.	in.	in.	in.								in.	†	
1	-	-	-	-	-	1.12	.23	-	-	.15	-	.2		1
2	-	-	-	.13	.13	.5	-	-	-	.3	-	.6		2
3	.05	-	-	-	-	-	4	-	-	-	-	.3		3
4	-	-	-	-	-	-	4	-	-	.4	-	-		4
5	.02	-	-	-	-	-	-	-	-	-	-	-		5
6	.03	-	-	-	-	.03	4	.92	-	.1	-	-		6
7	-	.05	.04	-	-	-	4	.33	-	-	-	-		7
8	.29	-	-	-	-	-	4	.73	-	.35	-	.3		8
9	.34	.13	.03	-	-	.1	4	.5	.3	-	-	-		9
10	.21	-	-	-	-	-	2.07	-	-	-	-	.2		10
11	.3	.02	-	-	-	-	✓	-	-	-	-	.06		11
12	.07	-	-	-	.07	.03	-	.31	-	-	1.25	-		12
13	.04	-	-	-	-	-	-	-	.23	.15	-	.07		13
14	.68	-	-	-	.04	-	4	-	-	-	-	-		14
15	.21	-	-	-	-	-	4	-	.05	-	-	.32		15
16	.13	-	.01	-	-	-	✓	-	.07	.17	-	-		16
17	-	-	-	-	.06	-	-	-	-	-	.33	-		17
18	-	-	-	-	.14	-	-	-	-	.2	-	-		18
19	.07	-	-	-	-	.03	-	-	-	-	-	-		19
20	.05	-	-	-	-	-	.25	-	-	-	.22	-		20
21	-	-	.07	-	-	-	-	-	-	-	-	-		21
22	-	-	-	.03	-	.2	-	-	-	-	.52	-		22
23	-	-	-	-	-	-	-	-	-	-	-	-		23
24	-	-	.16	-	.09	-	-	1.2	-	-	-	-		24
25	-	.03	.07	-	-	-	-	-	-	.44	.58	-		25
26	-	.3	.2	-	.06	-	-	-	.6	.5	.34	-		26
27	.28	-	-	-	.56	.11	.22	.33	-	-	-	.12		27
28	-	.02	-	-	-	.4	-	-	-	-	-	.05		28
29	.78	-	-	-	.57	.015	-	.1	-	.02	.23	-		29
30	.02	X	-	-	-	-	-	-	-	-	.33	.22		30
31	.1	X	-	X	.33	X	-	-	X	-	X	.61	"d"	31
TOTAL	3.67	.53	.58	.16	2.05	2.57	2.77	4.42	1.25	2.78	3.8	3.05	28.01	
* Days with .01 in. or more.	18	6	5	4	10	7	11	8	5	10	8	12	13	
* Days with .01 in. or more.	18	6	5	4	10	7	11	8	5	10	8	12	13	

I. D. SIDDALL ESQ.

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed)

W. S. Bathrell

[P.T.O.]

CHESTER (THE CROSS)

Section **A** for the entry of D. on No. **2796/3**
AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at **Chester**
in the County of **Cheshire**
Diameter of Funnel of Gauge **5** in.
Height of top of Gauge above Ground **1** ft. in.
Ground Sea Level **70** ft.

Days not taken regularly, X
12 count "sid"
Letter written 8/6/38
ref to 794263/38.
Value from 7th adj. by nearby stns. 8.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	—	—	—	1.12	.23	—	—	.15	—	.2		1
2	—	—	—	.13	.13	.5	—	—	—	.3	—	.6		2
3	.05	—	—	—	—	—	—	—	—	—	—	.3		3
4	—	—	—	—	—	—	.4	—	—	.4	—	—		4
5	.02	—	—	—	—	—	—	—	—	—	—	—		5
6	.03	—	—	—	—	.03	.4	.92	—	.1	—	—		6
7	—	.05	.04	—	—	—	.4	.33	—	—	—	—		7
8	.29	—	—	—	—	—	.4	.73	—	.35	—	.3		8
9	.34	.13	.03	—	—	.1	.4	.5	.3	—	—	—		9
10	.21	—	—	—	—	—	.2.07	—	—	—	—	.2		10
11	.3	.02	—	—	—	—	✓	—	—	—	—	.06		11
12	.07	—	—	—	.07	.03	—	.31	—	—	1.25	—		12
13	.04	—	—	—	—	—	—	—	.23	.15	—	.07		13
14	.68	—	—	—	.04	—	.4	—	—	—	—	—		14
15	.21	—	—	—	—	—	.4	—	.05	—	—	.32		15
16	.13	—	.01	—	—	—	✓	—	.07	.17	—	—		16
17	—	—	—	—	.06	—	—	—	—	—	.33	—		17
18	—	—	—	—	.14	—	—	—	—	.2	—	—		18
19	.07	—	—	—	—	.03	—	—	—	—	—	—		19
20	.05	—	—	—	—	—	.25	—	—	—	.22	—		20
21	—	—	.07	—	—	—	—	—	—	—	—	—		21
22	—	—	—	.03	—	.2	—	—	—	—	.52	—		22
23	—	—	—	—	—	—	—	—	—	—	—	—		23
24	—	—	.16	—	.09	—	—	1.2	—	—	—	—		24
25	—	.03	.07	—	—	—	—	—	—	.44	.58	—		25
26	—	.3	.2	—	.06	—	—	—	.6	.5	.34	—		26
27	.28	—	—	—	.56	.11	.22	.33	—	—	—	.12		27
28	—	.02	—	—	—	.4	—	—	—	—	—	.05		28
29	.78	—	—	—	.57	.015	—	.1	—	.02	.23	—		29
30	.02	X	—	—	—	—	—	—	—	—	.33	.22		30
31	.1	X	—	X	.33	X	—	—	X	—	X	.61	"d"	31
TOTAL	3.67	.53	.58 .94	.16	2.05	2.57	2.77	4.42	1.25	2.78	3.8	3.05	28.01 27.65	
* Days with .01 in. or more.	18	6	5	4	10	7	11	5	10	8	12	13		
* Days with .01 in. or more.	18	6	5	4	10	7	11	5	10	8	12	13		

I. D. SIDDALL ESQ.
* See Instruction 3 (f) on other side.

† Spare column, no entries required.
(Signed) **W. S. Bathrell** [P.T.O.]

* The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1939

At Chester
In the County of Cheshire
Rain Gauge { Diameter of Funnel 5 in.
Height of Top above Ground 1 ft. 70 in.
Height of Ground above Sea Level 70 ft.

Month	Total Depth Inches	Greatest Fall in 24 hours Inches	Date	Number of Days with 0.1 in. or more	Number of Days with 0.4 in. or more
JAN.	6.13	1.12	4 th	18	17
FEB.	2.65	1.25	27 th	11	9
MAR.	1.91	.52	8 th	11	10
APRIL	1.57	.3	5 th	10	7
MAY	1.54	.4	7 th	12	9
JUNE	2.4	.75	15 th	15	12
JULY	5.18	1.12	27 th	19	15
AUG.	1.26	.64	6 th	8	7
SEPT.	1.2	.25	5 th	4	4
OCT.	2.53	1.75	17 th	26	4
NOV.	4.31	.59	23 rd	17	17
DEC.	1.25	.31	9 th	11	9
TOTAL	31.93			142	120

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

W. S. Bathurst of J. J. Ciddall
The Cross Cables

Hour of observation by the clock—in Winter 9 am in Summer 9 am

Nearest Railway Station Saltney Halt Distance 1/2 mile Direction from gauge S. W

Nearest Parish Church at Saltney Distance 1/4 mile Direction from gauge S. S. W

Nature of objects nearest to gauge Rose Tree

Height of objects 2 1/2 feet

Distances 3 yards


Directions from gauge S.

If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

M.O. 7

-8 JAN. 1940

£ 9 08 933/39

1938

* See Instruction 3 (f) below.

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

(a) Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail,

sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) On some measures there is graduation marked .005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this .005 mark or between this .005 and the .01 mark are to be entered as .01 even though they may be nearer to the .005 mark than the .01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction. An entry .005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 } .14 would show that the reading on the 18 }

morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

(e) The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

(f) The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: York House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller

Price 1d. net

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone

Wt. 2778/2036 21,000 10/38 W.H.&S. 668/91

S.O. Code No. 40-9999

Section **A** for the entry of
AIR MINISTRY

FORM 1090.

REGIST

Kept at *Chester Water*
in the County of *Chester*

Diameter of Funnel of Gauge
Height of top of Gauge above Ground
Ground Sea L

THE MORNING MEASU

An observer who does not conform to
year in the space on the right of the

2797
COPY FOR OFFICIAL USE.
ORGANIZATION.

CHESTER WATER WORKS

1931 — 40

Jan. 1, following

Following

Date	Jan. in.	Feb. in.	March in.								Nov. in.	Dec. in.	Date
1	.19	—	—	.02	—	—	—	—	.15	.16	—	—	1
2	—	.13	—	.44	.07	.51	.08	—	.42	.04	.06	.07	2
3	.16	—	—	—	—	.07	—	—	.88	.05	.68	.05	3
4	—	—	.02	.19	—	—	.01	.28	1.00	—	.01	—	4
5	—	—	—	.05	.02	1.42	.20	1.37	.01	—	—	.08	5
6	—	.17	—	—	—	.24	.02	.01	.18	.28	.13	—	6
7	—	.01	—	—	—	.36	—	.57	—	.02	.02	.08	7
8	.05	.02	—	.31	—	.09	.06	.76	—	—	.10	—	8
9	.08	.15	—	.10	—	.12	—	.14	—	.05	.15	.01	9
10	—	.01	—	—	.02	.13	—	.09	—	—	.49	.04	10
11	.08	.16	—	—	—	—	.03	—	.25	—	.01	.03	11
12	.03	.09	—	.03	—	—	.09	.12	.25	.05	.17	—	12
13	—	—	.04	—	.03	—	—	.95	—	—	—	—	13
14	—	.14	—	—	—	1.13	.02	.88	.08	—	.45	—	14
15	.04	.29	—	.09	.02	—	.27	.13	—	—	—	.20	15
16	.17	.13	—	.15	.17	.10	.01	.25	.34	—	—	—	16
17	.11	—	—	.12	.37	.18	—	.06	—	—	.22	—	17
18	.22	—	—	—	—	.52	.19	.09	—	—	.33	—	18
19	.16	.14	—	—	—	.18	.03	.65	—	.01	—	—	19
20	.01	.05	.13	—	—	—	.06	.07	—	—	.05	.02	20
21	.18	—	—	—	.36	.01	—	.10	—	—	.24	—	21
22	.09	—	.01	.02	.12	—	—	—	—	—	—	—	22
23	.11	—	—	.04	.13	.16	.14	—	—	—	.06	.21	23
24	—	—	—	.14	.21	—	.04	—	—	—	.09	.11	24
25	.08	.13	—	.70	.02	—	—	—	—	—	.01	.04	25
26	.18	.05	—	.09	—	—	.20	—	—	—	.57	—	26
27	.13	.45	—	.03	.56	—	.04	—	—	.11	.26	.06	27
28	.16	.25	.03	.02	.41	—	—	—	—	.22	—	.22	28
29	.07	×	.04	—	.04	—	.17	—	—	.45	.03	.02	29
30	—	×	—	—	—	—	—	—	.02	—	—	.08	30
31	.14	×	—	×	.05	×	.08	—	×	.01	×	.01	31
TOTAL	2.44	2.37	27	2.54	2.60	5.22	1.74	6.52	3.58	1.45	4.13	1.33	34.19
*Days with or in. or more.	21	17	6	17	16	15	19	17	11	12	21	17	189
*Days with or in. or more.	19	14	3	12	11	14	13	16	9	9	16	12	148

40-9999

*See Instruction 2 (f) on other side.

(Signed)

C. M. Bennett
Engineer & Manager,
Chester Waterworks Company.

P.T.O.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1931.

Kept at *Chester Waterworks*
in the County of *Chester*
Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *10* ft. in.
Ground Sea Level *85.33* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.19	—	—	.02	—	—	—	—	.15	.16	—	—	1
2	—	.13	—	.44	.07	.51	.08	—	.42	.04	.06	.07	2
3	.16	—	—	—	—	.07	—	—	.88	.05	.68	.05	3
4	—	—	.02	.19	—	—	.01	.28	1.00	—	.01	—	4
5	—	—	—	.05	.02	1.42	.20	1.37	.01	—	—	.08	5
6	—	.17	—	—	—	.24	.02	.01	.18	.28	.13	—	6
7	—	.01	—	—	—	.36	—	.57	—	.02	.02	.08	7
8	.05	.02	—	.31	—	.09	.06	.76	—	—	.10	—	8
9	.08	.15	—	.10	—	.12	—	.14	—	.05	.15	.01	9
10	—	.01	—	—	.02	.13	—	.09	—	—	.49	.04	10
11	.08	.16	—	—	—	—	.03	—	.25	—	.01	.03	11
12	.03	.09	—	.03	—	—	.09	.12	.25	.05	.17	—	12
13	—	—	.04	—	.03	—	—	.95	—	—	—	—	13
14	—	.14	—	—	—	1.13	.02	.88	.08	—	.45	—	14
15	.04	.29	—	.09	.02	—	.27	.13	—	—	—	.20	15
16	.17	.13	—	.15	.17	.10	.01	.25	.34	—	—	—	16
17	.11	—	—	.12	.37	.18	—	.06	—	—	.22	—	17
18	.22	—	—	—	—	.52	.19	.09	—	—	.33	—	18
19	.16	.14	—	—	—	.18	.03	.65	—	.01	—	—	19
20	.01	.05	.13	—	—	—	.06	.07	—	—	.05	.02	20
21	.18	—	—	—	.36	.01	—	.10	—	—	.24	—	21
22	.09	—	.01	.02	.12	—	—	—	—	—	—	—	22
23	.11	—	—	.04	.13	.16	.14	—	—	—	.06	.21	23
24	—	—	—	.14	.21	—	.04	—	—	—	.09	.11	24
25	.08	.13	—	.70	.02	—	—	—	—	—	.01	.04	25
26	.18	.05	—	.09	—	—	.20	—	—	—	.57	—	26
27	.13	.45	—	.03	.56	—	.04	—	—	.11	.26	.06	27
28	.16	.25	.03	.02	.41	—	—	—	—	.22	—	.22	28
29	.07	×	.04	—	.04	—	.17	—	—	.45	.03	.02	29
30	—	×	—	—	—	—	—	—	.02	—	—	.08	30
31	.14	×	—	×	.05	×	.08	—	×	.01	×	.01	31
TOTAL	2.44	2.37	.27	2.54	2.60	5.22	1.74	6.52	3.58	1.45	4.13	1.33	YEAR'S TOTAL 34.19
*Days with ".01 in. or more.	21	17	6	17	16	15	19	17	11	12	21	17	189
*Days with ".04 in. or more.	19	14	3	12	11	14	13	16	9	9	16	12	148

40-9999

*See Instruction 2 (f) on other side.

(Signed)

C. M. Bennett
Engineer & Manager,
Chester Waterworks Company.

[P.T.O.]

Kept at Chester Waterworks
in the County of Chester
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 10 ft. in.
Ground Sea Level 85.33 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.04	.02	—	.10	.45	—	.14	.17	.10	—	.3	.02	1
2	.13	—	—	—	.44	—	—	.01	.10	.53	.01	.12	2
3	—	.01	—	.49	.06	—	.06	.01	—	.02	.14	.04	3
4	—	—	—	.01	—	—	.13	—	—	—	.16	.02	4
5	.08	—	.05	.03	.03	—	—	.02	.15	—	—	.01	5
6	.58	—	.14	.15	.03	—	—	—	.21	—	—	.01	6
7	.05	—	.15	.25	.05	—	—	—	.26	.76	—	—	7
8	—	—	—	.03	.01	—	—	—	.15	.32	—	—	8
9	.35	—	—	.11	.01	—	—	—	.01	—	.03	—	9
10	.23	—	—	—	.09	—	—	—	.31	.30	.02	—	10
11	.03	—	—	.06	.23	.07	.22	—	—	—	—	—	11
12	.06	—	—	.02	.14	—	.15	—	.13	.16	—	—	12
13	—	—	—	.08	.07	—	.12	.12	.07	.02	—	.10	13
14	.17	—	—	.09	—	—	—	.21	—	.21	.07	—	14
15	.02	—	—	.01	.44	—	—	—	—	.02	—	—	15
16	.05	—	—	.04	.01	—	—	—	—	—	—	—	16
17	—	—	—	—	.01	—	.23	—	.01	.05	—	—	17
18	—	—	—	—	.05	—	—	—	—	—	.04	—	18
19	—	—	—	.04	.02	—	.01	—	—	.25	—	—	19
20	—	—	—	.11	.32	—	.09	.41	—	.21	.10	.01	20
21	—	—	.26	.19	.36	—	—	.08	—	.60	.03	—	21
22	—	—	.10	.06	.16	—	.36	—	.06	.04	.31	—	22
23	—	—	—	—	.09	—	.07	—	—	.05	.10	.02	23
24	.07	—	—	—	.17	—	.31	—	.10	—	.47	.01	24
25	—	.01	—	.03	.01	.06	—	—	.08	.23	.08	—	25
26	—	—	.02	.07	.22	—	.07	—	.11	.01	.01	.01	26
27	—	—	.31	.11	.18	.04	.09	—	—	.05	.05	.02	27
28	—	—	.05	.07	.27	—	.30	—	—	—	—	—	28
29	—	—	.34	.37	.09	.06	.02	.06	.14	.66	.23	.34	29
30	.02	×	.05	.40	—	.20	—	.10	—	.64	.40	.04	30
31	.01	×	.09	×	—	×	1.27	.01	×	—	×	.02	31
TOTAL	1.89	.04	1.56	2.92	4.01	.43	3.64	1.20	1.99	5.13	2.28	.79	YEAR'S TOTAL 25.88
*Days with ".01 in. or more.	15	3	11	24	27	5	17	11	16	20	18	15	182
*Days with ".04 in. or more.	11	—	10	18	19	5	15	7	14	16	12	5	132

Section

A

for the entry of Daily Observations.

Station No. 2797

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at CHESTER WATERWORKS

in the County of CHESTER

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground - ft. 10 in.

Ground Sea Level 85.33 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.03	.19	.05	-	-	-	-	-	-	-	.05	-		1
2	.14	-	.20	-	.04	.03	-	-	-	-	-	-		2
3	.01	.25	.08	-	.11	-	-	-	-	-	-	-		3
4	.27	.01	.04	-	.12	-	-	-	-	-	-	-		4
5	.22	-	.04	-	.01	-	-	-	-	-	.02	-		5
6	-	.22	.02	-	.10	-	-	-	-	-	.02	-		6
7	.01	.51	-	-	-	-	.05	.01	-	.50	-	.01		7
8	.02	-	.42	-	.02	-	.26	-	-	-	-	-		8
9	-	-	-	-	.01	-	.18	-	-	.33	.16	-		9
10	.04	.05	-	-	-	.14	.05	-	-	1.02	.08	-		10
11	.02	-	-	.03	-	.02	.04	-	-	.01	-	.19		11
12	.01	-	-	-	.03	.05	.36	-	-	-	-	.02		12
13	.01	-	-	-	.16	-	.02	-	.04	.16	.58	-		13
14	.01	-	-	-	-	-	.06	.09	-	.05	.23	-		14
15	.19	-	.01	-	-	-	-	.04	-	.48	.11	.03		15
16	.10	.03	.10	-	.04	.11	-	.03	-	.25	-	.01		16
17	.12	.01	.37	-	-	.22	-	-	.05	-	.02	.01		17
18	.08	-	.01	-	-	.17	-	-	-	-	.01	-		18
19	-	-	.49	-	-	.03	-	-	.03	-	.27	.01		19
20	-	.04	.14	-	.28	-	-	.07	.12	-	-	-		20
21	-	-	-	-	-	.20	-	.18	-	-	-	-		21
22	-	-	-	.01	-	-	-	.19	-	.01	-	-		22
23	-	-	-	.07	-	.24	-	-	-	.05	-	-		23
24	-	.37	-	.10	.05	.08	-	-	.15	.02	-	-		24
25	-	.15	-	.05	-	-	-	-	.05	-	-	.10		25
26	-	.56	-	.04	-	-	-	-	-	.17	-	.02		26
27	-	-	-	-	-	-	.01	-	.01	.01	-	-		27
28	-	.01	-	.06	-	-	.02	.24	-	-	-	-		28
29	.02	X	-	-	-	-	.01	-	-	-	-	.01		29
30	.07	X	.04	.52	.10	-	.05	-	-	.04	-	.25		30
31	.01	X	.07	X	-	X	-	-	X	.37	X	.02		31
TOTAL	1.38	2.40	2.08	.88	1.07	1.29	1.11	.85	.45	3.47	1.55	.68	17.21	
*Days with "or in. or more.	19	13	15	8	13	11	12	8	7	15	11	12	144	
*Days with .04 in. or more.	9	9	12	6	9	8	8	6	5	11	7	3	93	

† Spare column, no entries required.

(Signed)

ENGINEER & MANAGER.

P.T.O.

Section



for the entry of Daily Observations.

Station No. 2797

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at CHESTER WATERWORKS

in the County of CHESTER

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 10 in.

,, Ground ,, Sea Level 85.33 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.10	-	-	-	-	-	-	.02	.19	.05	1.12	.40		1
2	.01	-	.04	-	-	-	-	.49	.04	-	.06	.21		2
3	.08	-	-	-	-	-	-	-	-	.03	-	.04		3
4	.13	-	.02	-	.07	-	-	.08	.25	.28	-	.78		4
5	-	-	.02	-	.05	-	-	.71	-	.01	.01	.05		5
6	-	-	.11	-	.23	-	-	-	-	.15	-	.27		6
7	.09	-	.13	-	.01	-	-	-	-	.08	.07	.14		7
8	-	-	.01	-	.17	.43	-	-	-	.01	.42	.05		8
9	-	-	.11	.03	-	-	-	.02	-	-	.42	-		9
10	.01	.07	.14	.24	-	-	-	.07	-	.07	.02	-		10
11	.06	-	.01	.46	-	-	-	.04	-	-	.06	.08		11
12	-	-	.01	-	-	-	-	.21	-	.02	.01	-		12
13	.25	-	.01	.08	.01	-	.29	-	-	-	-	-		13
14	.12	-	.19	-	.01	-	-	-	-	.30	.03	.05		14
15	.03	-	.06	-	.21	-	-	.11	-	.15	.05	.12		15
16	.22	-	.12	-	.09	-	-	-	-	.08	.02	.02		16
17	.02	-	.20	.04	.07	-	.15	.06	.34	.16	-	.07		17
18	.04	-	.01	.30	.18	.16	-	-	-	-	-	.10		18
19	-	-	.07	-	.02	.05	-	.05	.15	.06	-	.15		19
20	-	-	.03	.04	.01	-	-	-	.01	.01	-	.06		20
21	-	-	.03	-	-	.15	-	.09	.23	.19	-	-		21
22	.01	-	.08	.03	-	-	-	.10	.03	.06	-	.06		22
23	-	-	.05	.23	.02	.31	.33	.02	-	.12	-	.03		23
24	-	.15	.01	-	-	.06	-	-	.09	.02	-	-		24
25	-	-	-	.26	-	-	.01	-	.05	.11	-	.45		25
26	-	-	.02	.20	-	.05	.02	-	.01	.01	-	-		26
27	.04	-	-	.08	-	.08	.11	-	-	.03	.01	.47		27
28	-	-	-	.02	-	.02	-	.16	.06	-	-	.48		28
29	-	X	-	-	-	-	.05	-	.14	.08	-	-		29
30	.06	X	-	-	-	-	.01	.10	.05	.41	-	.03		30
31	-	X	-	X	-	X	.02	.21	X	.50	X	.40		31
TOTAL	1.27	.22	1.48	2.01	1.15	1.31	.99	2.54	1.39	2.99	2.30	4.50	22.15	
* Days with .01 in. or more.	16	2	23	13	14	9	9	17	13	25	13	23	177	
* Days with .04 in. or more.	11	2	12	10	8	8	5	14	10	17	7	20	124	
Year's Total.														

Section

A

for the entry of Daily Observations.

Station No. 2797.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at ...CHESTER WATERWORKS.....

in the County of CHESTER.....

Diameter of Funnel of Gauge.....5...in.

Height of top of Gauge above Ground.....ft...10.in.

,, Ground ,, Sea Level...85.33...ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.20	.02	—	—	.01	—	.18	—	.56	.15	.03	.11		1
2	—	.03	—	—	—	.06	.03	—	—	.04	.01	.20		2
3	.07	.16	.05	.07	—	.22	—	—	.06	.10	.15	.79		3
4	—	.03	.01	.10	—	.15	—	—	.01	.76	.01	.04		4
5	—	.17	.18	.08	—	—	—	—	.07	.14	.28	.02		5
6	—	—	.01	.13	—	.06	—	—	—	—	—	—		6
7	—	—	—	.01	—	.14	—	—	—	.10	.04	.13		7
8	—	—	—	.07	—	.01	—	.01	—	.09	.16	.11		8
9	.05	.02	—	.16	—	.02	—	—	—	.67	.10	—		9
10	—	.05	—	—	—	.02	—	—	—	.03	.05	—		10
11	.29	—	—	—	—	.08	—	.02	—	.02	.15	—		11
12	.14	—	—	—	—	.66	—	—	.03	—	—	—		12
13	.16	—	—	.03	.16	.04	—	—	.11	—	—	—		13
14	.01	—	—	.02	—	.05	—	—	.01	—	.62	.12		14
15	—	.13	—	.51	.07	—	.01	—	.12	—	—	.62		15
16	.01	.28	.07	.06	—	.01	.24	.01	.63	.01	.53	.04		16
17	—	—	—	.13	.28	.25	.11	.08	.02	.02	.82	—		17
18	—	—	—	.09	.39	.12	.20	.02	.06	—	—	—		18
19	—	—	—	.14	.41	.41	.23	—	—	.46	.24	.01		19
20	—	.08	—	.48	—	.03	.14	—	—	—	.16	—		20
21	—	.40	—	—	—	—	—	—	.19	.01	.02	.02		21
22	—	.29	—	—	—	—	—	—	.26	.40	—	.11		22
23	—	—	.17	—	—	—	—	.04	.25	.66	—	.03		23
24	.13	.21	.11	—	—	—	—	—	1.15	.05	.02	.08		24
25	.28	.13	—	—	—	—	.01	—	—	.12	.05	.02		25
26	—	.03	—	—	—	—	—	.59	.65	.02	.08	.17		26
27	—	.02	—	—	.01	.01	.03	.32	.43	.04	.24	.02		27
28	.02	.02	—	—	.14	—	—	.06	.28	.16	.07	—		28
29	—	X	.05	—	—	.03	—	.09	.32	.15	.03	.11		29
30	.01	X	—	.02	—	.34	—	.10	.10	.25	.30	.05		30
31	—	X	—	X	—	X	—	—	X	.12	X	.76		31
TOTAL	1.37	2.07	.65	2.10	1.47	2.71	1.18	1.34	5.31	4.17	4.16	3.56	Year's Total	3009
* Days with .01 in. or more.	12	17	8	16	8	20	10	11	20	23	23	21		189
* Days with .04 in. or more.	8	10	6	12	6	13	6	7	16	17	17	15		133

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

ENGINEER & MANAGER.

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No. 2797

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1936.

Kept at ... CHESTER WATERWORKS

in the County of ... CHESTER

Diameter of Funnel of Gauge.....5 in.

Height of top of Gauge above Ground.....ft. 10 in.

,, Ground ,, Sea Level ...85.33...ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	.12	.03	.49	—	.07	.04	.37	.03	—	.19	.35		1
2	.05	.02	—	.13	—	.61	—	.03	.01	—	.07	.09		2
3	—	—	—	—	—	.40	—	.02	.55	—	—	—		3
4	—	.05	.14	—	—	—	—	—	.26	—	.26	.06		4
5	.05	.02	.17	—	—	—	—	.28	.03	—	.03	.20		5
6	.01	—	—	—	.09	—	.05	.36	.16	—	.05	—		6
7	—	—	.02	—	—	—	.17	—	.25	—	.16	.08		7
8	.06	—	.18	—	—	—	—	—	.09	—	.29	.05		8
9	.41	—	.01	—	—	.06	.12	.11	.57	—	.03	.01		9
10	.09	—	—	—	—	—	.01	—	—	—	.02	—		10
11	—	—	—	—	—	.05	.16	.03	.05	—	.27	.05		11
12	—	—	—	—	.11	.06	.40	—	.38	.02	.14	.03		12
13	—	—	—	.01	.01	—	.17	—	.05	.11	.02	.72		13
14	—	—	—	.09	—	.31	.01	.03	.30	.01	.14	.33		14
15	.23	—	—	.36	.10	.14	.03	—	.17	—	.25	.04		15
16	.08	.07	—	.09	.27	—	.11	—	—	—	.43	—		16
17	.01	.24	—	—	.01	—	.05	.02	—	.01	.02	—		17
18	—	.02	—	.05	—	—	.59	.22	—	.06	—	—		18
19	.75	.12	.03	.24	—	.22	—	.27	—	.26	—	—		19
20	.54	.14	.02	—	—	.02	—	—	—	.01	—	—		20
21	1.32	—	.03	.12	—	1.88	.07	—	—	—	—	.09		21
22	.02	.53	.03	—	—	.27	.32	—	—	—	—	.06		22
23	.01	.07	.21	—	—	.06	.21	—	—	.06	—	—		23
24	.13	—	—	.03	—	—	—	—	.30	.03	—	—		24
25	.22	—	—	.02	—	—	—	—	.41	.02	—	—		25
26	.07	.06	.30	.01	—	—	.03	—	.20	.08	—	—		26
27	.72	—	.02	—	—	—	—	—	.18	.21	.01	—		27
28	.26	.26	.13	.06	—	.22	—	—	—	.20	—	.04		28
29	.02	.18	.03	—	.05	.41	—	—	—	—	.05	.20		29
30	.06	~~X~~	—	—	.24	—	.20	.01	—	.29	.12	—		30
31	.13	~~X~~	.01	~~X~~	—	~~X~~	—	—	~~X~~	—	~~X~~	.07		31
TOTAL	5.24	1.90	1.36	1.70	.88	4.78	2.74	1.75	3.99	1.37	2.55	2.47	30.73	
* Days with .01 in. or more.	.22	.14	.16	.13	.08	.15	.18	.12	.18	.14	.19	.17	186	
* Days with .04 in. or more.	.17	.11	.06	.09	.06	.14	.12	.06	.15	.08	.13	.15	132	
Year's Total														

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) *C. Bennett* [P.T.O.]

ENGINEER & MANAGER

Section

A

for the entry of Daily Observations

Station No. 2797

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at CHESTER WATERWORKS

in the County of CHESTER

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 10 in.

Ground Sea Level 85.33 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02	.14	.04	—	—	.01	—	—	.12	.13	.01	.03		1
2	—	.05	.19	.32	—	—	.04	—	—	—	—	.33		2
3	—	.05	—	—	.02	.10	.05	—	—	—	—	—		3
4	.22	.02	.01	—	.09	—	—	.01	.02	—	—	1.03		4
5	.36	—	.12	.16	—	—	—	—	—	—	—	.62		5
6	.01	—	—	.01	.06	—	—	—	—	—	—	.01		6
7	—	.29	—	.07	—	.06	.01	—	—	—	—	.01		7
8	—	.27	—	.03	—	—	.07	—	.01	—	.13	—		8
9	—	.01	—	.04	.15	—	.14	.09	.01	—	—	—		9
10	.01	.27	.01	.01	—	—	.01	.02	—	—	—	.15		10
11	—	—	.19	—	.33	.16	—	—	—	—	—	.01		11
12	.10	.50	.09	—	—	.65	—	.67	.37	—	—	.05		12
13	—	.02	.03	.02	—	—	—	.14	.02	—	—	.07		13
14	—	.02	.06	—	—	—	—	.14	.03	—	.06	.10		14
15	.19	.12	—	.33	—	—	.60	—	.07	—	—	.11		15
16	—	.06	.14	.83	—	—	—	.09	.05	—	—	—		16
17	.04	.07	.05	.43	—	—	—	.01	.53	—	—	—		17
18	.51	.15	.04	.01	—	—	.08	.01	—	—	.42	.04		18
19	.01	.12	.01	.35	.10	.14	.11	.04	.04	—	.10	—		19
20	.07	.02	—	.18	.62	—	—	—	.01	—	—	.02		20
21	.31	.31	.09	.11	.03	—	.12	—	—	.06	—	—		21
22	.01	.15	.02	—	.07	—	.08	—	—	.05	.28	.03		22
23	.04	.01	—	—	.39	—	.07	—	—	.50	.28	—		23
24	.06	.19	.16	—	—	—	.04	—	.21	.56	—	—		24
25	—	.22	.03	—	—	—	—	.02	.02	.10	—	.01		25
26	—	.24	.05	—	.29	—	—	—	—	.01	—	.01		26
27	—	.57	—	.20	—	—	—	—	—	.42	—	—		27
28	—	.03	—	—	—	.01	—	—	—	.10	—	—		28
29	—	X	—	—	—	.04	—	—	—	.44	.18	—		29
30	.16	X	—	—	—	.08	—	—	.10	.08	.28	—		30
31	.16	X	—	X	—	X	—	—	X	.06	X	—		31
TOTAL	2.28	3.90	1.33	3.10	2.15	1.25	1.42	1.24	1.61	2.51	1.74	2.63	Year's Total 25.16	✓
* Days with .01 in. or more.	17	25	18	16	11	9	13	11	15	12	9	17	173	✓
* Days with .04 in. or more.	12	18	12	11	9	7	11	6	8	11	8	9	122	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

E. M. Bennett
Engineer & Manager,
Chester Waterworks Co.

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 2797

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at CHESTER WATERWORKS

in the County of CHESTER

Diameter of Funnel of Gauge.....5 in.

Height of top of Gauge above Ground.....10 in.

Ground Sea Level 85.33 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	-	-	-	1.01	.05	-	-	.06	.09	.12		1
2	-	-	-	.12	.16	.30	.01	-	-	.15	.01	.21		2
3	-	-	-	-	-	.02	-	-	.04	.48	.04	.01		3
4	-	-	-	-	-	-	.05	-	-	.02	-	.22		4
5	.04	.03	-	-	-	-	-	1.55	.12	.07	-	.02		5
6	.06	.01	-	-	-	.01	.48	-	.01	.07	-	.01		6
7	.25	-	-	-	-	-	.27	.31	.03	-	-	.02		7
8	.28	.01	-	-	-	-	.30	.65	.44	.28	-	.53		8
9	.06	.08	-	-	-	.03	.04	.44	-	-	-	.24		9
10	.18	.02	.02	-	-	-	.40	-	-	-	-	.19		10
11	.26	-	-	-	-	.05	.03	-	-	.04	.15	.04		11
12	.04	-	-	-	-	.01	-	.02	-	.14	.60	-		12
13	.04	-	-	-	-	-	-	-	.02	.01	.04	.02		13
14	.43	-	-	-	.02	-	.22	-	.01	-	.02	-		14
15	.11	-	-	-	-	-	.08	.12	-	.08	.01	.14		15
16	.11	-	-	-	.39	-	.03	.02	-	-	.01	.02		16
17	-	-	-	-	.05	-	.05	-	.01	.16	-	.01		17
18	.01	-	-	-	.09	.04	-	.09	.01	.11	.11	-		18
19	.04	-	-	-	-	.02	-	.10	.01	-	-	-		19
20	.03	-	.01	-	-	-	-	-	.15	-	.17	-		20
21	-	-	.02	-	-	-	-	-	-	-	.14	-		21
22	-	-	-	.02	-	.11	-	-	-	-	.30	.01		22
23	-	-	-	.01	.02	.09	-	-	.17	-	.14	-		23
24	.01	-	.16	-	.21	.01	-	.89	.05	.07	.06	-		24
25	.01	-	.13	-	-	.07	.04	.02	-	.45	.74	.05		25
26	.19	.30	.23	-	.02	.06	-	-	.02	.46	.08	.07		26
27	.09	.01	-	-	.56	.12	.11	.22	-	-	.17	-		27
28	.13	-	-	-	-	.21	.20	.07	-	-	-	.14		28
29	.59	X	-	-	.51	.02	.01	.01	-	.19	.04	.22		29
30	.01	X	-	-	-	-	-	-	.33	-	.10	.33		30
31	.05	X	-	X	.27	X	-	-	X	.08	X	.30		31
TOTAL	3.02	0.46	0.57	0.15	2.30	2.18	2.37	4.51	0.98	2.92	3.02	2.92	25.40	✓
* Days with .01 in. or more.	23	7	6	3	11	17	17	14	14	18	20	22	172	✓
* Days with .04 in. or more.	18	2	3	1	8	10	13	10	6	16	16	14	117	✓
Year's Total														

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

ENGINEER & MANAGER

P.T.O.

Section

A

for the entry of Daily Observations

Station No. 2797

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

CHESTER WATERWORKS

Kept at

in the County of

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....ft. 10.....in.

,, Ground ,, Sea Level 85.33.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.27	-	.09	.26	-	-	-	.01	-	-	-	.02		1
2	.16	-	-	.11	-	-	-	.50	.35	-	-	.03		2
3	.28	-	.10	.17	-	-	-	.01	.03	-	.07	.33		3
4	.28	-	.14	.10	.03	-	.33	-	-	.03	.16	.23		4
5	-	-	-	-	.34	-	.29	.12	-	.01	.32	.01		5
6	.60	-	-	-	-	-	.22	-	-	-	.05	-		6
7	-	-	-	-	.04	-	.10	.01	-	-	.10	.40		7
8	.02	.11	.38	.01	-	-	.43	.60	-	.13	.19	.07		8
9	.02	.07	-	-	-	-	.01	.15	-	.34	-	.22		9
10	.35	-	.02	-	-	-	-	.04	.14	.01	.02	.18		10
11	.37	-	.24	-	-	.28	-	-	.05	-	-	-		11
12	.09	.30	-	-	-	.16	-	-	.01	-	-	-		12
13	.01	-	.01	.10	.17	.16	.10	-	.33	.02	.02	-		13
14	.41	-	-	.01	.34	.36	.13	-	-	.03	.11	-		14
15	.19	-	-	-	.04	.77	.38	-	-	-	.06	-		15
16	.02	.02	.07	-	.24	-	.03	-	-	.07	.12	-		16
17	.54	.02	-	-	.01	.04	.03	-	-	1.25	.03	-		17
18	.17	.14	.05	-	-	.05	.07	-	-	.01	.79	-		18
19	.15	-	-	-	-	-	.38	-	-	-	.08	-		19
20	.10	-	-	-	.05	.21	.26	-	-	-	-	-		20
21	.16	-	.15	.05	.01	.04	.08	.15	.08	-	-	-		21
22	.15	.36	.03	.08	-	-	.14	-	-	.01	.61	-		22
23	.11	.03	.01	.08	-	-	.20	-	-	.56	.19	-		23
24	-	.03	.01	.04	-	.06	.35	-	-	.35	.02	-		24
25	.09	-	-	.18	-	-	.19	-	-	.04	.15	-		25
26	-	-	-	-	-	-	-	-	-	-	.16	.05		26
27	-	1.42	.13	-	.01	.08	.08	.08	-	-	.02	.21		27
28	-	.15	.17	.05	-	.05	.22	-	-	-	.25	.02		28
29	-	-	-	.15	-	-	1.32	-	-	.08	.01	-		29
30	-	~~X~~	-	-	-	-	.02	-	-	-	.03	.05		30
31	-	~~X~~	-	~~X~~	-	~~X~~	.05	.07	~~X~~	-	~~X~~	-		31
TOTAL	4.54	2.65	1.60	1.39	1.28	2.26	5.41	1.74	.99	2.94	3.56	1.82	30.18	
* Days with .01 in. or more.	22	11	15	14	11	12	24	11	7	15	23	13	178	
* Days with .04 in. or more.	18	7	10	12	7	12	20	8	5	8	16	9	132	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

Frank Taylor

P.T.O.

ENGINEER

Section

A

for the entry of Daily Observations

Station No. 2797

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN ~~193~~ 1940

Kept at ...CHESTER WATERWORKS.....

in the County of.....CHESTER.....

Diameter of Funnel of Gauge...5.....in.

Height of top of Gauge, above Ground.....ft...10...in.

Ground Sea Level 85.33.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	-	.01	-	-	-	-	-	-	.11	-		1
2	-	.01	-	.16	-	-	.03	-	-	-	.06	.12		2
3	-	.02	-	.08	-	-	.18	-	-	.02	.13	.03		3
4	-	.07	-	.04	-	-	-	-	-	.10	.10	.08		4
5	-	.01	-	-	.24	-	.10	-	-	-	.24	.14		5
6	.04	.29	-	-	-	-	.27	-	-	.95	.09	.11		6
7	.01	.40	-	.02	.01	-	.21	.01	.02	.01	-	.03		7
8	-	-	-	-	-	-	-	-	.26	.05	-	.22		8
9	-	-	.34	-	-	-	.54	.02	.04	.13	.70	.25		9
10	-	-	.03	-	-	-	-	.06	.01	.10	.17	.24		10
11	-	-	-	.02	-	.08	.39	-	-	-	.40	.11		11
12	-	-	.21	-	-	.28	.08	.01	.71	-	.10	-		12
13	-	.04	.31	.01	-	-	-	.01	.13	-	-	.03		13
14	-	-	.01	.11	.10	-	.40	.05	.29	-	.10	.12		14
15	-	-	-	.06	.91	.02	-	-	.12	-	.02	-		15
16	-	.17	.21	-	-	-	.21	-	.40	.46	.45	.13		16
17	-	-	.49	.01	.12	-	.02	-	-	-	.95	-		17
18	.04	.45	.15	.36	-	-	-	.12	.34	.01	-	.15		18
19	-	.24	.01	.06	-	-	.10	-	.35	-	.11	-		19
20	-	-	-	.14	-	-	.09	.06	-	.42	.05	-		20
21	-	-	.01	-	.12	.59	.16	.05	.01	-	1.01	-		21
22	-	-	.01	-	.20	.05	-	-	.22	.01	-	-		22
23	-	.04	-	.25	-	-	.01	-	.03	.01	.05	-		23
24	-	-	.03	-	-	-	.04	-	.05	-	-	-		24
25	.05	-	-	-	.17	.15	-	-	-	-	-	-		25
26	.94	.09	-	-	.05	.06	.39	-	-	-	.04	-		26
27	1.00	.11	-	-	-	-	-	-	.2	-	.12	-		27
28	.48	.10	-	.01	.26	-	-	.02	-	-	.01	-		28
29	-	-	.24	.16	-	.05	.02	-	-	.04	-	.24		29
30	.01	X	-	.38	.06	-	-	-	-	.24	-	.05		30
31	.04	X	.08	X	-	X	-	-	X	.64	X	.09		31
TOTAL	2.61	2.04	2.13	1.88	2.24	1.28	3.24	.41	3.18	3.19	5.01	2.14	29.35	Year's Total
* Days with .01 in. or more.	9	14	14	17	11	8	18	10	15	15	21	17	169	
* Days with .04 in. or more.	7	11	8	11	10	7	14	5	11	10	19	14	127	

† Spare column, no entries required

(Signed)

ENGINEER.

[P.T.O.]

* See Instruction 3 (f) on other side.

B

Mo
Su

** The following register of month &c., is NOT required if daily values are given on the other side

RAINFALL IN 1931.

At **BURTON** (Wm)

In the County of **Cheshire**

Diameter of Funnel **5**

Height of Top above Ground **1** ft

Height of Ground above Sea Level **2**

Month.	Total Depth. Inches.	Greatest Fall in 24 hours. Inches.	Date.	Num Days or in or mor
JAN.	1.81			
FEB.	1.30			
MAR.	0.26			
APRIL	2.12			
MAY	2.75			
JUNE	4.65			
JULY	2.26			
AUG.	5.58			
SEPT.	2.97			
OCT.	1.03			
Nov.	3.15			
DEC.	0.91			
Total	28.79			

2797/5

WIRRAL BURTON

1931 — 40

and also the space for
ister should be sent:—

WIRRAL Cheshire.
during month but at
fast in with
Direction from
1/4 mile gauge East
Direction from
1/4 mile gauge West
hi to the South
30 feet 9
broken in between.
on Warrington West.
3 miles N.W. of Sealand
Aurochane

780414

gauge ..

If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

green old wooden shed on OS
+ highest pt. in district

Signature **Richard A.L. Billson.**

M.O. 7
14 JAN 1932

*See Instruction 2 (f) below.

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.
- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not '00'). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
 - When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as .01 and those which are mere "traces." An entry .005 is not to be made in the register.
- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | } .14 would show that the

reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in

- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.
- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02, or 0.3.
- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
- The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1931.

At BURTON (WIRAL)
In the County of Cheshire
Diameter of Funnel 5 in.
Height of Top above Ground 1 ft. — in.
Height of Ground above Sea Level 200 ft.

Month.	Total Depth. Inches.	Greatest Fall in 24 hours. Inches.	Date.	Number of Days with ·01 in. or more	Number of Days with ·04 in. or more
JAN.	1.81				
FEB.	1.30				
MAR.	0.26				
APRIL	2.12				
MAY	2.75				
JUNE	4.65				
JULY	2.26				
AUG.	5.58				
SEPT.	2.97				
OCT.	1.03				
NOV.	3.15				
DEC.	0.91				
Total	28.79				

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

R. A. L. Billson
"Mill Wood" Burton Wirral Cheshire.

Hour of observation by the clock Irregular intervals during month but at 9 am on 1st of each month

Nearest Railway Station Burton Point Distance 1/2 mile gauge East

Nearest Parish Church at Burton Distance 1/4 mile gauge West

Nature of objects nearest to gauge The Burton Woods lie to the South & East Height about 30 feet & 30 to 50 yards away - broken in between. 25 yds gravel drive & lawn on North & West. (About 3 miles N.W. of Sealand aerodrome)

Heights of objects

Distances

Directions from gauge

If gauge has been moved during the year state—

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

g near Old Woodhouse shown on OS
Prophet pt. in distance

Signature Richard A. L. Billson.

M.O. 7
14 JAN 1932

*See Instruction 2 (f) below.

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.
- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not '00'). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
 - When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces." An entry ·005 is not to be made in the register.
- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | } ·14 | would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.
- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.
- The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.
- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
- The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

BMonthly
Summary.**C**

Particulars of Station.

Station No. 2797/5
File No. 159478/32

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1932

At Burton
In the County of Cheshire
Diameter of Funnel 5 in.
Height of Top above Ground 1 ft. - in.
Height of Ground above Sea Level 210 ft.

Month.	Total Depth. Inches.	Greatest Fall in 24 hours. Inches.	Date.	Number of Days with ·01 in. or more	·04 in. or more
JAN.	1.98				
FEB.	.06				
MAR.	1.68				
APRIL	2.20				
MAY	3.90				
JUNE	.49				
JULY	4.33				
AUG.	1.45				
SEPT.	2.81				
OCT.	5.08				
NOV.	2.38				
DEC.	1.03				
Total	27.39				

Signature Richard A.L. Billson

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

R.A.L. BILLSONMILL WOOD, BURTON, WIRRAL, Cheshire.

Hour of observation by the clock—in Winter _____ in Summer _____

Nearest Railway Station Burton LNER Distance 3/4 mile gauge W.

Nearest Parish Church at Burton Distance 1/4 mile gauge E.

Nature of objects nearest to gauge _____

Heights of objects Same as in last years report

Distances _____

Directions from gauge _____

If gauge has been moved during the year state—

Date of move _____ Distance _____ Direction _____

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?



*See Instruction 2 (f) below.

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.
- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not '00'). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
 - When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as .01 and those which are mere "traces." An entry .005 is not to be made in the register.
- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | } .14 would show that the

reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in

- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.
- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02, or 0.3.
- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
- The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1933

At Burton Winal
In the County of Cheshire
Diameter of Funnel 5 in.
Height of Top above Ground 1 ft. — in.
Height of Ground above Sea Level 210 ft.

Month.	Total Depth. Inches	Greatest Fall in 24 hours. Inches	Date.	Number of Days with or in. or more	or in. or more
JAN.	1.23				
FEB.	2.67				
MAR.	2.18				
APRIL	.62				
MAY	1.19				
JUNE	1.73				
JULY	1.38				
AUG.	1.32				
SEPT.	.67				
OCT.	3.15				
NOV.	1.32				
DEC.	.60				
Total	18.06				

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

R. A. L. Billson

Mill Wood Burton Winal Ches.

Hour of observation by the clock—in Winter _____ in Summer _____
Nearest Railway Station Burton Port Distance 3/4 mile Direction from gauge West
L.N.E.R.
Nearest Parish Church at Burton Distance 1/4 mile Direction from gauge East
Nature of objects nearest to gauge _____
Heights of objects _____
Distances .. Same as before
Directions from gauge .. _____

If gauge has been moved during the year state—

Date of move _____ Distance _____ Direction _____

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

Signature Richard A. L. Billson
1/1/34

*See Instruction 2 (f) below.

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

- When there is less than .05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

- The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as 0.1 and those which are mere "traces." An entry .005 is not to be made in the register.
- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | } .14 would show that the

reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.
- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.
- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
- The heaviest daily fall in each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SONS, LTD., Loughborough and London.

BMonthly
Summary.**C**

Particulars of Station. No. 2797/5

File No. 159478/32

* * The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1934.

At BURTON
In the County of Chester
Diameter of Funnel 5 in.
Height of Top above Ground 1 ft. — in.
Height of Ground above Sea Level 210 ft.

Month.	Total Depth.	Greatest Fall in 24 hours.	Number of Days with		
	Inches	Inches	Date	.01 in. or more	.04 in. or more
JAN.	1.48				
FEB.	.16				
MAR.	1.74				
APRIL	1.71				
MAY	1.47				
JUNE	1.14				
JULY	.91				
AUG.	2.72				
SEPT.	1.21				
OCT.	3.09				
NOV.	2.62				
DEC.	4.64				
Total	22.89				

Signature Richard A.L. Billson.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Richard A.L. Billson,
"Mill Wood", Burton-in-War, Cheshire.

Hour of observation by the clock—in Winter — in Summer —

Nearest Railway Station Burton Port Distance 3/4 m. Direction from gauge West

Nearest Parish Church at Burton Distance 1/4 m. Direction from gauge East

Nature of objects nearest to gauge

Height of objects

Distances


Directions from gauge

If gauge has been moved during the year state—

Date of move — Distance — Direction —

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

*See Instruction 2 (f) below.

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumshugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

- When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

- The observer knows definitely from his own observation that some rain (or other form of precipitation such as

snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as .01 and those which are mere "traces." An entry .005 is not to be made in the register.
- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 } .14 would show that the

reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.
- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.
- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
- The heaviest daily fall for each month should be underlined.

- The columns are so spaced that the entries can be made by a typewriter.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester 1; 1, St. Andrew's Crescent, Cardiff; 80, Chichester Street, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

* * The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1935.

At BurtonIn the County of Chester

Rain Gauge { Diameter of Funnel.....5.....in.
Height of Top above Ground.....1.....ft. — in.
Height of Ground above Sea Level.....210.....ft.

Month	Total Depth	Greatest Fall in 24 hours	Number of Days with		
	Inches	Inches	Date	* 0.1 in.	* 0.4 in. or more
JAN.	<u>1.09</u>				
FEB.	<u>2.60</u>				
MAR.	<u>.76</u>				
APRIL	<u>1.99</u>				
MAY	<u>2.16</u>				
JUNE	<u>3.45</u>				
JULY	<u>1.73</u>				
AUG.	<u>1.17</u>				
SEPT.	<u>4.93</u>				
OCT.	<u>3.49</u>				
NOV.	<u>3.65</u>				
DEC.	<u>3.15</u>				
TOTAL	<u>30.17</u>				

Signature Richard A. L. Billson

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Richard A. L. BillsonWill Wood, Burton, Wirral, Cheshire.

Hour of observation by the clock—in Winter.....in Summer.....

Nearest Railway Station..... Distance.....gauge..... Direction from

Nearest Parish Church at..... Distance.....gauge..... Direction from

Nature of objects nearest to gauge

Height of objects

Distances ...

Directions from gauge ...

If gauge has been moved during the year state —

Date of move..... Distance..... Direction.....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and E.)

If the gauge is of a self-registering or self-recording type please give particulars.



A

B

C

D

E

If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- It is known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

M.O. 7

2 JAN 1936

*See Instruction 2 (f) below.

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in italic type:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

- When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

- The observer knows definitely from his own observation that some rain (or other form of precipitation such as

snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp; the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as .01 and those which are mere "traces." An entry .005 is not to be made in the register.

- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | } .14 would show that the

reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.

- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

- The heaviest daily fall for each month should be underlined.

- The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast, or through any Bookseller. Price 1d. Net.

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone.

Wt. 3430/1699 15,000 2/35 W. H. & S. 668/91.

BMonthly
Summary.**C**

Particulars of Station.

Station No. 2797/5
File No. 159478/32

* * The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1936

At Burton
In the County of Chester
Rain Gauge (Diameter of Funnel 5 in.
Height of Top above Ground 1 ft. — in.
Height of Ground above Sea Level 210 ft.)

Month	Total Depth Inches	Greatest Fall in 24 hours Inches	Number of Days with 0.1 in. or more 0.4 in. or more
JAN.	<u>5.08</u>		
FEB.	<u>2.42</u>		
MAR.	<u>2.19</u>		
APRIL	<u>1.65</u>		
MAY	<u>1.14</u>		
JUNE	<u>4.35</u>		
JULY	<u>2.48</u>		
AUG.	<u>1.46</u>		
SEPT.	<u>2.97</u>		
OCT.	<u>1.47</u>		
NOV.	<u>2.30</u>		
DEC.	<u>2.33</u>		
TOTAL	<u>29.84</u>		

Signature Richard A. L. Billson

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

R. A. L. BILLSON, "Mill Wood"BURTON, WIRRAL, CHESHIRE

Hour of observation by the clock—in Winter.....in Summer.....

Nearest Railway Station Burton Parit L.N.E.R. Distance 3/4 mile gauge W.

Nearest Parish Church at Burton Village Distance 1/4 mile gauge E.

Nature of objects nearest to gauge

Height of objects

Distances


Directions from gauge

If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.




If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

**D**

INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

(a) Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail,

sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) On some measures there is graduation marked .005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this .005 mark or between this .005 and the .01 mark are to be entered as .01 even though they may be nearer to the .005 mark than the .01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction. An entry .005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | } 14 | would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

(e) The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

(f) The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller

Price 1d. Net

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone

Wt. 1046/3030. 26,000. 4/36. W. H. & S. 668/91.

S.O. Code No. 40-9999

2797/5

* * The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1937

At Burton, Wirral
In the County of Chester
Rain Gauge { Diameter of Funnel 5 in.
Height of Top above Ground 1 ft. — in.
Height of Ground above Sea Level 210 ft.

Month	Total Depth	Greatest Fall in 24 hours	Number of Days with 0.1 in. or more	Number of Days with 0.04 in. or more
JAN.	<u>1.98</u>			
FEB.	<u>4.30</u>			
MAR.	<u>2.19</u>			
APRIL	<u>2.12</u>			
MAY	<u>2.37</u>			
JUNE	<u>.86</u>			
JULY	<u>1.76</u>			
AUG.	<u>1.02</u>			
SEPT.	<u>2.03</u>			
OCT.	<u>2.43</u>			
NOV.	<u>1.73</u>			
DEC.	<u>2.38</u>			
TOTAL	<u>25.17</u>			

Signature Richard A. L. Billson

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

R. A. L. BillsonMill Wood, Burton, Wirral, Cheshire

Hour of observation by the clock—in Winter.....in Summer.....

Nearest Railway Station Burton Port L.N.E.R. Distance 3/4 mile gauge WS.

Nearest Parish Church at Burton Village Distance 1/4 mile gauge E.


Nature of objects nearest to gauge				
Height of objects				
Distances				
Directions from gauge				

If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

M.O. 7
3 JAN. 1938

* See Instruction 3 (f) below.

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.
- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail,

sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this .005 mark or between this .005 and the .01 mark are to be entered as .01 even though they may be nearer to the .005 mark than the .01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction. An entry .005 is not to be made in the register.
- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 } .14 would show that the reading on the 18 } morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.
- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.
- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.
- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
- The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller

Price 1d. Net

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone

Wt. 1046/3030. 26,000. 4/36. W. H. & S. 668/91.

S.O. Code No. 40-9999

Station No. 2797/5
File No. 159478/32

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1938

At "Hill Wood" Burtan

In the County of Cheshire

Rain Gauge { Diameter of Funnel 5 in.
Height of Top above Ground 1 ft. 0 in.
Height of Ground above Sea Level 210 ft.

Month	Total Depth	Greatest Fall in 24 hours	Number of Days with	Number of Days with
	Inches	Inches	Date	* or more
JAN.	2.67			
FEB.	.31			
MAR.	.85			
APRIL	.12			
MAY	2.05			
JUNE	2.64			
JULY	2.68			
AUG.	3.82			
SEPT.	1.19			
OCT.	2.49			
NOV.	2.53			
DEC.	2.78			
TOTAL	24.13			

Signature Richard A. L. Silman

1/1/39

* See Instruction 3 (f) below.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

R. A. L. SilmanHill Wood, Burtan, WarralCheshire

Hour of observation by the clock—in Winter.....in Summer.....

Nearest Railway Station Burtan Point Distance 3/4 mile gauge W.Nearest Parish Church at Burtan Village Distance 1/4 mile gauge E.

Nature of objects nearest to gauge

Height of objects

Distances ...


Directions from gauge ...

If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

X Readings for Aug 25-31 taken fromSeeland Woodgood accord with nearby stns. Warral

M.O. 7

-2 JAN. 1938



INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumshough Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in italic type:—

- Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

- When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

- The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail,

sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this .005 mark or between this .005 and the .01 mark are to be entered as .01 even though they may be nearer to the .005 mark than the .01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction. An entry .005 is not to be made in the register.
- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 } .14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.
- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.
- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.
- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
- The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.

Price 1d. net

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone

Wt. 3079/2165 25,500 12/37 W.H. & S. 668/91

S.O. Code No. 40-9999

BMonthly
Summary.**C**Station No 2797/5
File No 159478/32
Particulars of Station.

2797/5

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1939.

At Burton-in-WisvalIn the County of Cheshire

Rain Gauge
Diameter of Funnel.....5.....in.
Height of Top above Ground.....1.....ft. in.
Height of Ground above Sea Level.....210.....ft.

Month	Total Depth	Greatest Fall in 24 hours	Number of Days with .01 in. or more	Number of Days with .04 in. or more
JAN.	<u>4.45</u>			
FEB.	<u>2.19</u>			
MAR.	<u>1.32</u>			
APRIL	<u>1.79</u>			
MAY	<u>1.87</u>			
JUNE	<u>1.36</u>			
JULY	<u>4.98</u>			
AUG.	<u>1.53</u>			
SEPT.	<u>.53</u>			
OCT.	<u>3.42</u>			
NOV.	<u>3.49</u>			
DEC.	<u>1.66</u>			
TOTAL	<u>28.59</u>			

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hill WoodBurton-in-WisvalCheshire

Hour of observation by the clock—in Winter.....in Summer.....

Nearest Railway Station.....Burton Point.....Distance.....3 1/4.....miles.....gauge.....W.....

Nearest Parish Church at.....Burton Village.....Distance.....1/4.....miles.....gauge.....E.....

Nature of objects nearest to gauge

Height of objects

Distances ...


Directions from gauge ...

If gauge has been moved during the year state—

Date of move.....Distance.....Direction.....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

M.O. 7

-5 JAN. 1940

Signature Richard A. L. Billson

* See Instruction 3 (f) below.

D

INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.
- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail,

sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this .005 mark or between this .005 and the .01 mark are to be entered as .01 even though they may be nearer to the .005 mark than the .01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction. An entry .005 is not to be made in the register.
- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left. \begin{array}{l} 17 \\ 18 \end{array} \right\} .14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.
- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.
- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.
- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
- The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.

Price 1d. net

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone

Wt. 9079/2165 25,500 12/37 W.H. & S. 668/91

S.O. Code No. 40-9999

* The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1940

At Burton-in-Warrior
In the County of Chester
Rain Gauge { Diameter of Funnel 5 in.
Height of Top above Ground 1 ft. in.
Height of Ground above Sea Level 210 ft.

Month	Total Depth	Greatest Fall in 24 hours	Number of Days with
	Inches	Inches	* .01 in. or more
JAN.	2.68		
FEB.	2.62		
MAR.	1.89		
APRIL	1.93		
MAY	2.29		
JUNE	.75		
JULY	2.92		
AUG.	.50		
SEPT.	2.53		
OCT.	2.69		
NOV.	3.57		
DEC.	1.45		
TOTAL	25.82		

Signature Richard A. L. Billson

* See Instruction 3 (f) below.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

R. A. L. Billson

"Hill Wood" Burton-in-Warrior
Cheshire

Hour of observation by the clock—in Winter.....in Summer.....

Nearest Railway Station Burton Port Distance 3/4 mile Direction from gauge West

Nearest Parish Church at Burton Village Distance 1/4 mile Direction from gauge East

Nature of objects nearest to gauge

Height of objects

Distances


Directions from gauge

If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.
- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail,

sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this .005 mark or between this .005 and the .01 mark are to be entered as .01 even though they may be nearer to the .005 mark than the .01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction. An entry .005 is not to be made in the register.
- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 } .14 would show that the reading on the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.
- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.
- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.
- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
- The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: York House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller

Price 1d. net

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone

Wt. 2778/2036 21,000 10/38 W.H.&S. 668/91

S.O. Code No. 40-9999

REGIS

Kept at Weston
in the County of Ches

Diameter of Funnel of Gauge.....
Height of top of Gauge above Ground.....
Ground Sea L

THE MORNING MEASU

An observer who does not conform to
year in the space on the right of the

2798
COPY FOR OFFICIAL USE.
ORGANIZATION.

2798
WESTON
1931 — 40

lowing
Jan. 1, following

Date	Jan.	Feb.	March								Nov.	Dec.	Date
	in.	in.	in.								in.	in.	
1	25	--	--	12	--	--	--	--	10	06	--	--	1
2	--	04	--	50	07	43	--	--	41	--	02	03	2
3	25	--	--	--	--	19	11	--	1.01	09	47	21	3
4	--	--	05	17	--	--	--	08	49	--	--	02	4
5	--	--	--	05	04	81	17	70	01	--	--	09	5
6	--	17	--	--	--	38	02	--	21	22	06	--	6
7	--	--	--	--	--	34	--	75	--	05	07	03	7
8	03	02	--	09	--	28	04	80	--	02	09	--	8
9	08	16	01	04	07	04	--	14	01	08	11	--	9
10	--	01	--	--	07	14	--	04	--	--	29	04	10
11	16	12	--	--	--	--	03	01	30	--	06	01	11
12	14	09	--	02	--	--	13	23	17	05	11	--	12
13	--	--	01	--	07	03	04	1.40	--	--	--	--	13
14	--	07	01	--	--	1.70	02	68	18	--	52	--	14
15	02	35	--	10	12	--	31	18	--	--	--	23	15
16	13	06	--	16	13	03	10	25	19	--	--	--	16
17	05	--	--	16	26	01	02	06	02	--	22	--	17
18	11	--	--	01	--	66	26	14	--	--	26	--	18
19	06	09	--	01	--	02	01	31	--	--	--	--	19
20	01	04	07	--	--	01	15	07	--	--	02	--	20
21	16	--	02	--	28	--	--	13	--	--	03	--	21
22	07	--	--	02	07	03	--	--	--	--	--	--	22
23	18	--	--	17	18	10	--	--	--	--	07	19	23
24	--	--	--	10	23	--	05	--	--	--	05	07	24
25	03	20	--	52	04	--	--	--	--	--	02	04	25
26	15	10	--	01	--	--	12	--	--	--	71	--	26
27	21	21	--	03	40	--	05	--	--	12	28	12	27
28	10	31	08	01	33	--	--	--	--	15	--	15	28
29	05	--	04	--	05	--	10	--	--	38	03	04	29
30	01	×	--	--	--	--	--	02	--	--	--	13	30
31	14	×	--	×	05	×	15	--	×	01	×	01	31
TOTAL	2.39	2.04	0.29	2.33	2.46	5.20	1.88	5.99	3.14	1.23	3.49	1.41	YEAR'S TOTAL 31.81
*Days with or in. or more.	22	16	8	19	17	17	19	17	X13	11	20	16	195
*Days with or in. or more.	17	14	4	12	17	11	14	16	9	9	15	11	149

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Heston
in the County of Cheshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
Ground Sea Level 111.2 ft.

400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	25	--	--	12	--	--	--	--	10	06	--	--	1
2	--	04	--	50	07	43	--	--	41	--	02	03	2
3	25	--	--	--	--	19	11	--	1.01	09	47	21	3
4	--	--	05	17	--	--	--	08	49	--	--	02	4
5	--	--	--	05	04	81	17	70	01	--	--	09	5
6	--	17	--	--	--	38	02	--	21	22	06	--	6
7	--	--	--	--	--	34	--	75	--	05	07	03	7
8	03	02	--	09	--	28	04	80	--	02	09	--	8
9	08	16	01	04	09	04	--	14	01	08	11	--	9
10	--	01	--	--	07	14	--	04	--	--	29	04	10
11	16	12	--	--	--	--	03	01	30	--	06	01	11
12	14	09	--	02	--	--	13	23	17	05	11	--	12
13	--	--	01	--	07	03	04	1.40	--	--	--	--	13
14	--	07	01	--	--	1.70	02	68	18	--	52	--	14
15	02	35	--	10	12	--	31	18	--	--	--	23	15
16	13	06	--	16	13	03	10	25	19	--	--	--	16
17	05	--	--	16	26	01	02	06	02	--	22	--	17
18	11	--	--	01	--	66	26	14	--	--	26	--	18
19	06	09	--	01	--	02	01	31	--	--	--	--	19
20	01	04	07	--	--	01	15	07	--	--	02	--	20
21	16	--	02	--	28	--	--	13	--	--	03	--	21
22	07	--	--	02	07	03	--	--	--	--	--	--	22
23	18	--	--	17	18	10	--	--	--	--	07	19	23
24	--	--	--	10	23	--	05	--	--	--	05	07	24
25	03	20	--	52	04	--	--	--	--	--	02	04	25
26	15	10	--	01	--	--	12	--	--	--	71	--	26
27	21	21	--	03	40	--	05	--	--	12	28	12	27
28	10	31	08	01	33	--	--	--	--	15	--	15	28
29	05	--	04	--	05	--	10	--	--	38	03	04	29
30	01	×	--	--	--	--	--	02	--	--	--	13	30
31	14	×	--	×	05	×	15	--	×	01	×	01	31
TOTAL	2.39	2.04	.29	2.33	2.46	5.20	1.88	5.99	3.12	1.23	3.49	1.41	YEAR'S TOTAL 31.81
*Days with "or in. or more.	22	16	8	19	17	17	19	17	23	11	20	16	195
*Days with "or in. or more.	17	14	4	12	17	11	14	16	9	9	15	11	149

Section

A

for the entry of Daily Observations.

Station No. 2798

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at NESTONin the County of ChesterDiameter of Funnel of Gauge 6 in.Height of top of Gauge above Ground 1 ft. — in.Ground Sea Level 111.2 ft.

400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.07	--	--	.05	.57	--	.04	.02	.03	.02	--	.02	1
2	.16	--	--	--	.60	--	.03	--	.08	.45	.01	.19	2
3	--	.05	--	.39	.04	--	.07	--	.07	.03	.11	.11	3
4	--	--	--	--	--	--	.06	--	--	--	.07	.03	4
5	.28	--	.08	.01	.10	--	--	.03	.17	--	--	.03	5
6	.73	--	.05	.15	.05	.02	--	--	.22	--	--	--	6
7	.07	--	.15	.15	.07	--	--	--	.56	.34	--	--	7
8	--	--	--	.03	.03	--	--	--	.40	.24	--	--	8
9	.16	.01	--	.08	--	--	--	--	.02	--	.05	.02	9
10	.07	--	--	.09	.02	--	--	--	.29	.40	.02	--	10
11	--	--	--	.03	.25	.06	.08	--	.02	--	--	--	11
12	.05	--	--	--	.09	--	1.30	.01	.03	.28	--	--	12
13	.01	--	--	.07	.08	--	.19	.09	.06	.15	--	.23	13
14	.14	--	--	--	--	--	--	.15	--	.25	.14	.01	14
15	--	--	--	.02	.57	--	--	--	--	.02	--	--	15
16	.07	--	--	.14	--	--	.01	--	--	--	--	--	16
17	--	--	--	--	--	--	.03	--	.01	.17	--	.01	17
18	--	--	--	--	.02	--	--	--	--	--	.05	--	18
19	--	--	--	.12	.02	--	.06	--	--	.23	--	--	19
20	--	--	--	.06	.16	--	.05	.63	--	.20	.04	.02	20
21	.07	--	.26	.14	.24	--	--	.18	--	.60	.01	--	21
22	--	--	.05	.05	.21	--	.25	--	--	.36	.28	.01	22
23	--	--	--	.02	.03	--	.05	--	--	.07	.09	.03	23
24	.06	--	--	--	.01	--	.81	--	.15	--	.53	--	24
25	--	--	--	--	.02	.03	.04	--	.14	.29	.07	--	25
26	--	--	.01	.05	.14	--	.13	--	.29	.07	.03	.01	26
27	--	--	.59	.12	.14	.04	.11	--	--	.05	.07	--	27
28	--	--	.07	.04	.11	--	.23	--	--	--	--	--	28
29	.03	--	.27	.23	.12	.09	--	.08	.11	.72	.27	.27	29
30	.01	×	.06	.35	--	.08	.01	.06	.01	.42	.59	.05	30
31	--	×	.18	×	--	×	.97	.01	×	.02	×	.01	31
TOTAL	1.86	.06	1.71	2.39	3.63	.32	4.52	1.76	2.66	5.08	2.43	1.05	YEAR'S TOTAL 26.97
*Days with .01 in. or more.	15	2	11	22	24	6	20	15	18	22	17	16	183
*Days with .04 in. or more.	10	1	9	17	17	4	16	5	12	18	13	5	128

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1933

At HoustonIn the County of CheshireDiameter of Funnel 5.4 in.Height of Top above Ground 1 ft. in.Height of Ground above Sea Level 111.20 ft.

Month.	Total Depth. Inches	Greatest Fall in 24 hours. Inches	Date.	Number of Days with '.01 in. or more	Number of Days with '04 in. or more
JAN.	1.32	.25	4	15	11
FEB.	2.66	.26	.75	16	10
MAR.	1.96	.19	.36	15	13
APRIL	.69	.30	.30	9	6
MAY	1.64	.20	.44	15	10
JUNE	1.45	.17	.38	11	9
JULY	1.27	.15	.37	11	9
AUG.	1.76	.28	.43	12	8
SEPT.	.70	.24	.23	6	6
OCT.	3.80	.10	1.05	18	14
NOV.	1.23	.13	.28	12	8
DEC.	.63	.30	.22	9	4
Total	19.14			148	109

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

H.F. Russell, Vine House
Houston, Worsal, Cheshire

Hour of observation by the clock—in Winter 9 am in Summer 9 am

Nearest Railway Station _____ Distance _____ Direction from gauge _____

Nearest Parish Church at _____ Distance _____ Direction from gauge _____

Nature of objects nearest to gauge _____

Heights of objects _____

Distances _____

Directions from gauge _____

If gauge has been moved during the year state—

Date of move _____ Distance _____ Direction _____

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

- When there is less than .05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

- The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as 0.1 and those which are mere "traces." An entry .005 is not to be made in the register.

- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 } .14 would show that the

reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.

- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

- The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

Section

A

for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 2798

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at

in the County of

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

Ground Sea Level 111 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	06	--	--	--	--	--	--	13	20	04	1.47	50		1
2	--	--	06	--	--	--	--	26	03	--	09	19		2
3	04	--	--	--	--	--	--	13	--	14	--	--		3
4	05	--	04	04	08	--	--	01	06	34	--	75		4
5	--	--	05	--	06	--	--	50	--	04	07	04		5
6	--	--	06	01	30	--	--	05	--	13	--	16		6
7	19	--	06	03	01	01	--	--	--	01	03	17		7
8	--	--	01	--	25	24	--	--	--	04	39	01		8
9	--	--	16	04	--	--	--	05	--	01	44	01		9
10	--	02	10	32	--	--	--	26	--	--	02	--		10
11	02	--	01	43	--	--	--	18	--	--	10	08		11
12	--	--	02	03	--	--	--	20	--	08	--	01		12
13	30	--	01	02	--	--	33	--	--	03	--	--		13
14	10	--	26	--	01	02	--	--	--	25	02	02		14
15	14	--	30	--	19	--	01	08	10	22	03	10		15
16	20	--	03	--	05	--	--	03	--	08	06	14		16
17	08	--	14	05	18	--	10	08	10	14	--	08		17
18	19	--	02	20	24	15	--	01	--	--	--	09		18
19	--	--	17	02	15	--	--	03	20	04	--	23		19
20	--	--	01	01	02	--	--	--	07	--	--	06		20
21	--	--	03	--	--	16	--	03	24	09	--	--		21
22	08	--	08	02	--	01	--	03	09	09	--	08		22
23	--	--	04	17	10	32	41	01	--	11	--	--		23
24	--	15	01	--	02	02	--	--	13	03	--	--		24
25	--	02	--	07	--	--	02	--	07	10	--	37		25
26	--	--	04	13	--	09	17	--	02	01	--	02		26
27	03	--	--	02	--	08	10	--	--	03	--	17		27
28	--	--	--	04	--	--	--	17	06	11	--	73		28
29	--	--	--	--	--	--	03	03	34	30	--	03		29
30	13	X	--	--	--	--	01	03	15	58	--	01		30
31	--	X	--	X	--	X	--	19	X	31	X	30		31
TOTAL	1.66	1.19	1.71	1.63	1.63	1.25	1.18	2.49	1.84	3.32	2.92	4.33	Year's Total	23.82
* Days with .01 in. or more.	14	3	23	17	14	11	9	22	15	26	11	28		190
* Days with .04 in. or more.	12	1	13	10	9	7	6	13	13	20	7	18		128

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required

(Signed)

[P.T.O.]

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No. 2798

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at ...

in the County of ...

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground...ft.....in.

„ Ground „ Sea Level ...ft.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.19	.01	--	--	.02	--	.22	--	.41	.13	.08	.21		1
2	--	.03	--	--	--	.26	--	--	.04	.01	--	.23		2
3	.03	.26	.04	.15	--	.37	--	--	.09	--	.12	.38		3
4	--	.04	.03	.08	--	.08	--	--	.22	.16	.02	.04		4
5	--	.15	.19	.14	--	--	--	--	.04	.11	.11	.02		5
6	--	--	--	.13	--	.06	--	--	--	--	--	--		6
7	--	--	--	.03	--	.07	--	--	--	.09	.08	.17		7
8	--	--	--	.12	--	--	--	--	--	.02	.16	.10		8
9	.09	.01	--	.09	--	.06	--	--	--	.98	.05	--		9
10	--	.08	--	.10	--	.99	--	--	--	.06	.03	--		10
11	.34	--	--	--	--	.06	.23	.03	--	.08	.03	--		11
12	.09	--	--	--	--	.16	--	--	.04	--	--	--		12
13	.17	--	--	.05	.26	--	--	--	.13	.04	.15	--		13
14	--	--	.10	.02	--	.08	.10	--	.03	--	.20	.12		14
15	--	.12	--	.34	.04	.04	.04	--	.11	--	--	.59		15
16	.01	.21	--	.05	.01	.53	.14	--	.59	--	.04	.04		16
17	--	--	--	.80	.61	.33	.08	.03	.05	.03	.85	--		17
18	--	--	--	.15	.41	.09	.08	--	.13	.04	.01	--		18
19	--	--	--	.16	.45	.29	.04	--	--	.10	.16	--		19
20	--	.10	--	.25	--	.06	.22	--	--	.03	.19	--		20
21	--	.24	--	--	--	--	--	--	.64	.03	.04	.04		21
22	--	.44	.01	.12	--	--	--	--	.33	--	--	.10		22
23	--	.04	.26	--	--	--	--	.15	.26	.58	--	--		23
24	.18	.25	.10	--	--	--	--	--	.52	.08	--	.39		24
25	.32	.15	--	--	--	.03	--	--	--	.01	.03	.01		25
26	--	.07	--	--	--	--	--	.33	.69	.01	.01	.14		26
27	--	.03	--	--	.02	.02	.06	.02	.18	.04	.15	--		27
28	.03	.10	--	--	.07	--	--	.27	.26	.11	.01	--		28
29	--	--	.03	--	--	.07	--	.04	.18	.11	.08	.09		29
30	.01	X	--	--	--	.53	--	.01	.15	.23	.51	.07		30
31	--	X	--	X	--	X	--	--	X	.06	X	.55		31
TOTAL	1.42	2.33	.76	2.28	1.89	3.28	1.97	.78	5.07	3.11	3.08	3.25	29.22	
* Days with .01 in. or more.	111	185	81	171	91	201	91	81	211	241	231	181	186	
* Days with .04 in. or more.	71	141	51	151	61	181	91	41	211	171	161	141	141	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) ... [P.T.O.]

Section

A

for the entry of Daily Observations.

Station No.

2798

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936

Kept at

Heston Vine House

in the County of

Cheshire

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

Ground

Sea Level.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	.13	.09	.47	—	.06	.07	.28	.03	—	.10	.53		1
2	.09	.07	—	.23	—	.63	—	.04	.01	—	.08	.18		2
3	—	—	—	—	—	.74	.02	.07	.42	—	—	.03		3
4	—	.17	.02	—	—	.01	—	—	.37	—	.45	.14		4
5	.16	.03	.17	—	—	—	—	.25	.10	—	.03	.34		5
6	.03	—	—	—	.10	.07	.06	.12	.17	—	.17	—		6
7	—	—	.04	—	—	—	.07	—	.39	—	.12	.09		7
8	.05	—	.25	—	—	—	—	—	.03	—	.29	.03		8
9	.24	—	—	—	—	.04	.12	—	.22	—	.06	—		9
10	.08	—	—	—	—	—	.28	.14	—	—	.02	—		10
11	—	—	—	.02	.02	.06	.27	.02	.06	.01	.30	.21		11
12	—	—	—	—	—	.16	.28	—	.23	.02	.13	.02		12
13	.02	—	—	—	—	.07	.14	—	.07	.13	.08	.48		13
14	—	—	—	.10	—	.17	.03	.10	.28	.01	.17	.43		14
15	.26	—	—	.08	.12	.13	—	.01	.10	—	.22	.03		15
16	.03	.04	—	.07	.38	—	.06	—	.01	—	.38	—		16
17	.06	.35	—	—	—	—	.02	.07	—	.04	.01	.01		17
18	—	.14	—	.06	—	—	.50	.15	—	.20	—	—		18
19	.86	.06	—	.26	—	.45	.02	.30	—	.19	—	—		19
20	.52	.16	.07	—	—	—	—	—	—	.02	—	—		20
21	1.18	—	.03	.10	—	1.59	—	—	—	—	—	.08		21
22	.01	.55	.03	—	—	.29	.25	—	—	—	—	.12		22
23	.02	.07	.54	—	—	—	.20	—	—	.05	—	—		23
24	.12	—	—	—	.07	—	—	—	.17	.08	—	—		24
25	.15	—	—	—	—	—	—	—	.60	.07	—	.01		25
26	.03	.09	.37	.07	—	—	.08	—	.07	.13	—	—		26
27	.43	—	—	—	—	—	.03	—	.08	.15	.03	—		27
28	.25	.31	.08	.03	—	.09	—	—	—	.17	—	.03		28
29	.03	.25	.14	—	.04	.21	—	—	—	.01	.04	.05		29
30	.08	—	—	—	.23	.07	.12	.09	—	.29	.04	—		30
31	.05	—	.03	—	.04	—	—	—	—	—	—	.20		31
TOTAL	4.75	2.36	1.80	1.43	.94	4.66	2.62	1.52	3.41	1.57	2.42	3.01	30.49	✓
* Days with .01 in. or more.	23	14	13	11	8	17	19	13	19	16	19	19	191	✓
* Days with .04 in. or more.	16	12	8	8	6	13	14	9	15	12	13	12	140	✓

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed)

[P.T.O.]

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No.

2798

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Heston Vine Housein the County of Gloucestershire

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	01	26	09	-	-	-	-	-	14	04	04	06		1
2	-	08	08	27	-	-	-	-	-	-	-	12		2
3	-	07	-	-	12	09	11	-	-	-	-	-		3
4	18	-	03	05	06	-	-	01	-	-	-	88		4
5	36	-	18	15	-	-	04	-	-	-	-	40		5
6	03	-	-	01	-	-	-	-	-	-	-	01		6
7	-	40	-	04	-	12	-	-	-	-	-	02		7
8	-	34	-	07	-	03	18	-	-	-	15	-		8
9	-	01	-	02	18	20	20	04	01	-	-	01		9
10	02	17	-	-	-	-	-	-	-	-	-	-		10
11	-	02	40	-	59	06	-	-	-	-	04	02		11
12	-	34	07	-	-	42	06	08	43	-	-	09		12
13	-	01	03	-	-	01	-	27	31	-	-	20		13
14	03	11	06	-	-	-	-	09	05	32	06	20		14
15	-	16	-	29	-	-	63	-	13	-	-	15		15
16	10	10	37	82	-	-	-	08	18	-	-	-		16
17	24	12	04	56	-	-	-	01	19	-	-	-		17
18	09	22	03	01	-	-	10	02	05	-	32	02		18
19	02	03	07	18	08	-	11	01	101	-	12	-		19
20	-	02	01	27	80	28	-	-	01	-	02	03		20
21	-	33	18	08	06	-	15	-	-	04	-	02		21
22	08	11	08	-	08	-	04	-	-	10	25	09		22
23	04	02	03	-	16	-	15	-	-	78	25	-		23
24	20	31	20	-	-	30	04	-	14	41	-	-		24
25	-	34	04	-	-	-	-	40	01	09	-	01		25
26	-	30	04	-	22	-	-	01	-	04	01	02		26
27	-	84	-	25	-	-	-	-	-	48	-	01		27
28	-	04	-	-	-	-	-	-	-	10	-	01		28
29	02	-	-	-	-	07	-	-	-	19	08	01		29
30	20	X	-	-	-	06	-	-	18	09	28	-		30
31	21	X	-	X	-	X	-	-	X	06	X	-		31
TOTAL	1.83	4.85	2.03	3.07	2.35	1.64	1.81	1.02	2.84	2.44	1.62	2.38	27.88	Year's Total
* Days with .01 in. or more.	16	25	19	15	10	11	12	11	14	13	12	21	179	
* Days with .04 in. or more.	10	19	14	12	10	9	12	6	11	12	10	9	134	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

D. P. Russell Esq.

[P.T.O.]

COPY FOR OFFICIAL USE

Section

A

for the entry of Daily Observations

Station No. 2798

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at *Neston, Vine House*in the County of *Cheshire*Diameter of Funnel of Gauge *5* in.Height of top of Gauge above Ground *1* ft. in.,, Ground ,, Sea Level *111* ft.

Copy by R.R.O.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		.03				<i>1.29</i>	.04	.13	.01	.05	.06	.19		1
2				<i>16</i>	.09	.19	—	—	—	.18	.02	.22		2
3							.05	—	.06	.36	.08	.01		3
4				.01			.05	—	TR	.04	.01	.22		4
5	.04					.04	.01	.55	.10	.07	—	.10		5
6	.09					.04	.47	.5	.32	.08	—	.03		6
7	.38						.21	.31	.07	.03	—	.01		7
8	.15	.01					.45	.58	—	.25	—	.52		8
9	.04	.13	.03			.30	.05	.92	—	—	—	.07		9
10	.20	.09	.01			.01	.55	—	.02	.01	—	.24		10
11	.24				.06	.10	.02	—	.01	.07	.04	.08		11
12	.04				.07		.03	.02	—	.36	.34	.01		12
13	.01				.01		—	—	—	TR	.06	.03		13
14	.35				.05		.06	—	.01	.01	.10	—		14
15	.25				.01		.08	.11	—	.06	.02	.03		15
16	.13		.01		.01		.06	.5	.01	TR	.01	.02		16
17					.01		—	.5	.01	.13	—	.04		17
18	.01				.07	.04	—	.01	—	.16	.25	—		18
19							—	.06	.01	.01	TR	—		19
20	.03		.06				—	.22	.03	—	.15	—		20
21			.06				—	.5	—	—	.29	—		21
22				.02		.09	—	—	TR	—	.35	.04		22
23					.05	.06	—	—	.13	—	.25	—		23
24			.23	.01	.08		—	.46	.12	.06	.05	—		24
25	.07		.08			.06	.23	—	.01	.35	.33	.08		25
26	.18	.13	.22		.10	.05	—	.38	.04	.37	.14	.11		26
27	.08	.01			.85	.20	.05	.04	.01	.01	.13	.01		27
28	.21	.01	.01			.20	.16	.01	TR	.01	.02	.11		28
29	.60				.81	.01	.02	.04	—	.14	.07	.11		29
30	.02	X				.01	—	.14	.24	TR	.15	.23		30
31	.11	X		X	.19	X	—	—	X	.14	X	.41		31
TOTAL	3.23	4.1	7.1	2.0	2.46	2.69	2.50	3.98	1.21	2.98	3.12	2.92	26.50	✓
* Days with .01 in. or more.	21	7	9	4	15	16	18	16	18	23	22	24	193	✓
* Days with .04 in. or more.	17	3	5	1	11	13	14	13	48	14	17	16	135	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

David P. Russell P.T.O.

Section



for the entry of Daily Observations

Station No. 2798

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at *Neston, Vine House*in the County of *Cheshire*Diameter of Funnel of Gauge.....*5*.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level*111*.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	<i>.27</i>	-	<i>.05</i>	<i>.28</i>	-	-	<i>.01</i>	<i>.18</i>	<i>.10</i>	-	<i>.05</i>	<i>.07</i>		1
2	<i>.11</i>	-	<i>.03</i>	<i>.15</i>	-	-	<i>.03</i>	<i>.41</i>	<i>.15</i>	-	-	<i>.03</i>		2
3	<i>.24</i>	-	<i>.15</i>	<i>.15</i>	-	-	<i>.02</i>	<i>.12</i>	<i>.03</i>	-	<i>.03</i>	<i>.41</i>		3
4	<i>.32</i>	-	<i>.06</i>	<i>.19</i>	<i>.02</i>	-	<i>.10</i>	<i>.05</i>	-	<i>.11</i>	<i>.34</i>	<i>.25</i>		4
5	-	-	<i>tr</i>	<i>.03</i>	<i>.35</i>	-	<i>.46</i>	<i>.05</i>	-	<i>.05</i>	<i>.16</i>	<i>tr</i>		5
6	<i>.50</i>	-	<i>.01</i>	-	-	-	<i>.24</i>	<i>.03</i>	-	-	<i>.05</i>	-		6
7	<i>.03</i>	<i>TR</i>	-	-	<i>.06</i>	-	<i>.04</i>	<i>.07</i>	-	-	<i>.16</i>	<i>.34</i>		7
8	<i>.15</i>	<i>.13</i>	<i>.20</i>	<i>.05</i>	<i>tr</i>	-	<i>.81</i>	<i>.07</i>	-	<i>.10</i>	<i>.05</i>	<i>.10</i>		8
9	<i>.07</i>	<i>.08</i>	<i>tr</i>	-	-	-	-	-	-	<i>.28</i>	<i>tr</i>	<i>tr</i>		9
10	<i>.50</i>	<i>TR</i>	-	-	-	<i>.04</i>	-	-	<i>.12</i>	<i>.05</i>	-	<i>.13</i>		10
11	<i>.47</i>	<i>.10</i>	<i>.25</i>	-	-	<i>.10</i>	-	-	-	<i>.15</i>	<i>.01</i>	<i>.15</i>		11
12	<i>.34</i>	<i>.36</i>	-	-	-	<i>.10</i>	-	-	<i>.05</i>	<i>tr</i>	<i>tr</i>	-		12
13	<i>.04</i>	<i>TR</i>	<i>.05</i>	<i>.21</i>	<i>.16</i>	<i>.14</i>	<i>.14</i>	-	<i>.05</i>	-	<i>.07</i>	-		13
14	<i>.44</i>	-	<i>tr</i>	<i>.02</i>	<i>.32</i>	<i>.51</i>	<i>.32</i>	-	<i>.06</i>	<i>.13</i>	<i>.20</i>	-		14
15	<i>.25</i>	<i>TR</i>	-	<i>.07</i>	<i>.14</i>	<i>.60</i>	<i>.10</i>	-	-	-	<i>.07</i>	-		15
16	<i>.02</i>	<i>.10</i>	<i>.06</i>	-	<i>.19</i>	-	<i>.14</i>	-	-	<i>.10</i>	-	-		16
17	<i>.60</i>	<i>.03</i>	-	-	<i>.11</i>	<i>.16</i>	<i>.04</i>	-	-	<i>1.12</i>	<i>.04</i>	-		17
18	<i>.08</i>	<i>.15</i>	<i>.03</i>	-	<i>tr</i>	<i>.11</i>	<i>.20</i>	-	-	-	<i>.89</i>	-		18
19	<i>.16</i>	<i>TR</i>	-	-	<i>tr</i>	-	<i>.32</i>	-	-	-	<i>.07</i>	-		19
20	<i>.05</i>	-	<i>tr</i>	-	<i>.06</i>	<i>.33</i>	<i>.02</i>	-	-	-	-	-		20
21	<i>.10</i>	-	<i>.18</i>	<i>.09</i>	<i>.11</i>	<i>.01</i>	-	<i>.07</i>	<i>.12</i>	-	<i>tr</i>	-		21
22	<i>.15</i>	<i>.33</i>	<i>.09</i>	<i>.05</i>	-	-	<i>.14</i>	<i>tr</i>	-	<i>.04</i>	<i>.40</i>	-		22
23	<i>.03</i>	<i>.13</i>	-	<i>.10</i>	-	-	<i>.21</i>	-	-	<i>.37</i>	<i>.11</i>	-		23
24	<i>.01</i>	<i>.02</i>	-	<i>.03</i>	-	<i>.05</i>	<i>.10</i>	-	-	<i>.30</i>	<i>.14</i>	-		24
25	<i>.11</i>	<i>.04</i>	-	<i>.26</i>	-	-	<i>.08</i>	-	-	<i>.08</i>	<i>.39</i>	<i>.01</i>		25
26	<i>TR</i>	<i>TR</i>	-	<i>.02</i>	-	-	<i>tr</i>	<i>.01</i>	-	-	<i>.12</i>	-		26
27	<i>TR</i>	<i>.78</i>	<i>.20</i>	-	-	<i>.11</i>	<i>.05</i>	<i>.19</i>	-	-	-	<i>(Snow)</i> <i>.30</i>		27
28	-	<i>.10</i>	<i>.20</i>	<i>.08</i>	-	<i>.05</i>	<i>.11</i>	<i>tr</i>	-	-	<i>.14</i>	-		28
29	-	<i>tr</i>	-	<i>.11</i>	-	-	<i>.93</i>	-	-	<i>.10</i>	<i>.07</i>	-		29
30	-	<i>X</i>	-	-	-	<i>.01</i>	<i>.01</i>	-	-	-	<i>.01</i>	<i>.07</i>		30
31	-	<i>X</i>	-	<i>X</i>	-	<i>X</i>	<i>.03</i>	-	<i>X</i>	<i>X</i>	<i>X</i>	<i>.01</i>		31
TOTAL	<i>5.04</i>	<i>2.35</i>	<i>1.56</i>	<i>1.89</i>	<i>1.52</i>	<i>2.32</i>	<i>4.50</i>	<i>1.25</i>	<i>.68</i>	<i>2.98</i>	<i>3.62</i>	<i>1.92</i>	<i>29.63</i>	✓
* Days with .01 in. or more.	<i>.24</i>	<i>.13</i>	<i>.14</i>	<i>.17</i>	<i>.10</i>	<i>.14</i>	<i>.245</i>	<i>.11</i>	<i>.8</i>	<i>.14</i>	<i>.22</i>	<i>.12</i>	<i>.184</i>	✓
* Days with .04 in. or more.	<i>.20</i>	<i>.11</i>	<i>.11</i>	<i>.13</i>	<i>.9</i>	<i>.12</i>	<i>.819</i>	<i>.91</i>	<i>.7</i>	<i>.14</i>	<i>.19</i>	<i>.9</i>	<i>.153</i>	✓

† Spare column, no entries required.

(Signed)

* See Instruction 3 (f) on other side.

P.T.O.

Section

A

for the entry of Daily Observations

Station No.

2798

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1050

REGISTER OF RAINFALL IN 1934

Kept at *Neston Vine House*in the County of *Cheshire*Diameter of Funnel of Gauge *5* in.Height of top of Gauge above Ground *1* ft.,, Ground ,, Sea Level *111* ft.

BRITISH RAINFALL ORGANIZATION.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	-	X		.01	-	-	-	-	.01	-	.02	.05		1
2	-	-		.17	-	-	.08	-	-	-	.10	.18		2
3	-	X	.01	.09	-	-	.12	-	-	-	.05	.01		3
4	-	X	tr	.03	-	-	tr	-	-	.19	.16	.08		4
5	-	-		tr	.12	-	.05	-	-	.03	.19	.14		5
6	.09	X		-	TR	-	.45	-	-	.73	.07	.11		6
7	.01	X		.08	.07	-	.03	.03	.14	tr	-	-		7
8	.01	-		tr	TR	-	-	-	.24	.14	-	.16		8
9	-	-	.24	.07	-	-	.50	.02	.03	.25	.70	.21		9
10	-	-	tr	tr	-	-	.30	.07	.02	.19	.15	.17		10
11	-	-		.02	-	.01	.05	-	-	tr	.50	.08		11
12	-	-	.43	tr	-	.14	.55	.05	-	X	.07	-		12
13	-	-	.24	.05	.05	-	-	.02	.31	tr	-	tr		13
14	-	(1.10)	.13	.11	.85	-	-	.10	.50	.02	.11	.05		14
15	-	-		.16	TR	.08	.03	-	.19	.02	.50	tr		15
16	-	-		.11	-	-	.13	-	.31	.35	.37	-		16
17	-	.04	.76	.13	-	-	.02	-	tr	tr	-	-		17
18	.03	.15	.10	.29	-	-	-	.09	.21	-	-	tr		18
19	-	.32	.06	.02	-	-	tr	tr	.23	tr	.10	.08		19
20	-	.29		.15	-	-	.10	.01	.02	.40	-	-		20
21	-	-	tr	tr	.15	.30	.05	.02	.02	tr	.76	tr		21
22	-	-		.01	.22	.13	-	-	.07	.01	tr	-		22
23	-	-	tr	.23	TR	-	-	-	.04	-	.21	-		23
24	X	tr	.02	.02	-	-	tr	-	.12	-	tr	-		24
25	✓	-		-	.17	-	-	-	.01	-	-	-		25
26	X	-		.03	.08	.05	.11	-	tr	-	.10	-		26
27	X	.04		tr	-	-	-	-	-	-	.05	-		27
28	✓	.25		tr	-	-	-	.03	tr	-	-	-		28
29	X	.17	.16	-	.38	-	-	-	-	.05	-	.15		29
30	-	X	tr	.47	TR	-	-	-	-	.26	-	.03		30
31	(2.30)	X	.02	X	.03	X	-	-	X	.65	X	.02		31
TOTAL	(2.44)	(2.36)	2.17	2.25	2.12	.76	2.57	.44	2.52	3.29	4.21	1.52	26.65	
* Days with .01 in. or more.	10	12	11	20	10	6	15	10	18	14	19	15	160	
* Days with .04 in. or more.	5	12	8	13	9	5	12	4	12	10	17	12	119	

† Spare column, no entries required.

(Signed)

G. G. Owens

P.T.O.

* See Instruction 3 (f) on other side.

Kept at *St Fillan's,*
in the County of *Ches*

Diameter of Funnel of Gauge
Height of top of Gauge above Ground
,, Ground ,, Sea Level

THE MORNING MEASUREMENT

An observer who does not conform to the
year in the space on the right of this

PI

2799
FOR OFFICIAL USE.
ORGANIZATION.

2799

HESWALL ST FILLANS.

1931 — 40

Jan. 1, following

ing

Date	Jan.	Feb.	March	Apr	May	June	July	Aug	Sept	Oct	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.22	—	—	.14	—	—	—	—	.10	.05	—	—	1
2	—	.05	—	.44	.03	.46	—	—	.43	.05	.02	.02	2
3	.22	—	—	.01	—	.11	.14	—	.82	.08	.28	.13	3
4	.02	—	.03	.16	—	—	—	.23	.48	—	—	.03	4
5	—	.01	.02	.04	.04	.73	.11	.44	.02	—	—	.16	5
6	—	.25	—	.01	—	.42	—	—	.12	.21	.07	—	6
7	—	.03	—	—	—	.34	—	.82	—	.08	.06	.01	7
8	.02	.05	—	.09	—	.26	.03	.49	—	—	.11	.03	8
9	.07	.18	Tr	.04	.13	.08	Tr	.16	.04	.05	.19	—	9
10	—	.03	.01	—	.10	.21	—	.02	—	—	.35	.03	10
11	.24	.08	—	—	—	—	—	—	.36	—	.06	Tr	11
12	.13	.06	—	—	—	—	.13	—	.14	.03	.05	—	12
13	—	—	.01	—	.04	.03	.01	.22	Tr	—	—	—	13
14	.02	.07	—	—	—	.08	.55	Tr	.18	—	.64	—	14
15	.02	.31	—	.09	.14	—	.15	.77	.01	—	.01	.23	15
16	.07	.07	—	.14	.09	.02	.03	.21	.14	—	—	—	16
17	.04	.02	—	.12	.22	—	.01	.26	.03	—	.33	—	17
18	.12	—	—	.02	—	.45	.33	.03	—	—	.22	—	18
19	.08	.11	Tr	—	—	.03	.02	.15	—	.01	.01	—	19
20	—	.05	.06	—	—	.02	.16	.51	—	—	.03	.01	20
21	.21	—	.02	—	.28	Tr	—	.03	—	—	.01	—	21
22	.06	Tr	—	.03	.07	.02	Tr	—	—	—	—	—	22
23	.15	—	—	.10	.18	.10	—	.16	—	.01	.07	—	23
24	.01	—	—	.09	.21	—	.06	—	—	—	.03	—	24
25	.02	.42	—	.63	.04	—	—	—	—	—	.04	—	25
26	.11	.07	—	.03	—	—	.08	—	—	—	.89	—	26
27	.23	.22	—	.01	.51	—	.04	—	—	.14	.36	—	27
28	.12	.27	.06	—	.28	—	.11	—	—	.13	.01	—	28
29	.05	X	.08	—	.05	—	.43	—	.02	.39	.03	—	29
30	.01	X	Tr	Tr	—	—	—	—	.01	—	.01	—	30
31	.17	X	—	X	.02	X	.14	—	X	.02	X	.73	31
TOTAL	2.41	2.55	.29	2.20	2.46	4.96	2.24	5.78	2.90	1.23	3.94	1.38	32.14
*Days with or in. or more.	24	10	8	18	17	15	17	16	15	13	24	10	198
*Days with .04 in. or more.	15	15	3	12	15	11	13	13	10	8	15	4	136

40-9999

*See Instruction 2 (f) on other side.

(Signed)

J. Deane

[P.F.O.]

Section

A

for the entry of D

OR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 193/.

Kept at St Filla's, Heswall

in the County of Cheshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

Ground Sea Level 40 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.22	—	—	.14	—	—	—	—	.10	.03	—	—	1
2	—	.05	—	.44	.03	.46	—	—	.43	.05	.02	.02	2
3	.22	—	—	.01	—	.11	.14	—	.82	.08	.28	.13	3
4	.02	—	.03	.16	—	—	—	.23	.48	—	—	.03	4
5	—	.01	.02	.04	.04	.73	.11	.44	.02	—	—	.16	5
6	—	.25	—	.01	—	.42	—	—	.12	.21	.07	—	6
7	—	.03	—	—	—	.34	—	.42	—	.08	.06	.01	7
8	.02	.05	—	.09	—	.26	.03	.49	—	—	.11	.03	8
9	.07	.18	Tr	.04	.13	.08	Tr	.16	.04	.05	.19	—	9
10	—	.03	.01	—	.10	.21	—	.02	—	—	.35	.13	10
11	.24	.08	—	—	—	—	—	—	.36	—	.06	Tr	11
12	.13	.06	—	—	—	—	.13	—	.14	.03	.05	—	12
13	—	—	.01	—	.04	.03	.01	.22	Tr	—	—	—	13
14	.02	.07	—	—	—	1.08	.56	Tr	.23	.18	—	.64	14
15	.02	.31	—	.04	.14	—	.15	.77	.01	—	.01	.23	15
16	.07	.07	—	.14	.09	.02	.03	.21	.14	—	—	—	16
17	.04	.02	—	.12	.22	—	.01	.24	.03	—	.33	—	17
18	.12	—	—	.02	—	.45	.33	.03	—	—	.28	—	18
19	.08	.11	Tr	—	—	.03	.02	.15	—	.01	.01	—	19
20	—	.05	.06	—	—	.02	.16	.51	—	—	.03	.01	20
21	.21	—	.02	—	.28	Tr	—	.03	—	—	.01	—	21
22	.06	Tr	—	.03	.07	.02	Tr	—	—	—	—	—	22
23	.15	—	—	.10	.18	.10	—	.16	—	.01	.07	—	23
24	.01	—	—	.09	.24	—	.06	—	—	—	.03	—	24
25	.02	.42	—	1.65	.04	—	—	—	—	—	.04	—	25
26	.11	.07	—	.03	—	—	.08	—	—	—	.89	—	26
27	.23	.22	—	.01	.51	—	.04	—	—	.14	.36	—	27
28	.12	.27	.06	—	.28	—	.11	—	—	.13	.01	—	28
29	.05	X	.08	—	.05	—	.43	—	.02	.39	.03	—	29
30	.01	X	Tr	Tr	—	—	—	—	.01	—	.01	—	30
31	.17	X	—	X	.02	X	.14	—	X	.02	X	.73	31
TOTAL	2.41	2.35	.29	2.20	2.46	4.96	2.22	5.78	2.00	1.23	3.94	1.38	32.14
*Days with or in. or more.	24	10	8	18	17	16	17	16	15	13	24	10	198
*Days with or in. or more.	67	15	3	12	15	11	13	13	10	8	15	4	136

40-9999

*See Instruction 2 (f) on other side.

(Signed)

J. Deede

[P.F.O.]

REGISTER OF RAINFALL IN 1931 .

Kept at Greta, Heswall, Wirral
in the County of Cheshire

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 230 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	0.24	—	—	0.13	—	—	—	—	0.09	0.04	—	Trace	I
2	—	0.07	—	0.46	0.04	0.53	Trace	—	0.43	0.08	0.02	0.07	2
3	0.23	—	—	Trace	—	0.10	0.17	—	0.77	0.08	0.46	0.07	3
4	0.01	—	0.04	0.18	—	—	Trace	0.06	0.54	—	Trace	0.02	4
5	—	Trace	—	0.04	0.05	0.78	0.11	0.57	Trace	—	—	0.16	5
6	—	0.22	Trace	Trace	Trace	0.39	Trace	0.04	0.13	0.26	0.06	—	6
7	0.01	0.02	Trace	—	Trace	0.31	—	0.85	—	0.08	0.06	0.01	7
8	0.01	0.04	—	0.08	Trace	0.25	0.04	0.48	—	Trace	0.12	0.08	8
9	0.07	0.15	0.01	0.04	0.15	0.09	0.02	0.18	0.04	0.10	0.16	0.01	9
10	Trace	0.02	—	—	0.11	0.22	—	0.06	—	—	0.36	0.05	10
11	0.27	0.11	—	—	—	—	0.03	—	0.40	—	0.06	0.02	11
12	0.08	0.06	—	0.02	—	—	0.16	0.28	0.21	0.04	0.08	Trace	12
13	—	—	0.01	Trace	0.03	0.04	0.01	2.04	0.01	—	—	—	13
14	0.03	0.09	—	Trace	—	1.86	0.38	0.74	0.22	—	0.67	—	14
15	0.02	0.35	—	0.13	0.14	—	0.18	0.20	0.01	—	—	0.35	15
16	0.1	0.07	—	0.18	0.09	0.03	0.01	0.35	0.18	—	Trace	—	16
17	0.06	0.01	—	0.14	0.28	Trace	0.03	0.02	0.03	—	0.26	—	17
18	0.14	Trace	—	0.01	—	0.44	0.45	0.15	Trace	—	0.26	—	18
19	0.09	0.10	Trace	0.02	—	0.05	Trace	0.68	Trace	Trace	—	—	19
20	—	0.03	0.05	—	—	0.02	0.23	0.05	—	—	0.04	0.01	20
21	0.26	—	0.02	Trace	0.28	0.01	—	0.11	—	—	0.01	—	21
22	0.07	—	Trace	0.03	0.10	0.02	Trace	—	—	—	—	Trace	22
23	0.16	Trace	—	0.11	0.18	0.12	Trace	—	—	0.01	0.06	0.21	23
24	0.02	0.01	—	0.14	0.24	—	0.07	—	—	—	Trace	0.11	24
25	0.01	0.41	—	0.66	0.09	—	—	—	—	—	0.04	0.10	25
26	0.12	0.06	—	0.04	—	—	0.03	—	—	—	0.85	0.01	26
27	0.25	0.25	Trace	0.05	0.56	Trace	0.02	—	—	0.16	0.34	0.12	27
28	0.12	0.36	0.08	0.02	0.30	Trace	Trace	—	—	0.12	Trace	0.15	28
29	0.06	X	0.05	—	0.04	—	0.17	—	0.02	0.45	0.03	0.03	29
30	0.03	X	—	0.01	Trace	—	—	—	0.01	—	—	0.18	30
31	0.14	X	—	X	0.03	X	0.17	—	X	0.01	X	0.02	31
TOTAL	2.60	2.43	0.26	2.49	2.71	5.26	2.28	6.86	3.09	1.43	3.94	1.78	35.13
Days with "or in. or more.	25	19	7	20	17	17	18	17	15	12	19	20	206
Days with "04 in. or more.	17	14	4	14	15	13	11	16	10	10	16	12	152

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at St FILLAN'S, HESWALL
in the County of Cheshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
Ground Sea Level 40 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.23	.01	—	.07	.57	—	.09	.02	.04	.03	.02	.03	1
2	.12	Tr	—	—	.47	—	.02	—	.15	.40	.03	.18	2
3	—	.06	—	.33	.01	—	.10	—	.05	.02	.08	.15	3
4	—	—	—	—	—	—	.08	—	—	.02	.07	.02	4
5	.28	—	.04	.02	.13	—	—	.02	.13	—	—	.04	5
6	.84	—	.14	.15	.04	.04	—	—	.18	—	—	—	6
7	—	—	.13	.13	.01	—	—	—	.50	.40	—	—	7
8	Tr	—	—	—	.02	—	—	—	.14	.26	—	—	8
9	.22	.01.5	—	.06	.05	—	—	—	.05	—	.07	—	9
10	.07	—	—	.05	.01	—	—	—	.39	.40	—	.02	10
11	—	—	—	—	.29	.06	.08	Tr	.01	—	—	—	11
12	.08	—	—	.04	.08	—	.04	.01	.04	.23	—	.03	12
13	—	—	—	.17	.07	—	.14	.09	.07	.26	—	.25	13
14	.09	—	—	.09	—	—	.08	.13	.01	.15	.17	.03	14
15	.01	—	—	.02	.39	—	—	—	—	.03	.02	.02	15
16	.12	—	—	.13	—	—	.02	—	—	—	—	.01	16
17	—	—	—	—	.01	—	.05	Tr	.03	.12	—	.01	17
18	—	—	—	—	.03	—	—	—	.01	—	.05	—	18
19	—	—	—	.12	.05	—	.03	—	.02	.27	—	.01	19
20	—	—	—	.07	.15	—	.02	.74	—	.19	.05	.03	20
21	.01	—	.24	.13	.24	—	—	.08	—	.63	.04	—	21
22	—	—	.07	.06	.21	—	.24	—	—	.03	.30	—	22
23	—	—	—	.03	.02	—	.06	—	—	.11	.26	—	23
24	.07	—	—	.02	.01	—	.74	—	.13	—	.55	.05	24
25	—	Tr	—	.01	—	.04	.02	—	.20	.28	.00	—	25
26	—	—	.01	.05	.17	—	.24	—	.22	.14	.04	—	26
27	—	—	.56	.26	.12	.30	.13	Tr	—	.07	.03	—	27
28	—	—	.01	.16	.13	—	.24	—	—	—	—	—	28
29	.03	—	.28	.24	.15	.00	—	.05	.10	.82	.31	.31	29
30	—	×	.05	.40	—	.18	.01	.06	.02	.22	.47	.07	30
31	.01	×	.21	×	—	×	.75	.02	×	.03	×	.07	31
TOTAL	2.16	.08	1.74	2.81	3.53	.80	4.18	1.22	2.63	5.11	2.45	1.33	YEAR'S TOTAL 28.04
*Days with "or in. or more.	14	3	11	24	25	6	21	10	21	23	18	18	194
*Days with ".04 in. or more.	70	1	9	10	17	6	15	6	14	17	14	8	136

Section **A**

for the entry of Daily Observations.

Station No. **2799**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at **St. Fills, HESWALL**
in the County of **Cheshire**

Diameter of Funnel of Gauge **5** in.
Height of top of Gauge above Ground **1** ft. — in.
Ground Sea Level **40** ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.12	.09	—	—	—	—	—	—	—	.03	.02	1
2	.06	—	.16	—	—	.13	—	.01	—	—	—	—	2
3	.02	.28	.26	—	.20	—	—	—	—	—	—	—	3
4	[2.4]	.02	.03	—	.09	—	—	—	—	—	.02	—	4
5	—	.02	.00	—	.06	—	—	—	—	—	.04	—	5
6	.07	.17	.18	—	.07	—	—	.01	—	—	.03	.01	6
7	.05	.33	—	—	—	—	.12	—	—	.37	—	.02	7
8	.09	.01	.26	—	—	—	.07	—	—	.02	.02	.04	8
9	—	.24	—	—	—	.01	.22	—	—	.19	.09	—	9
10	.03	.11	—	—	—	.12	.01	—	—	[1.12]	.13	.01	10
11	—	—	—	—	.02	—	.03	—	—	.17	.01	.05	11
12	.11	.02	—	—	.03	.05	.18	—	—	.02	—	.10	12
13	—	—	—	—	.14	—	.03	.22	.04	.16	.25	.01	13
14	[2.4]	—	—	—	—	—	.15	.10	—	.05	[.41]	—	14
15	.19	—	.05	—	—	—	[.42]	.22	—	.09	.15	.03	15
16	.18	.03	.10	—	.06	.17	—	.02	—	.28	.01	.01	16
17	—	—	.40	—	—	[.53]	—	—	.02	.01	.04	—	17
18	.17	—	.04	—	—	.13	—	—	—	—	.02	.02	18
19	—	—	[.45]	—	—	—	.01	.02	.17	—	.16	.04	19
20	—	.04	.10	—	[.36]	.08	—	.18	.07	—	.01	.01	20
21	—	.01	—	—	.01	.08	—	.09	—	—	—	.01	21
22	—	—	—	.10	.25	—	—	.12	—	.04	—	—	22
23	—	—	—	.06	—	.12	—	—	.02	.05	—	—	23
24	—	.38	—	.15	.12	.32	—	—	[.23]	.08	—	—	24
25	—	.08	—	.06	—	—	—	—	.14	—	—	[.21]	25
26	—	[1.09]	—	.10	—	.01	—	—	.01	.42	—	.02	26
27	—	.03	—	—	.04	—	—	—	—	.05	—	.02	27
28	—	—	—	.05	—	—	.05	[.49]	—	.02	—	.01	28
29	.02	X	—	—	—	—	.03	.01	—	—	—	—	29
30	.04	X	.06	[.28]	.02	.02	—	—	—	.28	—	.19	30
31	—	X	.02	X	—	X	.02	.01	X	.47	X	.01	31
TOTAL	1.56	3.00	2.29	.80	1.47	1.77	1.34	1.50	.70	3.89	1.42	.84	YEAR'S TOTAL
*Days with .01 in. or more.	14	17	15	7	14	13	13	13	8	19	16	20	169
*Days with .04 in. or more.	11	11	13	7	10	10	7	7	5	15	8	6	119

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No. 2799

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1934.

Kept at 5th Killan's, HESWALL

in the County of Cheshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 40 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	—	—	—	—	—	.16	.44	.02	1.34	.56		1
2	—	.01	.06	—	—	—	—	.26	.05	.02	.12	.22		2
3	.02	—	.01	—	—	—	—	.13	—	.06	.02	.02		3
4	.11	—	.03	.04	.08	—	—	.02	.10	.45	.01	.75		4
5	.01	—	.05	—	.03	—	—	.55	—	.10	.06	.02		5
6	—	—	.11	.02	.29	—	—	.05	—	.06	—	.18		6
7	.22	.03	.10	.03	.03	—	—	—	—	.21	.04	.30		7
8	.01	—	.06	—	.17	.38	—	.02	—	.04	.38	.01		8
9	—	—	.16	.04	.01	.01	—	.07	.03	.01	.42	.01		9
10	—	.02	.14	.31	—	—	—	.25	—	.02	.03	—		10
11	.03	—	.03	.42	—	—	—	.12	—	—	.05	.08		11
12	.01	.01	.04	.04	—	—	—	.18	—	.06	.01	.02		12
13	.33	.01	.02	.05	.02	—	.34	—	—	.04	.01	—		13
14	.03	—	.26	—	.01	.03	—	—	—	.20	.02	.01		14
15	.14	.01	.31	—	.27	—	.01	.09	.26	.16	.02	.15		15
16	.23	—	.06	—	.05	.02	—	.07	—	.08	.07	.16		16
17	.07	—	.12	.05	.21	—	.17	.07	.08	.12	.01	.16		17
18	.12	—	.02	.15	.29	.12	—	.02	.01	.01	—	.13		18
19	.01	—	.13	.02	.02	.16	.01	—	.36	.04	—	.20		19
20	—	—	.02	.03	.03	—	—	.08	.04	.01	—	.03		20
21	.01	—	.04	—	—	.17	—	.03	.26	.04	—	.01		21
22	.00	—	.08	—	—	.01	—	.03	.17	.12	—	.07		22
23	—	—	.04	.13	—	.27	.54	—	.02	.16	.01	.03		23
24	—	.12	.02	.01	.00	.09	—	—	.11	.05	—	.06		24
25	—	.03	—	.04	.01	.01	.02	—	.09	.08	—	.20		25
26	—	—	.02	.20	—	.09	.15	—	.01	.02	—	.04		26
27	.03	—	—	.04	—	.04	.08	—	—	.03	.01	.19		27
28	—	—	—	.04	—	—	—	.22	.07	.18	—	.90		28
29	.01	X	—	—	—	—	.02	.03	.34	.28	—	.40		29
30	.13	X	—	—	—	—	.01	.39	.23	.73	—	.04		30
31	.01	X	—	X	—	X	—	.10	X	.29	X	.31		31
TOTAL	1.61	.24	1.93	1.71	1.61	1.40	1.35	2.92	2.67	3.74	2.63	5.28	27.09	
*Days with ".01 in. or more.	20	8	24	18	16	13	10	22	18	30	18	29	226	
*Days with ".04 in. or more.	9	1	16	13	8	8	5	16	14	22	8	20	140	
40-9999	1.85	3.78	5.4	7.0	8.50	9.85	12.77	15.6	18.18	21.81	27.29			

*See Instruction 2 (f) on other side.

(Signed)

J. Deedes

P.T.O.

Section

A

for the entry of Daily Observations.

Station No. 2799

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1935.

Kept at 5th Fillan's, Heswall

in the County of Cheshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

Ground Sea Level 40 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.19	Tr	—	—	Tr	—	.16	—	.50	.18	.08	.19		1
2	.02	.03	—	—	—	.25	—	—	—	.02	—	.09		2
3	.03	.29	.06	.09	—	.18	—	—	.16	.01	.10	.27		3
4	—	.03	.02	.09	—	.13	—	—	—	.17	.01	.04		4
5	—	.19	.18	.12	—	—	—	—	.20	.12	.05	.02		5
6	—	—	—	.06	—	.05	—	—	—	—	—	—		6
7	—	—	—	.02	—	.04	—	—	—	.04	.07	.20		7
8	—	—	—	.15	—	—	—	.02	—	.03	.13	.09		8
9	.05	.02	—	.21	—	.06	Tr	—	—	.13	.04	—		9
10	—	.08	—	.06	—	.15	.02	—	—	.06	.07	—		10
11	.33	—	—	—	—	.09	—	.02	—	.10	.07	—		11
12	.05	Tr	—	—	—	.22	—	—	.02	—	—	—		12
13	.18	Tr	—	.35	.22	—	—	—	.06	.02	Tr	—		13
14	—	—	—	.04	—	.04	.46	—	.07	—	.37	.13		14
15	—	.16	—	.33	.03	—	.03	—	.02	—	—	.55		15
16	.01	.17	.11	.09	.02	1.01	.09	—	.58	—	.65	.05		16
17	—	—	—	.29	.71	.13	.05	.38	.03	.01	.25	—		17
18	—	—	—	.14	.21	.04	.02	Tr	.15	.02	—	—		18
19	—	—	—	.12	.51	.40	.04	—	—	.04	.13	—		19
20	—	.09	—	.33	—	.08	.15	—	—	.04	.13	—		20
21	—	.25	—	.01	—	—	—	—	.56	.04	.02	.03		21
22	—	.20	—	.22	—	—	—	—	.34	—	—	.07		22
23	.01	.05	.20	—	—	—	—	.04	.25	.69	—	.08		23
24	.17	.23	.12	—	—	—	—	—	.43	.08	—	.04		24
25	.19	.17	.01	—	—	.04	—	—	—	Tr	.03	.24		25
26	—	.09	—	—	—	—	—	.36	.64	.02	.01	.10		26
27	—	.05	—	—	.01	.01	.06	—	.18	.04	.16	—		27
28	.04	.09	—	—	.09	—	—	.20	.18	.09	.01	.02		28
29	.01	—	.03	—	—	.07	—	.14	.32	.04	.06	.05		29
30	.02	X	—	.03	—	.63	—	—	.07	.24	.56	.11		30
31	—	X	—	X	—	X	—	—	X	.06	X	.55		31
TOTAL	1.30	2.19	.82	2.44	1.80	3.92	1.08	1.16	4.76	3.59	3.64	2.92	29.62	
* Days with .01 in. or more.	14	17	8	19	8	19	10	7	19	24	21	20	186	
* Days with .04 in. or more.	8	14	5	16	5	18	7	5	16	17	16	17	144	

40-9999

* See Instruction 2 (f) on other side.

Spare column, no entries required.

(Signed)

J. Deedes

[P.T.O.]

Section

for the entry of Daily Observations.

Station No. 2799

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at 5^E Fillan's, Heswall.

in the County of ... *Chestire*

Diameter of Funnel of Gauge.....5 in.

Height of top of Gauge above Ground.....1.ft.....in.

Ground Sea Level 40....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	t	
1	.02	.11	.09	.35	—	.07	.13	.20	.04	—	.06	.44		1
2	.15	.01	—	.10	—	.71	—	—	Tr	—	.07	.24		2
3	—	—	—	—	—	.76	Tr	Tr	.62	—	.02	Tr		3
4	.02	.73	.01	—	—	.02	—	—	.07	—	.14	.13		4
5	.15	.06	.10	—	—	—	—	.29	.05	—	.01	.15		5
6	.03	—	—	—	.05	.02	.06	.05	.20	—	.06	—		6
7	.02	—	.04	—	—	—	.05	—	.31	—	.05	.09		7
8	.07	—	.26	—	—	—	—	—	.16	—	.24	.03		8
9	.41	—	—	—	—	.03	.07	—	.29	—	.04	—		9
10	.05	—	—	—	—	—	.21	Tr	Tr	—	.02	—		10
11	—	—	—	—	—	.11	.13	.05	.07	.01	.27	.30		11
12	—	—	—	.02	.04	.11	.24	—	.12	—	.09	.03		12
13	.02	—	—	—	Tr	—	.05	—	.07	.13	.01	.15		13
14	—	—	—	.07	—	.18	.05	.03	.12	—	.28	.49		14
15	.27	—	—	—	.08	.04	—	—	.12	—	.20	.03		15
16	—	.04	—	.14	.42	—	.03	—	—	—	.40	—		16
17	.05	.40	—	.03	—	—	.04	.04	—	.01	.01	Tr		17
18	—	.06	—	.02	—	—	.61	.17	—	.27	—	—		18
19	.69	.05	.01	.28	—	.16	.03	.29	—	.08	—	—		19
20	.67	.11	.02	.04	—	.02	—	.02	—	—	—	—		20
21	.85	—	.01	.08	—	.05	—	—	—	—	—	.14		21
22	.02	.61	.03	—	—	.28	.26	—	—	—	—	.06		22
23	.02	.05	.49	—	—	—	.15	—	—	.05	—	—		23
24	.11	—	—	—	—	—	—	—	.17	.09	—	—		24
25	.22	—	Tr	—	—	—	—	—	.54	.06	—	—		25
26	.03	.06	.33	—	—	—	.06	—	.01	.12	—	—		26
27	.41	—	—	—	—	—	.02	—	.10	.08	.05	—		27
28	.21	.31	.07	.02	—	.05	Tr	—	—	.16	—	.05		28
29	.03	.31	.12	—	Tr	.13	.01	—	—	.01	.03	.04		29
30	.09	~~X~~	—	—	.24	.42	.11	.04	—	.25	.01	—		30
31	.03	~~X~~	.03	~~X~~	.04	~~X~~	Tr	.06	~~X~~	—	~~X~~	.15		31
TOTAL	4.44	2.31	1.61	1.15	.87	4.16	2.31	1.24	3.06	1.22	2.06	2.53	27.06	✓
* Days with .01 in. or more.	25	14	12	11	6	17	19	11	17	13	20	16	183	✓
* Days with .04 in. or more.	15	13	8	7	6	13	15	9	16	10	13	13	138	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required. 24.53 27.06

(Signed) [P.T.O.]

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No. 2799

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at ... *St. Fillan's, Heswall* in the County of ... *Cheshire* Diameter of Funnel of Gauge.....*5* in.Height of top of Gauge above Ground.....*1* ft.....in.,, Ground ,, Sea Level*4.0* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1		.27	.04	—	—	—	Tr	—	—	.13	.02	.11		1
2		.06	.07	.25	—	—	—	—	.11	—	—	.05		2
3		.08	—	—	.18	.07	.06	—	—	—	—	.01		3
4	.19	—	.01	.02	.07	—	—	—	—	—	—	.70		4
5	.63	—	.18	.19	—	.01	.04	—	—	—	—	.47		5
6	.02	—	—	.02	.06	—	—	—	—	—	—	Tr		6
7	—	.47	—	.02	—	.07	Tr	—	Tr	—	—	.02		7
8	—	.25	—	.06	—	.02	.19	—	.02	—	.11	—		8
9	—	—	—	.04	.11	.16	.13	Tr	Tr	—	—	—		9
10	.01	.14	.02	Tr	—	Tr	—	—	—	—	—	.28		10
11	—	.01	.29	—	.61	—	Tr	—	—	—	.05	.01		11
12	.09	.34	.01	—	Tr	.56	.01	.05	.45	—	—	.14		12
13	—	.02	—	.02	—	Tr	—	.49	.06	—	—	.21		13
14	—	.07	.06	—	—	—	Tr	—	.03	.02	.04	.17		14
15	.02	.16	.01	.35	—	—	.54	—	.15	—	—	.15		15
16	—	.08	.41	.58	—	—	—	.12	.10	—	—	—		16
17	.07	.08	.08	.38	—	—	—	.03	.40	—	—	—		17
18	.22	.17	.01	.05	—	—	.11	.05	—	.01	.30	.02		18
19	—	.01	.06	.12	.10	.46	.02	.02	.54	—	.11	—		19
20	.05	.02	—	.26	.99	—	.03	—	Tr	—	.02	.02		20
21	.03	.24	.17	.08	.05	—	.10	—	—	.03	—	.03		21
22	.03	.12	.03	—	.06	—	.04	—	—	.11	.16	.09		22
23	.04	.02	—	—	.41	.01	.29	—	—	.53	.20	—		23
24	.18	.36	.17	—	—	—	.01	—	.13	.42	—	—		24
25	—	.31	.03	—	—	—	—	.33	Tr	.05	—	—		25
26	—	.21	.02	—	.16	—	—	—	—	.05	.01	.02		26
27	—	.59	—	.24	—	—	—	—	—	.36	—	—		27
28	—	.02	—	—	—	Tr	—	—	—	.09	—	—		28
29	<i>Snow</i> .04	X	—	—	—	.02	—	—	—	.17	.15	—		29
30	.10	X	—	—	—	.06	—	—	.06	.06	.18	—		30
31	.17	X	—	X	—	X	—	—	X	.06	X	—		31
TOTAL	1.89	4.10	1.67	2.68	2.80	1.44	1.57	1.09	2.05	2.09	1.35	2.50	25.23	✓
* Days with .01 in. or more.	16	24	18	16	11	10	13	7	11	14	12	17	169	✓
* Days with .04 in. or more.	11	18	10	12	11	6	9	5	9	11	9	10	121	✓

40-9999.

5.99 7.66 10.34 13.14 14.58

† Spare column, no entries required

(Signed) *J. Deedes* [P.T.O.]

Section



for the entry of Daily Observations

Station No. 2799

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at *St. Fillans, Heswall*in the County of *Cheshire*Diameter of Funnel of Gauge.....*5* in.Height of top of Gauge above Ground.....*1* ft.....in.,, Ground ,, Sea Level*40* ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	.03	—	—	—	[1.18]	—	.36	—	.05	.05	.12		1
2	—	—	—	[.16]	.05	.00	—	—	.03	.16	.01	.20		2
3	—	—	—	—	—	—	.08	—	.28	.32	.07	.05		3
4	—	—	—	Tr	—	—	.10	—	.01	.05	—	.24		4
5	.04	—	—	—	—	.01	.09	.62	.02	.09	—	.04		5
6	.19	—	—	—	—	.01	.41	—	.01	.04	—	.02		6
7	.44	—	—	—	—	—	.33	.30	[.00]	.02	—	.02		7
8	.15	.02	—	—	—	—	.36	.54	—	.03	—	.53		8
9	.05	.05	.02	—	—	.11	.04	[.01]	—	.07	—	.12		9
10	.18	.05	.01	—	—	—	[.45]	—	.01	—	—	.24		10
11	.19	—	—	—	.08	.09	.02	.08	—	.12	.06	.07		11
12	.06	—	—	—	.01	—	—	—	—	.31	.39	Tr		12
13	.02	—	—	—	.01	—	—	—	.01	—	.07	.01		13
14	.28	—	—	—	.02	—	.03	—	—	—	.02	—		14
15	.09	—	—	—	.04	—	.07	.08	—	.05	.02	.07		15
16	.13	—	.01	—	Tr	—	.11	—	.01	—	.02	.02		16
17	—	—	—	—	—	—	.02	—	.01	.23	—	.01		17
18	—	—	—	—	.08	.04	—	.02	.01	.08	.20	—		18
19	—	—	—	—	—	.05	—	.09	.03	—	—	—		19
20	.03	—	.10	—	—	—	—	.15	.02	—	.12	—		20
21	—	—	.03	—	—	—	—	—	.01	—	.22	—		21
22	—	—	—	.03	Tr	.12	—	—	—	—	.55	.02		22
23	—	—	—	—	.03	.02	—	—	.22	—	.13	Tr		23
24	.03	.01	.17	—	.01	—	—	.56	.05	.24	.05	—		24
25	.02	—	.07	—	—	.02	.24	—	—	.30	[.63]	.08		25
26	.09	[.10]	[.22]	—	.10	.05	—	—	.04	[.37]	.21	.07		26
27	.07	Tr	—	—	.46	.12	.05	.34	.01	—	.14	—		27
28	.23	—	—	—	—	.15	.16	.04	.01	.01	.05	.11		28
29	[.59]	X	—	—	[1.05]	—	.03	—	—	.17	.06	.10		29
30	.02	X	—	—	—	—	—	.10	.33	—	.14	.12		30
31	.07	X	—	X	.18	X	—	—	X	.07	X	[.55]		31
TOTAL	2.97	.26	.63	.19	2.12	2.06	2.59	4.29	1.58	2.95	3.21	2.81	Year's Total 25.66	✓
* Days with .01 in. or more.	21	6	8	2	13	14	17	14	20	20	21	22	178	✓
* Days with .04 in. or more.	16	3	4	1	8	10	13	13	6	18	17	16	12.5	✓

3.23

3.86

4.05

6.17

8.23

10.82

13.77

16.89

19.94

22.85

25.66

Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

J. Deedes

P.T.O.

for the entry of
AIR MINISTERS

FORM 1090.

Kept at Greta, Hes
in the County of Chesh

Diameter of Funnel of Gauge.....
Height of top of Gauge above Ground.....
" Ground " Sea level.....

THE MORNING MEASUREMENT

An observer who does not conform to year in the space on the right of th

COPY FOR OFFICIAL USE.
 ORGANIZATION.

2800

HESWALL GRETA

1932 ————— 38

Jan. 1, following

llowing

780414

Date	Jan.	Feb.	March	780414							Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.10	0.01	—	0.06	0.58	—	0.11	0.03	0.04	0.01	0.01	0.08	1
2	0.19	0.01	—	trace	0.58	—	0.03	0.01	0.13	0.42	0.02	0.16	2
3	—	0.07	—	0.31	0.03	—	0.11	—	0.04	0.02	0.07	0.10	3
4	—	—	—	—	—	—	0.07	trace	0.03	0.02	0.07	0.03	4
5	0.36	trace	0.07	0.01	0.08	—	—	0.03	0.12	—	—	0.03	5
6	0.74	—	0.17	0.20	0.04	0.02	—	—	0.20	—	0.01	trace	6
7	0.01	—	0.15	0.19	trace	—	—	—	0.54	0.44	—	0.01	7
8	trace	—	0.01	0.11	0.03	—	—	—	0.29	0.25	—	—	8
9	0.17	0.01	trace	0.14	trace	—	—	—	0.02	trace	0.05	trace	9
10	0.06	trace	—	0.06	0.02	—	—	—	0.38	0.53	—	—	10
11	0.01	trace	—	0.03	0.29	0.05	0.08	0.01	0.03	—	0.01	—	11
12	0.06	—	—	trace	0.11	—	0.93	0.01	0.04	0.24	—	0.02	12
13	0.01	—	—	0.04	0.08	—	0.19	0.07	0.08	0.22	—	0.24	13
14	0.17	—	—	0.06	trace	—	0.07	0.15	trace	0.12	0.14	0.02	14
15	0.01	—	—	0.02	0.39	—	trace	—	—	0.05	0.01	0.01	15
16	0.14	—	—	0.14	—	—	0.03	—	—	0.02	—	0.01	16
17	—	—	—	—	0.01	—	0.05	0.01	0.03	0.13	—	trace	17
18	—	—	—	—	0.02	—	—	—	—	—	0.04	—	18
19	—	—	—	0.11	0.04	—	0.06	—	0.02	0.25	—	—	19
20	—	—	—	0.07	0.16	—	0.03	0.66	—	0.18	0.05	0.03	20
21	0.01	—	0.25	0.07	0.26	—	0.01	0.14	—	0.66	0.03	—	21
22	0.01	—	0.07	0.05	0.33	—	0.32	trace	—	0.04	0.29	—	22
23	—	—	—	0.07	0.03	—	0.05	—	—	0.10	0.08	0.04	23
24	0.08	—	—	0.07	0.01	0.01	0.70	—	0.19	—	0.53	0.01	24
25	0.01	0.01	—	0.02	0.01	0.05	0.02	—	0.30	0.34	0.07	trace	25
26	0.01	trace	0.01	0.05	0.18	—	0.43	—	0.24	0.14	0.03	trace	26
27	—	—	0.52	0.27	0.14	0.32	0.14	trace	—	0.08	0.06	0.02	27
28	—	—	0.01	0.13	0.12	—	0.26	trace	—	—	—	—	28
29	0.03	—	0.27	0.28	0.18	0.08	0.01	0.04	0.11	0.77	0.32	0.30	29
30	0.01	×	0.04	0.40	—	0.17	0.01	0.08	0.04	0.49	0.46	0.06	30
31	0.01	×	0.18	×	—	×	0.73	0.01	×	0.02	×	0.06	31
TOTAL	2.20	0.11	1.75	2.96	3.72	0.70	4.44	1.25	2.87	5.54	2.35	1.23	YEAR'S TOTAL
*Days with "or in. or more.	21	5	12	25	24	7	23	13	20	24	20	18	212
*Days with "or in. or more.	10	1	9	21	16	5	16	6	15	19	13	8	134

40-9999

*See Instruction 2 (f) on other side.

(Signed)

P.T.O.

REGISTER OF RAINFALL IN 1932.

Kept at **GRETA, Heswall**
in the County of **Cheshire**
Diameter of Funnel of Gauge **5** in.
Height of top of Gauge above Ground **1** ft. **0** in.
Ground Sea Level **230** ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.10	0.01	—	0.06	0.58	—	0.11	0.03	0.04	0.01	0.01	0.08	1
2	0.19	0.01	—	Trace	0.58	—	0.03	0.01	0.13	0.42	0.02	0.16	2
3	—	0.07	—	0.31	0.03	—	0.11	—	0.04	0.02	0.07	0.10	3
4	—	—	—	—	—	—	0.07	Trace	0.03	0.02	0.07	0.03	4
5	0.36	Trace	0.07	0.01	0.08	—	—	0.03	0.12	—	—	0.03	5
6	0.74	—	0.17	0.20	0.04	0.02	—	—	0.20	—	0.01	Trace	6
7	0.01	—	0.15	0.19	Trace	—	—	—	0.54	0.44	—	0.01	7
8	Trace	—	0.01	0.11	0.03	—	—	—	0.29	0.25	—	—	8
9	0.17	0.01	Trace	0.14	Trace	—	—	—	0.02	Trace	0.05	Trace	9
10	0.06	Trace	—	0.06	0.02	—	—	—	0.38	0.53	—	—	10
11	0.01	Trace	—	0.03	0.29	0.05	0.08	0.01	0.03	—	0.01	—	11
12	0.06	—	—	Trace	0.11	—	0.93	0.01	0.04	0.24	—	0.02	12
13	0.01	—	—	0.04	0.08	—	0.19	0.07	0.08	0.22	—	0.24	13
14	0.17	—	—	0.06	Trace	—	0.07	0.15	Trace	0.12	0.14	0.02	14
15	0.01	—	—	0.02	0.39	—	Trace	—	—	0.05	0.01	0.01	15
16	0.14	—	—	0.14	—	—	0.03	—	—	0.02	—	0.01	16
17	—	—	—	—	0.01	—	0.05	0.01	0.03	0.13	—	Trace	17
18	—	—	—	—	0.02	—	—	—	—	—	0.04	—	18
19	—	—	—	0.11	0.04	—	0.06	—	0.02	0.25	—	—	19
20	—	—	—	0.07	0.16	—	0.03	0.66	—	0.18	0.05	0.03	20
21	0.01	—	0.25	0.07	0.26	—	0.01	0.14	—	0.66	0.03	—	21
22	0.01	—	0.07	0.05	0.33	—	0.32	Trace	—	0.04	0.29	—	22
23	—	—	—	0.07	0.03	—	0.05	—	—	0.10	0.08	0.04	23
24	0.08	—	—	0.07	0.01	0.01	0.70	—	0.19	—	0.53	0.01	24
25	0.01	0.01	—	0.02	0.01	0.05	0.02	—	0.30	0.34	0.07	Trace	25
26	0.01	Trace	0.01	0.05	0.18	—	0.43	—	0.24	0.14	0.03	Trace	26
27	—	—	0.52	0.27	0.14	0.32	0.14	Trace	—	0.08	0.06	0.02	27
28	—	—	0.01	0.13	0.12	—	0.26	Trace	—	—	—	—	28
29	0.03	—	0.27	0.28	0.18	0.08	0.01	0.04	0.11	0.77	0.32	0.30	29
30	0.01	×	0.04	0.40	—	0.17	0.01	0.08	0.04	0.49	0.46	0.06	30
31	0.01	×	0.18	×	—	×	0.73	0.01	×	0.02	×	0.06	31
TOTAL	2.20	0.11	1.75	2.96	3.72	0.70	4.44	1.25	2.87	5.54	2.35	1.23	YEAR'S TOTAL 29.12
*Days with or in. or more.	21	5	12	25	24	7	23	13	20	24	20	18	212
*Days with or in. or more.	10	1	9	21	16	5	16	6	15	19	13	8	139

Section

A

for the entry of Daily Observations.

Station No. 2800

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

2800

Kept at GRETA HESWALL.

in the County of Cheshire.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

Ground Sea Level 230 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	trace	0.11	0.09	—	—	trace	—	—	—	—	0.06	0.02	1
2	0.05	—	0.18	0.01	0.01	0.13	—	0.01	—	—	—	—	2
3	0.01	0.29	0.25	—	0.16	—	—	trace	trace	—	—	—	3
4	0.25	0.01	0.03	—	0.10	—	—	—	—	—	0.01	—	4
5	0.06	0.02	0.07	—	0.08	—	—	trace	—	—	0.05	—	5
6	—	0.16	0.16	—	0.10	—	—	—	—	—	0.05	—	6
7	0.03	0.33	trace	—	—	—	0.13	0.04	—	0.42	—	trace	7
8	0.09	0.01	0.24	trace	0.02	—	0.04	—	—	—	0.01	0.03	8
9	—	0.27	trace	0.01	0.01	0.01	0.29	—	—	0.22	0.12	—	9
10	0.03	0.10	—	—	—	0.06	0.01	—	—	1.12	0.13	—	10
11	0.01	—	—	0.02	0.02	—	0.04	—	—	0.14	trace	0.03	11
12	0.10	0.02	—	—	0.03	0.05	0.18	—	—	—	trace	0.16	12
13	trace	—	—	—	0.14	—	0.02	0.26	0.06	0.25	0.46	—	13
14	0.19	—	trace	—	—	—	0.14	0.10	—	0.04	0.41	—	14
15	0.22	—	0.03	—	0.01	trace	0.43	0.13	—	0.09	0.16	0.03	15
16	0.08	0.04	0.09	trace	0.06	0.20	—	0.01	—	0.42	—	—	16
17	0.13	trace	0.42	—	—	0.56	—	trace	0.02	—	0.03	—	17
18	0.11	0.01	0.04	—	trace	0.12	—	—	—	—	0.02	0.01	18
19	—	—	0.53	trace	—	—	—	0.01	0.17	—	0.16	0.03	19
20	—	0.06	0.04	—	0.40	0.14	—	0.52	0.07	—	—	—	20
21	—	—	—	—	—	0.10	—	0.08	—	—	0.01	—	21
22	—	—	—	0.06	0.22	—	—	0.13	—	0.02	—	—	22
23	—	—	—	0.11	—	0.12	—	—	0.02	0.05	—	—	23
24	—	0.30	—	0.14	0.11	0.36	—	—	0.32	0.06	—	—	24
25	—	0.13	—	0.06	—	—	—	—	0.08	—	—	0.19	25
26	—	1.10	—	0.09	—	0.01	—	—	0.01	0.49	—	0.02	26
27	—	0.02	—	—	0.03	—	trace	—	trace	0.06	—	trace	27
28	—	0.01	—	0.07	—	—	0.07	0.50	—	0.01	—	—	28
29	0.02	X	0.02	—	—	—	0.04	trace	—	—	—	—	29
30	0.07	X	0.05	0.27	trace	0.01	0.02	—	—	0.28	—	0.18	30
31	trace	X	0.02	X	—	X	trace	trace	X	0.52	X	0.01	31
TOTAL	1.45	2.99	2.26	0.84	1.50	1.87	1.41	1.79	0.75	3.19	1.68	0.71	YEAR'S TOTAL 20.44
*Days with "01 in. or more.	16	18	16	10	16	13	12	11	8	16	14	11	161
*Days with ".04 in. or more.	11	11	12	7	9	10	9	8	5	14	9	3	108

Section

A

for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 2800

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Greta, Heswall, Wirral

in the County of Cheshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

Ground Sea Level 23.0 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.07	—	Trace	—	—	—	—	0.17	0.37	0.01	1.31	0.57		1
2	—	Trace	0.05	—	—	—	—	0.34	0.04	0.02	0.11	0.25		2
3	0.05	—	—	—	—	—	—	0.05	Trace	0.11	0.01	0.02		3
4	0.07	—	0.02	0.03	0.06	—	—	0.02	0.08	0.47	0.01	0.83		4
5	—	—	0.07	—	0.03	—	—	0.63	—	0.04	0.05	0.02		5
6	—	—	0.14	0.01	0.32	Trace	—	0.02	—	0.16	—	0.19		6
7	0.24	0.05	0.15	0.02	0.02	—	—	Trace	—	0.02	0.05	0.27		7
8	—	—	0.06	Trace	0.20	0.41	—	0.01	—	0.04	0.40	0.01		8
9	—	—	0.14	0.03	—	Trace	—	0.08	0.01	0.01	0.42	0.01		9
10	—	0.02	0.13	0.31	0.01	—	—	0.35	Trace	0.02	0.03	—		10
11	0.02	—	0.03	0.48	—	—	—	0.10	Trace	—	0.07	0.11		11
12	—	0.01	0.03	0.03	—	—	Trace	0.19	—	0.06	0.01	—		12
13	0.20	—	0.01	0.03	0.01	Trace	0.39	—	0.01	0.06	Trace	—		13
14	0.15	—	0.23	Trace	Trace	0.03	—	—	—	0.37	0.02	0.01		14
15	0.15	—	0.28	—	0.29	—	0.01	0.10	0.22	0.20	0.01	0.13		15
16	0.19	—	0.06	—	0.04	0.01	—	0.08	—	0.18	0.06	0.20		16
17	0.07	—	0.15	0.06	0.25	—	0.21	—	0.10	0.07	—	0.12		17
18	0.12	—	0.02	0.16	0.34	0.17	—	0.01	—	Trace	—	0.12		18
19	—	—	0.13	—	0.02	0.13	0.01	0.07	0.57	0.07	—	0.13		19
20	—	—	0.02	0.02	0.03	—	—	—	0.10	—	—	0.02		20
21	Trace	—	0.04	—	—	0.18	—	0.02	0.24	0.10	—	Trace		21
22	0.05	—	0.06	0.02	0.02	0.01	Trace	0.04	0.15	0.11	—	0.05		22
23	—	—	0.04	0.17	0.05	0.34	0.38	Trace	0.02	0.15	0.01	0.04		23
24	—	0.12	0.01	—	0.02	0.01	0.08	—	0.15	0.04	—	—		24
25	—	0.03	—	0.08	Trace	—	0.09	—	0.09	0.10	—	0.28		25
26	—	—	0.02	0.16	—	0.11	0.12	—	Trace	0.01	—	0.02		26
27	0.05	—	Trace	0.05	—	0.06	0.08	—	—	0.05	0.02	0.19		27
28	—	—	—	0.05	—	Trace	—	0.25	0.09	0.27	—	0.81		28
29	0.01	X	—	—	—	—	0.03	0.03	0.32	0.35	—	0.02		29
30	0.17	X	—	—	—	—	—	0.28	0.23	0.66	—	0.04		30
31	—	X	—	X	—	X	—	0.09	X	0.30	X	0.31		31
TOTAL	1.61	0.23	1.89	1.71	1.71	1.46	1.40	2.93	2.79	4.05	2.59	4.77	Year's Total	27.14
*Days with or in. or more.	15	5	23	17	16	11	10	21	17	28	16	26		205
*Days with or in. or more.	13	2	15	9	8	7	7	15	14	22	8	18		138

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

J. Guthrie

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No. 2800

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Greta, Heswall, Wirral
in the County of CheshireDiameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 230 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.25	0.02	—	—	—	trace	0.18	—	0.54	0.30	0.09	0.40		1
2	0.01	0.03	trace	—	—	0.28	—	—	—	0.01	trace	0.12		2
3	0.05	0.31	0.05	0.09	—	0.24	—	—	0.19	0.03	0.10	0.42		3
4	—	0.04	0.01	0.06	—	0.28	—	—	—	0.23	0.02	0.05		4
5	—	0.21	0.19	0.08	—	0.07	0.01	—	0.23	0.12	0.08	0.05		5
6	—	—	trace	0.11	—	—	—	trace (mist)	—	0.01	—	trace		6
7	—	—	—	0.01	—	0.07	—	—	—	0.06	0.08	0.23		7
8	0.01	—	—	0.12	—	—	—	0.04	—	0.04	0.16	0.12		8
9	0.04	0.02	—	0.20	—	0.12	trace	—	—	1.40	0.05	—		9
10	trace	0.08	—	0.02	—	0.10	0.02	trace	—	0.08	0.01	—		10
11	0.35	—	—	—	trace	0.18	—	0.05	—	0.10	0.07	—		11
12	0.05	0.01	—	—	—	0.19	—	—	0.02	—	—	—		12
13	0.26	trace	trace	0.09	0.23	—	—	—	0.08	0.02	0.03	—		13
14	0.01	—	—	0.02	—	0.04	0.50	—	0.06	—	0.34	—		14
15	0.01	0.15	—	0.39	0.03	—	0.04	—	0.04	—	—	0.67		15
16	0.01	0.17	0.10	1.10	—	0.85	0.16	trace	0.63	—	0.62	0.07		16
17	—	trace	—	0.27	0.64	0.48	0.05	0.44	0.04	0.02	1.03	0.01		17
18	—	—	trace	0.16	0.37	0.03	0.05	0.19	0.19	0.06	trace	—		18
19	—	trace	—	0.10	0.54	0.43	0.24	0.01	—	0.07	0.17	—		19
20	—	0.13	trace	0.29	—	0.03	0.01	—	—	0.03	0.19	—		20
21	—	0.24	—	—	—	—	—	—	0.63	0.05	0.02	0.02		21
22	trace	0.12	0.01	0.07	—	—	—	0.06	0.26	—	trace	0.11		22
23	0.03	0.04	0.21	—	—	—	—	—	0.29	0.65	—	trace		23
24	0.19	0.23	0.11	—	—	—	—	—	0.42	0.09	—	0.32		24
25	0.15	0.16	0.02	—	—	0.05	—	0.40	—	trace	0.06	trace		25
26	—	0.07	trace	—	—	—	—	—	0.64	0.02	0.02	0.16		26
27	—	0.02	—	—	0.06	0.03	0.08	0.46	0.20	0.09	0.19	0.02		27
28	0.04	0.07	—	—	0.04	—	—	—	0.23	0.21	0.01	—		28
29	trace	X	0.03	—	—	0.09	—	—	0.32	0.05	0.08	0.08		29
30	0.02	X	—	0.03	—	0.68	—	—	0.09	0.25	0.47	0.09		30
31	—	X	—	X	—	X	—	see Sept	X	0.08	X	0.56		31
TOTAL	1.48	2.12	0.72	2.21	1.91	4.24	1.34	1.78	5.10	4.07	3.89	3.50	Year's Total	32.36
*Days with or in. or more.	16	19	9	18	7	20	11	9	19	25	22	18		193
*Days with .04 in. or more.	9	14	5	14	6	16	8	8	18	18	15	15		146

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No. 2800

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Greta, Heswall, Wirral

in the County of Cheshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 230 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	0.13	0.11	0.40	—	0.11	0.09	0.30	0.05	—	0.11	0.67		1
2	0.10	0.03	—	0.11	—	0.68	—	0.03	0.01	—	0.10	0.36		2
3	—	trace	—	—	—	0.80	0.02	0.01	0.48	—	—	0.01		3
4	0.02	0.18	0.02	—	—	0.03	trace	trace	0.07	—	0.18	0.21		4
5	0.16	0.07	0.07	—	—	—	—	0.32	0.19	—	trace	0.27		5
6	0.03	—	—	—	0.07	0.01	0.08	0.05	0.75	—	0.10	—		6
7	—	—	0.05	—	—	—	0.06	—	0.75	—	0.19	0.11		7
8	0.08	—	0.29	—	—	—	—	—	0.06	—	0.29	0.06		8
9	0.38	—	0.01	—	—	0.05	0.25	—	0.28	trace	0.08	0.01		9
10	0.10	—	—	—	—	—	0.14	—	trace	—	0.05	—		10
11	—	—	—	trace	—	0.15	0.32	0.05	0.08	0.01	0.30	0.26		11
12	—	—	—	0.01	0.05	0.14	0.29	0.05	0.16	0.02	0.12	0.02		12
13	0.02	—	—	trace	0.01	0.09	0.09	0.04	0.06	0.19	0.03	0.41		13
14	—	—	—	0.09	—	0.29	0.06	0.12	0.01	0.23	0.58			14
15	0.31	—	—	0.15	0.10	—	—	0.16	—	0.28	0.03			15
16	0.04	0.04	—	0.04	0.38	trace	0.04	0.08	—	—	0.49	—		16
17	0.04	0.41	—	—	trace	—	0.04	—	—	0.02	0.02	0.01		17
18	trace	0.07	—	0.06	—	trace	0.85	0.50	—	0.35	—	—		18
19	0.62	0.07	0.01	0.29	—	0.25	0.09	—	—	0.14	—	—		19
20	0.42	0.13	0.02	—	—	0.02	—	—	—	0.01	—	—		20
21	1.22	—	0.02	0.07	—	0.94	—	—	—	trace	—	0.11		21
22	0.01	0.68	0.03	—	—	0.30	0.36	—	—	—	—	0.12		22
23	0.03	0.42	0.01	—	—	—	0.10	—	—	0.06	—	—		23
24	0.13	—	—	—	0.01	—	—	—	0.18	0.06	—	—		24
25	0.18	trace	0.01	trace	—	—	—	—	0.61	0.06	—	0.02		25
26	0.02	0.07	0.38	0.01	—	—	0.11	—	0.06	0.18	—	—		26
27	0.43	—	—	—	—	—	0.02	—	0.06	0.17	0.04	—		27
28	0.16	0.26	0.08	0.02	0.01	0.06	0.02	—	—	0.24	—	0.07		28
29	0.03	0.37	0.11	—	0.01	0.18	0.01	—	—	0.01	0.06	0.04		29
30	0.11	×	—	—	0.28	0.59	0.14	0.10	—	0.31	0.04	—		30
31	0.03	×	0.05	×	0.05	×	0.01	—	×	trace	×	0.17		31
TOTAL	4.63	2.51	1.68	1.26	0.97	4.60	3.19	1.48	3.38	1.84	2.71	3.54	Year's Total.	31.79
* Days with .01 in. or more.	23	14	13	16	12	10	17	11	17	16	18	20	198	✓
* Days with .04 in. or more.	15	13	9	8	6	14	17	8	16	10	16	14	144	✓

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

J. Guthrie

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 2800

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Greta, Heswall, Wirral

in the County of Cheshire

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground....1.....ft....0.....in.

,, Ground ,, Sea Level ...230.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	0.27	0.09	—	—	—	0.03	—	0.11	0.15	0.02	0.13		1
2	Trace	0.06	0.08	0.28	—	0.01	—	—	0.01	Trace	—	0.05		2
3	—	0.10	—	0.04	0.17	0.12	0.10	—	—	—	0.01	0.01		3
4	0.24	—	0.01	0.01	0.08	—	Trace	Trace	—	—	—	0.80		4
5	0.49	—	0.19	0.20	—	0.02	0.05	—	—	—	—	0.73		5
6	0.02	—	Trace	0.01	0.10	Trace	0.04	—	—	—	—	0.07		6
7	—	0.47	—	0.02	—	0.09	—	—	0.02	—	—	0.02		7
8	—	0.33	—	0.06	—	0.03	0.22	0.02	0.03	—	0.15	—		8
9	—	Trace	—	0.03	0.18	0.13	0.24	—	—	—	—	—		9
10	0.01	0.20	Trace	0.01	—	Trace	—	—	—	—	—	0.24		10
11	—	—	0.33	Trace	0.61	0.06	0.02	—	—	—	0.05	Trace		11
12	0.08	0.34	0.01	—	—	0.44	0.01	0.50	0.54	—	—	0.16		12
13	—	0.03	0.01	0.03	—	Trace	—	—	0.06	Trace	—	0.23		13
14	—	0.11	0.02	—	—	0.01	0.01	—	0.04	0.02	0.05	0.28		14
15	0.03	0.12	0.01	0.37	—	Trace	0.57	0.15	0.19	—	—	0.18		15
16	—	0.08	0.36	0.66	—	—	—	—	0.14	—	—	0.01		16
17	0.07	0.09	0.09	0.53	—	—	—	0.09	0.44	—	—	—		17
18	0.19	0.29	0.01	0.02	—	—	0.16	—	—	—	0.33	0.03		18
19	—	0.04	0.13	0.14	0.13	0.50	—	0.01	0.36	—	0.12	—		19
20	0.06	0.04	—	0.32	1.18	—	0.12	—	0.02	—	0.01	0.02		20
21	0.02	0.27	0.25	0.10	—	—	0.13	—	—	0.05	—	0.02		21
22	0.03	0.16	0.01	—	0.06	0.20	0.07	—	—	0.12	0.21	0.12		22
23	0.05	0.01	Trace	—	0.50	0.02	0.62	—	—	0.58	0.22	—		23
24	0.23	0.38	0.24	—	—	—	0.07	—	0.23	0.51	0.01	0.01		24
25	0.01	0.36	0.02	—	—	—	Trace	0.42	Trace	0.03	Trace	0.02		25
26	—	0.25	0.05	—	0.20	—	—	Trace	Trace	0.07	0.01	0.02		26
27	—	0.91	—	0.31	—	0.30	—	—	—	0.42	—	0.01		27
28	—	0.02	—	—	—	0.03	—	—	—	0.10	—	—		28
29	0.02	X	—	—	—	0.18	—	—	—	0.18	0.21	—		29
30	0.18	X	—	—	—	0.18	—	0.01	0.07	0.06	0.20	—		30
31	0.17	X	—	X	—	X	—	0.04	X	0.08	X	—		31
TOTAL	1.90	4.93	1.91	3.14	3.21	2.09	2.46	1.24	2.26	2.37	1.60	3.16	29.82	Year's Total
* Days with .01 in. or more.	17	23	18	18	10	13	16	9	14	13	14	21	187	
* Days with .04 in. or more.	10	20	10	11	10	8	12	5	10	11	9	11	127	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed)

J. Guthrie

[P.T.O.]

FORM 1090.

REGISTER OF RAINFALL IN 1938.

Kept at Greta, Heswall, Wirral
in the County of Cheshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 230 ft.

Station number 2800
File number 58781/30

2800

Days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	0.01	—	—	—	1.62	trace	0.44	—	0.04	0.10	0.09	1
2	—	0.01	—	0.21	0.06	0.13	—	—	—	0.23	0.01	0.48	2
3	—	trace	—	—	—	trace	0.10	—	0.09	0.38	0.07	trace	3
4	trace	—	—	0.01	—	0.01	0.12	—	0.01	0.08	—	0.33	4
5	0.07	trace	—	—	—	trace	0.23	0.72	0.10	0.20	—	0.03	5
6	0.12	trace	—	trace	—	0.01	0.48	—	0.64	0.11	—	0.02	6
7	0.73	—	0.01	—	—	—	0.34	0.29	0.03	0.08	—	0.02	7
8	0.15	0.03	—	—	—	—	0.39	0.68	—	0.28	—	0.60	8
9	0.05	0.14	0.06	—	—	0.06	0.06	0.90	—	—	—	0.12	9
10	0.19	0.09	0.01	—	—	trace	0.49	trace	0.02	—	—	0.24	10
11	0.21	0.01	—	—	0.14	0.12	0.03	0.20	0.01	0.15	0.07	0.09	11
12	0.06	trace	—	—	0.01	—	—	—	trace	0.45	0.42	trace	12
13	0.02	—	—	—	0.01	—	0.02	—	0.01	—	0.07	0.01	13
14	0.34	—	—	—	0.02	—	0.01	0.17	0.03	—	0.04	—	14
15	0.15	—	trace	—	0.06	—	0.08	✓ trace	0.04	0.02	0.08	—	15
16	0.13	—	0.03	—	trace	—	0.14	0.02	0.03	—	0.03	0.03	16
17	—	—	—	—	0.04	—	0.08	✓ trace	0.31	—	0.03	—	17
18	trace	—	—	—	0.07	0.05	—	0.15	0.01	0.13	0.23	—	18
19	—	—	trace	—	—	—	—	✓ 0.03	—	—	—	—	19
20	0.02	—	0.05	—	—	—	—	0.09	0.03	trace	0.13	—	20
21	—	—	0.10	—	—	0.03	—	—	0.02	—	0.23	trace	21
22	—	trace	—	0.02	0.01	0.20	—	—	—	—	0.48	0.02	22
23	trace	—	—	—	0.07	0.05	—	—	0.27	—	0.20	0.01	23
24	0.03	0.01	0.24	—	0.04	trace	—	0.61	0.03	0.15	0.04	—	24
25	0.02	—	0.14	—	—	0.03	0.27	trace	—	0.33	0.67	0.09	25
26	0.17	0.13	0.27	—	0.14	0.24	—	—	0.07	0.42	0.22	0.14	26
27	0.11	0.01	trace	—	0.55	0.02	0.06	0.35	—	—	0.13	trace	27
28	0.28	0.01	trace	—	—	0.23	0.21	0.05	—	0.03	0.04	0.20	28
29	0.63	✗	—	—	1.24	—	0.06	0.01	—	0.22	0.08	0.13	29
30	0.02	✗	—	—	trace	0.02	—	0.14	0.38	—	0.17	0.18	30
31	0.10	✗	—	✗	0.22	✗	—	—	✗	0.17	✗	0.48	31
TOTAL	3.60	0.45	0.91	0.24	2.68	2.82	3.17	4.82	1.81	3.80	3.45	3.42	31.17
*Days with or in. or more.	21	10	9	3	15	15✓	18	17	18	19	21	22	188✓
*Days with or in. or more.	16	3	6	1	11	9✓	15	13	6	18	18	14	130✓

REGIS

Kept at Candy Manor
in the County of Ch

Diameter of Funnel of Gauge
Height of top of Gauge above Grou
Ground Sea

THE MORNING MEAS

An observer who does not conform to
year in the space on the right of t

2801
COPY FOR OFFICIAL USE.
ORGANIZATION.

2801
CANDY MANOR GDS.
1931 — 40

Following

Jan. 1, following

Date	Jan.	Feb.	March								Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.26	—	—	.16	—	—	—	tr	.05	.01	—	—	1
2	—	.07	—	.40	.01	.40	—	tr	.33	.12	.01	.01	2
3	.24	—	—	tr	.01	.11	.19	—	—	—	.37	.04	3
4	—	—	.01	.13	—	—	—	.04	.52	—	.08	.02	4
5	—	tr	—	.04	.05	.74	.18	.68	—	—	—	.24	5
6	—	.20	—	—	—	.20	.01	—	.14	.33	.07	—	6
7	—	.01	—	—	—	.22	—	.45	—	—	—	—	7
8	.03	.09	—	.08	—	.10	.06	.38	—	.10	.11	.03	8
9	.01	.11	—	.04	—	.02	—	—	.03	.17	.14	.01	9
10	.02	.03	—	—	—	.17	—	.05	tr	—	.38	.01	10
11	.29	.09	—	—	.19	—	—	.08	.41	—	—	.03	11
12	.06	.05	—	—	—	—	—	—	.08	.05	.25	—	12
13	—	—	—	—	tr	—	.05	.35	—	—	—	—	13
14	.03	.06	—	—	tr	2.28	.41	.65	—	—	.63	—	14
15	.02	.30	—	.17	.10	—	.14	.22	.27	—	—	—	15
16	.08	.05	—	.20	.09	.01	—	.33	—	—	—	.27	16
17	.03	.02	—	.14	.32	—	.03	.05	.19	—	—	—	17
18	.11	—	—	.01	—	.31	.33	—	—	—	—	—	18
19	.07	.10	—	—	—	.07	—	.40	.02	—	.01	.15	19
20	—	.09	.05	—	—	.01	—	—	—	—	.03	—	20
21	.19	—	.01	—	—	—	—	.17	—	—	—	—	21
22	.06	—	—	.04	.04	.01	—	—	—	—	—	—	22
23	.13	—	—	.05	—	.14	—	—	—	.02	—	.14	23
24	.01	tr	—	.04	.43	—	—	—	—	—	.10	.02	24
25	.05	.45	—	.71	.02	—	—	—	—	—	.01	.13	25
26	.08	.05	—	.08	—	—	—	—	—	—	—	—	26
27	.26	.40	tr	.04	.45	—	—	—	—	.17	.17	.16	27
28	.15	.19	.06	.02	—	—	—	—	—	—	.01	.10	28
29	.06	—	.04	—	.25	—	.11	—	.01	.54	.02	.01	29
30	tr	×	tr	.01	—	—	—	—	—	—	—	.11	30
31	.14	×	—	×	.02	×	.15	—	×	—	×	.04	31
TOTAL	238	236	17	236	148	479	166	5.28	2.05	1.51	3.39	1.37	29.30
*Days with or in. or more.	23	18	5	18	13	15	12	13	11	9	16	18	159
*Days with .04 in. or more.	16	15	3	15	9	11	9	12	8	7	10	9	126

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Baldy Manor Gardens
in the County of Cheshire

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
Ground Sea Level.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.26	—	—	.16	—	—	—	~~tr~~	.05	.01	—	—	1
2	—	.07	—	.40	.01	.40	—	tr	.33	.12	.01	.01	2
3	.24	—	—	tr	.01	.11	.19	~~tr~~	—	—	.37	.04	3
4	—	—	.01	.13	—	—	—	.04	.52	—	.08	.02	4
5	—	tr	—	.04	.05	.74	.18	.68	—	—	—	.24	5
6	—	.20	—	—	—	.20	.01	~~tr~~	.14	.33	.07	—	6
7	—	.01	—	—	—	.22	—	.45	—	—	—	—	7
8	.03	.09	—	.08	—	.10	.06	.38	—	.10	.11	.03	8
9	.01	.11	—	.04	—	.02	—	~~tr~~	.03	.17	.14	.01	9
10	.02	.03	—	—	—	.17	—	.05	tr	—	.38	.01	10
11	.29	.09	—	—	.19	—	—	.01	.41	—	—	.03	11
12	.06	.05	—	—	—	—	—	—	.08	.05	.25	—	12
13	—	—	—	—	tr	—	.05	.35	—	—	—	—	13
14	.03	.06	—	—	tr	2.28	.41	.65	—	—	.63	—	14
15	.02	.30	—	.17	.10	—	.14	.22	.27	—	—	—	15
16	.08	.05	—	.20	.09	.01	—	.33	—	—	—	.27	16
17	.03	.02	—	.14	.32	—	.03	.05	.19	—	—	—	17
18	.11	—	—	.01	—	.31	.33	—	—	—	—	—	18
19	.07	.10	—	—	—	.07	—	.40	.02	—	.01	—	19
20	—	.09	.05	—	—	.01	—	—	—	—	.03	—	20
21	.19	—	.01	—	—	—	—	.17	—	—	—	—	21
22	.06	—	—	.04	.04	.01	—	—	—	—	—	—	22
23	.13	—	—	.05	—	.14	—	—	—	.02	—	.14	23
24	.01	tr	—	.04	.43	—	—	—	—	—	.10	.02	24
25	.05	.45	—	.71	.02	—	—	—	—	—	.01	.13	25
26	.08	.05	—	.08	—	—	—	—	—	—	—	—	26
27	.26	.40	tr	.04	.45	—	—	—	—	.17	.17	.16	27
28	.15	.19	.06	.02	—	—	—	—	—	—	.01	.10	28
29	.06	—	.04	—	.25	—	.11	—	.01	.54	.02	.01	29
30	tr	×	tr	.01	—	—	—	—	—	—	—	.11	30
31	.14	×	—	×	.02	×	.15	—	×	—	×	.04	31
TOTAL	238	236	17	236	148	479	166	5.28	2.05	1.51	3.39	1.37	YEAR'S TOTAL 29.30
*Days with or in. or more.	23	18	5	18	13	15	11	13	11	9	16	12	159
*Days with .04 in. or more.	14	15	3	15	9	11	9	12	8	7	10	9	124

Section

A

for the entry of Daily Observations.

Station No.

2801

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.Kept at W. Kelly (Caldy Manor)in the County of Cheshire

Diameter of Funnel of Gauge _____ in.

Height of top of Gauge above Ground _____ ft. _____ in.

,, Ground ,, Sea Level _____ ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.39	.01	—	.03	.55	—	.12	.02	.08	.05	.02	—	1
2	.39	—	—	—	.53	—	.03	—	.13	.33	.06	.27	2
3	—	.07	—	—	.01	—	.07	—	.08	.03	.07	.05	3
4	—	—	—	—	—	—	—	—	.03	—	.05	.01	4
5	.57	—	.04	—	—	—	.08	.03	.02	—	—	—	5
6	.89	—	.15	.57	.10	.02	—	—	.28	—	—	—	6
7	.01	—	.17	.18	—	—	—	—	.45	.62	—	—	7
8	—	—	—	.09	—	—	—	—	.09	.35	—	—	8
9	—	—	—	.10	—	—	—	—	—	—	.03	—	9
10	.21	—	—	.05	.01	—	—	—	.33	.67	—	—	10
11	—	—	—	.01	.26	.05	.02	—	.01	—	—	—	11
12	.06	—	—	—	.11	—	.39	—	—	.25	—	—	12
13	.01	—	—	.06	.10	—	.20	.10	.08	.33	—	.25	13
14	.15	—	—	.09	—	—	.10	.08	—	.09	—	—	14
15	—	—	—	.01	.43	—	—	—	—	—	.14	.02	15
16	tr	—	—	.11	—	—	.04	—	—	.06	—	—	16
17	.08	—	—	—	—	—	.32	—	.03	.09	.05	—	17
18	—	—	—	—	—	—	—	—	.01	—	—	—	18
19	—	—	—	.17	.04	—	—	—	—	—	—	—	19
20	—	—	—	.09	—	—	—	.60	—	.24	.04	—	20
21	—	—	.23	.01	.45	—	.02	.29	—	.71	—	—	21
22	—	—	.02	.02	.52	—	.41	—	—	.03	.41	.03	22
23	—	.01	—	.07	.08	—	.05	—	—	.04	.10	—	23
24	.05	—	—	—	—	.01	.61	—	.17	.29	.47	—	24
25	—	.01	—	.01	.01	.01	.05	—	.23	—	.04	—	25
26	—	—	.01	.05	—	—	.16	—	.26	—	.08	—	26
27	—	—	—	—	.33	.65	.10	—	—	.32	.02	—	27
28	—	—	.60	.15	—	.08	.28	—	—	—	—	—	28
29	.01	—	—	.25	.31	—	.01	—	.08	—	—	.31	29
30	.01	×	.25	.33	—	.16	—	.15	.03	.17	.67	.07	30
31	—	×	.14	×	—	×	.50	—	×	.02	×	.07	31
TOTAL	2.44	.10	1.61	2.45	3.84	.98	3.56	1.27	2.39	5.69	2.25	1.08	27.66
*Days with .01 in. or more.	12	4	9	21	16	7	20	7	18	19	15	9	157
*Days with .04 in. or more.	8	1	7	15	13	4	16	5	12	16	12	6	115

40-9999

*See Instruction 2 (f) on other side,

(Signed)

E & Barker.

P.T.O.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1923.

County No.

River Dist.

Station No.

Kept at

Caldy Manor Nurseries

in the County of

Wiltshire

by

E. Barker

Lat.

Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	.09	.09	—	—	—	—	—	—	—	.06	.03	1
2	—	—	.12	—	—	.08	—	—	—	—	—	—	2
3	—	.30	.19	—	—	—	—	—	—	—	—	—	3
4	—	.01	.05	—	—	—	—	—	—	—	—	—	4
5	.35	.02	.05	—	—	—	—	—	—	—	.06	—	5
6	—	.18	.07	—	—	—	—	—	—	—	.03	—	6
7	—	.30	—	—	—	—	.45	—	—	.57	—	.01	7
8	.12	.01	.20	—	—	—	.05	—	—	—	—	—	8
9	—	.36	—	.01	—	.01	.24	—	—	.20	.06	.03	9
10	—	.04	—	—	.31	.01	.01	—	—	1.07	.10	—	10
11	—	—	—	—	—	.08	.22	—	—	—	—	—	11
12	.12	.02	—	.02	.07	.05	.15	—	—	.22	—	.12	12
13	—	—	—	—	.14	—	.05	.06	—	.26	.48	—	13
14	—	—	—	—	—	—	.09	.10	—	—	.29	—	14
15	—	—	—	—	—	—	.09	.01	—	.10	.11	—	15
16	—	—	.09	—	.05	.07	—	—	—	.22	—	—	16
17	.66	.04	—	—	—	.44	—	—	.06	—	.03	—	17
18	.10	—	.46	—	—	.16	—	—	.07	—	.05	—	18
19	—	—	—	—	—	—	—	—	.04	—	.08	.03	19
20	—	.06	.45	—	.52	.50	—	1.01	—	—	—	—	20
21	—	.01	—	—	—	—	—	.02	.01	—	—	—	21
22	—	—	—	—	.19	.11	—	.09	—	.08	—	—	22
23	—	—	—	.12	—	—	—	—	.04	—	—	—	23
24	—	—	—	.11	.16	.19	—	—	.30	.13	—	—	24
25	—	—	—	—	—	—	—	—	.13	—	—	.22	25
26	—	—	—	—	—	—	—	—	—	—	—	.05	26
27	—	1.43	—	—	.01	—	—	—	—	.48	—	—	27
28	—	—	—	.38	—	—	—	—	—	.01	—	—	28
29	—	X	—	—	—	—	.10	.45	—	—	—	—	29
30	—	X	—	.18	—	—	—	—	—	—	—	.03	30
31	.10	X	.07	X	—	X	—	—	X	.67	X	.20	31
TOTAL	1.46	2.87	1.84	.82	1.45	1.70	1.45	1.74	.65	4.01	1.35	.72	20.06
Days with ".01 in. or more.	7	14	11	6	8	11	10	7	7	15	11	9	166
Days with ".04 in. or more	6	9	11	4	7	9	9	5	6	14	9	4	93

Section **A** for the entry of Daily Observations.Station No. **2801**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.Kept at **Calay Manor Nurseries**in the County of **Berkshire**

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02	—	Tr	—	—	—	—	.10	—	.05	1.38	—	—	1
2	—	—	.05	—	—	—	—	29	19	.04	+	.78	—	2
3	.03	—	—	—	—	Tr	—	—	—	.01	1.14	.01	—	3
4	—	—	.06	.03	—	—	—	—	Tr	.06	—	.70	—	4
5	—	—	.08	—	—	Tr	—	.52	—	.56	—	.03	—	5
6	—	—	.16	—	.35	—	—	—	—	+	—	—	—	6
7	—	.08	.04	.05	—	—	—	—	—	1.20	.08	.39	—	7
8	.33	—	.03	—	.17	.21	—	.03	—	.10	.37	.01	—	8
9	—	—	.11	.02	—	—	—	.09	—	.02	—	—	—	9
10	.02	.04	.15	—	—	—	—	.71 +.01	—	.01	.40	.05	—	10
11	.02	—	.01	—	—	—	—	—	—	—	.09	—	—	11
12	—	—	.07	.69	—	—	—	.22	—	—	—	—	—	12
13	+	—	—	.05	—	—	.55	—	—	.12	—	—	—	13
14	+.30	—	.17	—	—	—	—	.12	—	.48	—	—	—	14
15	.14	—	.22	—	—	—	—	.12	.22	—	.03	.12	—	15
16	.17	—	.05	—	.39	.04	—	.03	—	.33	.07	.25	—	16
17	.05	—	.25	.09	—	—	.42	—	.20	—	—	—	—	17
18	—	—	.01	—	.72	.32	—	—	—	—	—	.10	—	18
19	—	—	.10	.08	.02	—	—	—	.34	—	—	.22	—	19
20	—	—	.03	.01	.03	.04	—	—	.35	—	—	—	—	20
21	—	—	.05	—	—	.12	—	.12	.24	—	—	—	—	21
22	.04	—	.06	—	—	—	—	.03	.17	.16	—	—	—	22
23	—	—	.04	.19	.02	—	.17	—	—	—	.01	—	—	23
24	—	.10	—	—	—	.39	.08	—	.14	.28	—	—	—	24
25	—	.02	—	.14	.03	—	—	—	.06	.06	—	—	—	25
26	.02	—	—	.20	—	.10	.08	—	—	—	—	.43	—	26
27	.01	—	—	.04	—	.04	.05	—	—	—	—	—	—	27
28	—	—	—	—	—	—	—	—	.36	.28	—	.30	—	28
29	—	—	—	—	—	—	.07	.57	—	—	—	.02	—	29
30	.14	×	—	—	—	—	.04	—	.23	—	—	.03	—	30
31	—	×	—	×	—	×	—	.15	×	.65	×	.32	—	31
TOTAL	1.29	.24	1.74	1.59	1.73	1.26	1.46	2.98 1.78	2.50	4.41	2.57	37.6	26.33	Year's Total.
* Days with .01 in. or more.	13	4	20	12	8	8	9	15	12	24	12	16	146	25.53
* Days with .04 in. or more.	18	3	16	9	4	8	9	11	12	19	14	8	112	

Section

A

for the entry of Daily Observations.

Station No.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1935.

Kept at *Baldy Manor Nurseries*in the County of *Wiltshire*

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.22	.05	—	—	—	—	.21	—	.38	.21	.01	—		1
2	.01	—	—	—	—	.45	—	—	—	—	—	.33		2
3	.03	.41	.06	.06	—	—	—	—	.23	.05	.11	.35		3
4	.02	—	—	x	—	.40	—	—	—	—	—	—		4
5	—	.24	.16	.04	—	—	.01	—	.25	.30	—	.22		5
6	—	—	—	.09	—	.05	—	—	.01	—	.08	—		6
7	—	—	—	—	—	.07	—	—	—	—	—	—		7
8	—	—	—	—	—	—	—	.03	—	—	—	.39		8
9	—	—	—	.21	—	—	—	—	—	1.60	.04	—		9
10	—	—	—	—	—	—	.08	—	—	.13	—	—		10
11	.40	—	—	—	—	—	—	.04	—	.05	—	—		11
12	—	.10	—	—	—	.48	—	—	—	.01	—	—		12
13	—	—	—	—	.22	—	—	—	—	.01	—	—		13
14	.26	—	—	.17	—	—	.39	—	—	—	.39	—		14
15	.01	.12	—	x	.04	—	—	—	.20	—	—	.81		15
16	—	.18	.06	x74	—	x87	.13	—	—	—	—	—		16
17	—	—	—	—	—	x	.54	—	—	—	1.57	—		17
18	—	—	—	—	—	x42	.02	.10	.84	—	.01	—		18
19	—	—	—	—	1.35	x	.13	—	—	.17	.15	—		19
20	—	.15	—	.48	—	x51	—	—	—	—	.15	—		20
21	—	—	—	—	—	—	.16	—	1.12	—	—	—		21
22	—	.30	—	.15	—	—	—	—	.08	—	—	—		22
23	—	—	.20	—	—	—	—	—	—	.75	—	—		23
24	—	—	.11	—	—	—	—	.24	.49	.18	—	—		24
25	—	.42	.04	—	—	.03	—	—	—	—	—	—		25
26	.35	—	—	—	—	—	—	.34	.57	—	—	.43		26
27	—	.04	—	—	—	.05	.03	—	.29	.11	—	—		27
28	.03	.06	—	—	.05	—	—	.65	.26	—	.27	—		28
29	—	—	—	—	—	—	—	.17	—	—	—	.08		29
30	—	x	.01	.01	—	.81	—	.03	.48	.47	.48	.08		30
31	—	x	—	x	—	x	—	—	x	.02	x	.40		31
TOTAL	1.33	2.07	.64	1.98	1.66	4.14	1.70	1.60	5.20	4.06	3.26	3.09	30.73	Year's Total
* Days with .01 in. or more.	9	11	7	9	4	11	10	8	13	14	11	9		
* Days with .04 in. or more.														

Section



for the entry of Daily Observations.

Station No.

2801

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Baldy Manor Nurseries
in the County of Gloucestershire

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.14	.15	.03	.40	—		.06	.25	.06		.13			1
2						.70	—		.70		.12	.76		2
3	.03	.03		.09	—		.03	—	.10			.02		3
4			.01		—	.68		.25	.09					4
5	.10	.23			—		.07	.10	.30					5
6	.01	—			.03		.03	—	.20					6
7							.04	—	.40					7
8			.09				.08	.04	.08		.68	.55		8
9	.49		.33			.04	.09	—	.30		.21			9
10			.01				.44	.05	.01					10
11						.14	.28	—	.02	.02	.31			11
12						.14	.08	—	.18	.02	.07	.33		12
13					.11		.06	.08	.05					13
14						.31		—	.08	.20		.85		14
15				.07	.13	.06	.03	—	.15			.03		15
16	.26			.03	.50		.05	—						16
17		.45			.04		.40	.04			.91	.01		17
18				.05			.50	.24						18
19	.71	.12	.01	.29		.21	.08	.23						19
20	.50	.11		—			—			.46				20
21	.84			.07		.90	—			.01				21
22		.45		—		.29	.50							22
23		.06	.42			.01	—							23
24	.17						—		.17			.23		24
25							.29		.49	.30				25
26		.09	.35				.16			.02				26
27	.52						.3		.08	.43				27
28	.23		.06	.02			—			.14		.06		28
29	.03	.40		—		.26	—				.13	.02		29
30	.0	~~—~~		—	.37	.30	.12				.07			30
31	.14	~~—~~		~~—~~		~~—~~	.14	.05	~~—~~	.25	~~—~~	.38	.d	31
TOTAL	4.14	2.09	1.31	1.02	1.14	4.07	3.50	1.33	3.48	1.85	2.43	3.24	29.61	✓
* Days with .01 in. or more.	11	9	5	6	5	12	18	10	16	6	9	7	114	
* Days with .04 in. or more.														

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) E. P. Parker [P.T.O.]

Section



for the entry of Daily Observations

Station No.

2801

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at *Baldy Manor Nurseries*in the County of *Wiltshire*

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		.20							.16			.39		1
2		.09	.15	.26					.06					2
3		.05			.27	.09	.09		.05	.12				3
4	.23	—			.08		.06	.01				.63		4
5	.60	—	.20			.03						.86		5
6	.01	—							.03			.03		6
7		.51		.30		.06	.03		.02					7
8														8
9		.36				.03	.32	.08						9
10		.17												10
11					.86				.50		.12			11
12	.07	.30				.38	.03	.02	.02					12
13						.01		.53	.05			.57		13
14								.03	.21					14
15		.40					.44		.11					15
16			.66						.40					16
17	.10		.07											17
18	.20	.44		.16			.13	.15			.37			18
19	.04		.12			.30			.18		.15			19
20				.53					.02					20
21			.37	.12	1.55									21
22		.50	.02		.07		.23							22
23		.01			.25		.54				.38	.33		23
24	.20		.10				.10		.23	1.05				24
25		.61												25
26			.05		.18			.46	.01					26
27				.25						.54		.04		27
28		.82												28
29										.37				29
30		~~X~~				.14		.09	.06	.04				30
31	.27	~~X~~		~~X~~		~~X~~			~~X~~	.05	~~X~~	.01		31 d
TOTAL	1.72	4.46	1.74	2.62	3.26	1.04	1.97	1.37	2.11	2.17	1.02	2.86	26.34	✓
* Days with .01 in. or more.	9	13	9	6	4	8	10	8	16	6	4	8	104	✓
* Days with .04 in. or more.	8	12	8	6	4	5	8	5	11	6	4	6	86	✓

† Spare column, no entries required.

(Signed)

B. B. Barker

[P.T.O.]

* See Instruction 3 (f) on other side.

Section **A** for the entry of Daily ObservationsStation No. **2801**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 193 **8**Kept at **Geldy Manor Nurseries**in the County of **Wiltshire**

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1						1.37		.65				.15		1
2				.17	.04	.10								2
3							.08			.79				3
4							.16		.02			.37		4
5							.18	.86	.09		.24			5
6							.30		.76					6
7	.70							.35	.04					7
8								.59		.72				8
9						.20	.66	1.06				.67		9
10	.33	.18					.50	.01						10
11					.09		.01	.05	.03					11
12					.02	.13								12
13										.52	.39			13
14					.01		.03		.05					14
15	.57				.06									15
16	.12		.15						.05			.40		16
17							.16			.58				17
18					.12	.08				.08				18
19								.31						19
20								.12	.11					20
21														21
22			.13			.28								22
23				.02	.08	.09								23
24			.43					.72	.35					24
25						.01	.46				1.80			25
26	.10		.24		.10	.23			.05	.88				26
27					.45	.06	.10	.33			.52			27
28		.13				.25						.31		28
29	.84				.86			.04						29
30	.03	~~X~~					.02	.06	.53		.36			30
31	.10	~~X~~		~~X~~	.24	~~X~~			~~X~~	.32	~~X~~	.82		31
TOTAL	2.79	.31	.95	.19	2.07	2.80	2.66	5.05	2.08	3.89	3.31	2.72	Year's Total	28.82
* Days with .01 in. or more.	8	2	4	2	11	11	12	13	11	7	5	6		92
* Days with .04 in. or more.	7	2	4	1	9	10	9	12	9	7	5	6		81

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

G. H. Barker

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 2801

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Bury Manor Garden
in the County of Gloucestershire
Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
,, Ground ,, Sea Level ft.

Days

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1						—	—			—				1
2						—	.11	1.98	.33	—				2
3						—	—	.20		—				3
4	.71				.04	—	.23			—	.43	.80		4
5				.89	.37	—	.34			.17	.29			5
6	.32					—	.22			—				6
7			.41			—	.12			—	.12			7
8		.10				—	.85			.13	.15	.53		8
9						—	—			.31				9
10						.04	—	.30	.08	.04				10
11			.56				—			.21		.38		11
12	1.64					.25	—							12
13						.06	.24		.18					13
14	.36	.24			.56	.48	.24			.06	.43			14
15				.42			.20							15
16											.38			16
17					.60	.63				1.02				17
18			.11			.33					1.13			18
19	.82	.15					.81							19
20						.04	.13							20
21					.06			.15	.10					21
22	.23				—				—					22
23				.22	—		.23		—	.26	.70			23
24			.40		—				—	.21				24
25	.08	.84		.34	—	.09	.09		—	.07				25
26					—				—		.55			26
27					—	.12		.18	—			.25		27
28					—	.02			—					28
29		.56			—		1.40		—	.07	.46			29
30		X		.10	—	.08			—	—	.03	.10		30
31		X	.28	X	—	X		.10	X	—	X	—		31
TOTAL	4.16	1.89	1.76	1.97	1.63	2.14	5.21	2.91	.69	2.55	4.67	2.06	31.64	Year's Total
* Days with .01 in. or more.	7	5	5	5	5	11	14	6	4	11	11	5	89	
* Days with .04 in. or more.	7	5	5	5	5	10	14	6	4	11	10	5	87	

† Spare column, no entries required

(Signed)

* See Instruction 3 (f) on other side.

B. Barker

P.T.O.

Section

A

for the entry of Daily Observations

Station No. 2801

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Baldy Manor Nurseries

in the County of Wiltshire

Diameter of Funnel of Gauge. 5 in.

Height of top of Gauge above Ground. 6 ft. in.

Ground Sea Level 13.1 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1											.32			1
2				.10					.04					2
3												.31		3
4							.11							4
5														5
6														6
7	.14	.84							.26	.99	.60			7
8				.20	.28				.14					8
9								.03	.02	.57				9
10														10
11										.20				11
12				.10		.49	1.75				2.14	.96		12
13														13
14								.50	.13	.73				14
15				.17	.96				.54					15
16										.26		.14		16
17			1.55						.46					17
18			.06					.23	.25					18
19				.38			.23		.11					19
20				.28						.48				20
21			.18			.34	.15							21
22						.15		.06			1.89			22
23														23
24	.09				.45		.03	.01	.24					24
25				.26								.21		25
26		.06									.11			26
27							.11							27
28		.51												28
29			.24		.88		.02					.22		29
30		~~x~~		.50				.04				.07		30
31	2.50	~~x~~	.06	~~x~~	.03	~~x~~			~~x~~	.60	~~x~~	.01		31
TOTAL	2.73	1.41	2.09	1.99	2.60	.98	2.90	.50	2.79	3.10	5.06	1.92	Year's Total 28.07	"d"
* Days with .01 in. or more.	3	3	5	8	5	3	8	6	10	6	5	7	69	
* Days with .04 in. or more.	3	3	5	8	4	3	6	4	9	6	5	6	62	

† Spare column, no entries required

(Signed) E. H. Barker [P.T.O.]

* See Instruction 3 (f) on other side.

B

*. The following register of month &c., is NOT required if daily values are given on the other

RAINFALL IN 1931

At Hilbre House - West KirbyIn the County of CheshireRain Gauge Diameter of Funnel 5Height of Top above Ground 2 ft.Height of Ground above Sea Level 780.501

Month.	Total Depth. Inches.	Greatest Fall in 24 hours. Inches.	Date.	or more	or more
JAN.	2.62				
FEB.	2.56				
MAR.	0.31				
APRIL	2.51				
MAY	2.22				
JUNE	5.02				
JULY	1.76				
AUG.	5.71				
SEPT.	2.99				
OCT.	1.61				
Nov.	4.19				
DEC.	1.41				
Total	32.91				

Signature Carlton Macdonald

*See Instruction 2 (f) below.

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:-

(a) Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not '00'). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as .01 and those which are mere "traces." An entry .005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | } .14 | would show that the

reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in

(e) The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

(f) The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02, or 0.3.

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

2802

and also the space for

register should be sent:-

West Kirby - Cheshirein Summer -Direction from gaugeDirection from gauge

2802

WEST KIRBY HILBRE HOUSE

1931 - 40

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1931.

At Hiebouse - West Kirby
In the County of Cheshire
Diameter of Funnel 5 in.
Height of Top above Ground 1 ft. 9 in.
Height of Ground above Sea Level 25 ft.

Month.	Total Depth. Inches.	Greatest Fall in 24 hours. Inches.	Date.	Number of Days with ".01 in. or more	".04 in. or more
JAN.	2.62				
FEB.	2.56				
MAR.	0.31				
APRIL	2.51				
MAY	2.22				
JUNE	5.02				
JULY	1.76				
AUG.	5.71				
SEPT.	2.99				
OCT.	1.61				
NOV.	4.19				
DEC.	1.41				
Total	32.91				

Signature Egerton Macdonald

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Egerton Macdonald
Hiebouse - West Kirby - Cheshire

Hour of observation by the clock—in Winter _____ in Summer _____

Nearest Railway Station Same particulars Direction from _____ gauge _____

Nearest Parish Church at _____ Distance as above Direction from _____ gauge _____

Nature of objects nearest to gauge _____

Heights of objects _____

Distances .. 20


Directions from gauge .. 20

If gauge has been moved during the year state—

Date of move. _____ Distance. _____ Direction. _____

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

*See Instruction 2 (f) below.

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.
- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not '00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
 - When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as .01 and those which are mere "traces." An entry .005 is not to be made in the register.
- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 } .14 would show that the

reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in

- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.
- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02, or 0.3.
- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
- The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.



* * The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1932

At Hillside House - West Kirby -In the County of CheshireDiameter of Funnel 5 in.Height of Top above Ground as previously in.Height of Ground above Sea Level Seven ft.

Month.	Total Depth. Inches	Greatest Fall in 24 hours. Inches	Number of Days with or in. or more or in. or more
JAN.	2.62		
FEB.	0.11		
MAR.	1.73		
APRIL	2.79		
MAY	3.84		
JUNE	0.67		
JULY	3.80		
AUG.	1.21		
SEPT.	2.39		
OCT.	5.95		
NOV.	2.33		
DEC.	1.35		
Total	28.79		

Signature Egon Macdonald

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter _____ in Summer _____

Nearest Railway Station Kirby Park Distance _____ Direction from _____ gauge _____Nearest Parish Church at all details as before Distance _____ Direction from _____ gauge _____

Nature of objects nearest to gauge _____

Heights of objects _____

Distances .. _____

Directions from gauge .. _____

If gauge has been moved during the year state—

Date of move _____ Distance _____ Direction _____

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?



INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash—(not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

- When there is less than .05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

- The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as 0.1 and those which are mere "traces." An entry .005 is not to be made in the register.

- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | } 14 | would show that the

reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.

- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

- The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

BMonthly
Summary.**C**

Particulars of Station.

2802

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 193

At Hilbe House - West KirbyIn the County of CheshireDiameter of Funnel 5 in.Height of Top above Ground 9 ft.Height of Ground above Sea Level 25 ft.

Month.	Total Depth. Inches	Greatest Fall in 24 hours. Inches	Date.	Number of Days with 0.1 in. or more	0.4 in. or more
JAN.	1.66				
FEB.	3.12				
MAR.	2.10				
APRIL	0.80				
MAY	1.59				
JUNE	1.57				
JULY	1.52				
AUG.	2.05				
SEPT.	0.72				
OCT.	4.06				
NOV.	1.37				
DEC.	0.73				
Total	21.29				

Signature Egerton Macdonald

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Egerton MacdonaldHilbe House West Kirby Wirral CheshireHour of observation by the clock—in Winter in Summer Nearest Railway Station Kirby Park Distance Same gaugeNearest Parish Church at West Kirby Distance Same gauge

Nature of objects nearest to gauge

Heights of objects

Distances

Directions from gauge

If gauge has been moved during the year state—

Date of move December Distance abt 5 yds Direction S.E.

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

August 1/2 - 1" High.

*See Instruction 2 (f) below.

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

- When there is less than .05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

- The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as 0.1 and those which are mere "traces." An entry .005 is not to be made in the register.

- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | } .14 would show that the

reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.

- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

- The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

* * The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1934

At Hilbre House - West KirbyIn the County of CheshireDiameter of Funnel 5 in.Height of Top above Ground 9 ft.Height of Ground above Sea Level 25 ft.

Month.	Total Depth.	Greatest Fall in 24 hours.	Number of Days with or in. .04 in. or more
	Inches	Inches	Date.
JAN.	1.54		
FEB.	0.27		
MAR.	1.71		
APRIL	1.57		
MAY	1.92		
JUNE	1.40		
JULY	1.44		
AUG.	3.09		
SEPT.	2.75		
OCT.	4.30		
NOV.	2.50		
DEC.	4.13		
Total	26.62		

Signature Ernest Macdonald

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hilbre House
West Kirby - Cheshire

Hour of observation by the clock—in Winter _____ in Summer _____

Nearest Railway Station _____ Distance _____ gauge _____

Nearest Parish Church at _____ Distance _____ gauge _____

Nature of objects nearest to gauge

Heights of objects

Distances ..

Directions from gauge ..

If gauge has been moved during the year state—

Date of move _____ Distance _____ Direction _____

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash—(not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

- When there is less than .05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

- The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as 0.1 and those which are mere "traces." An entry .005 is not to be made in the register.

- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | } .14 | would show that the

reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.

- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

- The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

BMonthly
Summary.**C**

Particulars of Station.

2802

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1935

At Hiche House - West Kirby
In the County of Cheshire

Rain Gauge { Diameter of Funnel 5 in.
Height of Top above Ground 9 ft. 9 in.
Height of Ground above Sea Level 25 ft.

Month.	Total Depth.	Greatest Fall in 24 hours.	Number of Days with		
	Inches	Inches	Date	*0.1 in. or more	*0.4 in. or more
JAN.	1.49				
FEB.	2.37				
MAR.	0.74				
APRIL	2.31				
MAY	1.74				
JUNE	3.78				
JULY	1.70				
AUG.	1.28				
SEPT.	5.61				
OCT.	4.19				
NOV.	3.69				
DEC.	3.30				
Total	32.20				

Signature Egerton Macdonald

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Egerton Macdonald
12, The House West Kirby - Cheshire

Hour of observation by the clock—in Winter _____ in Summer _____

Nearest Railway Station _____ Distance _____ Direction from _____ gauge

Nearest Parish Church at _____ Distance _____ Direction from _____ gauge

Nature of objects nearest to gauge _____

Height of objects _____

Distances .. _____


Directions from gauge .. _____

If gauge has been moved during the year state—

Date of move _____ Distance _____ Direction _____

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

M.O. 7

2 JAN 1936

*See Instruction 2 (f) below.

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

- When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

- The observer knows definitely from his own observation that some rain (or other form of precipitation such as

snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as .01 and those which are mere "traces." An entry .005 is not to be made in the register.

- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 } .14 would show that the

reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.

- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

- The heaviest daily fall for each month should be underlined.

- The columns are so spaced that the entries can be made by a typewriter.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester 1; 1, St. Andrew's Crescent, Cardiff; 80, Chichester Street, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(586) Wt. 283/202 16,000 5/34. Gp. 119/110.

B Monthly
Summary.**C** Particulars of Station.

2802

* * The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1936.

At Hiebe House - West Kirby -In the County of Cheshire

Rain Gauge { Diameter of Funnel 5 1/2 in.
Height of Top above Ground 5 ft.
Height of Ground above Sea Level 25 ft.

Month	Total Depth	Greatest Fall in 24 hours	Number of Days with
	Inches	Inches	0.1 in. or more
JAN.	4.46		
FEB.	2.26		
MAR.	1.61		
APRIL	0.94		
MAY	1.31		
JUNE	3.88		
JULY	3.06		
AUG.	1.33		
SEPT.	3.06		
OCT.	1.92		
Nov. } 6.22 (2.75)			
DEC. } (3.47)			
TOTAL	30.05		
	30.05 ✓		

Signature Egerton Macdonald

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Egerton Macdonald
Hiebe House - West Kirby - Cheshire

Hour of observation by the clock—in Winter.....in Summer.....

Nearest Railway Station..... Distance..... Direction from gauge.....

Nearest Parish Church at..... Distance..... Direction from gauge.....

Nature of objects nearest to gauge.....

Height of objects.....

Distances.....


Directions from gauge.....

If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

(a) Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail,

sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) On some measures there is graduation marked .005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this .005 mark or between this .005 and the .01 mark are to be entered as .01 even though they may be nearer to the .005 mark than the .01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction. An entry .005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 } 14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

(e) The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

(f) The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller

Price 1d. Net

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone

Wt. 1046/3030. 26,000. 4/36. W. H. & S. 668/91.

S.O. Code No. 40-9999

* The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1937.

At Hilbar House, West Kirby
In the County of Cheshire

Rain Gauge (Diameter of Funnel.....5.....in.
Height of Top above Ground.....1.9.....in.
Height of Ground above Sea Level.....2.5.....ft.)

Month	Total Depth	Greatest Fall in 24 hours	Number of Days with
	Inches	Inches	.01 in. .04 in. or more
JAN.	2.05		
FEB.	4.66		
MAR.	1.75		
APRIL	2.66		
MAY	3.32		
JUNE	1.04		
JULY	1.79		
AUG.	1.27		
SEPT.	1.93		
OCT.	2.38		
NOV.	1.35		
DEC.	2.68		
TOTAL	26.88		

Signature Egerton Macdonald

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Egerton Macdonald
Hilbar House - West Kirby - Cheshire

Hour of observation by the clock—in Winter.....in Summer.....

Nearest Railway Station.....Kirby Park.....Distance.....100 yds......gauge.....N.E.

Nearest Parish Church at.....West Kirby.....Distance.....300 yds......gauge.....N.E.

Nature of objects nearest to gauge.....Thresholds.....

Height of objects.....10/12 ft approx......

Distances.....as above.....


Directions from gauge.....W......

If gauge has been moved during the year state—

Date of move.....Distance.....Direction.....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

M.O. 7
- 3 JAN. 1938

* See Instruction 3 (f) below.

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

(a) Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail,

sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) On some measures there is graduation marked .005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this .005 mark or between this .005 and the .01 mark are to be entered as .01 even though they may be nearer to the .005 mark than the .01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction. An entry .005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 } .14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

(e) The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

(f) The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller

Price 1d. Net

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone

Wt. 1046/3030. 26,000. 4/36. W. H. & S. 668/91.

S.O. Code No. 40-9999

BMonthly
Summary.**C**

Particulars of Station.

2802

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1938.

At Hilbert House - West Kirby
In the County of Cheshire

Rain Gauge { Diameter of Funnel.....5.....in.
Height of Top above Ground.....9.....in.
Height of Ground above Sea Level.....25.....ft.

Month	Total Depth Inches	Greatest Fall in 24 hours Inches	Date	Number of Days with 0.1 in. or more 0.4 in. or more
JAN.	3.19			
FEB.	0.41			
MAR.	1.09			
APRIL	0.22			
MAY	1.84			
JUNE	2.97			
JULY	2.66			
AUG.	5.09			
SEPT.	1.66			
OCT.	4.14			
NOV.	3.56			
DEC.	3.53			
TOTAL	30.36*			

Signature

Egerton Macdonald

* See Instruction 3 (f) below.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Egerton MacdonaldHilbert House - West Kirby - Cheshire

Hour of observation by the clock—in Winter.....in Summer.....

Nearest Railway Station..... Distance..... Direction from gauge.....

Nearest Parish Church at..... Distance..... Direction from gauge.....

Nature of objects nearest to gauge

Height of objects

Distances ...


Directions from gauge ...

If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

D

INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in italic type:—

- Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.
- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
 - When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
 - The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail,

sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this .005 mark or between this .005 and the .01 mark are to be entered as .01 even though they may be nearer to the .005 mark than the .01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction. An entry .005 is not to be made in the register.
- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 } 14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.
- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.
- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.
- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
- The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.

Price 1d. net

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone

Wt. 3079/2165 25,500 12/37 W. H. & S. 663/91

S.O. Code No. 40-9999

B**C**

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1939.

At Hiebre House - West KirbyIn the County of Cheshire

Rain Gauge { Diameter of Funnel.....5.....in.
Height of Top above Ground...9.....ft.....in.
Height of Ground above Sea Level...25.....ft.

Month	Total Depth	Greatest Fall in 24 hours	Number of Days with	0.1 in. or more	0.4 in. or more
	Inches	Inches	Date	*	*
JAN.	<u>4.49</u>				
FEB.	<u>2.16</u>				
MAR.	<u>1.76</u>				
APRIL	<u>2.14</u>				
MAY	<u>1.68</u>				
JUNE	<u>2.43</u>				
JULY	<u>5.27</u>				
AUG.	<u>2.67</u>				
SEPT.	<u>0.65</u>				
OCT.	<u>2.60</u>				
NOV.	<u>4.67</u>				
DEC.	<u>2.28</u>				
TOTAL	<u>32.80</u>				

Signature Exp. E. M. Macdonald

* See Instruction 3 (f) below.

Every observer is requested to fill in this section and also the space for notes as far as possible—

Name and Address to which any inquiry relating to this register should be sent:—

Hiebre House
West Kirby Wirral - Cheshire

Hour of observation by the clock—in Winter.....in Summer.....

Nearest Railway Station..... Distance..... Direction from gauge.....

Nearest Parish Church at..... Distance..... Direction from gauge.....

Nature of objects nearest to gauge

Height of objects

Distances ...


Directions from gauge ...

If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

M.O. 7

- 3 JAN. 1940

D

INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

(a) Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail,

sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) On some measures there is graduation marked .005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this .005 mark or between this .005 and the .01 mark are to be entered as .01 even though they may be nearer to the .005 mark than the .01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction. An entry .005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 } 14 would show that the reading on the

morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

(e) The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

(f) The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.

Price 1d. net

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone

Wt. 3079/2165 25,500 12/37 W. H. & S. 668/91

S.O. Code No. 10-9999

* The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1940.

At Hiehe House - West Kirby
In the County of Cheshire
Rain Gauge { Diameter of Funnel.....5.....in.
Height of Top above Ground.....9.....in.
Height of Ground above Sea Level.....2.5.....ft.

Month	Total Depth Inches	Greatest Fall in 24 hours Inches	Date	Number of Days with 0.1 in. or more 0.4 in. or more
JAN.	<u>2.76</u>			
FEB.	<u>2.35</u>			
MAR.	<u>2.26</u>			
APRIL	<u>2.12</u>			
MAY	<u>2.57</u>			
JUNE	<u>0.94</u>			
JULY	<u>3.04</u>			
AUG.	<u>0.62</u>			
SEPT.	<u>2.80</u>			
OCT.	<u>3.79</u>			
NOV.	<u>5.15</u>			
DEC.	<u>2.15</u>			
TOTAL	<u>30.55</u>			

Signature Egerton Macdonald


Every observer is requested to fill in this section and also the space for notes as far as possible—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter.....in Summer.....
Nearest Railway Station..... Distance..... Direction from gauge.....
Nearest Parish Church at..... Distance..... Direction from gauge.....
Nature of objects nearest to gauge.....
Height of objects.....
Distances.....
Directions from gauge.....

If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....
Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)
If the gauge is of a self-registering or self-recording type please give particulars.



A

B

C

D

E

If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

M.O. 3a.

4 JAN 1941

B. R.

* See Instruction 3 (f) below.

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

(a) Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail,

sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) On some measures there is graduation marked .005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this .005 mark or between this .005 and the .01 mark are to be entered as .01 even though they may be nearer to the .005 mark than the .01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction. An entry .005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | } 14 | would show that the reading on the

morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

(e) The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

(f) The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: York House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller

Price 1d. net

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone

Wt. 2778/2036 21,000 10/38 W. H. & S. 668/91

S.O. Code No. 40-9999

2803

WEST KIRBY, MONKS WAY
1931 — 40

Kept at Lansdown, Mon
in the County of Ch
Diameter of Funnel of Gauge
Height of top of Gauge above Gr
Ground Sea

THE MORNING MEA

An observer who does not conform
year in the space on the right of

Y.
following
Jan. 1, following

Date	Jan.	Feb.	March	April	May	June					Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.23	h	-	.23	-	-	-	-	.06	.02	-	h	1
2	h	.06	-	.42	h	.39	.01	-	.41	.14	-	.03	2
3	.25	-	-	-	-	.14	.16	-	.86	.03	.42	.03	3
4	h	h	.04	.15	-	-	h	.11	.47	-	.03	.02	4
5	h	h	-	.04	.06	.78	.08	.66	-	-	h	.28	5
6	.01	.20	h	-	-	.38	-	.01	.16	.25	.07	h	6
7	-	.03	h	-	-	.20	-	.83	-	.06	.03	-	7
8	.02	.10	h	.10	-	.08	-	.38	-	.01	.10	.01	8
9	.07	.12	.01	.05	.09	.01	.05	.26	.03	.25	.15	.01	9
10	h	.03	-	-	.11	.16	-	.04	-	-	.36	.02	10
11	.22	.06	-	-	-	h	.02	.01	.41	-	.18	.01	11
12	.08	-	-	.01	-	-	.03	.23	.12	.04	.05	-	12
13	-	-	.01	-	h	.02	.01	1.00	-	-	h	-	13
14	.02	.07	-	-	h	2.02	.46	.69	.23	-	.67	h	14
15	.02	.24	-	.15	.08	h	.11	.19	.02	-	h	.24	15
16	.06	.05	-	.16	.10	.02	.01	.35	.17	-	-	-	16
17	.03	.03	-	.15	.23	-	.02	.12	.02	-	.21	-	17
18	.09	h	h	.01	h	.25	.30	.17	h	-	.23	-	18
19	.06	.10	.02	h	-	.22	.01	.27	-	.01	.04	-	19
20	-	.08	.07	-	-	-	-	.03	-	-	h	.01	20
21	.21	h	.02	-	.27	-	-	.11	-	-	.03	-	21
22	.05	-	h	.03	.03	h	h	-	-	-	.04	-	22
23	.19	-	-	.04	.14	.13	-	-	-	.03	.06	.14	23
24	.01	-	-	.05	.25	-	.09	-	-	-	.11	.07	24
25	.06	.36	-	.62	.01	-	-	-	-	-	.04	.05	25
26	.05	.02	-	.03	-	-	.02	-	-	-	.78	.02	26
27	.21	.26	-	.03	.43	-	.02	-	-	.16	.44	.08	27
28	.15	.31	.08	.02	.23	-	-	-	-	.08	h	.10	28
29	.03	X	.05	-	.02	-	.06	-	.02	.42	.02	.01	29
30	.01	X	h	.02	h	h	-	-	.01	-	h	.09	30
31	.19	X	-	X	.03	X	.17	-	X	h	X	.03	31
TOTAL	2.32	2.12	.30	2.31	2.08	4.80	1.63	5.55	2.99	1.50	4.06	1.25	30.91
*Days with or in. or more.	24	17	8	19	15	14	18	18	14	13	21	19	200
*Days with or in. or more.	16	13	4	12	11	11	9	15	6	8	17	18	133

780501

FORM 1090.

REGISTER OF RAINFALL IN 193 / .

Kept at Lansdown, Monks Way, West Kirby
in the County of Chester

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
Ground Sea Level 113 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.23	h	—	.23	—	—	—	—	.06	.02	—	h	1
2	h	.06	—	.42	h	.39	.01	—	.41	.14	—	.03	2
3	.25	—	—	—	—	.14	.16	—	.86	.03	.42	.03	3
4	h	h	.04	.15	—	—	h	.11	.47	—	.03	.02	4
5	h	h	—	.04	.06	.78	.08	.66	—	—	h	.28	5
6	.01	.20	h	—	—	.38	—	.01	.16	.25	.07	h	6
7	—	.03	h	—	—	.20	—	.83	—	.06	.03	—	7
8	.02	.10	h	.10	—	.08	—	.38	—	.01	.10	.01	8
9	.07	.12	.00	.05	.09	.01	.05	.26	.03	.25	.15	.01	9
10	h	.03	—	—	.11	.16	—	.04	—	—	.36	.02	10
11	.22	.06	—	—	—	h	.02	.01	.41	—	.18	.01	11
12	.08	—	—	.01	—	—	.03	.23	.12	.04	.05	—	12
13	—	—	.01	—	h	.02	.01	1.00	—	—	h	—	13
14	.02	.07	—	—	h	2.02	.46	.69	.23	—	.67	h	14
15	.02	.24	—	.15	.08	h	.11	.19	.02	—	h	.24	15
16	.06	.05	—	.16	.10	.02	.01	.35	.17	—	—	—	16
17	.03	.03	—	.15	.23	—	.02	.12	.02	—	.21	—	17
18	.09	h	h	.01	h	.25	.30	.17	h	—	.23	—	18
19	.06	.10	.02	h	—	.22	.01	.27	—	.01	.04	—	19
20	—	.08	.07	—	—	—	—	.03	—	—	h	.01	20
21	.21	h	.02	—	.27	—	—	.11	—	—	.03	—	21
22	.05	—	h	.03	.03	h	h	—	—	—	.04	—	22
23	.19	—	—	.04	.14	.13	—	—	—	.03	.06	.14	23
24	.01	—	—	.05	.25	—	.09	—	—	—	.11	.07	24
25	.06	.36	—	.62	.01	—	—	—	—	—	.04	.05	25
26	.05	.02	—	.03	—	—	.02	—	—	—	.78	.02	26
27	.21	.26	—	.03	.43	—	.02	—	—	.16	.44	.08	27
28	.15	.31	.08	.02	.23	—	—	—	—	.08	h	.10	28
29	.03	X	.05	—	.02	—	.06	—	.02	.42	.02	.01	29
30	.01	X	h	.02	h	h	—	—	.01	—	h	.09	30
31	.19	X	—	X	.03	X	.17	—	X	h	X	.03	31
TOTAL	2.32	2.12	.30	2.31	2.08	4.80	1.63	5.55	2.99	1.50	4.06	1.25	30.91
*Days with "or in. or more.	24	17	8	19	15	14	18	18	14	13	21	19	20.0
*Days with "or in. or more.	16	13	4	12	11	11	9	15	9	8	17	18	13.3

Section

A

for the entry of Daily Observations.

Station No. 2803

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Lansdown, Quorks Way, West Kirby
in the County of Cheshire

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
Ground Sea Level 113 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.16	.01	-	.06	.56	-	.09	.01	.06	.03	.02	.14	1
2	.29	h	-	-	.52	h	.03	.02	.17	.33	.05	.13	2
3	.01	.07	-	.25	.01	-	.07	h	.05	.02	.06	.04	3
4	-	h	-	-	-	-	.09	-	h	.03	.05	.03	4
5	.54	-	.07	.02	.07	-	.04	.06	.10	-	-	.03	5
6	.78	-	.09	.29	.01	-	.01	-	.17	-	-	-	6
7	.02	-	.16	.18	.01	-	-	-	.49	.61	-	-	7
8	-	-	-	.13	h	-	-	-	.15	.23	-	-	8
9	.13	h	-	.09	h	-	-	-	.04	h	.04	.01	9
10	.16	snow sle	-	.04	h	-	-	-	.29	.65	h	h	10
11	h	-	-	.02	.28	.07	.03	h	.01	h	-	-	11
12	.04	-	-	h	.16	-	.35	.02	.01	.21	-	.02	12
13	.01	-	-	.11	.12	-	.25	.09	.07	.23	-	.23	13
14	.15	-	-	.06	h	-	.21	.08	h	.09	.11	.03	14
15	h	h	-	.02	.39	-	h	h	h	.05	.05	-	15
16	.07	h	-	.12	.01	-	.04	h	-	.02	-	.01	16
17	-	-	-	-	.01	-	.37	.01	h	.07	-	.01	17
18	-	-	-	-	.03	-	h	-	.01	-	.05	-	18
19	-	-	-	.18	.01	-	.01	-	.01	.25	h	.03	19
20	-	-	-	.11	.17	-	.04	.61	-	.22	.06	.03	20
21	.01	-	.26	h	.25	-	.01	.21	-	.69	.07	h	21
22	-	-	.02	.03	.47	-	.38	-	-	.03	.37	.01	22
23	-	h	-	.06	.08	-	.08	-	-	.07	.12	.02	23
24	.05	-	-	-	.01	h	.65	-	.13	h	.37	.01	24
25	.01	h	-	.01	h	.02	.06	-	.15	.32	.07	-	25
26	-	-	.01	.05	.19	-	.15	-	.22	.14	.04	-	26
27	-	-	.57	.14	.11	.30	.08	-	-	.17	.05	h	27
28	-	-	.02	.04	.17	-	.31	h	-	h	h	h	28
29	.02	-	.22	.37	.14	.08	.02	.05	.10	.73	.33	.27	29
30	-	x	.06	.32	h	.15	.01	.13	.06	.51	.30	.08	30
31	.01	x	.17	x	-	x	.38	.01	x	.02	x	.12	31
TOTAL	2.52	.08	1.59	2.73	3.78	.62	3.76	1.30	2.29	5.72	2.21	1.25	27.85
*Days with ".01 in. or more.	17	2	11	23	23	5	25	12	19	24	18	19	198
*Days with ".04 in. or more.	10	1	7	18	15	4	18	7	15	18	17	7	134

40-9999

*See Instruction 2 (f) on other side,

(Signed)

G. S. Kirby

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No. 2803

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Lansdown, Monks Way, West Kirby
in the County of ChesterDiameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
,, Ground ,, Sea Level 113 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01	.13	.12	<u>1/2</u>	—	—	—	—	—	—	.06	.04		1
2	.03	.01	.14	<u>1/2</u>	.02	.08	—	<u>1/2</u>	—	—	—	—		2
3	.03	.33	.19	—	.15	—	—	—	—	—	—	—		3
4	<u>.26</u>	.02	.07	—	.12	—	—	—	—	<u>1/2</u>	.02	—		4
5	.08	.03	.08	—	.02	—	—	.02	—	—	.04	—		5
6	<u>1/2</u>	.22	.07	—	.08	—	—	<u>1/2</u>	—	—	.02	—		6
7	.02	.30	<u>1/2</u>	—	<u>1/2</u>	—	<u>.45</u>	.01	—	.57	—	.01		7
8	.10	.01	.22	.01	.01	—	.09	—	—	—	.01	.02		8
9	<u>1/2</u>	.26	<u>1/2</u>	.03	.01	.03	.23	<u>1/2</u>	—	.21	.04	—		9
10	.01	.05	—	—	—	.04	.01	—	—	<u>1.06</u>	.08	—		10
11	<u>1/2</u>	—	—	.02	.02	.06	.23	<u>1/2</u>	—	.17	—	.06		11
12	.11	.01	—	—	.07	.04	.16	—	—	—	—	.09		12
13	<u>1/2</u>	—	—	—	.13	—	.03	.15	.04	.26	.38	—		13
14	.14	—	—	—	—	—	.08	.11	—	.02	.35	—		14
15	<u>.26</u>	—	.02	—	<u>1/2</u>	—	.02	.04	—	.10	.11	.01		15
16	.11	.04	.08	—	.08	.12	—	.01	—	.17	.02	.01		16
17	.06	.02	.35	—	—	<u>.41</u>	—	—	.03	—	.03	—		17
18	.12	<u>1/2</u>	.14	—	—	.19	—	.01	—	—	.04	.01		18
19	<u>1/2</u>	<u>1/2</u>	<u>.48</u>	.01	—	—	—	<u>1/2</u>	.07	—	.09	.03		19
20	—	<u>1/2</u>	.01	—	.50	.30	—	.88	.05	—	<u>1/2</u>	.01		20
21	—	<u>1/2</u>	—	—	—	<u>1/2</u>	—	.03	.01	—	<u>1/2</u>	—		21
22	—	—	—	.03	.18	—	—	.09	—	.08	—	—		22
23	—	—	—	.15	—	.10	—	—	.02	.05	—	—		23
24	—	.49	—	.15	.16	.22	—	—	.44	.09	—	—		24
25	—	<u>1/2</u>	.04	.08	—	—	—	—	.13	—	—	.22		25
26	—	<u>1.00</u>	—	.09	—	<u>1/2</u>	—	—	.01	.36	—	.04		26
27	—	.05	—	—	.03	—	—	—	<u>1/2</u>	.04	—	—		27
28	—	<u>1/2</u>	—	.11	—	—	.06	.49	<u>1/2</u>	.01	—	—		28
29	<u>1/2</u>	X	.01	—	—	—	.03	.02	—	—	—	<u>1/2</u>		29
30	.06	X	.04	.16	—	<u>1/2</u>	.01	—	—	.26	—	.22		30
31	<u>1/2</u>	X	.04	X	—	X	—	<u>1/2</u>	X	.43	X	<u>1/2</u>		31
TOTAL	1.43	3.06	2.06	.84	1.58	1.59	1.40	1.86	.80	3.88	1.29	.77	2056	
*Days with or more.	15	18	16	11	15	11	12	12	9	16	14	13	162	
*Days with or more.	10	11	13	6	9	10	7	6	5	14	9	6	106	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required

(Signed)

G. P. Kirkby [P.T.O.]

Section

A

for the entry of Daily Observations.

Station No. 2803

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at *Lansdown, Monks Way, West Kirby*
in the County of *Chester*Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *1* ft *-* in.
,, Ground ,, Sea Level *113* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.05	-	-	-	-	-	-	.11	.15	.08	1.00	.71		1
2	-	-	.05	-	-	-	-	.30	.07	.04	.14	.24		2
3	.03	<i>h</i>	<i>h</i>	-	-	-	-	-	.01	.10	-	.06		3
4	.11	-	.06	.02	.06	-	-	-	.02	.44	<i>h</i>	.68		4
5	.01	-	.05	-	.03	-	-	.56	-	.02	.01	.03		5
6	<i>h</i>	<i>h</i>	.10	.01	.27	-	-	.01	-	.16	-	.28		6
7	.24	.09	.05	-	.02	-	-	-	-	.05	.08	.10		7
8	-	<i>h</i>	.02	-	.16	.19	-	.01	-	.12	.41	.01		8
9	-	-	.11	-	<i>h</i>	-	-	-	.02	.03	.40	-		9
10	.01	.03	.14	.28	-	-	-	.63	-	.02	.04	-		10
11	.02	<i>h</i>	.02	.36	-	-	-	.10	-	.04	.07	.07		11
12	-	-	.07	.04	-	-	.02	.09	-	-	.01	<i>h</i>		12
13	.18	-	.01	.06	<i>h</i>	-	.47	-	-	.05	-	-		13
14	.10	-	.16	<i>h</i>	.01	.02	-	-	-	.24	.01	.01		14
15	.10	-	.19	-	.39	-	.02	.10	.13	.17	.01	.11		15
16	.18	-	.05	-	.05	<i>h</i>	-	.02	.19	.12	.06	.24		16
17	.06	-	.21	.04	.36	-	.46	-	-	.02	<i>h</i>	.08		17
18	.17	-	.01	.11	.34	.23	-	.01	.01	-	-	.04		18
19	-	-	.10	-	.08	.16	-	.02	.33	.07	-	.08		19
20	-	-	.02	.01	.04	.03	-	-	.30	.01	-	.01		20
21	<i>h</i>	-	.05	-	-	.18	-	.10	.24	.05	-	-		21
22	.05	-	.04	-	-	.02	-	.03	.19	.10	-	.04		22
23	-	-	.04	.23	-	.25	.12	-	<i>h</i>	.27	.01	.03		23
24	-	.10	-	-	.02	.14	.08	-	.15	.05	-	<i>h</i>		24
25	-	.03	-	.13	.02	<i>h</i>	-	-	.07	.07	-	.26		25
26	.02	-	.03	.19	-	.11	.05	-	-	.03	-	.01		26
27	<i>h</i>	-	-	.03	-	.06	.03	-	-	.07	-	.20		27
28	-	-	-	.02	-	-	-	.88	.07	.27	-	.36		28
29	-	<i>X</i>	-	-	-	-	.04	.12	.32	.24	-	.02		29
30	.13	<i>X</i>	-	-	-	-	.02	.03	.22	.40	-	.02		30
31	<i>h</i>	<i>X</i>	-	<i>X</i>	-	<i>X</i>	-	.08	<i>X</i>	.26	<i>X</i>	.31		31
TOTAL	1.46	.25	1.58	1.53	1.85	1.39	1.31	3.20	2.58	4.09	2.25	4.00	25.49	
*Days with or in. or more.	16	4	22	14	14	11	10	18	17	29	13	25	193	
*Days with .04 in. or more.	11	2	16	9	9	8	6	11	13	23	8	17	133	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

G. S. Kirby

P.T.O.

Section



for the entry of Daily Observations.

Station No. 2803

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Lansdown, Quonks Way, West Kirby
in the County of Chester

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
Ground Sea Level 113 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.18	.02	½	½	½	½	.22	-	.36	.26	.04	.24		1
2	½	-	-	-	-	.61	½	-	½	.07	½	.07		2
3	.03	.38	.06	.05	-	.24	-	-	.23	-	.09	.34		3
4	½	.01	½	.05	-	.04	-	-	½	.26	.01	.04		4
5	-	.20	.17	.01	-	-	-	-	.26	.10	.11	.31		5
6	-	½	½	.10	-	.06	-	-	.01	-	.02	.01		6
7	-	-	-	.01	-	.06	-	-	-	.06	.07	.26		7
8	-	-	-	.08	-	-	-	.04	-	.07	.12	.15		8
9	.05	½	-	.13	-	.06	.02	-	-	1.55	.04	-		9
10	½	.08	-	.01	-	.20	.02	-	-	.10	.03	-		10
11	.43	.01	-	-	-	.11	-	.02	-	.07	.06	-		11
12	.04	.04	-	-	-	.08	-	-	.02	.01	½	-		12
13	.22	.01	-	.07	.18	-	-	-	.14	½	.01	-		13
14	.01	-	-	.08	-	.20	.37	½	.06	-	.34	.14		14
15	-	.15	-	.40	.04	.03	.04	½	.06	-	½	.64		15
16	.01	.23	.05	.20	.10	.15	.07	½	.58	-	.50	X		16
17	-	½	½	.14	.67	.40	.55	.03	.04	.01	1.10	-		17
18	-	-	-	.19	.22	.06	.14	.01	.23	.08	.01	.07		18
19	-	-	-	.16	.42	.40	.20	½	-	.06	.15	½		19
20	-	.17	-	.23	-	.19	.06	-	-	.02	.15	-		20
21	-	.21	-	½	-	-	-	-	1.41	.09	.01	.05		21
22	½	.16	.02	.07	-	-	-	-	.07	-	½	.13		22
23	.05	.04	.23	-	-	-	-	.04	.19	.65	-	-		23
24	.17	.23	.12	-	-	-	-	-	.31	.09	-	.23		24
25	.14	.14	.04	-	-	.03	-	-	-	-	.03	½		25
26	-	.05	-	-	-	½	-	.34	.57	.01	.03	.07		26
27	-	.02	-	-	½	.04	.03	-	.32	.09	.23	.05		27
28	.03	.06	-	-	.06	-	-	.34	.24	.24	½	½		28
29	-	X	.01	-	-	.08	-	.22	.40	.08	.06	.07		29
30	.03	X	-	.03	-	.80	-	.03	.11	.14	.36	.08		30
31	½	X	-	X	-	X	-	-	X	.04	X	.43		31
TOTAL	1.39	2.21	.70	2.01	1.69	3.84	1.72	1.07	5.61	4.15	3.57	3.35	31.31	
* Days with .01 in. or more.	13	19	8	18	7	20	11	9	20	23	23	19	190	
* Days with .04 in. or more.	8	14	6	14	7	18	8	5	18	19	15	18	150	

Year's Total

G. S. Kirby

Section **A** for the entry of Daily Observations
AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATIONStation No. **2803**

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at **Lansdown, Monks Way, West Kirby**
in the County of **Cheshire**Diameter of Funnel of Gauge.....**5**.....in.Height of top of Gauge above Ground.....**1**.....ft.....in.,, Ground ,, Sea Level ...**1.13**.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01	.16	.04	.27	-	.07	.04	.27	.04	-	.09	.71		1
2	.05	.03	-	.10	-	.39	-	.03	.12	-	.14	.28		2
3	-	-	-	-	-	.66	.04	.01	.60	-	-	.03		3
4	.03	.24	.04	-	-	-	-	.09	-	.26	.25			4
5	.09	.70	.05	-	-	.01	-	.26	.19	-	.12			5
6	.01	.12	.12	-	.05	-	.06	.07	.33	-	.04	-		6
7	-	-	.08	-	-	-	.04	-	.32	-	.20	.00		7
8	.05	-	.35	-	-	-	-	.01	.05	-	.24	.08		8
9	.51	-	.12	-	-	.03	.10	.01	.28	-	.16	-		9
10	.04	-	-	-	-	-	.13	.07	.01	-	.11	-		10
11	-	-	-	.12	-	.13	.30	.05	.04	.02	.28	.32		11
12	-	-	-	.12	.10	.18	.30	-	.20	.02	.07	.01		12
13	.02	-	-	.01	.01	-	.11	-	.04	.21	.09	.30		13
14	.12	-	-	.06	-	.26	.04	.11	.10	.01	.15	.49		14
15	.27	-	-	-	.14	.06	-	-	.10	-	.21	.02		15
16	.04	-	.05	.48	-	.03	-	-	-	-	.42	-		16
17	.07	.46	-	-	.01	-	.04	.02	-	.01	.02	.01		17
18	.12	.05	-	.05	-	.12	.70	.26	.12	.33	-	-		18
19	.87	.09	.02	.27	-	.18	.02	.21	-	.11	-	-		19
20	.52	.12	.04	-	-	.08	-	.12	-	.01	-	-		20
21	.78	.12	.01	.06	-	.80	-	-	-	.12	-	.14		21
22	.11	.47	.01	.12	-	.35	.35	-	-	.06	.12	.06		22
23	.01	.04	.33	-	.12	.01	.22	-	-	-	-	-		23
24	.11	.12	.12	-	.12	-	.01	-	.16	.07	-	-		24
25	.18	-	.12	.12	.12	-	.12	-	.43	.07	-	.02		25
26	.01	.07	.39	-	-	-	.09	-	.02	.16	-	-		26
27	.31	.12	-	-	-	.12	.13	-	.06	.33	.08	-		27
28	.24	.17	.07	.03	-	.02	.02	-	-	.15	.01	.08		28
29	.03	.23	.11	-	-	.24	.03	-	-	.03	.06	.01		29
30	.08	.12	-	-	.28	.31	.20	.03	-	.27	.03	.12		30
31	.12	.12	.06	.12	.07	.12	.01	.12	.12	.01	.12	.34		31
TOTAL	4.52	2.27	1.60	.90	1.14	3.78	3.01	1.41	3.18	1.87	2.61	3.36	29.70	✓
* Days with .01 in. or more.	24	14	14	9	8	17	23	14	19	17	19	19	197	✓
* Days with .04 in. or more.	17	13	11	7	6	13	17	8	17	10	16	13	148	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) **L. Kirkby** [P.T.O.]

COPY FOR OFFICIAL USE

Section

A

for the entry of Daily Observations

Station No. 2803

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937.

Kept at Sansdown, Hooks Way, West Kirby

in the County of Chester

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 13 in.

„ Ground „ Sea Level 1.13 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.03	.13	.07	-	-	½	-	-	.17	.12	.01	.10		1
2	½	.09	.10	.26	-	-	-	-	.10	.01	-	.02		2
3	-	.06	½	.02	.32	.12	.08	-	-	-	-	.03		3
4	.21	½	.01	.01	.11	-	.02	½	-	-	-	.57		4
5	.62	-	.20	.26	-	.04	.05	-	-	-	-	.72		5
6	.01	-	½	.02	.13	.02	.02	-	-	-	-	.02		6
7	-	.52	-	.03	.01	.04	½	-	.02	-	½	.01		7
8	-	.30	½	.07	-	.02	.13	-	-	-	.04	-		8
9	-	.02	.01	.01	.14	.03	.20	.07	-	-	-	-		9
10	-	.17	½	-	-	.03	-	-	-	-	-	.25		10
11	-	.01	.44	-	.64	-	½	-	-	-	.05	-		11
12	.10	.30	.01	-	½	.30	.02	½	.49	-	-	.27		12
13	-	.07	½	.02	-	.01	-	.44	.07	-	-	.18		13
14	-	.12	.02	-	-	-	.02	.03	.03	½	.04	.09		14
15	.06	.21	.02	.38	-	-	.39	-	.30	-	-	.17		15
16	-	.09	.23	.44	-	-	-	.09	.10	-	-	-		16
17	.17	.11	.08	.30	-	-	-	.04	.19	-	-	-		17
18	.18	.21	½	.03	-	-	.12	-	-	-	.33	.02		18
19	.02	.17	.11	.18	.19	.31	-	½	.17	-	.11	-		19
20	.04	.04	½	.26	1.46	-	.12	-	.02	-	.01	.02		20
21	.02	.24	.28	.13	.02	-	.07	-	½	.06	-	.04		21
22	-	.11	.02	-	.08	-	.04	-	-	.10	.20	.05		22
23	.02	.01	½	½	.24	-	.14	-	-	.66	.19	½		23
24	.27	.35	.11	-	-	-	.12	-	.15	.41	.01	.02		24
25	½	.32	½	-	-	-	½	.36	.03	.10	-	½		25
26	-	.26	.07	-	.20	-	-	.02	-	.10	.01	-		26
27	-	.73	-	.22	-	-	-	-	-	.45	-	½		27
28	-	.04	-	-	-	.03	-	-	-	.08	-	-		28
29	.03	X	-	-	-	-	-	.17	-	.35	.13	½		29
30	.12	X	-	-	-	.13	-	.06	.07	.03	.19	-		30
31	.14	X	-	X	-	X	-	-	X	.05	X	-		31
TOTAL	2.04	4.68	1.78	2.64	3.57	1.08	1.57	1.28	1.93	2.52	1.32	2.55	26.90	
* Days with .01 in. or more.	16	25	16	17	12	12	15	9	14	13	13	17	179	
* Days with .04 in. or more.	10	22	10	10	10	6	11	7	10	11	9	10	126	

Year's Total

† Spare column, no entries required.

(Signed) G. P. Kirkby [P.T.O.]

* See Instruction 3 (f) on other side.

Section

A

for the entry of Daily Observations

Station No. 2803

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Lansdown, Monks May, West Kirbyin the County of ChesterDiameter of Funnel of Gauge.....5.....in.Height of top of Gauge above Ground.....1.....ft.....in.,, Ground ,, Sea Level 113.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	.04	—	—	—	1.34	—	.62	—	.04	.18	.10		1
2	—	.02	—	.15	.04	.09	—	—	—	.46	.01	.32		2
3	—	—	—	—	—	.01	.07	—	.01	.40	.08	—		3
4	.01	—	—	.01	—	—	.16	—	.01	.04	½	.50		4
5	.10	½	—	—	—	—	.08	.78	.07	.09	—	.03		5
6	.11	—	—	½	—	.01	.31	—	.59	.08	—	.01		6
7	.49	—	—	—	—	—	.26	.43	.04	.09	—	½		7
8	.17	.01	½	—	—	—	.37	.46	—	.34	—	.40		8
9	.01	.10	.04	—	—	.10	.11	.87	—	½	—	.26		9
10	.13	.08	.02	—	—	.01	.44	—	.02	.01	—	.22		10
11	.19	.01	½	—	.12	.11	.02	.22	.01	.12	.04	.05		11
12	.04	½	—	—	.02	—	—	—	—	.53	.23	½		12
13	.03	½	—	—	½	—	½	—	.03	—	.11	.04		13
14	.29	—	—	—	.02	—	.03	—	—	—	.06	—		14
15	.11	—	—	—	.09	—	.01	.12	—	.06	.02	.07		15
16	.16	—	.15	—	—	—	.09	—	.07	.10	½	.03		16
17	½	—	½	—	—	—	.03	.02	½	.33	½	—		17
18	—	—	—	—	.13	.02	—	.16	½	.08	.22	—		18
19	—	—	—	—	—	.02	—	—	.05	—	½	½		19
20	.05	—	.13	—	—	—	—	.23	.09	½	.15	—		20
21	—	—	—	—	—	.03	—	.02	½	—	.12	—		21
22	½	—	—	.02	½	.30	—	—	½	.07	.30	.01		22
23	—	—	—	—	.11	.09	—	—	.28	—	.17	—		23
24	.03	.01	.31	—	.06	½	—	.67	.10	.13	.03	—		24
25	.02	.02	.06	—	—	.03	.60	—	—	.34	.60	.08		25
26	.05	.10	.26	—	.10	.12	—	—	.08	.38	.52	.11		26
27	.14	.02	½	—	.36	.14	.10	.31	.01	.01	.12	.01		27
28	.16	.01	.01	—	—	.30	.24	.08	—	.02	.01	.11		28
29	.62	—	—	—	.93	.01	.04	.01	.02	.13	.08	.22		29
30	.03	✕	—	—	—	—	—	.08	.43	½	.26	.18		30
31	.03	✕	—	✕	.22	✕	—	—	✕	.13	✕	.62		31
TOTAL	2.97	.45	.98	.18	2.20	2.76	2.96	5.08	1.91	3.98	3.31	3.37	Year's Total	30.15
* Days with .01 in. or more.	22	11	8	3	12	17	17	16	17	23	20	20		186
* Days with .04 in. or more.	15	4	6	1	10	9	13	13	10	20	16	15		132

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed)

G. S. Kirkby

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 2803

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Lansdown, Houles Way, West Herts

in the County of Chester

Diameter of Funnel of Gauge.....5 in.

Height of top of Gauge above Ground.....1 ft.....in.

Ground Sea Level...113 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.14	-	.02	.24	-	-	.02	-	.01	-	h	.03		1
2	.06	-	.05	.19	-	-	.12	2.11	.28	-	-	.06		2
3	.22	-	.14	.19	-	-	.01	.14	h	-	-	.58		3
4	.24	-	.04	.29	.07	-	.23	h	-	.15	.42	.29		4
5	-	-	-	.02	.26	-	.45	.02	-	.04	.30	.01		5
6	.46	h	h	-	h	-	.24	-	-	-	.04	-		6
7	.01	.01	h	-	-	-	.12	-	-	-	.13	.44		7
8	.10	.09	.29	.03	-	-	.73	h	-	.17	.13	.11		8
9	.05	.06	.01	-	-	-	-	.10	h	.33	.01	.21		9
10	.41	h	-	-	-	.04	-	.21	.10	.05	.02	.20		10
11	.43	.02	.23	-	-	.04	-	-	-	.18	h	h		11
12	.53	.10	-	.07	-	.21	-	-	.08	-	.03	-		12
13	.02	h	.04	.28	.20	.09	.26	-	.08	.02	.02	-		13
14	.38	-	.01	-	.36	.81	.26	-	.01	.06	.38	-		14
15	.12	.01	-	.08	.08	.55	.36	-	-	-	.27	-		15
16	.01	.02	.05	-	.40	-	.02	-	-	.01	.17	-		16
17	.46	.02	-	-	.27	x	-	-	-	.95	.02	-		17
18	.13	.09	.04	-	h	x	.37	-	-	-	1.05	-		18
19	.17	h	h	-	h	-	.45	.14	-	-	.05	h		19
20	.08	-	-	-	-	x	.14	-	-	h	-	-		20
21	.09	-	.34	.05	.12	✓	h	.18	.10	-	-	-		21
22	.08	.44	.01	.07	-	-	.12	-	-	.03	.42	-		22
23	.02	.29	-	.09	-	-	.09	-	-	.22	.21	-		23
24	-	.10	-	h	-	x	.01	-	-	.23	.08	-		24
25	.07	.10	h	.35	-	-	.08	-	-	.07	.35	h		25
26	h	h	-	h	-	-	-	.03	-	-	.13	-		26
27	.02	.42	.15	-	-	x	.07	.12	-	-	.08	.22		27
28	-	.10	.15	h	-	x	.22	h	-	-	.43	-		28
29	-	x	h	.13	-	-	1.06	-	-	.07	.04	.09		29
30	-	x	-	h	-	✓	.88	h	-	-	.05	.12		30
31	-	x	-	x	-	x	.02	.13	x	.05	x	.01		31
TOTAL	4.33	1.90	1.57	2.08	1.76	2.62	5.46	3.21	.66	2.63	4.83	2.37	33.42	
* Days with .01 in. or more.	24	15	15	14	8	14	23	10	7	16	24	13	183	
* Days with .04 in. or more.	19	10	11	12	8	12	18	8	5	13	19	10	145	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) P.T.O.

Section

A

for the entry of Daily Observations

Station No. 2803

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1934Kept at "Lansdown", Mowles Way, West Kirby
in the County of ChesterDiameter of Funnel of Gauge.....5.....in.Height of top of Gauge above Ground.....1.....ft.....in.,, Ground ,, Sea Level 113.....ft.**THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	—	.01	.01	—	—	—	.03	—	.09	.07		1
2	—	<u>to snow</u>	—	.11	—	—	.10	—	—	—	.15	.21		2
3	—	.06	—	.12	—	—	.02	—	<u>to</u>	.03	.06	.08		3
4	—	.08	—	.03	—	—	<u>to</u>	—	—	.12	.19	.04		4
5	—	—	—	—	.14	—	.11	—	—	.12	.23	.11		5
6	.16	.24	—	—	—	—	.12	7	—	.71	.05	.03		6
7	.01	.54	<u>to</u>	.04	.08	—	.02	<u>to</u>	.24	.05	<u>to</u>	.05		7
8	.01	<u>to</u>	—	—	—	—	<u>to</u>	—	.12	.33	<u>to</u>	.28		8
9	—	—	.26	.06	—	—	.88	<u>to</u>	.03	.37	1.26	.24		9
10	—	—	.03	—	—	—	.22	.01	—	.15	.14	.21		10
11	—	—	.02	.04	—	.03	.20	—	—	—	.77	.06		11
12	—	<u>to</u>	.14	—	—	.38	.33	.05	.32	<u>to</u>	.20	—		12
13	—	—	.34	.02	—	—	<u>to</u>	.03	.34	—	.06	.05		13
14	—	—	.01	.10	.10	—	.28	.08	.32	.03	.25	.07		14
15	<u>to snow</u>	—	<u>to</u>	.07	.92	.07	<u>to</u>	<u>to</u>	.23	—	.10	<u>to</u>		15
16	—	.20	.13	—	—	—	.14	—	.44	.23	.20	.03		16
17	—	—	.67	.05	—	—	.03	—	.04	—	.42	<u>to</u>		17
18	.05	.28	.08	.31	—	—	—	.26	.30	<u>to</u>	<u>to</u>	.19		18
19	—	.26	.14	.02	—	—	.11	—	.12	.02	.08	<u>to</u>		19
20	—	.01	—	.31	—	.01	.18	.02	—	.45	.08	—		20
21	—	—	.03	.01	.16	.29	—	.06	<u>to</u>	<u>to</u>	.70	—		21
22	—	<u>to</u>	.02	—	.20	.12	—	.02	.02	<u>to</u>	<u>to</u>	—		22
23	.06	.03	.01	.28	<u>to</u>	—	.10	—	.08	—	.08	—		23
24	.07	.02	<u>to</u>	.01	.01	—	.06	—	.01	—	<u>to</u>	.01		24
25	.04	+	—	<u>to</u>	.22	<u>to</u>	—	—	<u>to</u>	—	—	.02		25
26	.89	.05	—	<u>to</u>	.11	<u>to</u>	.09	.04	—	—	.04	<u>to</u>		26
27	<u>to</u>	.41	—	—	.01	—	—	—	—	—	.04	—		27
28	<u>to</u>	.24	<u>to</u>	—	.61	—	—	.01	—	—	<u>to</u>	<u>to</u>		28
29	<u>to</u>	<u>to</u>	.26	.07	—	.02	.03	—	—	.04	—	.21		29
30	—	<u>X</u>	<u>to</u>	.42	.01	—	—	—	—	.29	—	.09		30
31	.20	<u>X</u>	.06	<u>X</u>	.02	<u>X</u>	—	.06	<u>X</u>	.67	<u>X</u>	—		31
TOTAL	3.17	2.42	2.20	2.08	2.60	.92	3.02	.64	2.64	3.61	5.19	2.07	30.56	
* Days with .01 in. or more.	12	13	15	19	14	7	18	11	15	15	21	20	180	
* Days with .04 in. or more.	9	10	9	13	9	4	14	6	11	12	21	15	133	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) [P.T.O.]

Section **A** for the entry of
AIR MINIST

FORM 1090.

REGIS

Kept at *West Kirby*
in the County of *Cheshire*

Diameter of Funnel of Gauge.....
Height of top of Gauge above Gro
,, Ground ,, Sea

THE MORNING MEAS

An observer who does not conform
year in the space on the right of

2804
FOR OFFICIAL USE.
L ORGANIZATION.

251
Jan. 1, following

following

Date	Jan.	Feb.	March	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I													I
2													2
3									.95				3
4													4
5											.32		5
6													6
7							.98						7
8													8
9													9
10													10
11													11
12													12
13													13
14						2.15	.60						14
15													15
16													16
17													17
18													18
19													19
20			.08										20
21													21
22													22
23													23
24													24
25				.71									25
26											.71		26
27	.27				.44								27
28		.40	.08										28
29										.43			29
30		X											30
31		X		X		X			X		X		31
TOTAL	2.67	2.41	0.35	2.43	2.13	4.98	1.81	5.16	2.96	1.51	4.07	1.31	31.49
*Days with "or in. or more.	23	19	11	18	16	17	15	17	14	12	20	17	199
*Days with "or in. or more.	18	16	3	14	12	11	9	14	10	7	17	9	140

40-999967.8 61.1 9.0 61.8 54.1 126.6 45.9 131.1 75.3 38.4 103.3 33.2 504.6
(Signed) P.T.O.

*See Instruction 2 (f) on other side.

Section

A

for the entry

2804
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193/ . 251

Kept at West Kirby
in the County of Cheshire

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
,, Ground ,, Sea Level 25 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3									.95				3
4													4
5												.32	5
6													6
7								.98					7
8													8
9													9
10													10
11													11
12													12
13													13
14						2.15	.60						14
15													15
16													16
17													17
18													18
19													19
20			.08										20
21													21
22													22
23													23
24													24
25				.71									25
26											.71		26
27	.27				.44								27
28		.40	.08										28
29										.43			29
30		X											30
31		X		X		X			X		X		31
TOTAL	2.67	2.41	0.35	2.43	2.13	4.98	1.81	5.16	2.96	1.51	4.07	1.31	31.49
*Days with or in. or more.	23	19	11	18	16	17	15	17	14	12	20	17	199
*Days with or in. or more.	18	16	3	14	12	11	9	14	10	7	17	9	140

40-999967.8 61.1 9.0 61.8 54.1 126.6 45.9 131.1 75.3 38.4 103.3 33.2 567.6
(Signed) D.T.O.

*See Instruction 2 (f) on other side.

Section

A

for the entry of Daily Observations.

2864
FOR OFFICIAL USE.

FORM I

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1932.

251

Kept at West Kirby
in the County of Cheshire

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
,, Ground ,, Sea Level 25 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I					.60								I
2													2
3		.04											3
4													4
5													5
6	.85												6
7									.60				7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20								.59					20
21													21
22											0.41		22
23													23
24							.68						24
25													25
26													26
27			.53			.20							27
28													28
29				.33						.76		.24	29
30		X											30
31		X		X		X			X		X		31
TOTAL	2.40	0.07	1.57	2.67	3.65	0.52	3.44	1.20	2.19	5.61	2.12	1.25	26.69
* Days with or in. or more.	12	2	11	22	20	5	24	10	17	24	18	20	185
* Days with or more.	9	1	8	20	15	4	18	7	13	18	16	8	137

40-9999 61.0 1.7 40.0 67.8 92.6 13.2 87.5 30.4 55.6 142.5 53.9 31.8

*See Instruction 2 (f) on other side.

(Signed)

[P.T.O.]

FORM 1090

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

2307

251

REGISTER OF RAINFALL IN 1933.

Kept at West Kirby

in the County of Cheshire

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft. 0 in.

Ground Sea Level.....ft. 25

Observer states that the fall on the 20th August (0.08") and total for the month are correct. He observes that on the 20th at noon and in the early hours on 21st thunderstorms passing South and North West of the station respectively occurred.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3													3
4	0.28												4
5													5
6													6
7							60						7
8													8
9													9
10										1.02			10
11													11
12													12
13											39		13
14													14
15													15
16													16
17													17
18													18
19			59										19
20					39	49							20
21													21
22													22
23													23
24									52				24
25												24	25
26		1.00											26
27													27
28								50					28
29													29
30		X		15									30
31		X		X		X			X		X		31
TOTAL	1.52	3.06	2.18	0.87	1.75	1.80	1.46	0.97	0.78	3.94	1.29	0.68	20.30
*Days with .01 in. or more.	18	16	14	12	15	10	10	7	7	16	13	9	147
*Days with .04 in. or more.	11	11	13	7	11	9	7	6	5	14	9	5	108

40-9999 38.6

19.6

32.7

*See Instruction 2 (f) on other side.

(Signed)

[P.T.O.]

FORM 1090

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1934.

251

Kept at West Kirby
in the County of Cheshire

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
Ground Sea Level.....25.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1											1.07	.70	1
2													2
3													3
4													4
5													5
6													6
7	.24												7
8													8
9													9
10								.70					10
11				.35									11
12													12
13													13
14													14
15			.25		.40								15
16													16
17							.47						17
18						.31							18
19													19
20									.39				20
21													21
22													22
23						.22							23
24		.12											24
25													25
26													26
27													27
28													28
29													29
30		X								.87			30
31		X		X		X			X		X		31
TOTAL	1.56	0.26	1.56	1.45	1.92	1.41	1.29	2.79	2.26	3.70	2.20	3.83	YEAR'S TOTAL 24.23
*Days with or in. or more.	13	4	21	14	15	11	11	16	14	27	8	19	173
*Days with or in. or more.	12	2	15	9	9	8	5	12	11	20	8	15	126

Section



for the entry of Daily Observations.

Station No. 251.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at West Kirby
in the County of Cheshire.Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground 1 ft. 0 in.
„ Ground „ Sea Level 25 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3		.40												3
4														4
5														5
6														6
7														7
8														8
9										1.61				9
10														10
11	.51 1.00													11
12														12
13														13
14														14
15				.39								.61		15
16														16
17					.53		.52				1.07			17
18														18
19														19
20														20
21									1.55					21
22														22
23			.24											23
24														24
25														25
26								.27						26
27														27
28														28
29														29
30		X				.63								30
31		X		X		X			X		X			31
TOTAL	1.39	2.18	0.75	1.82	1.63	3.37	1.38	0.83	5.25	4.03	3.29	3.33	29.66	Year's Total
*Days with ".01 in. or more.	10	19	7	17	8	20	9	8	18	21	19	18	174	
*Days with ".04 in. or more.	7	12	6	14	7	15	7	5	17	18	15	16	139	

40-9999

*See Instruction 2(f) on other side.

† Spare column, no entries required.

(Signed)

[P.T.O.]

COPY FOR OFFICIAL USE.

Section **A**

for the entry of Daily Observations.

Station No. **2804**
251

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at **West Kirby**
in the County of **Cheshire**

Diameter of Funnel of Gauge **1** in.
Height of top of Gauge above Ground **0** ft. **0** in.
Ground Sea Level **25** ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1												.75		1
2														2
3									.67					3
4														4
5								.27						5
6														6
7														7
8														8
9														9
10														10
11														11
12														12
13														13
14														14
15														15
16					.47						.43			16
17		.54												17
18							.55			.36				18
19				.28										19
20														20
21	.91					.83								21
22														22
23			.41											23
24														24
25														25
26														26
27														27
28														28
29														29
30		X												30
31		X		X		X			X		X			31
TOTAL	4.42	2.37	1.62	0.94	1.14	3.50	2.67	1.28	2.99	1.75	2.49	3.20	28.37	28.36
* Days with .01 in. or more.	23	14	13	9	7	16	21	11	19	13	18	18	182	
* Days with .04 in. or more.	16	12	9	6	5	13	15	6	17	10	15	14	138	

Section

A

for the entry of Daily Observations.

Station No.

2804

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION. 251

FORM 1091.

REGISTER OF RAINFALL IN 1937.

Kept at West Kirby (St Andrews Vic.)

in the County of Cheshire

Diameter of Funnel of Gauge.....5 in.

Height of top of Gauge above Ground.....1 ft. 0 in.

Ground Sea Level.....25 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following



Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1														1
2														2
3														3
4														4
5	.39											.72		5
6														6
7														7
8														8
9														9
10														10
11			.39											11
12									.47					12
13								.39						13
14														14
15							.39							15
16				.45										16
17														17
18											.34			18
19						.28								19
20					1.38									20
21														21
22														22
23										.63				23
24														24
25														25
26														26
27		.79												27
28														28
29														29
30		X												30
31		X		X		X			X		X			31
TOTAL	1.48	4.73	1.80	2.70	3.34	.95	1.46	1.17	2.01	2.35	1.33	2.30	25.62	Year's Total
* Days with 0.2 mm. or more.	15	24	16	16	11	13	16	8	13	12	12	18	174	
* Days with 1.0 mm. or more.	9	21	9	12	10	6	12	8	10	11	9	9	126	

(141w) * See Instruction 2 (f) on other side.

40-9999. 37.7 120.1 45.7 68.6 84.9 24.1 37.2 (Signed) 51.7 59.7 33.8 58.6 651.2 [P.T.O.]

COPY FOR OFFICIAL USE.

Section



for the entry of Daily Observations.

Station No. 2804

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1938.

Kept at West Kirby (St. Andrews Vic.)

in the County of Cheshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

Ground Sea Level 25 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1						1.38								1
2				15										2
3														3
4														4
5														5
6														6
7														7
8														8
9								1.04						9
10														10
11														11
12										.55				12
13														13
14														14
15														15
16														16
17														17
18														18
19														19
20														20
21														21
22														22
23														23
24			.35											24
25							.69				.61			25
26		.13												26
27														27
28														28
29	.67					.96								29
30		X							.47					30
31		X		X		X			X		X	.65		31
TOTAL	83.3	8.9	26.9	4.5	58.2	70.8	79.2	125.0	36.8	103.9	88.4	88.3	774.5	Year's Total
* Days with 0.2 mm. or more.	20	6	7	3	14	17	17	16	17	22	20	17	176	
* Days with 1.0 mm. or more.	20	2	6	1	11	10	13	14	11	17	15	16	136	

(141w)

* See Instruction 2 (f) on other side.

† Spare column, no entries required, except year's total.

40-9999.

3.28

35

1.06

18

2.29

2.79

3.12

(Signed)

4.92

1.45

4.09

3.49

3.48

30.50

[P.T.O.]



for the entry of Daily Observations.

Station No. 2804

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1939.

Kept at West Kirby (St. Andrews Vic.)
in the County of Cheshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

Ground Sea Level 25 ft.

T.L.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1														1
2								1.78	20					2
3												63		3
4														4
5														5
6														6
7														7
8														8
9														9
10														10
11														11
12	68													12
13														13
14						79								14
15					29									15
16														16
17										91				17
18											94			18
19														19
20														20
21			33											21
22		47												22
23														23
24														24
25				32										25
26														26
27														27
28														28
29							1.02							29
30		X												30
31		X		X		X			X		X			31
TOTAL	113.7	50.9	42.5	50.4	33.0	66.3	147.8	84.2	15.5	66.0	118.8	63.5	852.6	
* Days with 0.2 mm. or more.	22	15	15	16	7	15	24	11	6	16	23	12	182	
* Days with 1.0 mm. or more.	20	13	12	11	7	12	20	11	5	12	19	9	151	

(141w)

* See Instruction 2 (f) on other side.

† Space column, no entries required, except year's total.

40-9999. 4.48 2.00 1.07 1.98 1.30 2.61 5.82 (Signed) 6.1 2.60 4.68 2.50 33.56 P.T.O.

COPY FOR OFFICIAL USE

Section



for the entry of Daily Observations

Station No. 2804

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1091.

REGISTER OF RAINFALL IN 1934

Kept at West Kirby (St. Andrews Vic)

in the County of Cheshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

Ground Sea Level 2.5 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1														1
2														2
3														3
4														4
5														5
6										72				6
7		62												7
8												33		8
9							87				119			9
10														10
11														11
12						30								12
13														13
14														14
15					89									15
16									48					16
17			57											17
18								28						18
19														19
20														20
21														21
22														22
23														23
24														24
25														25
26	112													26
27														27
28														28
29														29
30		X		40										30
31		X		X		X			X		X			31
TOTAL	65.8	73.9	58.9	49.9	64.8	21.6	85.1	14.4	68.1	91.5	134.5	58.7	787.2	
* Days with 0.2 mm. or more.	12	14	14	16	11	7	18	11	16	15	20	17	171	
* Days with 1.0 mm. or more.	8	11	11	11	9	4	15	5	12	11	20	15	132	

(141w)

* See Instruction 3 (f) on other side.

† Spare column, no entries required, except year's total.

2.59 2.91 2.32 1.96 2.55 85 3.35 (Signed) 57 2.68 360 5.30 2.31 30.99 P.T.O.

2805

2805
COPY FOR OFFICIAL USE.
ALL ORGANIZATION.

Kept at Deeside
in the County of 6th
Diameter of Funnel of Gauge
Height of top of Gauge above
Ground

DEESIDE NURSERY
1931 — 36

31.
2/29
5

THE MORNING ME

An observer who does not conform
year in the space on the right

DAY.
the following
Jan. 1, following

780501

Date	Jan.	Feb.	Mar.	in.	in.	in.	in.	in.	in.	in.	in.	in.	Date
1	.26	—	—	.20	—	—	—	—	.06	.02	—	.01	1
2	—	.07	—	.44	.01	.53	.02	—	.45	.13	.01	.02	2
3	.24	—	—	~~.18~~	—	.12	.16	—	.94	.04	.44	.05	3
4	—	.01	.04	.18	—	—	—	.04	.50	—	.03	.02	4
5	—	.21	.01	.04	.06	.89	.08	.68	—	—	—	.30	5
6	—	.03	—	~~.18~~	—	.39	—	.01	.12	.26	.07	—	6
7	—	.11	—	—	—	.19	—	.90	—	.06	.04	.01	7
8	.03	.07	—	.09	—	.10	.06	.48	—	.01	.07	.02	8
9	.08	.03	.01	.05	.09	.03	—	.26	.04	.27	.16	.01	9
10	.01	.08	—	—	.12	—	—	.07	—	—	.40	.03	10
11	.28	.06	—	—	—	.01	.04	.02	.36	—	.14	.02	11
12	.06	—	—	.01	—	—	.03	.28	.16	.04	.04	—	12
13	—	.07	.02	—	.01	—	.01	.92	—	—	.02	—	13
14	.03	.31	—	—	—	2.27	.63	.68	.24	—	.63	—	14
15	.03	.05	—	.16	.08	—	.11	.20	.02	—	—	.26	15
16	.09	.03	—	.21	.13	.02	.01	.35	.16	—	—	—	16
17	.03	—	—	.14	.23	—	.02	.10	.02	—	.23	—	17
18	.12	.11	~~.03~~	—	—	.30	.31	.17	—	—	.24	—	18
19	.06	.11	.03	—	—	.19	—	.28	—	.01	.01	—	19
20	—	—	.07	—	—	.01	—	.03	—	—	.04	.01	20
21	.21	—	.02	—	.28	—	—	.14	—	—	.04	—	21
22	.06	—	—	.04	.05	.01	—	—	—	—	.02	—	22
23	.17	.01	—	.05	.17	.14	—	—	—	.03	.06	.14	23
24	.03	.41	—	.05	.26	—	.09	—	—	—	.08	.08	24
25	.07	.04	—	.69	.01	—	—	—	—	—	.04	.07	25
26	.08	.32	—	.04	—	—	—	—	—	—	.78	.02	26
27	.26	.30	—	.04	.42	—	.03	—	—	.16	.44	.10	27
28	.16	—	.08	.03	.26	—	.01	—	—	.09	—	.13	28
29	.06	—	.06	—	.03	—	.07	—	.02	.48	.03	.04	29
30	.01	X	—	.02	.03	.01	.01	—	.01	—	—	.09	30
31	.19	X	—	X	—	X	.15	—	X	.01	X	.03	31
TOTAL	2.59	2.43	.34	2.48	2.21	5.21	1.84	5.52	3.10	1.61	4.06	1.46	YEAR'S TOTAL
*Days with or in. or more.	24	20	9	18	17	16	18	18	14	14	24	10	202
*Days with .04 in. or more.	17	15	4	15	12	10	10	15	10	9	18	11	146

(Signed) Henry Ward

REGISTER OF RAINFALL IN 1931.

Kept at Deelside Nursery
in the County of Cheshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
Ground Sea Level 45 ft.

FILE REF 905442/29
Station No 2805

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	<u>.26</u>	—	—	<u>.20</u>	—	—	—	—	<u>.06</u>	<u>.02</u>	—	<u>.01</u>	1
2	—	<u>.07</u>	—	<u>.44</u>	<u>.01</u>	<u>.53</u>	<u>.02</u>	—	<u>.45</u>	<u>.13</u>	<u>.01</u>	<u>.02</u>	2
3	<u>.24</u>	—	—	~~.44~~	—	<u>.12</u>	<u>.16</u>	—	<u>.94</u>	<u>.04</u>	<u>.44</u>	<u>.05</u>	3
4	—	<u>.01</u>	<u>.04</u>	<u>.18</u>	—	—	—	<u>.04</u>	<u>.50</u>	—	<u>.03</u>	<u>.02</u>	4
5	—	<u>.21</u>	<u>.01</u>	<u>.08</u>	<u>.06</u>	<u>.89</u>	<u>.08</u>	<u>.68</u>	—	—	—	<u>.30</u>	5
6	—	<u>.03</u>	—	~~.44~~	—	<u>.39</u>	—	<u>.01</u>	<u>.12</u>	<u>.26</u>	<u>.07</u>	—	6
7	—	<u>.11</u>	—	—	—	<u>.19</u>	—	<u>.90</u>	—	<u>.06</u>	<u>.04</u>	<u>.01</u>	7
8	<u>.03</u>	<u>.07</u>	—	<u>.09</u>	—	<u>.10</u>	<u>.06</u>	<u>.48</u>	—	<u>.01</u>	<u>.07</u>	<u>.02</u>	8
9	<u>.08</u>	<u>.03</u>	<u>.01</u>	<u>.05</u>	<u>.09</u>	<u>.03</u>	—	<u>.26</u>	<u>.04</u>	<u>.27</u>	<u>.16</u>	<u>.01</u>	9
10	<u>.01</u>	<u>.08</u>	—	—	<u>.12</u>	—	—	<u>.07</u>	—	—	<u>.40</u>	<u>.03</u>	10
11	<u>.28</u>	<u>.06</u>	—	—	—	<u>.01</u>	<u>.04</u>	<u>.02</u>	<u>.36</u>	—	<u>.14</u>	<u>.02</u>	11
12	<u>.06</u>	—	—	<u>.01</u>	—	—	<u>.03</u>	<u>.28</u>	<u>.16</u>	<u>.04</u>	<u>.04</u>	—	12
13	—	<u>.07</u>	<u>.02</u>	—	<u>.01</u>	—	<u>.01</u>	<u>.92</u>	—	—	<u>.02</u>	—	13
14	<u>.03</u>	<u>.31</u>	—	—	—	<u>2.27</u>	<u>.63</u>	<u>.68</u>	<u>.74</u>	—	<u>.63</u>	—	14
15	<u>.03</u>	<u>.05</u>	—	<u>.16</u>	<u>.08</u>	—	<u>.11</u>	<u>.20</u>	<u>.02</u>	—	—	<u>.26</u>	15
16	<u>.09</u>	<u>.03</u>	—	<u>.21</u>	<u>.13</u>	<u>.02</u>	<u>.01</u>	<u>.35</u>	<u>.16</u>	—	—	—	16
17	<u>.03</u>	—	—	<u>.14</u>	<u>.23</u>	—	<u>.02</u>	<u>.10</u>	<u>.02</u>	—	<u>.23</u>	—	17
18	<u>.12</u>	<u>.11</u>	~~.03~~	—	—	<u>.30</u>	<u>.31</u>	<u>.17</u>	—	—	<u>.24</u>	—	18
19	<u>.06</u>	<u>.11</u>	<u>.03</u>	—	—	<u>.19</u>	—	<u>.28</u>	—	<u>.01</u>	<u>.01</u>	—	19
20	—	—	<u>.07</u>	—	—	<u>.01</u>	—	<u>.03</u>	—	—	<u>.04</u>	<u>.01</u>	20
21	<u>.21</u>	—	<u>.02</u>	—	<u>.28</u>	—	—	<u>.14</u>	—	—	<u>.04</u>	—	21
22	<u>.06</u>	—	—	<u>.04</u>	<u>.05</u>	<u>.01</u>	—	—	—	—	<u>.02</u>	—	22
23	<u>.17</u>	<u>.01</u>	—	<u>.05</u>	<u>.17</u>	<u>.14</u>	—	—	—	<u>.03</u>	<u>.06</u>	<u>.14</u>	23
24	<u>.03</u>	<u>.41</u>	—	<u>.05</u>	<u>.26</u>	—	<u>.09</u>	—	—	—	<u>.08</u>	<u>.08</u>	24
25	<u>.07</u>	<u>.04</u>	—	<u>.69</u>	<u>.01</u>	—	—	—	—	—	<u>.04</u>	<u>.07</u>	25
26	<u>.08</u>	<u>.32</u>	—	<u>.04</u>	—	—	—	—	—	—	<u>.78</u>	<u>.02</u>	26
27	<u>.26</u>	<u>.30</u>	—	<u>.04</u>	<u>.42</u>	—	<u>.03</u>	—	—	<u>.16</u>	<u>.44</u>	<u>.10</u>	27
28	<u>.16</u>	—	<u>.08</u>	<u>.03</u>	<u>.26</u>	—	<u>.01</u>	—	—	<u>.09</u>	—	<u>.13</u>	28
29	<u>.06</u>	—	<u>.06</u>	—	<u>.03</u>	—	<u>.07</u>	—	<u>.02</u>	<u>.48</u>	<u>.03</u>	<u>.04</u>	29
30	<u>.01</u>	×	—	<u>.02</u>	<u>.03</u>	<u>.01</u>	<u>.01</u>	—	<u>.01</u>	—	—	<u>.09</u>	30
31	<u>.19</u>	×	—	×	—	×	<u>.15</u>	—	×	<u>.01</u>	×	<u>.03</u>	31
TOTAL	2.59	2.43	.34	2.48	2.21	5.21	1.84	5.52	3.10	1.61	4.06	1.46	YEAR'S TOTAL 32.85
* Days with or in. or more.	24	20	9	18	17	16	18	18	14	14	24	10	202
* Days with or in. or more.	17	15	4	15	12	10	10	15	10	9	18	11	146

Section

A

for the entry of Daily Observations.

Station No. 2805

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.Kept at Devide Nurseryin the County of GloucestershireDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft. 6 in.Ground Sea Level 45 ft.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Dec. 1, 1933.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.14	—	—	.06	.60	—	.08	.02	.09	.04	.02	.12	1
2	.31	.01	—	—	.50	—	.04	.02	.17	.35	.08	.17	2
3	—	.07	—	.27	.02	—	.07	—	—	.02	—	.05	3
4	—	—	—	—	—	—	.08	.06	.07	.03	.09	.04	4
5	.56	—	.08	.02	.07	—	.04	—	.01	—	—	—	5
6	.82	—	.12	.32	.01	—	.01	—	.17	—	—	—	6
7	.06	—	.18	.17	.01	—	—	—	.47	.61	—	—	7
8	.03	—	.08	.12	—	—	—	—	.13	.27	—	—	8
9	.15	—	.12	.10	—	—	—	—	.02	—	.04	—	9
10	.15	—	.18	.05	.01	—	—	—	.31	.74	—	—	10
11	.01	—	—	.03	.28	.07	.04	—	.01	—	—	.05	11
12	.09	—	—	—	.13	—	.35	.02	.02	.26	—	.02	12
13	.01	—	—	.11	.11	—	.27	.11	.07	.24	—	.22	13
14	.15	—	—	.05	—	—	.23	.05	.01	.10	.10	.03	14
15	—	.01	—	.02	.43	—	—	—	—	.05	.04	—	15
16	.08	—	—	.11	—	—	.04	—	—	.02	—	—	16
17	—	—	—	—	.04	—	.35	.01	.03	.08	—	.02	17
18	—	—	—	—	.02	—	—	—	—	.25	.05	—	18
19	—	—	—	.18	.16	—	.02	—	—	.23	—	.02	19
20	.01	—	—	.12	.26	—	.03	.61	—	.65	.08	.03	20
21	—	—	.26	—	.52	—	—	.18	—	.07	.07	—	21
22	—	—	.03	.04	.08	—	.52	—	—	.62	.39	.02	22
23	—	.01	—	.05	.01	—	—	—	—	—	.11	.03	23
24	.05	—	—	—	—	—	.62	—	.16	.33	.40	—	24
25	—	.01	—	.01	.18	.02	.05	—	.15	.17	.06	.01	25
26	—	—	.01	.05	.13	—	.16	—	.24	.15	.08	—	26
27	—	—	.55	.13	.12	.29	.09	—	—	—	.04	.01	27
28	—	—	.02	.07	.18	—	.30	—	—	.52	—	—	28
29	.04	—	.25	.28	—	.08	.02	.06	.10	.38	.32	.22	29
30	—	×	.05	.34	—	.15	—	.12	.04	.69	.33	.15	30
31	—	×	.15	×	—	×	.40	.01	×	.02	×	.10	31
TOTAL	2.62	.11	1.70	2.70	3.89	.61	3.83	1.27	2.36	5.76	2.30	1.31	YEAR'S TOTAL 28.46
*Days with ".01 in. or more.	16	5	11	23	22	5	22	12	19	24	17	18	194
*Days with ".04 in. or more.	12	1	8	19	16	4	17	7	13	19	16	9	141

40-9999

*See Instruction 2 (f) on other side.

(Signed) Henry Ward

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No.

2805

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at

Devidey Farm, W. Kirby.

in the County of

Cheshire

Diameter of Funnel of Gauge. 5 in.

Height of top of Gauge above Ground. 1 ft. 6 in.

Ground Sea Level 4.5 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	.09	.12	—	—	—	—	—	—	.36	.05	.04	1
2	.04	—	.14	.01	.02	.08	—	—	—	.43	—	—	2
3	.04	.33	.19	—	.14	—	—	—	—	.54	—	—	3
4	.27	—	.08	—	.12	—	—	.03	—	—	.02	—	4
5	.06	.04	.08	—	.02	—	—	—	—	—	.03	—	5
6	—	.25	.07	—	.08	—	—	—	—	—	.02	—	6
7	.03	.28	—	—	—	—	.46	.01	—	.57	—	—	7
8	.10	.01	.23	.03	.02	—	.09	—	—	.01	.01	.04	8
9	—	.31	—	.02	—	.03	.23	—	—	.22	.05	—	9
10	.02	.04	—	—	—	.10	.01	—	—	1.02	.10	—	10
11	—	—	—	.03	.02	—	.27	.13	—	.18	—	.04	11
12	.12	.02	—	—	—	.04	.12	.10	—	.01	—	.09	12
13	—	—	—	—	.21	—	.03	—	.04	.21	.42	—	13
14	.30	—	—	—	—	—	.09	.03	—	.02	.32	.01	14
15	.16	—	—	—	—	—	—	—	—	.10	.12	—	15
16	.16	.04	.10	—	.08	.11	—	—	—	.21	.01	—	16
17	.06	—	.36	—	—	.45	—	—	—	—	.04	—	17
18	.12	—	.14	—	—	.18	—	—	—	—	.05	—	18
19	—	—	.50	—	—	—	—	—	.07	—	.08	.03	19
20	—	.08	—	—	.57	.25	—	1.23	.06	—	—	—	20
21	—	—	—	—	.01	—	—	.02	.01	—	—	—	21
22	—	—	—	.05	.20	—	—	.09	—	.09	—	—	22
23	—	—	—	.11	—	.11	—	—	.02	.05	—	—	23
24	—	.50	—	.15	.17	.21	—	—	.37	.09	—	—	24
25	—	.98	—	.07	—	—	—	—	.10	—	—	.20	25
26	—	—	—	.08	—	—	—	—	—	.41	—	.06	26
27	—	.05	—	—	.03	—	—	.47	.01	.05	—	—	27
28	—	—	—	.11	—	—	.07	.02	—	—	—	—	28
29	.03	—	—	—	—	—	—	—	—	—	—	.01	29
30	.05	×	.06	.17	—	.01	—	—	—	.25	—	.17	30
31	.03	×	.04	×	—	×	—	.01	×	.43	×	.03	31
TOTAL	1.60	3.02	2.11	.83	1.63	1.57	1.37	2.14	.68	3.92	1.32	.72	YEAR'S TOTAL
*Days with .01 in. or more.	17	14	13	11	14	11	9	11	8	20	14	11	153.
*Days with .04 in. or more.	12	12	13	7	8	9	7	5	5	17	9	7	117.

40-9999

*See Instruction 2 (f) on other side,

(Signed)

Henry Ward.

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No. 2805

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1934.

Kept at *Deside Nursery.*in the County of *Cheshire*Diameter of Funnel of Gauge *5* in.Height of top of Gauge above Ground *1* ft. *6* in.,, Ground ,, Sea Level *45* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.05	—	—	—	—	—	—	.10	.05	.08	1.19	.85		1
2	—	—	.06	—	—	—	—	.33	.07	.05	.15	.10		2
3	.04	—	—	—	—	—	—	—	—	.09	—	.04		3
4	.11	—	.08	.05	.06	—	—	—	.03	.53	—	.62		4
5	—	—	.08	—	.03	—	—	.45	—	.03	—	.03		5
6	—	—	.13	.01	.38	—	—	.01	—	.12	—	.29		6
7	.27	—	.06	.03	.01	—	—	—	—	.06	.08	.10		7
8	—	.11	—	—	.18	.21	—	.01	—	.14	.39	.02		8
9	—	—	.14	.02	—	—	—	.07	.01	.02	.39	—		9
10	.02	—	.14	.27	—	—	—	.58	—	.03	.04	—		10
11	.02	.04	.02	.35	—	—	—	.17	—	—	.07	.07		11
12	—	—	.06	.05	—	—	—	.11	—	.04	—	—		12
13	.22	—	—	.06	—	—	.59	—	—	.06	—	—		13
14	.07	—	.15	—	.02	.03	—	—	—	.20	.01	.02		14
15	.12	—	.25	—	.41	—	.02	.11	.15	.11	—	.12		15
16	.17	—	.05	—	.05	—	—	.03	—	.09	.08	.25		16
17	.06	—	.24	.04	.35	—	.42	—	.22	.05	—	.09		17
18	.17	—	—	.10	.37	.22	—	.02	.39	—	—	.04		18
19	—	—	.11	—	.07	.19	—	.01	.41	.06	—	.11		19
20	—	—	.02	.02	.04	.03	—	—	.24	.01	—	—		20
21	—	—	.05	—	.01	.16	—	.09	.14	.07	—	—		21
22	.06	—	—	—	—	.01	—	.04	.01	.11	—	.06		22
23	—	—	.10	.24	.03	.30	.19	—	.14	.25	✓	.01		23
24	—	—	—	—	.03	.11	.07	—	.07	.07	—	—		24
25	—	.11	—	.15	.01	—	—	—	—	.07	—	.25		25
26	.04	.03	—	.19	—	.13	.09	—	—	.04	—	.02		26
27	—	—	—	.03	—	.05	.05	—	.06	.07	—	.20		27
28	—	—	—	.02	—	—	—	.82	.33	.23	—	.32		28
29	—	—	—	—	—	—	.05	.13	.22	.36	—	.03		29
30	.13	×	—	—	—	—	.01	.04	—	.88	—	.02		30
31	—	×	—	×	—	×	—	.09	×	.30	×	.35		31
TOTAL	1.55	.29	1.74	1.63	2.05	1.44	1.49	3.21	2.64	4.31	2.40	4.01	Year's Total.	26.76
* Days with .01 in. or more.	8.15	—4	8.14	8.16	8.16	11	2.29	8.19	8.16	4.29	8.10	7.24	186	
* Days with .04 in. or more.	13	3	15	10	9	8	7	14	13	25	8	17	134	142

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No. 2805

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at *Devon Wym West Kirby*

in the County of *Cheshire*

Diameter of Funnel of Gauge *5* in.

Height of top of Gauge above Ground *1* ft *6* in.

Ground Sea Level *45* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.20	.04	—	—	—	—	.21	—	.37	.25	.05	X		1
2	.01	.02	—	—	—	.62	.01	—	—	.07	—	.31X		2
3	.02	.40	.07	.07	—	.30	—	—	.24	.01	.10	.31		3
4	—	.02	—	.05	—	.04	—	—	.33	.21	.01	.04		4
5	—	.22	.16	.04	—	—	—	—	X	.22	.16	.32		5
6	—	—	—	.07	—	.06	—	—	.01	—	—	.01		6
7	—	—	—	.04	—	.05	—	—	—	.04	.07	.21		7
8	—	—	—	.07	—	.08	—	.04	—	.06	.12	.20		8
9	.05	.01	—	.14	—	—	.03	—	—	1.59	.05	—		9
10	—	.08	—	.01	—	.23	.03	—	—	.11	.06	—		10
11	.45	.01	—	—	—	X	—	.02	—	.08	.07	—		11
12	.06	.04	—	—	—	.28	—	—	.02	.01	—	—		12
13	.23	.02	—	.08	.23	—	—	—	.12	—	.01	—		13
14	.01	—	—	.08	—	.15	.46	—	.06	—	.33	.13		14
15	—	.16	—	.41	.05	.02	.05	—	.03	—	—	.63		15
16	.02	.18	.07	.22	.07	.21	.07	—	.49	—	.52	.05		16
17	—	—	—	.16	.69	.38	.76	.03	.05	—	1.00	—		17
18	—	—	—	.18	.24	.07	—	.02	.17	.10	.02	—		18
19	—	—	—	.13	.40	.38	.16	—	—	.06	.15	—		19
20	—	.18	—	.22	—	.17	.12	—	—	.03	.15	—		20
21	—	.20	—	.01	—	—	—	—	1.61	.09	.01	.08		21
22	—	.23	—	.11	—	—	—	—	.12	—	—	.08		22
23	.04	.04	.26	—	—	—	—	.05	.16	.50	—	—		23
24	.19	.21	.13	—	—	—	—	—	.28	.09	—	.18		24
25	.16	.14	.04	—	—	.04	—	—	—	.01	.04	—		25
26	—	.03	—	—	—	—	—	.36	.53	.01	.04	.08		26
27	—	.03	—	—	.01	.05	.03	—	.33	.11	.22	.06		27
28	.03	.05	—	—	.06	—	—	.62	.24	.24	.01	—		28
29	—	—	.02	—	—	.09	—	.18	.42	.06	.06	.08		29
30	.03	X	—	.04	—	.82	—	.03	.13	.18	.38	.08		30
31	—	X	—	X	—	X	—	—	X	.04	X	.40		31
TOTAL	1.50	2.32	.75	2.13	1.75	4.01	1.93	1.35	5.71	4.17	3.53	3.25	32.40	✓
* Days with .01 in. or more.	8	14	17	19	18	20	11	9	20	24	23	19	195	
* Days with .04 in. or more.	8	14	6	17	7	19	7	5	17	19	18	18	136	155.

File No. 905442/29.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations
AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Station No. 2805

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at *Deeride Nursery, Warr. Kirby*
in the County of *Cheshire*
Diameter of Funnel of Gauge...*5*...in.
Height of top of Gauge above Ground...*1*...ft...*6*...in.
" Ground " " *9* " Sea Level...*45*...ft.

Ask Day

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	<i>.14</i>	<i>.03</i>	<i>.29</i>	—	<i>.06</i>	<i>.05</i>	<i>.26</i>	<i>.04</i>	—	<i>.09</i>	<i>.64</i>		1
2	<i>.07</i>	<i>.03</i>	—	<i>.10</i>	—	<i>.40</i>	—	<i>.03</i>	—	—	<i>.13</i>	<i>.31</i>		2
3	—	—	—	—	—	<i>.60</i>	<i>.04</i>	<i>.01</i>	<i>.69</i>	—	—	<i>.03</i>		3
4	<i>.03</i>	<i>.22</i>	<i>.04</i>	—	—	<i>.01</i>	—	—	<i>.09</i>	—	<i>.27</i>	<i>.30</i>		4
5	<i>.10</i>	<i>.11</i>	<i>.06</i>	—	—	—	—	<i>.24</i>	<i>.19</i>	—	—	<i>.10</i>		5
6	<i>.02</i>	—	—	—	<i>.03</i>	—	<i>.07</i>	<i>.07</i>	<i>.26</i>	—	<i>.04</i>	—		6
7	—	—	<i>.08</i>	—	—	—	<i>.05</i>	—	<i>.40</i>	—	<i>.19</i>	<i>.09</i>		7
8	<i>.05</i>	—	<i>.33</i>	—	—	—	<i>.14</i>	<i>.02</i>	—	—	<i>.25</i>	<i>.07</i>		8
9	<i>.56</i>	—	<i>.01</i>	—	—	<i>.03</i>	—	—	<i>.33</i>	—	<i>.22</i>	—		9
10	<i>.04</i>	—	—	—	—	—	<i>.15</i>	<i>.07</i>	—	—	<i>.10</i>	—		10
11	—	—	—	—	—	<i>.14</i>	<i>.30</i>	<i>.04</i>	<i>.02</i>	<i>.04</i>	<i>.22</i>	<i>.30</i>		11
12	—	—	—	<i>.02</i>	<i>.11</i>	<i>.17</i>	<i>.30</i>	—	<i>.18</i>	<i>.20</i>	<i>.05</i>	~~<i>.31</i>~~		12
13	—	—	—	<i>.06</i>	—	—	<i>.10</i>	—	<i>.05</i>	<i>.01</i>	—	<i>.31</i>		13
14	—	—	—	—	—	<i>.25</i>	<i>.05</i>	<i>.12</i>	<i>.10</i>	—	<i>.24</i>	<i>.55</i>		14
15	<i>.29</i>	—	—	—	<i>.15</i>	<i>.09</i>	<i>.01</i>	—	<i>.10</i>	—	<i>.20</i>	—		15
16	<i>.02</i>	—	—	—	<i>.50</i>	—	<i>.02</i>	—	<i>.01</i>	—	<i>.12</i>	<i>.02</i>		16
17	—	<i>.04</i>	—	—	<i>.02</i>	—	<i>.15</i>	<i>.28</i>	—	<i>.38</i>	<i>.02</i>	<i>.02</i>		17
18	—	<i>.43</i>	—	—	—	—	<i>.66</i>	<i>.20</i>	—	<i>+</i>	—	—		18
19	<i>.70</i>	<i>.06</i>	<i>.02</i>	<i>.27</i>	—	<i>.20</i>	<i>.02</i>	—	—	<i>+</i>	—	—		19
20	<i>.47</i>	<i>.09</i>	<i>.05</i>	—	—	<i>.08</i>	—	—	—	<i>.32</i>	—	—		20
21	<i>.85</i>	<i>.12</i>	—	<i>.07</i>	—	<i>.89</i>	—	—	—	—	—	<i>.14</i>		21
22	<i>.12</i>	—	<i>.03</i>	—	—	<i>.32</i>	<i>.32</i>	—	—	—	—	<i>.07</i>		22
23	<i>.02</i>	<i>.47</i>	<i>.34</i>	<i>.01</i>	—	—	<i>.24</i>	—	—	<i>.06</i>	—	—		23
24	<i>.09</i>	<i>.05</i>	—	—	<i>.02</i>	—	<i>.01</i>	—	<i>.16</i>	—	—	—		24
25	<i>.18</i>	—	—	—	—	—	<i>.01</i>	—	<i>.15</i>	<i>.02</i>	—	—		25
26	—	—	<i>.36</i>	—	—	—	<i>.13</i>	—	<i>.03</i>	<i>.14</i>	—	—		26
27	<i>.34</i>	<i>.08</i>	—	—	—	—	<i>.13</i>	—	<i>.02</i>	<i>.30</i>	<i>.06</i>	—		27
28	<i>.21</i>	<i>.17</i>	<i>.07</i>	<i>.03</i>	—	<i>.03</i>	<i>.02</i>	—	—	<i>.13</i>	—	<i>.10</i>		28
29	<i>.04</i>	<i>.21</i>	<i>.12</i>	—	<i>.02</i>	<i>.25</i>	<i>.04</i>	—	—	<i>.02</i>	<i>.07</i>	<i>.02</i>		29
30	<i>.08</i>	~~<i>.11</i>~~	—	—	<i>.36</i>	<i>.35</i>	<i>.19</i>	<i>.04</i>	—	<i>.25</i>	<i>.03</i>	—		30
31	<i>.12</i>	~~<i>.11</i>~~	<i>.06</i>	~~<i>.11</i>~~	<i>.04</i>	~~<i>.11</i>~~	<i>.02</i>	—	~~<i>.11</i>~~	—	~~<i>.11</i>~~	<i>.35</i>		31
TOTAL	<i>4.34</i>	<i>2.22</i>	<i>1.60</i>	<i>.85</i>	<i>1.25</i>	<i>3.87</i>	<i>3.22</i>	<i>1.38</i>	<i>3.12</i>	<i>1.57</i>	<i>2.60</i>	<i>3.42</i>	Year's Total <i>29.44</i>	
* Days with .01 in. or more.	<i>21</i>	<i>14</i>	<i>14</i>	<i>18</i>	<i>19</i>	<i>16</i>	<i>25</i>	<i>12</i>	<i>17</i>	<i>14</i>	<i>17</i>	<i>17</i>	<i>42</i>	<i>184</i>
* Days with .04 in. or more.	<i>17</i>	<i>13</i>	<i>10</i>	<i>5</i>	<i>5</i>	<i>13</i>	<i>18</i>	<i>9</i>	<i>13</i>	<i>8</i>	<i>15</i>	<i>14</i>	<i>140</i>	<i>141</i>

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) [P.T.O.]

Kept at *Boardil Garden*
in the County of *San*

Diameter of Funnel of Gauge.
Height of top of Gauge above G
Ground Se

THE MORNING MEA

An observer who does not conform
year in the space on the right of

2806

LITHEP LAND COUNCIL GDNF.

1931 — 37

COPY FOR OFFICIAL USE,
ALL ORGANIZATION.

Y.
following

Jan. 1, following

780501

Date	Jan.	Feb.	March								Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.03.	—	.12.	—	—	—	.05.	—	.04.	—	—	1
2	—	—	Trace.	} .46.	—	.58.	—	—	.48.	.11.	.02.	.02.	2
3	—	.07.	—		—	.14.	.31.	—	.81	—	.42	.01.	3
4	—	—	Trace		—	—	—	.20.	—	.04.	.02.	.12.	4
5	—	} .62.	—	} .17.	.01.	.72.	.21	1.69.	.43.	Trace.	Trace.	.27.	5
6	—		—		—	.34.	—	.01.	.50.	.48.	.08.	—	6
7	—		—		—	.35.	—	.42	—	—	—	.12.	7
8	.03.	—	Trace.	.06.	—	.05.	.06.	—	—	—	.15.	.14	8
9	.21	.21.	.01.	.09.	—	.10.	.01	.54.	—	.08.	.15.	.02	9
10	.02	—	Trace.	—	.28.	.34.	—	.05.	.08.	—	.31.	.01	10
11	.24	—	—	—	—	Trace.	—	.01.	.68.	—	.17.	.02	11
12	.02	—	—	Trace.	—	—	.17	.15.	.10.	.07.	.01.	—	12
13	—	.66	.09.	Trace.	.05.	—	Trace.	.17.	—	—	—	—	13
14	.03	—	—	Trace.	.01	1.51.	—	.68.	.10	—	.62.	Trace.	14
15	.07.	—	Trace.	.21	.15.	.01.	.05.	—	Trace.	—	—	.18.	15
16	.02.	—	—	.15.	—	.01	.06.	.67.	.15.	—	Trace.	—	16
17	.05	.01.	—	.08.	.24	—	.08.	.13.	.02.	—	.23.	—	17
18	.29	—	—	—	—	.29.	.45.	—	.04.	—	.41	—	18
19	.13	.23.	—	Trace.	—	—	.04.	.90.	—	.01.	Trace	—	19
20	.01.	.13	.13.	—	—	—	.07.	.18.	—	—	—	.01.	20
21	—	—	.01.	—	.22.	Trace.	—	.15.	—	—	—	Trace.	21
22	—	Trace	—	.08.	.25.	—	Trace	—	—	—	.11.	—	22
23	.21	Trace	—	.04.	—	.14.	—	—	—	—	.18.	.18.	23
24	—	.02.	—	.14.	.45.	—	.06.	—	—	—	.13.	} .30.	24
25	—	.34.	—	.30	.23.	—	—	—	—	—	.13.		25
26	.17	.04.	—	.30.	—	—	—	—	—	—	.78		26
27	.31	.11.	—	.07.	—	—	.04.	—	—	.29.	.79.	—	27
28	.32	.25.	.01.	.02.	.24.	.01.	—	—	—	.08	—	—	28
29	.01.	X	.04	—	.01.	—	.05.	—	Trace	—	.01.	—	29
30	.03	X	—	.01.	—	.02.	—	—	.10	—	Trace.	.05.	30
31	.02.	X	—	X	Trace.	X	—	—	X	.01.	X	.03.	31
TOTAL	2.19.	2.72	0.29.	2.30	2.14.	4.61.	1.66.	6.00	3.49	1.18	4.69.	1.45.	32.72.
*Days with or more.	19	13.	6.	16.	12.	15.	14.	16	12	10.	19.	15.	167.
*Days with or more.	10.	10.	3.	14.	9	11	13	14	11.	8.	15.	8.	125

FORM 1090.

REGISTER OF RAINFALL IN 1931 .

Kept at Boarcel Gardens, Litherland, L'pool.
in the County of Lancashire.

Diameter of Funnel of Gauge 5" in.
Height of top of Gauge above Ground 1' ft. 0' in.
Ground Sea Level 58.75 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.03	—	.12	—	—	—	.05	—	.04	—	—	1
2	—	—	Trace	.46	—	.58	—	—	.48	.11	.02	.02	2
3	—	.07	—		—	.14	.31	—	.81	—	.42	.01	3
4	—	.62	Trace	.17	—	—	—	.20	—	.04	.02	.12	4
5	—		—		.01	.72	.21	1.69	.43	Trace	Trace	.27	5
6	—		—	—	—	.34	—	.01	.50	.48	.08	—	6
7	—		—	—	—	.35	—	.42	—	—	—	.12	7
8	.03		Trace	.06	—	.05	.06	—	—	—	.15	.14	8
9	.21	.21	.01	.09	—	.10	.01	.54	—	.08	.15	.02	9
10	.02		Trace	—	.28	.34	—	.05	.08	—	.31	.01	10
11	.24		—	—	—	Trace	—	.01	.68	—	.17	.02	11
12	.02		—	Trace	—	—	.17	.15	.10	.07	.01	—	12
13	—	.66	.09	Trace	.05	—	Trace	.17	—	—	—	—	13
14	.03		—	Trace	.01	1.51	—	.68	.10	—	.62	Trace	14
15	.07		Trace	.21	.15	.01	.05	—	Trace	—	—	.18	15
16	.02		—	.15	—	.01	.06	.67	.15	—	Trace	—	16
17	.05	.01	—	.08	.24	—	.08	.13	.02	—	.23	—	17
18	.29	—	—	—	—	.29	.45	—	.04	—	.41	—	18
19	.13	.23	—	Trace	—	—	.04	.90	—	.01	Trace	—	19
20	.01	.13	.13	—	—	—	.07	.18	—	—	—	.01	20
21	—	—	.01	—	.22	Trace	—	.15	—	—	—	Trace	21
22	—	Trace	—	.08	.25	—	Trace	—	—	—	.11	—	22
23	.21	Trace	—	.04	—	.14	—	—	—	—	.18	.18	23
24	—	.02	—	.14	.45	—	.06	—	—	—	.13	.30	24
25	—	.34	—	.30	.23	—	—	—	—	—	.13		25
26	.17	.04	—	.30	—	—	—	—	—	—	.78	.79	26
27	.31	.11	—	.07	—	—	.04	—	—	.29	.79		27
28	.32	.25	.01	.02	.24	.01	—	—	—	.08	—	—	28
29	.01	X	.04	—	.01	—	.05	—	Trace	—	.01	—	29
30	.03	X	—	.01	—	.02	—	—	.10	—	Trace	.05	30
31	.02	X	—	X	Trace	X	—	—	X	.01	X	.03	31
TOTAL	2.19	2.72	0.29	2.30	2.14	4.61	1.66	6.00	3.49	1.18	4.69	1.45	YEAR'S TOTAL 32.72
*Days with ".01 in. or more.	19	13	6	16	12	15	14	16	12	10	19	18	167
*Days with ".04 in. or more.	10	10	3	14	4	11	13	14	11	8	15	8	128

40-9999

*See Instruction 2 (f) on other side.

(Signed)

P.T.O.

Section



for the entry of Daily Observations.

Station No. 2806.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Barnside Gardens, Litherland
in the County of Lancaster

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 0 in.
Ground Sea Level 58.75 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.33.	.01.	-	.27.	.37.	Trace.	.02.	-	.07.	.26.	.05.	.26.	1
2	-	Trace.	-	-	.39.	-	-	Trace.	.62.	.04.	.23.	-	2
3	.32.	-	-	.04.	-	-	.10.	.10.	.21.	.03.	.03.	-	3
4	.02.	-	-	-	-	-	.10.	-	.20.	.03.	.11.	-	4
5	.58.	-	X	.06.	.09.	-	Trace.	Trace.	.08.	-	-	-	5
6	.64.	-	X	.17.	.01.	-	Trace.	-	.15.	-	-	-	6
7	.15.	-	.18.	.22.	.08.	-	Trace.	-	.65.	.39.	-	-	7
8	Trace.	-	-	.06.	-	-	-	-	.38.	.35.	-	-	8
9	X	-	-	.11.	-	-	-	-	-	.06.	-	-	9
10	X	.33.	-	-	.01.	-	-	-	.37.	.35.	.01.	-	10
11	.02.	.01.	-	.04.	.37.	.05.	.29.	-	X	-	-	-	11
12	.09.	-	-	-	.43.	-	.91.	.01.	.01.	-	-	-	12
13	-	-	-	.08.	.07.	-	.24.	.09.	.09.	.20.	-	.27.	13
14	.11.	-	-	.09.	-	-	.28.	-	-	.10.	.14.	.09.	14
15	.01.	-	-	.01.	.51.	-	-	-	-	-	.06.	-	15
16	.07.	-	-	.03.	Trace.	-	.10.	Trace.	-	.16.	-	.03.	16
17	X	-	-	-	-	-	X	.01.	-	X	-	Trace.	17
18	-	-	-	-	.02.	-	.01.	Trace.	Trace.	Trace.	.05.	-	18
19	-	-	-	.18.	.07.	-	.04.	-	.03.	.27.	-	.04.	19
20	-	-	-	.09.	.23.	-	.05.	.13.	-	.24.	.08.	.03.	20
21	.05.	-	.28.	Trace.	.25.	-	-	.60.	-	.70.	.19.	.01.	21
22	Trace.	-	.08.	.07.	.07.	-	-	-	-	.13.	.46.	-	22
23	-	.01.	-	.01.	-	-	.67.	-	-	-	.09.	.04.	23
24	.10.	-	-	-	.01.	-	-	-	.26.	.01.	.22.	-	24
25	.01.	-	-	.02.	.01.	.02.	.17.	-	X	.75.	.07.	-	25
26	-	-	-	.08.	.23.	-	.12.	-	.14.	.30.	-	.01.	26
27	-	-	.130.	.240.	.08.	.33.	.13.	-	-	.03.	Trace.	-	27
28	-	-	X	.10.	.30.	-	-	Trace.	-	.01.	-	Trace.	28
29	.02.	-	X	.63.	X	.12.	-	Trace.	.11.	.08.	.38.	.28.	29
30	-	X	.35.	.37.	-	.15.	-	.05.	.13.	X	.26.	.04.	30
31	-	X	.03.	X	-	X	-	.02.	X	X	X	.14.	31 "d"
TOTAL	3.05.	.03.	2.50.	2.97.	3.60.	.67.	3.23.	1.01.	3.30.	5.56.	2.22.	1.58.	29.72.
*Days with .01 in. or more.	14	3	9	22	21	5	15	8	18	22	12	14	-
*Days with .04 in. or more.	12	NIL.	4	18	15	4	13	5	15	16	14	10	-

40-9999

*See Instruction 2 (f) on other side.

(Signed)

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No. 2306.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Council Gardens, Kitterland
in the County of LancashireDiameter of Funnel of Gauge 5" in.
Height of top of Gauge above Ground 1 ft. 0 in.
Ground Sea Level 58.75 ft.

5 June 12" High

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	Trace	.11	-	.14	Trace	-	-	-	Trace	-	.08	-		1
2	.02	-	.17		.01	.20	-	.02	-	-	-	-		2
3	.01	.49	.20	-	.16	-	-	-	-	-	Trace	-		3
4	.35	-	.10	-	.17	-	-	-	-	-	.10	-		4
5	.06	.03	-	-	.03	-	-	-	-	-	-	-		5
6	.19	.19	.11	-	.13	-	-	-	-	-	.01	.01		6
7	-	.41	-	-	-	-	.04	.02	-	.39	-	Trace		7
8	-	Trace	.16	-	.02	-	.75	-	-	-	.01	.02		8
9	-	.37	-	.11	-	-	-	-	-	.26	.07	-		9
10	-	.36	-	-	-	.05	.04	-	-	1.00	.04	-		10
11	-	-	-	-	Trace	-	.05	.01	-	.03	-	.17		11
12	.18	.01	-	-	-	.03	.20	-	-	.06	.01	.07		12
13	-	-	-	-	.13	-	.08	.15	-	.25	.21	-		13
14	.35	-	-	-	-	-	.06	.17	-	.35	.49	-		14
15	-	-	.01	-	Trace	-	Trace	-	-	-	.15	Trace		15
16	.16	.02	.11	-	.03	.20	-	.01	-	.20	.01	-		16
17	.32	-	.42	-	-	.56	-	.06	.05	Trace	-	-		17
18	.07	-	.37	-	-	-	-	-	-	-	.26	-		18
19	-	-	-	Trace	-	.03	Trace	-	.16	-	-	.06		19
20	-	.08	-	-	.35	1.59	-	.32	.03	-	Trace	.01		20
21	-	-	-	-	-	.19	-	-	-	-	-	-		21
22	-	-	-	-	.02	-	-	.16	-	.04	-	-		22
23	-	-	-	.38	-	.28	-	-	.47	.04	-	-		23
24	-	.29	-	.14	.14	.25	-	-	-	.01	-	.18		24
25	-	1.14	-	.08	-	-	-	-	.25	-	-	-		25
26	-	-	-	.13	-	Trace	-	-	-	.26	-	-		26
27	-	.01	-	-	.14	-	-	Trace	.01	-	-	-		27
28	-	-	-	.02	-	-	.05	.50	-	.22	-	-		28
29	.01	X	Trace	-	-	-	-	.04	-	-	-	.04		29
30	.01	X	-	.10	-	.01	.01	-	-	-	-	.11		30
31	.09	X	-	X	-	X	-	.20	X	.15	X	-		31
TOTAL	1.82	3.51	1.65	1.10	1.33	3.39	1.28	1.66	0.97	3.26	1.44	0.67	22.08	
*Days with .01 in. or more.	-	-	-	-	-	-	-	-	-	-	-	-		
*Days with .04 in. or more.	-	-	-	-	-	-	-	-	-	-	-	-		

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required
(Signed) Geo. Sanford.

[P.T.O.]

COPY FOR OFFICIAL USE.

Section



for the entry of Daily Observations.

Station No. 2806

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at *Latter Hill Park, Litherland*
in the County of *Lancaster*

Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *1* ft. *0* in.
Ground Sea Level *58.75* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1 of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.08	-	-	-	Trace	-	-	.10		.01	.38	.77		1
2	-	.01	.10	-	-	-	-	.50		-	.18			2
3	.12	-	-	-	-	-	-	-		.15	.08	.10		3
4	.14	-	.02	.02	.06	-	-			.65		.95		4
5	-	-	.01	-	.26	-	-	.61	.10	.03	-	.02		5
6	.31	-	.01	.01		Trace	-			.20	-	.12		6
7		-	Trace	.03	.02	-	-	-			.10	.22		7
8	-	-	-	-	.43	.18	-	.02		.14	.68	-		8
9	-	-	.16	Trace	-	-	-	.09		Trace	.29	.01		9
10	-	-	.13	.25	-	-	-	.33	-	.01	.07	-		10
11	.05	-		.47	-	-	-	.20	-	-		.20		11
12	-	-	.04	.07	-	-	Trace		-	.02	-	Trace		12
13	.31	-	-	.05	.01	-	.35	-	-	.20	-	-		13
14		-	.25	-	-	.02	-	-	-		.01	.05		14
15	.06	-	.11	Trace	.53	-	Trace	.02	.24	.08	Trace	.20		15
16	.35	-	.05	-	.01	-	-	-	-	.14	.01			16
17	.11	-	.14	.05	.32	-	.23	-	.28	.10	-	.11		17
18	.25	Trace		.10	.60	.28	-	.04	.03	.01	-	.15		18
19	-	-	.13	-		.15	-		.27	.10	-	.06		19
20	-	-	.01	.06	.13	.04	-	-	.10	.06	-	.01		20
21	Trace	-	.12	.10		.17	-	.04	.24		-	-		21
22	.03	-	.05		-	-	.01	.34	.24	.10	Trace			22
23	-	-	.04	.55	-	.44	.33	.13	-	.26	-			23
24	-	.14	-	.02	.01		.02	-	.39	.06	-	.67		24
25	-		Trace	.04	-	-	.03	-	.18	.05	-			25
26	.11	-	-	.22	-	.10	.04	-	.02	.04	-			26
27	-	-	-	Trace	-	.20	.03	Trace	-	.22	.02			27
28	-	-	-	-	-	.02	.10	.43	-		-	.39		28
29	.01	X	-	-	-	-			.84	.27	-	.11		29
30	.20	X	-	-	-	-	Trace	.20		.90	-			30
31	-	X	-	X	-	X	-		X	.23	X	.15		31
TOTAL	2.13	.15	1.37	2.04	2.38	1.60	1.14	3.05	2.93	5.13	1.82	4.29	28.03	
* Days with .01 in. or more.	-	-	-	-	-	-	-	-	-	-	-	-		
* Days with .04 in. or more.	-	-	-	-	-	-	-	-	-	-	-	-		

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required

(Signed)

W. P. S. P. S.

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No. 2806

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at *Salton Hill Park Hitherland*
in the County of *Lancaster*

Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *1* ft. *0* in.
,, Ground ,, Sea Level *58.75* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.20	.09	-	.01	.01	-	.24	-	-	.14	.03	.90		1
2	Trace	.52	.08	-	-	.35	-	-	-	.14	.14	.90		2
3	.05			.06	-	.35	-	-	.57			.24		3
4	-	.23	Trace	-	-		-	-	.18	.23	.01	Trace		4
5	-	.04	.13	.10	-	-	-	-	.27		.15	.09		5
6	-	-	-		-	.20	-	-	Trace	-	.02	.01		6
7	-	-	-	.20	-		-	-	-	.36	.08	.28		7
8	-	-	-		-		-	.01	-	.06	.20			8
9	.03	-	-	.10	-	.10	-	-	-	1.79	.10	-		9
10	-	.12	-	-	-		Trace	-	-	.09		-		10
11		.01	-	-	-	.20	-	.04	-	.15	.06	-		11
12	.52	.09	-	-	-	.10	-	-	.12	.01	-	-		12
13		.02	-	.05	.21	.03	-	-			-	-		13
14	.03	-	-		-	.30	.44	-	.15	-	.54	1.03		14
15	Trace	.27	-	.47	.03	-	.05	-		Trace	-			15
16	.02	.37	.05		.31	Trace	.11	-	.62	-	1.08	-		16
17	-	-	-	.13	.65	.32	.91	-		.04		-		17
18	-	-	-		.52		-	-	-	.10	-	-		18
19	-	-	-			.37	-	-	-	.03	.12	-		19
20	-	.27	-	.84	-	.06	-	-	-	-	.12	-		20
21	-	.09	-		-	-	-	-	1.80	.10	Trace	-		21
22	-		Trace		-	-	-		.17	-	-	-		22
23	.06	.40		-	-	-	-		.11	.60	-	-		23
24	.25		.45	-	-	-	-	.60	.60	.03	-			24
25	.12	.04		-	-	.06	-		-	-	.05	.53		25
26	-	.05	-	-	-	~~.10~~	-		.40	.23	.02			26
27	-	.02	-	-	.06	.10	.08	.15	.13		.34	.01		27
28	.08	.02	-	-	-	-	-	.65	.73	.24	.04	-		28
29	-	X	.05	-	-	.71	-	.11		.08	-	.07		29
30	.05	X	-	-	-		-		.21	.35	-	.05		30
31	.01	X	-	X	-	X	-	.46	X	.03	X	.61	a.	31
TOTAL	1.42	2.65	0.76	1.96	1.79	3.25	1.83	1.42	6.06	4.66	3.10	3.82	32.72	
* Days with .01 in. or more.	-	-	-	-	-	-	6	-	-	-	-	-	-	
* Days with .04 in. or more.	-	-	-	-	-	-	6	-	-	-	-	-	-	

† Spare column, no entries required.

(Signed)

Section

A

for the entry of Daily Observations.

Station No. 2806

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.Kept at HATTON HILL PARK, LITHERLANDin the County of LANCASTERDiameter of Funnel of Gauge.....5 in.Height of top of Gauge above Ground.....1 ft. 0 in.,, Ground ,, Sea Level 58.75 ft.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	Trace	.10	.33	.20	-	Trace	-	.35	.06	-	.34	.73		1
2	.14		-	.09	-	.37	-	.05	.03	-	.20	.24		2
3	-	-	-	-	-	.66	.15		.55	-	-	Trace		3
4	-	.20	.17	-	-	-	-		.25	-	.25	.22		4
5	.15	.06	.10	-	-	-	-	.45	.50	-	-	.24		5
6	.04	-	-	-	.04	-	.10		.35	-	.05			6
7	.10	-	.48	-	-	-	.07	-	-	-	.62	.12		7
8		-		-	-	-	-	-	.01	-		.04		8
9	.36	-	Trace	-	-	.05	.28	-	.20	-	.25	.01		9
10	.05	-	-	-	-	.12	.53	-	.10	-	.26	-		10
11	-	-	-	-	-	-	.56	Trace	.30	-	.49	.20		11
12	-	-	-	-	.08	.17		-		-	.11	.18		12
13	.05	-	-	-	.06	.38	.01	-	.03	.02	.02			13
14	-	-	-	.04	-		-	.05	-	.22	.54	.65		14
15	.21	-	-	.03	.12	-	-	.10	-	.02		.02		15
16	.02	.05	-	.15	.22	-	.04	-	-	-	.57	.03		16
17	.06	.37	-			-	.01	.15	-	-	.02	.04		17
18	-	.10	-	-	-	-	.39	.24	-	.42	-	-		18
19	.62	.15	.01	.21	-	.16		.12	-		-	-		19
20	.36	.18	Trace	-	-	.46	-	-	-	.05	-	-		20
21	.34	-	.08	.10	-		-	-	-	.02	-	.04		21
22	.05	.47		-	-	.83	.42	-	-	Trace	-	.11		22
23	Trace		.06	.03	Trace	-	.37	-	-	-	-	-		23
24	.17	-	-	-	Trace	-	-	-	.21	.03	-	-		24
25	.15	-	-	-	-	-	-	-	.56	.40	-	-		25
26		-	.26	.01	-	-	-	-	.11	.25	-	-		26
27	.60	.11	Trace	-	-	-	-	-		.25	-	-		27
28	.11		.40	.04	-	Trace	-	-	-	.03	-	.11		28
29	.02	.25		-	Trace	.38	-	-	-	.02	.17	.01		29
30	.15		-	-	-	.53	-	.01	-	.25	.10	-		30
31	.20		.06		.30		.29	-		-		.26		31
TOTAL	3.95	2.04	1.95	0.90	0.82	4.11	3.22	1.52	3.26	1.98	4.09	3.25	31.09	✓
* Days with .01 in. or more.	22	12	13	10	7	12	15	11	16	14	17	19	168	✓ low
* Days with .04 in. or more.	20	12	11	7	6	12	13	8	13	8	15	14	139	✓

Geo. P. P. P.

Section

A

for the entry of Daily Observations

Station No. 2806

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at HATTON HILL PARK LITHERLAND

in the County of LANCASTER

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

Ground Sea Level 58.75 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	-	.13	.13	-	-	-	.03	-	.37	.10	.02	.05		1
2	.02	.16	.17	.23	-	Trace	.02	-	-	-	Trace	Trace		2
3	-	.10	-	.06	.13	.24	.05	-	-	-	-	Trace		3
4	.23	Trace	.01	.06	.10	-	.03	-	-	.02	-	.53		4
5	.65	-	.10	.20	-	.02	.03	-	-	-	-	-		5
6	.04	-	-	.07	.09	-	-	-	-	-	-	-		6
7	-	.36	-	-	Trace	.09	-	-	.05	-	.01	Trace		7
8	-	.45	.04	.03	.14	.04	.12	-	-	-	-	Trace		8
9	-	.04	.01	.02	-	.05	-	.15	-	-	.10	.34		9
10	-	.13	.20	-	-	Trace	Trace	-	-	-	-	-		10
11	-	-	.02	-	.45	-	-	-	.95	-	Trace	.14		11
12	.11	.40	-	-	-	.40	-	.03	.05	-	-	-		12
13	-	.23	-	.02	-	-	-	1.76	.05	-	.13	-		13
14	-	-	-	-	-	-	-	.01	.06	-	-	-		14
15	.15	.31	-	.36	-	-	.54	-	.38	-	-	.42		15
16	-	.17	.24	.45	-	-	-	.14	.11	-	.01	Trace		16
17	.10	.06	.09	.23	-	Trace	-	-	-	Trace	-	-		17
18	.09	.20	Trace	-	-	-	.10	.22	-	-	.42	-		18
19	.08	.06	.10	.30	.14	.28	-	Trace	-	-	.30	-		19
20	.02	.23	-	.27	.76	-	.25	-	.01	.17	-	.05		20
21	.01	.13	.12	.04	-	.23	-	-	-	.07	Trace	.03		21
22	.07	.05	-	Trace	.59	.01	.03	-	-	-	.16	.10		22
23	.12	Trace	.04	-	-	Trace	.08	-	.03	.10	.08	.01		23
24	-	.40	.03	-	-	-	-	-	.25	-	.01	-		24
25	-	.46	-	-	-	-	-	.20	-	.03	-	.03		25
26	-	.30	.10	-	.20	-	.07	-	.01	-	Trace	-		26
27	-	.61	-	.37	-	-	-	-	-	.36	-	-		27
28	-	-	-	-	-	-	-	-	-	.12	-	-		28
29	.01	X	-	-	-	.03	-	.04	-	.38	.23	Trace		29
30	.26	X	-	-	-	.25	-	-	-	.06	.36	-		30
31	-	X	-	X	-	X	-	.12	X	-	X	-		31
TOTAL	1.96	4.85	1.41	2.73	2.64	1.41	1.55	2.67	2.37	2.41	1.83	1.70	Year's Total 27.53	
* Days with .01 in. or more.	-	-	15	-	-	-	-	-	-	-	-	-		
* Days with .04 in. or more.	-	-	11	-	-	-	-	-	-	-	-	-		

† Spare column, no entries required

(Signed)

Geo. Pansford.
ENGINEER AND SURVEYOR
COUNCIL OFFICES
LITHERLAND
5.1.38.

* See Instruction 3 (f) on other side.

Kept at *Kirby*
in the County of *...*
Diameter of Funnel of Gaug
Height of top of Gauge abo
" Ground "
THE MORNING ME

An observer who does not cor
year in the space on the right

2806/2

KIRBY, ESTATE WORKS
1938-40

Station No. 2806/2
FALL ORGANIZATION

1938

JAN?
Days cold: by
summing up
only
FORM 579013/36
MONTHLY

SUS DAY

the following

Jan. 1, following

780501

Date	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		.01	-			1.14	-	.21	.21	✓	.11	.23		1
2		.04	-	✓ .18	TR.	.16	-			✓ .48	.02	.10		2
3		TR.	-	-		.03	✓ .08		✓	.76	.13	-		3
4			-	.02		✓	.17	TR.	.25	.10		✓ .80		4
5		.01	-			-	.07	1.61	.09	.47				5
6			-	TR.		-.18	.26	-	.07	.23		.04		6
7			-				.36	✓	.06	.19		.02		7
8		.02	.01				.53	✓ .05		✓		.59		8
9		.28	.09			.39	✓	.98		✓ .49		✓		9
10		.06	TR.			.02	✓ .33		✓	.23	TR.	✓		10
11		.01	-			.18	✓	.07	.01	✓ .06	.12	.09	✓ .34	11
12	(2.00)	TR.	-			.11	-.06			1.12	.47			12
13		TR.	-			.08		.03	-	.08	.05	✓ .06		13
14			-			✓ .12		.07	-.04	.01	-	.02		14
15			.01			TR.	.01	.09	.18 .14		✓	.01	.10	15
16			.10			TR.	✓	.02	.07	✓ .07	.02	.03		16
17			TR.			.05	✓ .21	.10	✓	.30	.01	✓		17
18			-			.05		.35	-.05	.21	.29	-.05		18
19			.06					.10	.03	-	.24			19
20			✓ .06					✓	.08	-	✓			20
21			.02			.06	✓ .02	-.04	.03	-	.13			21
22			-			✓ .02				-	.39			22
23			-	.01	.01	✓ .32		TR.	.15	-	.20			23
24	#	.11	.25		.02	✓ .21		.58	✓	.12	.10			24
25	.01	.12	.12		.02	✓	.12		-.08	.43	.53			25
26	.11	✓ .21	✓ .31		.21	✓			.12	.64	✓ .55			26
27	.19	✓			.56	✓ .46	.10	✓	.01	.01	✓	.21		27
28	.11	.02	.02		✓ .25	.71	.22	✓ .26	.01	-	.01	.14		28
29	.50	✓	-		✓	.12	.21			✓	.10	.27		29
30		✓	-		.02	.01			.44	-.12	.24	.25		30
31	.08	✓	-	✓	.39	✓			✓	.29	✓	.48		31
TOTAL	(3.00)	89✓	.99	.21	3.13	3.84	2.92	4.49	1.90	6.43	3.66	3.71	35.17	Year's Total
* Days with .01 in. or more.	(21)	12	10	3	15	17	17	15	20	23	22	18	(19.3)	
* Days with .04 in. or more.	(17)	7	6	1	11	12	17	12	14	20	16	15	(14.8)	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

[P.T.O.]

LANCASHIRE COUNTY COUNCIL

* per.

Land Drainage Engineer

Section

A

for the entry of Daily Observations

Station No. 2806/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at *St. Asaph (Estate Works)**Part Jan est by surr stus.*in the County of *S. Wales*

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....1.....ft.....0.....in.

,, Ground ,, Sea Level ...48.....ft.

VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1		.01	—			1.14	—	.21	.21	✓	.11	.23		1
2		.04	—	✓ .18	TR.	.16	—			✓ .48	.02	.10		2
3		TR.	—	—		.03	✓ .08		✓	.76	.13	—		3
4			—	.02	✓		.17	TR.	.25	.10		✓ .80		4
5		.01	—			—	.07	1.61	.09	.47				5
6			—	TR.		— .18	.26	—	.07	.23		.04		6
7			—				.36	✓	.06	.19		.02		7
8		.02	.01				.53	✓ .05		✓		.59		8
9		.28	.09			.39	✓	.98		✓ .49		✓		9
10		.06	TR.			.02	✓ .33		✓	.23	TR.	✓		10
11		.01	—		.18	✓	.07	.01	✓ .06	.12	.09	✓ .34		11
12	(2.00)	TR.	—		.11	— .06				1.12	.47			12
13		TR.	—		.08		.03	—	.08	.05	✓	.06		13
14			—		✓ .12		.07	— .04	.01		.02			14
15			.01		TR.	.01	.09	.18 .14	✓		.01	.10		15
16			.10		TR.		✓	.02	.07	✓ .07	.02	.03		16
17			TR.		.05		✓ .21	.10	✓	.30	.01	✓		17
18			—		.05			.35	— .05	.21	.29	— .05		18
19			.06					.10	.03	—	.24			19
20			✓					✓	.08	—	✓			20
21			.02		.06			— .04	.03	—	.13			21
22			—		✓ .02					—	.39			22
23			—	.01	.01		.32	tr.	.15	—	.20			23
24	#	.11	.25		.02		.21	.58	✓	.12	.10			24
25	.01	.12	.12		.02	✓	.12	— .08	.43	.53				25
26	.11	✓ .21	✓ .31		.21	✓		.12	.64	✓ .55				26
27	.19	✓	—		.56	✓ .46	.10	✓	.01	.01	✓	.21		27
28	.11	.02	.02		1.25	.71	.22	✓ .26	.01	—	.01	.14		28
29	.50	✓	—		✓	.12	.21		✓	.10	.27			29
30		✗	—		.02	.01		.44	— .12	.24	.25			30
31	.08	✗	—	✗	.39	✗		✗	.29	✗	.48			31
TOTAL	(3.00)	89	✓ .99	✓ .21	3.13	3.84	2.92	4.49	1.90	6.43	3.66	3.71	35.17	Year's Total
* Days with .01 in. or more.	(21)	12	10	3	15	17	17	15	20	23	22	18	(193)	
* Days with .04 in. or more.	(17)	7	6	1	11	12	17	12	14	20	16	15	(148)	

* Days with .01 in. or more.
* Days with .04 in. or more.

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) *...* [P.T.O.]

LANCASHIRE COUNTY COUNCIL

* per.

Lancashire County Council

78

Section



for the entry of Daily Observations

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Station No. 2806/2

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at *Kirkby Estate Works*

in the County of *S. Lancashire*

Diameter of Funnel of Gauge *5* in.

Height of top of Gauge above Ground *1* ft *0* in.

Ground Sea Level *48* ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.58		.02					tr.				.02		1
2	.04		.03	.54			.24	.75						2
3	.16		.09	.15	.10			.20	.27		.03	.96		3
4				.26			.32			.02		.64		4
5			.09	.01	.28		.52			.15	.30			5
6	1.08	.13	Tr.				.35				.05	.40		6
7		.43			.01		.13	.07			.17			7
8	.11	.11	.39	.01			.61	tr.		.20	.16	.46		8
9	.02	.12	Tr.					.39		.20				9
10	.33		Tr.					.15	.27	.20	.03	.69		10
11	.35					.032		tr.		.12				11
12	.56	.12	.26			.10					.01			12
13			.02	.22		.21	.30		.28					13
14					.40	.78	.10				.39			14
15	.64				.03	.75					.06			15
16	.01	.03		.22	.26		.54			.07	.13			16
17	.71	.01	.10		.29					.51	.02			17
18	.04					.38	.32							18
19	.22	.12	.04				.37				.82			19
20	.08		.11			.07	.10	.01	.08					20
21		.01	.33		.01			.24						21
22	.16	.38	.05							.03	.54			22
23	.05	.31	.01	.34		.10		.01		.48	.20			23
24	tr.	.15		.08						.11	.03			24
25	.06			.10		.02				.01		.03		25
26		.16		Tr.							.94			26
27		.77	.02			.25		tr.			.12	.19		27
28		.06	.10	.02			.74				.62			28
29						.11		.05		.05	.09			29
30		~~X~~		.05			1.47				.04			30
31		~~X~~		~~X~~		~~X~~	.04	.05	~~X~~		~~X~~			31
TOTAL	5.20	2.91	1.66	2.00	1.38	3.09	6.15	1.92	.90	2.15	4.75	3.39	35.50	Year's Total
* Days with .01 in. or more.														
* Days with .04 in. or more.														

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) [P.T.O.]

Section



for the entry of Daily Observations

Station No. 2806/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940.

Kept at Kirkby Estate Worksin the County of S. Lancashire

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground....1.....ft. 0.....in.

,, Ground ,, Sea Level 4.8.....ft.

TRAVELLING FORM.

VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1				.07					.07			.07		1
2			TRACE	.18			.07		.005			.19		2
3				.23			.12		.02	.03	.52	.07		3
4		.13					.03				.13			4
5							.22		.006		.14	.11		5
6		.21		.17	.21					1.26		.05		6
7		.22			.05		.17	.05		.04				7
8										.24		.04		8
9			.30				.73	.09	.35	.57		.43		9
10							.33			.23	1.30	.58		10
11			.05	.03			.14	.77		.005	1.15	.02		11
12			.29			.31	.52	.15	.32		.22			12
13			.28					.07	.33		.07			13
14			.01		.13		.01	.14			.17			14
15				.13	.93			.005	.50		.07	.20		15
16		.05	.67				.26		.50	.35		.10		16
17				.07	.02		.16	.39	.005		.72	.03		17
18				.28			.005		.21		.01	.30		18
19				.02			.35				.12	.01		19
20			TRACE					.03	.14	.43	.01			20
21		.60		.30			.17	.015			.70			21
22					.19			.12	.10	.005	.005			22
23	.17	.06		.18	.11		.20		.20					23
24	.25				.02	.40	.005		.005		.10			24
25					.24	.02			.01		.04			25
26	1.13	.18			.24			.02						26
27		.48										.01		27
28	.56	.15			.36		.53	.005			.03			28
29	.25		.51			.27	.15			.04				29
30		X		.20						.23		.16		30
31	.11	X	.07	X	.07	X				1.03	X			31
TOTAL	2.47	2.08	2.18	1.86	2.33	1.00	4.17	12.55	2.77	4.46	5.505	2.37	Year's Total	32.44
* Days with .01 in. or more.	6	9	8	12	11	4	17	4	12	11				
* Days with .04 in. or more.	6	9	7	10	9	3	15	8	10	10				

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

[P.T.O.]

Section **A** for the entry
AIR MINIS

FORM 1090

Formly
Kept at ... *place ... Blundell*

in the County of ... *Lancashire*

Diameter of Funnel of Gauge...

Height of top of Gauge above C

„ Ground „ S

THE MORNING MEASU

An observer who does not conform
year in the space on the right of

2806/5

FORMBY, INCE BLUNDELL
1937 — 40

Station No. 2806/5
L ORGANIZATION

DAY

following

Jan. 1, following

780501

Please read the notes

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.01	.07	.10				.04		.43	.20	.01	.10		1
2	.03	.17	.26	.20		.02	.02			.03		.03		2
3	.01	.15	.01	.01	.16	.42	.05				.01	.02		3
4	.23	.01	.01	.08	.16		.01	.02	.01			.38		4
5	.49		.05	.22		.03	.03	.01				.18		5
6	.32			.08	.12	.05				.01	.02	.01		6
7		.31		.10	.01	.08	.01		.06		.01			7
8		.37	.01	.05		.08	.07	.01			.05			8
9		.02	.10	.02	.13	.04	.04	.12						9
10	.01	.09				.03						.38		10
11			.20		.38		.03				.02	.02		11
12	.13	.40	.03			.43	.04	.01	.44			.14		12
13		.11		.04		.01		1.40	.04		.02	.22		13
14		.18	.02				.01	.18	.11		.17	.05		14
15	.13	.40	.04	.37			.50		.27			.05		15
16	.02	.20	.22	.45				.15	.09		.01	.01		16
17	.10	.07	.11	.20					.10					17
18	.05	.19	.02	.08			.10	.05			.39			18
19	.25	.07	.10	.28	.03	.28			.03		.20			19
20	.02	.02	.11	.20	.62	.01	.14					.10		20
21	.01	.18	.07	.13	.05		.23		.01	.20		.06		21
22	.04	.04	.01		.06		.06			.05	.24	.06		22
23	.03		.02		.56	.01	.16		.01	.76	.07	.01		23
24	.19	.31	.08				.15		.27	.44	.02			24
25		.43	.05				.01	.10	.02	.04				25
26		.31	.16		.21			.03	.01	.09		.05		26
27		.50		.30					.01	.25	.01	.01		27
28			.01			.01				.11	.01			28
29	.02					.02		.04		.34	.18	.01		29
30	.09	~~X~~				.30		.01	.07	.04	.38			30
31	.13	~~X~~		~~X~~		~~X~~		.05	~~X~~	.02	~~X~~			31
TOTAL	2.31	4.60	1.79	2.81	2.49	1.82	1.70	2.18	1.98	2.58	1.82	1.83	Year's Total 27.91	
* Days with .01 in. or more.	21	23	23	17	12	16	19	14	17	14	18	20	214	
* Days with .04 in. or more.	12	20	14	15	10	8	12	8	10	11	8	12	140	

† Spare column, no entries required.

(Signed)

[P.T.O.]

* See Instruction 3 (f) on other side.

Section



for the entry of Daily Observations

Station No. 2806/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Formly. (Place) Blundell.
Kept at

in the County of Lancaster

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....1.....ft.....0.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01	.07	.10				.04		.43	.20	.01	.10		1
2	.03	.17	.26	.20		.02	.02			.03		.03		2
3	.01	.15	.01	.01	.16	.42	.05				.01	.02		3
4	.23	.01	.01	.08	.16		.01	.02	.01			.38		4
5	.49		.05	.22		.03	.03	.01				.18		5
6	.32			.08	.12	.05				.01	.02	.01		6
7		.31		.10	.01	.08	.01		.06		.01			7
8		.37	.01	.05		.08	.07	.01			.05			8
9		.02	.10	.02	.13	.04	.04	.12						9
10	.01	.09				.03						.38		10
11			.20		.38		.03				.02	.02		11
12	.13	.40	.03			.43	.04	.01	.44			.14		12
13		.11		.04		.01		1.40	.04		.02	.22		13
14		.18	.02				.01	.18	.11		.17	.05		14
15	.13	.40	.04	.37			.50		.27			.05		15
16	.02	.20	.22	.45				.15	.09		.01	.01		16
17	.10	.07	.11	.20					.10					17
18	.05	.19	.02	.08			.10	.05			.39			18
19	.25	.07	.10	.28	.03	.28			.03		.20			19
20	.02	.02	.11	.20	.62	.01	.14					.10		20
21	.01	.18	.07	.13	.05		.23		.01	.20		.06		21
22	.04	.04	.01		.06		.06			.05	.24	.06		22
23	.03		.02		.56	.01	.16		.01	.76	.07	.01		23
24	.19	.31	.08				.15		.27	.44	.02			24
25		.43	.05				.01	.10	.02	.04				25
26		.31	.16		.21			.03	.01	.09		.05		26
27		.50		.30					.01	.25	.01	.01		27
28			.01			.01				.11	.01			28
29	.02					.02		.04		.34	.18	.01		29
30	.09	X				.30		.01	.07	.04	.38			30
31	.13	X		X		X		.05	X	.02	X			31
TOTAL	2.31	4.60	1.79	2.81	2.49	1.82	1.70	2.18	1.98	2.58	1.82	1.83	Year's Total 27.91	
* Days with .01 in. or more.	21	23	23	17	12	16	19	14	17	14	18	20	214	
* Days with .04 in. or more.	12	20	14	15	10	8	12	8	10	11	8	12	140	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

[P.T.O.]

A

for the entry of Daily Observations

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at ... *Lancaster* ...

in the County of ... *Lancaster* ...

Diameter of Funnel of Gauge ... *5* ... in.

Height of top of Gauge above Ground ... *1* ... ft. ... *0* ... in.

Ground Sea Level ... ft.

Days

574012/36

VALUED FOR ... MONTHLY

late 37

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		.04	.01			1.11		.09	.17	.17	.10	.16		1
2	.01	.03		.15		.10	.02		.02	.50	.08	.06		2
3	.01	.01				.02	.39		.06	.84	.10	.03		3
4	.01			.03		.09	.02		.02	.16	.01	.69		4
5	.05						.01	1.22	.10	.43		.06		5
6	.08	.01		.01		.02	.30	.01	.15	.18		.01		6
7	.10	.01					.26	.06	.07	.05	TR.	.01		7
8	.37	.02	.01				.38	.07	.01	.56		.50		8
9	.02	.24	.05			.15	.03	.95		.06		.23		9
10	.05	.10	.03			.03	.20		.03	.25		.24		10
11	.20	.02	.01		.42	.10	.01	.04	.03	.20	.08	.07		11
12	.06				.09	.01			Tr.	1.01	.37	.01		12
13	.04		.01		.09		.04		.06	.04	.27	.06		13
14	.27				.09		.07		.02	.01	.03	.01		14
15	.24		.03		.01		.10	.15		.09	.02	.11		15
16	.20		.03		.02		.15	.02	.08	.05	.04	.02		16
17					.03		.10	.14	.08	.44	.01	.02		17
18	.02				.09			.45	.01	.19	.38			18
19								.16	.04		.04			19
20	.07		.12					.01	.15	.01	.24	.01		20
21			.03			.02		.06	.01		.11			21
22				.02	.01	.29			.01	.02	.33	.01		22
23	.03				.01	.18			.24	.01	.20	.02		23
24	.13	.16	.32		.02	.01		.80	.10	.10	.05			24
25	.03	.06	.15		.03	.03	.55	.02	.01	.35	.56	.17		25
26	.12	.16	.36		.32	.26			.20	.53	.25	.09		26
27	.20	.05	.01		.42	.15	.12	.32	.01	.01	.45			27
28	.12	.03	.01		.01	.76	.14	.02	.02	.01	.02	.12		28
29	.40		.03		1.16	.32	.15	.01	.06	.10	.20	.25		29
30	.06	~~X~~			.05	.01	.01		.28	.01	.28	.15		30
31	.14	~~X~~		~~X~~	.30	~~X~~			~~X~~	.19	~~X~~	.87		31
TOTAL	3.03	.94	1.21	.21	3.17	3.66	3.05	4.60	2.04	6.57	4.22	3.98	36.68	
* Days with .01 in. or more.	26	14	16	4	18	19	20	19	27	29	24	26	242	
* Days with .04 in. or more.	19	7	5	1	10	11	14	13	15	22	19	16	152	

* See Instruction 3 (f) on other side.

Section

A

for the entry of Daily Observations

Station No. 280615

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at Farnley, Ince Blundellin the County of LancashireDiameter of Funnel of Gauge.....5.....in.Height of top of Gauge above Ground....1..ft..0.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.22		.04	.36			.05			.03		.01		1
2	.04		.02	.19			.25	.56	.02	.01		.08		2
3	.15		.11	.12			.02	.03	.30		.01	.61		3
4	.21		.17	.35	.02		.24		.03	.02	.09	1.73		4
5		.03		.01	.32		.45	.08		.16	.29	.01		5
6	.90	.09	.01		.02		.49				.08			6
7	.04	.18					.07	.01			.07	.26		7
8	.13	.22	.34	.03			.62		.01	.14	.16	.28		8
9	.10	.12						.45		.35		.35		9
10	.25		.01			.08		.02	.22	.11	.02	.30		10
11	.25	.06	.27			.09				.30	.02			11
12	.71	.09				.04			.08		.02			12
13	.02		.01	.15	.25	.29	.24		.23	.01	.03			13
14	.58			.08	.20	.57	.37			.05	.39			14
15	.08	.04		.21	.02	.82	.03				.05			15
16	.11		.09		.24		.12			.17	.17			16
17	.41	.02		.01	.33	.13	.03			.55	.03			17
18	.19	.10	.04			.20	.11				.55			18
19	.19						.13	.01			.02			19
20	.05		.04			.08	.04		.01					20
21	.08		.31	.02	.02			.24	.06					21
22	.09	.48	.05	.07			.13			.03	.38			22
23	.03	.16	.01	.19		.06	.24			.25	.27	.01		23
24	.04	.15	.01	.01		.08	.02			.16	.02			24
25	.05	.15		.29			.01				.70	.03		25
26										.02	.29			26
27	.01	.48	.03			.28	.09				.14	.21		27
28		.10	.09	.03		.11	.58				.71	.04		28
29				.05		.01	1.15	.12		.05	.11	.01		29
30		~~X~~				.10	.25				.04			30
31		~~X~~		~~X~~		~~X~~	.08	.04	~~X~~		~~X~~			31
TOTAL	4.93	2.47	1.65	2.17	1.42	2.94	5.81	1.56	.96	2.41	4.66	3.93	Year's Total 34.91	✓
* Days with .01 in. or more.	25	16	18	17	9	15	25	10	9	17	25	14	199	✓
* Days with .04 in. or more.	22	14	11	11	5	14	20	6	5	11	17	9	145	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) [P.T.O.]

Section



for the entry of Daily Observations

Station No. 280615

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1930.

Kept at Formby, Linc. Blundell

in the County of Lancashire

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

„ Ground „ Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

TRAVELLING FORM.
VALUES FORWARDED MONTHLY

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		.02		.18			.03		.01		.34	.07		1
2				.20			.02				.37	.12		2
3		.10	.03	.09			.14			.03	.06	.08		3
4		.05					.15			.18	.17	.17		4
5					.25		.34			.28	.13	.13		5
6	.10	.12					.08			.87	.10	.09		6
7	.03	.30		.11	.04			.04	.33	.06		.02		7
8	.02		.01		.01		.02		.15	.48	.03	.24		8
9			.26	.01			.93	.05	.05	.73	1.16	.11		9
10			.01				.38	.07	.02	.14	.26	.46		10
11		.01	.05	.03			.46		.14		1.21	.04		11
12			.26			.05	.43	.10			.10			12
13			.23	.06			.01	.09	.34		.11	.03		13
14			.01	.11	.09			.14	.40	.01	.33	.23		14
15				.02	.90				.01		.09	.04		15
16	.01	.30	.09				.17		.66	.29	.04	.10		16
17			.54	.01			.04		.01		.44	.04		17
18	.07	.31	.10	.22		.18		.38	.26		.01	.29		18
19		.30	.13	.02		.27	.11		.07		.08			19
20				.21			.18	.03	.21	.42	.05			20
21		.01	.02		.01			.01			.66			21
22			.04		.16			.09	.09					22
23	.06	.07	.03	.18			.18		.14		.05			23
24	.30	.01	.02		.01									24
25	.02	.01		.02	.35				.02					25
26	.90	.11			.07	.02	.81	.03			.04			26
27	.90	.50			.01		.06		.01		.02			27
28	.42	.32			1.11			.01				.03		28
29	.03		.33	.04		.30	.06			.03		.38		29
30		X		.27	.02					.23		.18		30
31	.05	X	.03	X	.02	X		.04	X	.82	X	.05		31
TOTAL	2.91	2.54	2.19	1.78	3.05	.82	4.50	1.08	2.90	4.57	5.85	2.90	35.09	✓
* Days with .01 in. or more.	13	16	18	17	14	5	20	13	18	14	23	21	192	✓
* Days with .04 in. or more.	8	11	10	11	8	4	16	9	12	11	20	18	138	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) [Signature] P.T.O.

REGI

Kept at *Bickerstaffe P.*
in the County of *Lanc.*

Diameter of Funnel of Gauge...
Height of top of Gauge above Gr
Ground " Se

THE MORNING ME

An observer who does not conform
year in the space on the right o

2807
COPY FOR OFFICIAL USE.
LL ORGANIZATION.

2807
BICKERSTAFFE, P. S.
1931 — 40

LY.
e following

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.19	—	—	.07	—	—	—	—	—	.08	—	—	1
2	—	.03	—	.45	—	.75	—	—	.51	.07	.06	.02	2
3	.05	—	—	.01	—	.19	.28	—	1.26	.02	.67	.09	3
4	—	—	—	—	—	—	.22	.05	.44	—	.02	.20	4
5	—	.02	—	.20	.15	.86	—	1.75	.25	—	—	.30	5
6	—	.25	—	—	.04	—	.01	.01	—	.58	.14	—	6
7	.05	.10	—	—	—	.78	—	.39	—	.15	.18	.09	7
8	—	—	—	.06	—	.05	.09	.80	—	—	—	.08	8
9	.06	.30	.01	.21	—	.08	—	—	.06	.07	.21	.05	9
10	.34	.03	—	—	.18	.40	—	.07	.03	—	.32	.02	10
11	—	.23	—	.03	—	.01	.36	—	.53	—	.26	.04	11
12	.06	.02	—	—	—	—	.11	.07	.07	.11	—	—	12
13	—	—	.13	.02	.07	1.42	—	1.15	.07	—	—	—	13
14	.07	.44	.01	—	.02	.01	.81	.08	—	.64	.03	—	14
15	.12	—	—	.30	.47	.01	.19	—	1.09	—	—	.14	15
16	.17	.12	—	.24	.19	.03	.09	.23	—	—	—	—	16
17	.30	.01	—	.11	—	.01	.20	.14	.06	—	.20	—	17
18	—	—	—	—	.05	.31	—	.15	.01	—	.46	—	18
19	.14	.22	—	—	—	.01	1.26	.83	—	.03	—	—	19
20	—	.21	.20	—	—	.09	.05	.14	—	—	.04	.01	20
21	.39	.05	—	—	.13	—	—	.18	—	—	—	—	21
22	.26	—	.04	.04	.07	.01	.03	—	—	—	.17	—	22
23	.20	—	—	.12	—	.20	—	—	—	—	.35	.27	23
24	.13	.03	—	.11	.58	—	.10	—	—	—	.14	—	24
25	—	.34	—	—	—	—	—	—	—	—	.13	—	25
26	—	.08	—	.69	—	—	—	—	—	—	.93	.19	26
27	.18	.15	—	.06	.19	.09	.09	—	—	.46	1.26	—	27
28	.49	.27	.01	.06	.20	—	.03	—	—	.11	—	.17	28
29	.05	snow	—	—	.02	—	.04	—	—	.67	.02	—	29
30	.28	×	—	.02	—	.01	—	—	.13	—	—	—	30
31	snow	×	—	×	.05	×	.14	—	×	.03	×	.08	31
TOTAL	3.53	2.90	.40	2.80	2.41	5.31	3.19	7.65	3.66	2.34	6.31	1.80	42.30
*Days with "or in. or more.	19	19	6	18	15	19	17	15	13	12	20	16	(189)
*Days with "or in. or more.	19	13	3	14	13	12	13	14	11	9	18	13	(152)

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1931 .

Kept at Bickerstaffe Pumping Station
in the County of Lancashire

Diameter of Funnel of Gauge..... in.
Height of top of Gauge above Ground 28' 00" A.O.D. in.
Ground Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.19	—	—	.07	—	—	—	—	—	.08	—	—	1
2	—	.03	—	.45	—	.75	—	—	.51	.07	.06	.04	2
3	.05	—	—	.01	—	.19	.28	—	1.26	.02	.67	.09	3
4	—	—	—	—	—	—	.22	.05	.44	—	.02	.20	4
5	—	.02	—	.20	.15	.86	—	1.75	.25	—	—	.30	5
6	—	.25	—	—	.04	.78	.01	.01	—	.58	.14	—	6
7	.05	.10	—	—	—	—	—	.39	—	.15	—	.09	7
8	—	—	—	.06	—	.05	.09	.80	—	—	—	.08	8
9	.06	.30	.01	.21	.18	.08	—	—	.06	.07	.21	.05	9
10	.34	.03	—	—	—	.40	—	.07	.03	—	.32	.02	10
11	—	.23	—	.03	—	.01	.36	—	.53	—	.26	.04	11
12	.06	.02	—	—	—	—	—	.11	—	.07	.11	—	12
13	—	—	.13	.02	.07	1.42	—	1.15	—	—	—	—	13
14	.07	.44	.01	—	.02	.01	.01	.81	.08	—	.64	.03	14
15	.12	—	.30	.47	.01	.19	1.09	—	—	—	—	.14	15
16	.17	.12	—	.24	.19	.03	.09	.23	—	—	—	—	16
17	.30	.01	—	.11	.05	.01	.20	.14	.06	—	.20	—	17
18	—	—	—	—	.05	.31	1.26	.15	.01	—	.46	—	18
19	.14	.22	—	—	—	.01	—	.83	—	.03	—	—	19
20	—	.21	.20	—	—	.09	.05	.14	—	—	.04	.01	20
21	.39	.05	.04	—	.13	—	—	.18	—	—	—	—	21
22	.26	—	.04	.04	.07	.01	.03	—	—	—	.17	—	22
23	.20	—	—	.12	—	.20	—	—	—	—	.35	.27	23
24	.13	.03	—	.11	.58	—	.10	—	—	—	.14	—	24
25	—	.34	—	.69	—	—	—	—	—	—	.13	—	25
26	—	.08	—	—	—	—	—	—	—	—	.93	.19	26
27	.18	.15	.01	.06	.19	.09	.09	—	—	.46	1.26	—	27
28	.49	.27	—	.06	.20	—	.03	—	—	.11	—	.17	28
29	.05	snow	—	—	.02	—	.04	—	—	.67	.02	—	29
30	.28	×	—	.02	—	.01	—	—	.13	—	—	—	30
31	snow	×	—	×	.05	×	.14	—	×	.03	×	.08	31
TOTAL	3.53	2.90	.40	2.80	2.41	5.31	3.19	7.65	3.66	2.34	6.31	1.80	YEAR'S TOTAL 42.30
*Days with or in. or more.	19	19	6	18	15	19	17	15	13	12	20	16	(189)
*Days with or in. or more.	19	13	3	14	13	12	13	14	11	9	18	13	(152)

40-9999

*See Instruction 2 (f) on other side.

Southport & District Water Board

(Signed)

[Signature]
Engineer & Manager.

P.T.O.

Section

A

for the entry of Daily Observations.

Station No. 166441/32

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Bickerstaffe Pumping Station
in the County of Lancashire

Diameter of Funnel of Gauge _____ in.

Height of top of Gauge above Ground 12.8 ft _____ in.

,, Ground ,, Sea Level _____ ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.31	.02	—	.25	.29	—	.09	.30	.20	.39	.10	.17	1
2	.52	.01	—	.06	.46	—	.11	.15	.65	.06	.29		2
3	.04	—	—	—	—	—	.12	—	.09	.20	.06	.14	3
4	.67	—	.11	.10	.05	—	.01	.08	.11	—	—	—	4
5	.86	—	—	.27	—	—	—	—	.14	—	—	—	5
6	.04	—	.23	.08	.02	—	—	—	.60	.64	—	—	6
7	—	—	—	.08	—	—	—	—	.30	—	—	—	7
8	—	—	.01	—	.06	—	—	—	.08	.54	.02	.02	8
9	.34	—	—	.22	—	—	—	—	—	.44	.04	—	9
10	.07	.02	—	.07	.51	.06	.45	—	.34	—	—	—	10
11	.14	—	—	—	.42	—	.43	.22	.01	.27	—	—	11
12	.01	—	—	.11	.06	—	.23	.12	.18	.34	—	.20	12
13	.13	—	—	.21	—	—	.49	—	—	.14	.11	.12	13
14	—	—	—	.01	.71	—	—	—	—	.12	.12	.01	14
15	.14	—	—	—	—	—	.18	.01	—	—	—	.07	15
16	—	—	—	—	.07	—	.02	—	.05	.09	.06	—	16
17	—	—	—	.14	.04	—	.05	—	.02	.30	—	—	17
18	—	—	—	.11	.21	—	.06	—	—	.22	.20	.03	18
19	—	—	—	—	—	—	—	.67	—	.57	.10	.06	19
20	.03	—	.23	.12	.60	—	.20	—	—	.26	.75	—	20
21	.05	.01	.06	—	.50	—	—	—	—	.03	—	—	21
22	—	—	—	—	.07	—	.66	—	—	.46	—	—	22
23	—	—	—	.06	—	—	.16	—	.43	1.44	.12	—	23
24	—	—	.94	.06	.20	.04	.14	—	.15	.40	.12	.04	24
25	—	—	—	.24	.12	.15	.18	—	.01	.01	—	—	25
26	—	—	—	.13	—	—	.32	—	—	—	—	.02	26
27	.03	—	.59	.37	.25	.14	.13	—	.14	.98	.33	.26	27
28	—	×	.21	.30	—	.21	.51	.08	.03	.10	.34	.04	28
29	—	×	.05	×	—	×	—	×	×	.10	×	.07	29
30	—	×	—	—	—	—	—	—	—	—	—	—	30
31	—	×	—	—	—	—	—	—	—	—	—	—	31
TOTAL	3.38	0.06	2.43	2.99	4.64	0.60	4.51	1.69	3.52	7.65	3.02	1.54	36.03
*Days with .01 in. or more.	15	4	9	20	18	5	20	10	17	21	17	15	(171)
*Days with .04 in. or more.	12	0	8	19	17	5	18	2	14	19	15	11	(140)

Southern and District Water Board,

(Signed) —

P.T.O.

40-9999

*See Instruction 2 (f) on other side,

Manager & Manager

Section

A

for the entry of Daily Observations.

Station No.

2807

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Bickerstaffe Pumping Station
in the County of Lancashire

Diameter of Funnel of Gauge _____ in.

Height of top of Gauge above Ground 128.00 ft A.O.D. in.

,, Ground ,, Sea Level _____ ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.07	.13	.09	.08	.02	—	—	.03	.02	—	.11	—	1
2	.24	—	.16		—	.06	—	.06	—	—	—	—	2
3	.05	.47	.23	—	.15	—	—	—	—	—	—	—	3
4	.45	.06	.19	—	.17	—	—	—	—	—	.12	—	4
5	.09			—	.06	—	—	—	—	—		—	—
6	—	.16	.18	—	.18	—	—	—	—	—	.02	.01	6
7	.31	.44	—	—		—	.06	.04	—	.60	—	—	7
8		—	.14	—	.05	—	—	—	—		.02	—	8
9	—	.16	—	.19	.08	.01	.58	—	—	.37	.13	—	9
10	.10	.36	—		—	—		.08	—	—	1.12	.08	—
11	—	.02	—	.08	—	.03	.04	.01	—	.09	—	.20	11
12	.04			—	—	—	.05	.24	.15	—		.07	—
13	—	—	—	—	.14	—	.11	—	—	.19	.17	—	13
14	.32	—	—	—		—	.06	.08	—	.24	.48	—	14
15		—	.01	.01	.03	.01	.01	.09	—		.16	—	15
16	.23 (snow)	.03	.12		.01	.02		.23	.01	.02	—	.20	—
17	—	.05	.55	—		—	.70	.17		.10	.03	—	.03
18	.02	—	.48	—	.01	—			—	—	—	—	
19	—	—		—	—	.01	—	—	.08	—	.32	.04	19
20	—	.19	—	—	.33	.12	.40	.04	—	—			20
21	—	—	—	—	.42	.11		—	.16	—	.07	.01	—
22		—	—	—	.30	—	—	—	.17	—		—	22
23	—	—	—	—		.13	—	.01	.53	.06	—	—	23
24	—	.14	—	.15	.12	.16	—	—		—	—	.13	24
25	—	1.02	—	.26	—		—	—	.22	—	—		25
26	—		—	—	.13	.01	—	—	—	.31	—	26	
27		.04	—	—	—	—	—	—	.02	.04	—	—	27
28	—	—	—	.24	.38	—	.06	.47	—	.02	—	—	28
29	—	—	—	—		—	.35	.09	—		—	.06	29
30	.09	X	.05	.10	—	.04	—	—	—	.16	—	.13	30
31	.08	X	.05		X	—	X	—	.06	X	.23		X
TOTAL	2.09	3.27	2.25	1.54	1.84	1.87	1.71	2.01	1.01	3.80	1.62	.60	23.61
*Days with .01 in. or more.	13	14	12	10	15	13	11	16	7	16	11	7	(145)
*Days with .04 in. or more.	12	13	11	9	10	9	10	12	5	14	8	5	(118)

40-9999

*See Instruction 2 (f) on other side,

Southport & District Water Board

(Signed) Robert E. Ede

Engineer & Manager

[P.T.O.]

Section



for the entry of Daily Observations.

Station No. 16644132

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at *Bickerstaffe Pumping Stn., Near Ousdale.*
in the County of *Lancashire.*

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground *12.8* ft. *0.* in.
,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
1934	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.12	-	-	-	-	-	-	.06	.16	.01	.32	.43		1
2	-	-	.16	-	-	-	-	.67	-	-	.29	-		2
3	.14	-	.05	-	-	-	-	-	-	.18	.06	.09		3
4	.18	-	-	-	.09	-	-	-	.12	.80	-	.90		4
5	-	-	.04	-	.31	-	-	.40	-	.10	-	.05		5
6	.36	-	.07	.01	-	-	-	-	-	.22	-	.13		6
7	-	.03	.06	.06	.02	.10	-	-	-	-	.19	.43		7
8	-	-	-	-	.21	.10	-	-	.01	.14	.93	.01		8
9	-	-	.11	.02	-	.11	-	.14	-	.08	.42	-		9
10	.01	-	.13	.23	-	-	-	.33	-	.06	.08	.16		10
11	.06	-	-	.36	-	-	-	.31	-	-	-	.03		11
12	-	-	.09	.09	.01	-	-	-	-	.07	-	-		12
13	.33	-	-	.05	-	-	.12	-	-	.17	-	-		13
14	-	-	.15	-	.01	.01	-	-	-	-	-	.08		14
15	.08	-	.18	-	.66	-	-	.04	.05	.14	-	.35		15
16	.36	-	.09	-	.19	-	-	-	-	.20	-	-		16
17	.15	-	.16	.06	.20	-	.30	-	.14	.05	-	.13		17
18	.29	-	-	.18	.56	.27	-	.04	.03	.01	-	.17		18
19	-	-	.14	-	-	.27	-	-	.37	.15	-	.03		19
20	.03	-	.01	.13	.29	.13	-	-	.10	.09	-	.01		20
21	-	-	.10	.01	-	.42	.01	.06	.15	-	-	-		21
22	.03	-	.06	-	-	-	-	.26	.28	.10	-	.09		22
23	-	-	.06	.48	-	-	.09	.46	-	.24	.06	-		23
24	-	.17	.02	-	.01	.34	.02	-	.34	.10	-	.42		24
25	-	-	.07	.02	-	-	.03	-	.34	.08	-	-		25
26	-	-	.03	.20	-	.14	.04	-	.08	.14	-	-		26
27	-	-	-	.02	-	.15	.08	-	-	.15	.01	.26		27
28	-	-	-	-	-	.08	.05	.45	.07	-	-	.58		28
29	-	-	-	-	-	-	-	.58	.74	.63	-	.10		29
30	.21	X	-	-	-	-	-	.01	-	.44	-	-		30
31	-	X	-	X	-	X	.04	-	X	.24	X	.16		31
TOTAL	2.38	0.20	1.71	1.97	2.58	2.12	0.78	4.41	2.98	4.59	2.36	4.91	30.99	Year's Total
* Days with .01 in. or more.	14	2	19	15	13	13	10	14	15	25	10	24	169	
* Days with .04 in. or more.	112	1	16	11	29	112	7	13	13	23	29	19	139	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

Engineer & Manager.

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No.

2807

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at *Bickerstaffe Pumping Station.*in the County of *Lancashire.*Diameter of Funnel of Gauge.....*5*.....ins.Height of top of Gauge above Ground.....ft.....*9*.....ins.,, Ground ,, Sea Level *128.00*.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.30	.15	-	-	-	.03	.32	-	.28	.43	.08	.21		1
2	-	.58	.24	-	-	-	-	-	.01	.04	.22	.10		2
3	.09	-	-	.04	-	.24	-	-	.65	-	-	.09		3
4	-	-	.04	.10	-	.12	-	-	.18	.12	-	.04		4
5	-	.32	.16	.04	-	.02	-	-	.28	.06	.25	.14		5
6	-	-	-	.19	-	.16	-	-	-	-	.02	-		6
7	-	-	-	-	-	.14	-	-	-	.32	.12	.28		7
8	-	-	-	.08	-	-	-	.01	-	.04	.14	-		8
9	.04	.15	-	.13	-	.10	-	-	-	1.45	.18	-		9
10	-	-	-	-	-	-	-	.01	-	.50	-	-		10
11	.35	-	-	-	-	.18	-	-	-	.10	.10	-		11
12	.23	.14	-	-	-	.16	-	-	.06	.05	-	-		12
13	-	.09	-	.09	.25	.02	.34	-	.16	-	.04	-		13
14	.02	-	-	-	-	.20	-	-	.14	-	.66	-		14
15	-	.34	-	.38	.08	.01	.02	-	-	-	-	.82*		15
16	.02	.34	.03	.20	.22	-	.04	-	.40	-	1.13	-		16
17	-	-	-	.24	.45	.24	.64	.08	.10	-	-	-		17
18	-	-	-	.09	.40	.09	.04	-	.50	.11	.02	-		18
19	.01	-	-	.21	-	.25	.13	-	-	.03	.14	-		19
20	-	.52	-	-	-	.16	.02	-	-	-	.14	-		20
21	-	.08	-	.51	-	-	-	-	1.12	.11	-	.25		21
22	-	.21	.01	-	-	-	-	-	.07	-	-	-		22
23	.04	.25	.48	.09	-	-	-	.09	-	.64	.05	-		23
24	.16	-	-	-	-	-	-	-	.59	.06	-	-		24
25	.13	.02	.03	-	-	.18	-	-	-	-	.09	.24		25
26	-	-	-	-	-	-	-	.49	.44	.36	.04	-		26
27	-	-	-	-	.02	.14	.11	.06	.34	-	.35	.03		27
28	.04	.06	-	-	.03	-	-	.54	.58	.24	.01	.09		28
29	-	X	.05	-	-	.44	-	.11	-	.04	.15	-		29
30	.08	X	-	-	-	-	-	.12	.23	.36	.50	.08		30
31	-	X	-	X	-	X	-	.24	X	.06	X	.82*		31
TOTAL	1.54	3.31	1.04	2.45	1.45	2.91	1.42	2.11	6.52	5.51	4.46	3.25	36.54	Year's Total
* Days with .01 in. or more.	14	18	11	18	8	23	11	11	21	24	25	18	(202)	
* Days with .04 in. or more.	11	14	4	18	6	14	9	9	20	20	21	14	(142)	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) *Robert Ede* [P.T.O.]

Engineer & Manager.

Section

A

for the entry of Daily Observations

Station No.

2807

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1936

Kept at *Bickerstaff Pumping Station*in the County of *Lancashire*

Diameter of Funnel of Gauge.....5 in.

Height of top of Gauge above Ground.....9 in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	.04	.15	.15	—	.04	.03	.06	—	.30	.48			1
2	.06	—	—	.12	—	.40	—	.42	.02	—	.14	.14		2
3	.15	—	—	—	—	.42	.12	—	.26	—	—	—		3
4	.25	.22	.18	—	—	.03	—	—	.34	—	.22	.22		4
5	—	.04	.09	—	—	—	—	.45	.50	—	—	.23		5
6	.09	—	—	—	.02	—	.08	.13	—	—	.05	—		6
7	—	—	.49	—	—	.03	.09	—	.25	—	.86	.18		7
8	.15	—	—	—	—	—	—	—	—	—	—	.05		8
9	.32	—	.02	—	—	.04	.12	—	.24	—	.29	—		9
10	.02	—	—	—	—	—	.22	—	—	—	.30	—		10
11	—	—	.01	—	—	.11	.40	.08	.15	—	.44	.05		11
12	—	—	—	—	.05	.18	—	—	.44	.06	.13	.46		12
13	.02	—	—	.04	.06	.44	—	—	—	.25	—	—		13
14	—	—	—	.04	—	—	.01	.15	.08	.03	.44	.46		14
15	.25	.04	—	.40	.22	.05	—	—	.04	—	—	.04		15
16	—	.02	—	—	.14	—	.08	—	—	—	.48	.04		16
17	.08	.42	—	.20	—	—	.09	.14	—	.36	.02	.04		17
18	.34	.02	—	—	—	—	.61	.18	—	—	—	—		18
19	—	.21	—	—	—	.16	—	.22	—	.04	—	—		19
20	.25	.16	—	—	—	.15	.01	—	—	.04	—	—		20
21	.10	—	.03	.10	—	—	—	—	—	—	—	.02		21
22	.06	.56	—	—	—	.39	.36	—	—	—	—	.05		22
23	—	—	.03	.04	.04	—	.46	—	—	.06	—	—		23
24	.15	—	—	—	—	—	—	—	.12	.33	—	—		24
25	.22	—	—	.05	—	—	.02	—	.51	—	—	—		25
26	—	.20	.23	—	—	—	—	—	.13	.33	—	.12		26
27	.85	—	—	—	—	—	.01	—	—	.18	—	—		27
28	—	.29	.53	.04	—	—	.01	—	—	.44	.18	—		28
29	.05	.15	—	—	.22	.44	—	.09	—	.05	—	.02		29
30	.20	—	—	—	.53	.11	.35	—	—	.24	.10	—		30
31	.22	—	.05	—	—	—	—	.01	—	—	—	.40		31
TOTAL	3.83	2.38	1.83	1.24	1.28	3.38	3.34	1.84	3.14	2.50	4.28	3.36	32.52	✓
* Days with .01 in. or more.	22	13	15	10	11	15	20	11	14	15	14	18	20	(180) ✓
* Days with .04 in. or more.	22	11	9	10	8	13	14	9	14	14	15	15	16	(152) ✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) *Robert Eds* [P.T.O.]Engineer & Manager,
Southport & District Water Board
14 Portland Street, Southport.

Section



for the entry of Daily Observations

Station No. 2807

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937.

Kept at Bickerstaffe Pumping Stationin the County of LancashireDiameter of Funnel of Gauge.....5 in.Height of top of Gauge above Ground.....ft.....9 in 5.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	-	.10	.13	-	-	-	.01	-	.40	.13	-	.05		1
2	.03	.14	.19	.19	-	-	-	-	-	.03	-	-		2
3		.14	-	.10	.04	.49	.11	-	-	-	-	.02		3
4	.24	-	.01	-	.14	-	-	.02	-	-	-	.52		4
5	.41	-	.04	.15	-	.05	.04	-	-	-	-	-		5
6	.12	.26	-	.09	.16	-	-	-	-	-	-	.01		6
7	-	x	-	.15	-	.13	-	-	.05	-	-	-		7
8	-	.40	-	.04	.20	.04	.12	-	-	-	.09	-		8
9	-	.18	.04	.09	x	.02	.12	.19	-	-	-	-		9
10	-	.04	-	-	-	-	.05	-	-	-	-	.34		10
11	-	-	.14	-	.45	-	-	-	.34	-	.02	.14		11
12	.08	.44	.03	-	-	.51	.05	.02	-	-	-	-		12
13	-	.28	-	-	-	-	-	.14	.04	-	.04	.23		13
14	-	x	-	-	-	-	-	.50	.11	-	x	.14		14
15	.20	.34	-	.29	-	-	.55	.36	-	-	-	.03		15
16	.08	.23	.15	.68	-	-	-	.15	.04	-	-	-		16
17	x	.06	.12	.38	-	-	.06	-	.03	-	-	-		17
18	.15	.16	.11	-	-	-	-	.10	-	-	.45	-		18
19	.22	.09	.06	.31	.04	.08	-	-	-	-	.34	-		19
20	.03	.14	.06	.38	.14	-	.14	-	-	-	-	.04		20
21	.02	-	-	.18	.03	-	.26	-	-	.22	-	.05		21
22	.14	.02	.04	-	.44	.01	.03	-	-	.09	.16	.05		22
23	.14	-	.03	-	-	-	.15	-	-	.83	.12	-		23
24	x	.41	.10	-	-	-	.10	-	.28	-	-	-		24
25	-	.33	-	-	-	-	-	.16	.01	.08	-	.04		25
26	-	.26	.22	-	.24	-	-	-	-	.04	-	-		26
27	-	.30	.03	.24	-	-	-	-	-	.24	-	-		27
28	-	-	-	-	-	-	-	-	-	.11	-	-		28
29	-	-	-	-	-	.01	-	.16	-	.29	.20	-		29
30	.21	x	-	-	-	.32	-	.01	.10	.08	.44	-		30
31	x	x	-	x	-	x	-	.09	x	x	x	-		31
TOTAL	2.40	4.44	1.56	3.33	2.00	1.69	1.82	2.54	1.49	2.20	1.89	1.48	Year's Total	27.47
* Days with .01 in. or more.	16	24	19	16	22	22	26	12	22	23	29	14	185	(171)
* Days with .04 in. or more.	14	23	13	16	29	26	21	9	29	21	21	11	155	(137)

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

[P.T.O.]

Engineer & Manager.

Section



for the entry of Daily Observations

Station No.

2807

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at Bickerstaffe Lumping Stationin the County of LancashireDiameter of Funnel of Gauge.....5 in.Height of top of Gauge above Ground.....9 in.

,, Ground ,, Sea Level ft.

T.L. *W.R.*

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	-	.03	-	-	-	1.00	-	.30	.16	.60 ^x	.14	.18		1
2	-	-	-	.20 ^x	-	.21	.11 ^x	-	-	^x	.04	.04		2
3	-	-	-	-	-	.03	^x	-	.19 ^x	.96	.12	.46 ^x		3
4	-	-	-	.03	-	.20 ^x	.31	-	-	.11	.03	^x		4
5	.06	.01	-	-	-	-	.01	.90	.14	.40	-	.04		5
6	.11	^x	-	-	-	-	.26	.14 ^x	.22	.33	-	-		6
7	.30	-	-	-	-	-	.34 ^x	^x	.04	.06	-	-		7
8	.54 ^x	.03	-	-	-	-	.54	.20	-	.52 ^x	-	.58		8
9	-	.34	.04	-	-	.16	.35 ^x	.83	-	^x	-	.64 ^x		9
10	.04	.06	-	-	-	.03	^x	-	.08 ^x	.20	-	.31 ^x		10
11	.18	.03	-	-	.16	.04 ^x	.04	.10	^x	.22	.08	^x		11
12	.06	-	-	-	.10	-	-	-	-	1.29	.58 ^x	-		12
13	.03	-	-	-	.09	-	.03	-	.08	.03	^x	.04		13
14	.33	-	-	-	.14 ^x	-	.04	-	-	-	.04	-		14
15	.40 ^x	-	.03	-	-	.01	.04	.19	-	.16 ^x	-	.11		15
16	^x	-	.04	-	.01	-	.26 ^x	.02	.06	^x	.04	.02		16
17	-	-	-	-	.10	-	.14 ^x	.14	.12 ^x	.49	.02	.04 ^x		17
18	.01	-	-	-	.04	-	-	.48	-	.20	.44	-		18
19	-	-	.06	-	-	-	-	.19	.03	-	.21 ^x	-		19
20	.10	-	^x	-	-	-	-	.04 ^x	.12	-	^x	-		20
21	-	-	.04	-	.05 ^x	.02	-	-	.06	-	.11	-		21
22	.03 ^x	-	-	-	^x	.25	-	-	-	-	.34	.01		22
23	^x	-	-	-	-	.18	-	-	.14	-	.24	-		23
24	.14	.18	.29	-	-	-	-	.53	.08 ^x	.11	.09	.29 ^x		24
25	.02	.14	.13	-	-	.22 ^x	.18	-	-	.44	.55	^x		25
26	.23	.23 ^x	.29 ^x	-	.21	^x	-	-	.20	.44	.43 ^x	-		26
27	.19	^x	-	-	.64	.28	.14	.31 ^x	-	-	^x	-		27
28	.11	.03	.02	-	.46 ^x	.92	.24	^x	.03	.05	.02	.16		28
29	.38 ^x	-	.03	-	^x	.15	.41	-	-	.14 ^x	.12	.39		29
30	^x	^x	-	-	.14	.04	-	-	.33	-	.30	.10		30
31	.11	^x	-	-	.30	^x	-	-	^x	.32	^x	.53		31
TOTAL	3.40	1.08	1.03	.23	3.44	3.44	3.45	4.40	2.11	7.34	4.30	4.30	38.85	
* Days with .01 in. or more.	22	11	10	32	13	17	18	15	21	24	23	21	210	(189)
* Days with .04 in. or more.	18	6	7	21	12	13	16	14	17	23	19	18	175	(159)

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

Inspector
 Inspector and Manager.

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No.

2207

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at BICKERSTAFFE PUMPING STATION...

in the County of LANCASHIRE

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....7.....ft.....9.....in.

,, Ground ,, Sea Level 128.00 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.54	-	.04	.47	-	-	.27	-	-	-	-	.05		1
2	.03	-	.03	.x	-	-	.x	.93	.57	-	-	.81		2
3	.07	-	.08	.11	-	-	.02	.36	.x	-	.02	.x		3
4	.17	-	.11	.30	.11	-	.30	-	-	.05	.31	2.23		4
5	-	-	.x	-	.31	-	.20	.06	-	.10	.x	-		5
6	.93	.18	.01	-	.14	-	.43	.x	-	-	.07	-		6
7	.16	.39	-	-	.x	-	.13	-	-	.17	.21	.38		7
8	.x	.13	.20	-	-	-	.60	-	-	.x	.20	.20		8
9	.13	.19	-	-	-	-	.x	.37	.30	.35	-	.74		9
10	.24	-	.01	-	-	.36	-	.06	.x	.17	.01	.x		10
11	.36	.13	.30	-	-	.x	-	-	-	.25	.01	-		11
12	.60	.x	.x	-	-	.06	-	-	.08	-	-	-		12
13	-	-	.02	.25	.36	.21	.34	-	.18	-	-	-		13
14	.43	-	-	.01	.x	.60	.04	-	-	.03	.58	-		14
15	.x	.04	-	.25	.01	.76	.23	-	-	-	.08	-		15
16	.05	-	.12	.x	.28	-	.x	-	-	.05	.12	-		16
17	.56	.05	-	-	.31	.22	.03	-	-	.36	.06	-		17
18	.06	.16	.04	-	-	.x	.21	-	-	-	.70	-		18
19	.20	.x	-	-	-	-	.25	.02	-	-	.x	-		19
20	.07	-	.19	-	-	.08	.36	-	-	-	-	-		20
21	.15	-	.33	.03	-	-	-	.56	-	.04	-	-		21
22	.x	.36	.09	.25	-	-	.16	-	-	.x	.60	-		22
23	.05	.21	.01	.x	-	.15	.x	-	-	.31	.20	-		23
24	-	.19	-	-	-	.04	.05	-	-	.12	-	-		24
25	.05	.17	-	.08	-	.x	-	-	-	.02	.105	-		25
26	-	-	-	-	-	-	-	.03	-	-	.x	.03		26
27	-	.69	-	-	-	.30	.11	-	-	-	.23	.19		27
28	-	.05	.02	-	-	.14	.57	.04	.19	.06	.62	-		28
29	-	.x	.10	-	-	.01	.154	-	-	.x	.14	.02		29
30	-	.x	-	-	-	.06	.x	-	.01	-	.06	-		30
31	-	.x	-	.x	-	.x	.10	.02	.x	-	.x	-		31
TOTAL	5.15	2.94	1.70	1.75	1.55	2.99	5.94	2.45	1.33	2.08	5.27	4.65	37.80	✓
* Days with .01 in. or more.	22	17	19	20	12	9	16	25	11	8	17	22	11	189
* Days with .04 in. or more.	21	16	17	12	10	8	13	23	6	7	11	19	9	154

† Spare column, no entries required

(Signed)

Inspector & Manager.

P.T.O.

* See Instruction 3 (f) on other side.

Section

A

for the entry of Daily Observations

Station No.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19340.

Kept at *Bickerstaffe Pumping Station*
in the County of *Lancashire*
Diameter of Funnel of Gauge.....*5* in.
Height of top of Gauge above Ground.....ft. *9* in.
" Ground " Sea Level *128.0* ft.

Jan 25-31 esp'd f. nearly this Snow cire
Feb 1-3 cond Accs. Days 16/4/41
Snow

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	-	-	-	.21	-	-	.05	-	-	-	.33	.05		1
2	-	-	.04	.24	-	-	.08	-	-	-	.46	.14		2
3	-	(.10) ~~.10~~	-	.23	-	-	.04	-	-	-	X	.12		3
4	-	-	-	-	.21	-	.23	-	-	.30	.14	.19		4
5	-	-	-	-	X	-	.20	-	-	X 1.31	.12	.14		5
6	X .08	.20	-	-	-	-	.13	-	-	X	-	-		6
7	✓	.15	-	.13	-	-	-	.04	.50	.10	-	.22		7
8	.02	-	.01	.05	.06	-	-	.02	X	.31	.05	X		8
9	-	-	.30	-	-	-	.84	.20	.10	.83	X 1.38	.14		9
10	-	-	-	-	-	-	.40	X .09	-	.11	X	.26		10
11	-	-	.12	.03	-	.01	.20	-	-	-	1.34	.03		11
12	-	-	.23	-	-	.08	.63	.19	.23	-	.20	-		12
13	-	-	.25	.12	-	-	-	.08	.34	-	.06	-		13
14	-	-	.02	✓ .12	-	-	-	.14	X .33	-	.29	X .25		14
15	-	-	-	.02	.55	-	-	-	-	.31	.11	X		15
16	.03	-	X .68	-	-	-	.30	-	.94	-	X .58	.11		16
17	-	.44	X	-	.10	-	.04	.52	.03	-	X	-		17
18	X .05	X	.36	.32	-	-	-	X	.30	-	.03	.31		18
19	-	.33	.13	-	-	-	-	-	.13	.43	.09	-		19
20	-	-	-	-	-	-	.91	.12	.55	X	.06	-		20
21	-	-	-	-	-	.02	-	.03	.18	-	.31	-		21
22	-	-	.10	-	.20	.28	-	.11	X	-	-	-		22
23	-	.05	.06	.33	.29	-	.19	-	.10	-	X .11	-		23
24	.25	-	✓	-	.02	.01	-	-	-	-	-	-		24
25	<i>Gauge showed up no readings taken</i>													
26														
27														
28														
29														
26	-	.19	-	-	.26	.16	.29	-	-	-	.03	.01		26
27	-	.42	-	-	-	-	.08	.02	-	-	.03	-		27
28	-	.21	-	-	1.40	-	-	-	-	-	-	X .52		28
29	-	-	.40	.03	-	.23	.13	-	-	.04	-	-		29
30	-	X	.04	.12	.03	-	-	-	-	.25	.05	-		30
31	-	X	X	X	.05	X	-	-	X	.48	X	.15		31
TOTAL	(2.53) ~~2.53~~	2.09 ~~2.09~~	2.74	1.83	3.29	.79	4.78	1.59	3.81	4.81	6.13	2.64	Year's Total ~~37.11~~	37.11
* Days with .01 in. or more.	13	9	17	13	13	7	17	12	14	12	23	18	168	
* Days with .04 in. or more.	7	9	12	9	10	4	17	9	12	12	20	14	135	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed)

Engineer & Manager

P.T.O.

Kept at Springfield Pump
in the County of Lanca

Diameter of Funnel of Gauge.....
Height of top of Gauge above Ground
Ground Sea Le

THE MORNING MEASU

An observer who does not conform to t
year in the space on the right of this

2808
PY FOR OFFICIAL USE.
ORGANIZATION.

2808
SPRINGFIELD PUMPING STN.
1931—40

Jan. 1, following

owing

7 80501

Date	Jan.	Feb.	March								Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.05	—	—	.08	—	—	—	—	.08	—	—	—	1
2	—	.03	—	.49	—	.80	—	—	.73	.08	.06	.06	2
3	.05	—	—	—	—	.17	.23	—	1.07	.02	.64	.04	3
4	—	—	—	—	—	—	—	.02	.39	.02	.03	.19	4
5	—	.03	—	.19	.12	.79	—	1.34	—	—	—	—	5
6	—	.23	—	—	.03	.77	—	.01	.23	.60	.11	.24	6
7	.05	.10	—	—	—	—	—	.33	—	.08	.15	.15	7
8	—	—	—	.06	—	.06	.08	—	—	—	.15	.10	8
9	.12	.23	—	.17	.23	.27	—	.70	.08	.08	.20	.04	9
10	.28	.03	—	—	—	.38	—	.07	.06	—	.27	.02	10
11	—	.21	—	.02	—	—	.29	—	.52	—	.18	.02	11
12	.04	.02	—	—	—	—	—	.05	.07	.10	—	—	12
13	—	—	.10	.01	.09	1.50	—	.85	.05	—	—	—	13
14	.07	.52	.01	—	.02	—	—	.77	.07	—	.65	.04	14
15	.11	—	—	.27	.39	.01	.04	—	—	—	.07	—	15
16	.18	.06	—	.23	.24	.02	.07	.84	.14	—	—	—	16
17	.31	.01	—	.12	.01	.15	.12	.06	—	—	.19	—	17
18	—	—	—	—	.04	.32	1.17	.16	—	—	.45	—	18
19	.12	.22	—	—	—	—	—	1.21	—	.02	—	—	19
20	—	.18	.19	—	—	.06	.04	.14	—	—	.05	.01	20
21	.41	.02	.01	—	.14	—	—	.19	—	—	.28	—	21
22	.26	—	—	.02	.05	.02	.02	—	—	—	—	—	22
23	.18	—	—	.13	.09	—	—	—	—	—	.34	.26	23
24	.10	.02	—	.09	.58	—	.08	—	—	—	.15	—	24
25	—	.36	—	.68	—	—	—	—	—	—	.14	—	25
26	—	.05	—	—	—	—	—	—	—	—	.96	.20	26
27	.16	.13	—	.08	.22	.06	.12	—	—	.48	1.10	—	27
28	.48	.28	—	—	.22	—	.02	—	—	.10	.03	.16	28
29	.05	SNOW	—	—	.01	—	.05	—	—	.67	—	—	29
30	.41	×	—	.02	.02	—	—	.12	—	—	—	—	30 (d)
31	SNOW	×	—	×	.10	×	.12	—	×	.02	×	.07	31
TOTAL	3.43	2.73	0.31	2.66	2.28	5.46	2.66	6.80	3.52	2.30	6.08	1.67	40.10
*Days with ".01 in. or more.	19	19	4	16	15	17	15	15	12	12	20	16	(180)
*Days with ".04 in. or more.	19	12	2	12	12	12	13	13	12	9	18	13	(147)

Southport & District Water Board,
(Signed)

[Signature]
Engineer Manager

P.T.O.

FORM 1090.

REGISTER OF RAINFALL IN 1931 .

Kept at Springfield Pumping Station
in the County of Lancashire

Diameter of Funnel of Gauge..... in.
Height of top of Gauge above Ground 75' 45 ft. A.O.D. in.
Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.05	—	—	.08	—	—	—	—	—	.08	—	—	1
2	—	.03	—	.49	—	.80	—	—	.73	.08	.06	.06	2
3	.05	—	—	—	—	.17	.23	—	1.07	.02	.64	.04	3
4		—	—	—	—	—	—	.02	.39		.03	.19	4
5	—	.03	—	.19	.12	.79	.18	1.34	.23	—	—	—	5
6	—	.23	—	—	.03	—		.01		.60	.11	.24	6
7	.05	.10	—	—	—	—	—	.33	—	.08	.15	.15	7
8	—		—	.06	—	.06	.08	—	—	—		.10	8
9	.12	.23	—	.17	.23	.27	—	.70	.08	.08	.20	.04	9
10	.28	.03	—	—		.38	—	.07	.06	—	.27	.02	10
11	—	.21	—	.02	—	—	.29	—	.52	.07	.18	.02	11
12	.04	.02	—		—	—		.05	—		.10	—	12
13	—	—	.10	.01	.09	1.50	—	.85	.05	—	—	—	13
14	.07	.52	.01	—	.02		—	.77	.07	—	.65	.04	14
15	.11			.27	.39	.01	.04	.84	—	—		.07	15
16	.18	.06	—	.23	.24	.02	.07		.14	—	—	—	16
17	.31	.01	—	.12		.01	.15	.12	.06	—	.19	—	17
18	—	—	—	—	.04	.32	1.17	.16	—		.45	—	18
19	.12	.22	—	—	—	—		1.21	.02	—	—	—	19
20	—	.18	.19	—	—	.06	.04	.14		—	.05	.01	20
21	.41	.02	.01	—	.14	—	—	.19	—	—	.28	—	21
22	.26			.02	.05	.02	.02	—	—	—		—	22
23	.18	—	—	.13	.58	.19	—	—	—	—	.34	.26	23
24	.10	.02	—	.09		—	.08	—	—	—	.15	—	24
25		.36	—	.68	—	—	—	—	—	—	.14	—	25
26	—	.05	—		—	—	—	—	—	—	.96	.20	26
27	.16	.13	—	.08	.22	.06	.12	—	—	.48	1.10	—	27
28	.48	.28	—	—	.22		.02	—	—	.10	.03	.16	28
29	.05	SNOW	—	—	.01	—	.05	—	—	.67		—	29
30	.41	×	—	.02	.10	.02	—	—	.12	—	—	—	30
31	SNOW	×	—	×		×	.12	—	×	.02	×	.07	31
TOTAL	3.43	2.73	0.31	2.66	2.18	5.46	2.66	6.80	3.52	2.30	6.08	1.67	YEAR'S TOTAL 40.10
*Days with or in. or more.	19	19	4	16	15	17	15	15	12	12	20	16	(180)
*Days with or in. or more.	19	12	2	12	12	12	13	13	12	9	18	13	(147)

Section

A

for the entry of Daily Observations.

Station No. 16644132

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Springfield Pumping Station
in the County of Lancashire

Diameter of Funnel of Gauge _____ in.

Height of top of Gauge above Ground 75 ft. 45 in.

,, Ground ,, Sea Level _____ ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.30	.01	—	.27	.29	—	.07	.23	.24	.41	.10	.31	1
2	.55	—	—	.08	.46	—	.11	.15	.80	—	.07	.10	2
3	.03	.01	—	—	—	—	—	—	.03	.02	.03	.13	3
4	.03	—	—	—	—	—	.13	—	—	.19	—	—	4
5	.56	—	.08	.08	.05	—	—	—	.11	—	—	—	5
6	.79	—	—	.29	—	—	—	—	.06	—	—	—	6
7	.03	—	.15	.07	.02	—	—	—	.83	.61	—	—	7
8	—	—	—	.08	—	—	—	—	.61	—	—	—	8
9	.33	—	—	.19	.05	—	—	—	.11	.57	.02	.03	9
10	—	—	—	—	—	—	—	—	.41	.56	.04	—	10
11	.06	.02	—	.06	.54	.07	.45	—	—	—	—	—	11
12	.18	—	—	—	.42	—	1.03	.20	.03	.36	—	—	12
13	.02	—	—	.11	.08	—	.21	.10	.12	.28	—	.15	13
14	.15	—	—	.29	—	—	.47	—	—	.08	.10	.11	14
15	—	—	—	.01	.70	—	—	—	—	.11	.10	.01	15
16	.15	—	—	—	—	—	.46	.04	—	—	—	.06	16
17	—	—	—	—	—	—	—	—	.04	.13	—	—	17
18	—	—	—	—	.05	—	.02	—	.04	.03	.06	—	18
19	—	—	—	.09	.06	—	.04	—	—	.32	.16	.06	19
20	—	—	—	.12	.25	—	.06	.78	—	.18	—	.06	20
21	.02	—	—	—	.40	—	—	—	—	.57	.08	—	21
22	.02	—	.28	.12	—	—	.21	—	—	.23	.88	—	22
23	.04	.01	.03	—	.46	—	.65	—	—	—	.04	—	23
24	—	—	—	—	.03	—	—	—	.48	.01	.46	—	24
25	—	—	—	.04	—	.04	.32	—	—	.10	—	—	25
26	—	—	.99	.03	.20	—	.14	—	.14	1.33	.15	.06	26
27	—	—	—	.28	.11	—	.20	.03	—	.44	—	—	27
28	—	—	—	.09	.51	—	.45	—	—	.01	—	.01	28
29	.02	—	.56	.37	—	.15	.10	—	.16	—	.24	.27	29
30	—	X	.06	.30	—	.21	—	.15	.01	.97	.30	.02	30
31	—	X	.06	X	—	X	.25	—	X	.10	X	.04	31
TOTAL	3.25	0.05	2.21	2.97	4.68	0.47	5.37	1.68	4.18	7.51	2.93	1.42	36.72
*Days with or in. or more.	16	4	8	20	18	4	19	8	16	22	1	15	(167)
*Days with .04 in. or more.	10	0	7	18	16	4	18	7	13	4	15	11	(123)

40-9999

*See Instruction 2 (f) on other side.

(Signed) —

P.T.O.

Section

A

for the entry of Daily Observations.

Station No.

2808

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Springfield Pumping Station
in the County of LancashireDiameter of Funnel of Gauge 7 in.Height of top of Gauge above Ground 70.45 ft O.A.D. in.

,, Ground ,, Sea Level _____ ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.05	.08	.05		.02	—	—	.06	.01	—	.12	—	1
2	.18	—	.20	.06	—	.04	—	.07	—	—	—	—	2
3	.05	.57	.21	—	.14	—	—	—	—	—	—	—	3
4	.43	.05	.15	—	.22	—	—	—	—	—	.12	—	4
5	.07		—	—	.05	—	—	—	—	—	—	—	5
6	—	.15	.14	—	.19	—	—	—	—	—	.01	.02	6
7	.33	.40	—	—	—	—	—	.02	—	—	—	—	7
8		—	.13	.18	.03	—	.03	—	—	.56	.01	—	8
9	—	.33	—	—	.07	—	—	—	—	.29	.15	—	9
10	.11	.15	—	—	—	—	.51	—	—	.97	.06	—	10
11	—	.01	—	.04	—	.10	.15	.01	—	.07	—	.23	11
12	.10		—	—	—	.03	.04	.17	—	.09	—	—	12
13	—	—	—	—	.18	—	.21	—	—	.20	.16	—	13
14	.36	—	—	—	—	—	.15	.07	—	—	.48	—	14
15		—	—	—	.01	—	.09	.08	—	.20	.15	—	15
16	.26	.04	.13	—	.02	.21	—	.04	—	.31	—	—	16
17	—	.08	.46	—	—	.60	.03	.21	.06	.06	—	.04	17
18	.02	—	.51	—	—	—	—	.01	—	—	—	—	18
19	—	—	—	—	—	—	—	—	.06	—	.27	.05	19
20	—	.13	—	—	—	.17	.01	.35	.02	—	—	—	20
21	—	—	—	—	.41	.22	—	.18	—	—	—	—	21
22	—	—	—	.32	—	—	—	.16	—	.04	—	—	22
23	—	—	—	—	—	.16	—	—	—	.05	—	—	23
24	—	.24	—	.14	.10	.17	—	—	.47	—	—	—	24
25	—	—	—	.25	—	—	—	—	.18	—	—	.13	25
26	—	1.09	—	.13	—	—	—	—	—	.32	—	—	26
27	—	.01	—	—	—	—	—	—	.01	.03	—	—	27
28	—	—	—	.23	.11	—	.10	.52	—	—	—	—	28
29	—	—	—	—	—	—	—	.07	—	—	—	.06	29
30	.09	X	.03	.07	—	.02	.13	—	—	.20	—	—	30
31	.09	X	.04	X	—	X	—	.07	X	.23	X	.14	31
TOTAL	2.13	3.33	2.05	1.42	1.55	1.72	1.45	2.09	0.81	3.62	1.53	.67	YEAR'S TOTAL 22.37
*Days with ".01 in. or more.	13	14	11	9	13	10	11	16	7	15	10	7	(136)
*Days with ".04 in. or more.	12	12	10	9	9	8	8	13	4	14	8	6	(113)

40-9999

*See Instruction 2 (f) on other side,

Southport and District Water Board

(Signed)

B. T. O.
Engineer & Manager

P.T.O.

12 JAN 1934

Section



for the entry of Daily Observations.

Station No. 2808 16644132

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Springfield Pumping Stn., Aughton.
in the County of Lancashire.

Diameter of Funnel of Gauge 6 in.
Height of top of Gauge above Ground 7.5 ft. 4.5 in.
,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
1934	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.09	-	.01	-	-	-	-	.54	.26	.01	.30	.82		1
2	.01	-	.11	-	-	-	-	-	-	-	.29	-		2
3	.15	-	.06	-	-	-	-	-	-	.15	.05	.08		3
4	.20	-	-	-	.09	-	-	.49	.10	.70	-	.88		4
5	-	-	.03	-	.30	-	-	-	-	.09	-	.04		5
6	.34	-	.04	-	-	-	-	.19	-	.23	-	.12		6
7	-	.01	.04	.04	.04	.09	-	.01	-	-	.14	.38		7
8	-	-	-	-	.24	.10	-	.01	-	.13	1.03	.09		8
9	-	-	.13	.03	-	.09	-	.13	-	.10	.44	-		9
10	.01	-	.13	.20	-	-	-	.38	-	.06	.08	.02		10
11	.04	-	-	.32	-	-	-	.16	-	-	-	.14		11
12	-	-	.10	.13	-	-	-	.05	-	.06	-	-		12
13	.35	-	-	.04	-	-	.09	-	-	.14	-	.02		13
14	-	-	.19	.01	.03	.01	.03	-	-	-	-	.06		14
15	.10	-	.14	-	.64	-	-	.01	.14	.24	-	.32		15
16	.40	-	.08	-	.14	-	-	-	-	.14	.01	-		16
17	.14	-	.15	.03	.24	-	.24	-	.14	.06	-	.15		17
18	.26	-	-	.09	.44	.29	-	-	-	.01	-	.14		18
19	-	-	.14	-	-	.23	-	-	.35	.10	-	.06		19
20	.04	-	-	.14	.24	.09	-	.03	.16	.12	-	.01		20
21	-	-	.11	-	-	.32	.01	-	.14	-	-	-		21
22	.03	-	.06	-	-	-	-	.28	.26	.06	-	.06		22
23	-	-	.04	.48	-	.40	.04	.04	-	.23	.03	-		23
24	.16	.02	.02	.02	-	-	.02	-	.41	.09	-	.39		24
25	-	-	.06	.02	-	-	.03	-	.45	.09	-	-		25
26	-	-	.03	.21	-	.14	.02	-	.04	.06	-	.01		26
27	-	-	-	.01	-	.13	.04	-	-	.14	-	.30		27
28	-	-	-	-	-	.04	.05	.44	.04	-	-	.44		28
29	-	-	-	-	-	-	-	.26	.64	.62	-	.10		29
30	.21	X	-	-	-	-	-	.01	-	.60	-	-		30
31	-	X	-	X	-	X	.04	-	X	.14	X	.15	d	31
TOTAL	2.40	0.14	1.64	1.84	2.59	1.96	0.40	3.06	3.19	4.43	2.40	4.90	29.28	
* Days with .01 in. or more.	175	2	23	15	14	13	11	17	15	29	10	26	142	
* Days with .04 in. or more.	123	1	15	10	11	12	6	12	15	23	7	21	149	

Section



for the entry of Daily Observations.

Station No.

2808

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1935.

Kept at ... Springfield Pumping Station.

in the County of ... Lancashire.

Diameter of Funnel of Gauge.....5.....ins

Height of top of Gauge above Ground.....ft.....11.....ins.

„ Ground „ Sea Level 40.45.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.28	.19				.09	.32			.46	.03	.28		1
2	.02	.55	.16						.06	.03	.21	.09		2
3	.08			.02		.24			.61			.11		3
4			.04	.14		.20			.16	.06		.02		4
5		.31	.15	.04		.01			.09	.04	.21	.15		5
6				.21		.19					.03			6
7						.19				.36	.08	.30		7
8				.09						.10	.15			8
9	.06	.11		.08		.09				1.40				9
10								.03		.58	.12			10
11	.39	.12				.18				.08	.10			11
12	.26	.04				.22			.04	.03				12
13				.18	.26	.02	.50		.16		.06			13
14	.03	.34				.20			.16		.58	.90		14
15				.36	.09		.02							15
16	.01	.41	.03	.13	.33		.04		.40		1.20			16
17				.29	.69	.26	.64	.02	.10					17
18				.06	.36	.09	.02	.52	.08	.03				18
19	.01			.14		.41	.04			.05	.12			19
20		.64				.06	.01				.11			20
21		.06		.45					1.40	.16		.29		21
22		.22							.18					22
23	.04	.21	.56	.03				.06	.06	.65	.04			23
24	.25								.60	.06				24
25	.20	.02	.03			.23					.12	.30		25
26								.82	.46	.34	.08			26
27					.02	.21	.08	.09	.31		.34	.02		27
28	.03	.04			.01			.45	.65	.29		.10		28
29		X	.05			.64		.20		.12	.15			29
30	.08	X						.10	.23	.40	.50	.04		30
31	.01	X		X		X		.50	X	.10	X	.82		31
TOTAL	1.48	3.29	1.02	2.28	1.46	3.56	1.43	2.24	6.49	5.69	4.26	3.45	34.88	
* Days with .01 in. or more.	16	18	10	18	8	22	41	11	20	24	24	18	(200)	
* Days with .04 in. or more.	10	14	4	16	6	19	8	4	20	19	20	16	(165)	

Year's Total

Section

A

for the entry of Daily Observations

Station No.

2808

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936.

Kept at *Springfield Pumping Station*.....in the County of *Lancashire*.....Diameter of Funnel of Gauge.....*5*.....in.Height of top of Gauge above Ground.....ft.....*11*.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date	
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†		
1	-	.06 ⁺	.10	.18	-	.04	.04	✓	.06	-	.25	.49		1	
2	.04	-	-	.09	-	.49	-	.43	.02	-	.14	.22		2	
3	.20	-	-	-	-	.76	.14	✓	.32	-	-	-		3	
4	.23 ⁺	.19	.20	-	-	.01	-	-	.43	-	.32	.15		4	
5	✓	.02	.10	-	-	-	-	.45	.60 ⁺	-	-	.18 ⁺		5	
6	.09	-	-	-	.02	✓	.10	.23	✓	-	.09	-		6	
7	-	-	.45 ⁺	-	-	.02	.06	-	.54	-	.40 ⁺	.20		7	
8	.21	-	✓	-	-	-	-	-	-	-	✓	.02		8	
9	.35	-	.02	-	-	.06	.15	-	.23	-	.50	-		9	
10	.01	-	-	-	-	-	.25	-	-	-	.44	-		10	
11	✓	-	-	-	-	.11	.43 ⁺	.06	.14	-	.36	-		11	
12	-	-	-	-	.06	.16	✓	-	.48 ⁺	.06	.13	.40 ⁺		12	
13	.02	-	-	.05	.04	.51 ⁺	-	-	-	.24	.03	✓		13	
14	-	-	✓	.04	-	✓	.01	.18	.03	.02	.50 ⁺	.80		14	
15	.21	.10 ⁺	✓	.33	.20	.06	-	.04 ⁺	.03	-	✓	.02		15	
16	-	✓	.01	-	.10 ⁺	-	.08	-	-	-	.44	-		16	
17	.12	.41	-	.18 ⁺	✓	-	.04	.10	-	.30 ⁺	-	.10		17	
18	.45 ⁺	.05	-	-	-	-	.44 ⁺	.14	-	✓	-	-		18	
19	✓	.20	-	-	-	.11	✓	.21	-	.02	-	-		19	
20	.29	.15	-	.08	-	.12 ⁺	.01	-	-	.06	-	-		20	
21	.15	-	.05 ⁺	-	-	-	-	-	-	-	-	.03		21	
22	.05	.30 ⁺	✓	.04	-	.35	.36	-	-	-	-	.04		22	
23	-	-	.03	-	.03 ⁺	-	.44	-	-	.04	-	-		23	
24	.14	-	-	.04 ⁺	✓	-	-	-	.05	.46 ⁺	-	-		24	
25	.14 ⁺	-	-	-	-	-	.03 ⁺	-	.60	✓	-	.03		25	
26	-	.14	.21	-	-	-	-	-	.16 ⁺	.38	-	-		26	
27	.90 ⁺	-	-	-	-	-	.01	-	✓	.29	-	.12 ⁺		27	
28	✓	.23	.50 ⁺	.04	-	-	-	-	-	.04	.22 ⁺	✓		28	
29	.04	.10	✓	-	.18	.53	-	.04 ⁺	-	.04	✓	.01		29	
30	.21	✗	-	-	.53 ⁺	.10	.34	✓	-	.29	.15	-		30	
31	.14	✗	.06	✗	-	✗	-	-	✗	-	✗	.32		31	
TOTAL	4.11	1.98	1.43	1.04	1.19	3.43	3.26	1.94	3.42	2.33	4.63	3.13	Year's Total	32.55	✓
* Days with .01 in. or more.	24	15	14	12	11	18	19	12	16	15	14	16	177	(177)	✓
* Days with .04 in. or more.	22	13	10	11	8	15	15	10	12	13	16	11	147	(147)	✓

† Spare column, no entries required

* See Instruction 3 (f) on other side.

(Signed)

W. E. Edwards
 Engineer and Manager,
 Southport & District Water Board,
 14, Portland St., Southport.

[P.T.O.]

COPY FOR OFFICIAL USE

Section



for the entry of Daily Observations

Station No.

2808

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937.

Kept at Springfield Pumping Stationin the County of LancashireDiameter of Funnel of Gauge.....5 in.Height of top of Gauge above Ground.....11 ft.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.01	.09	.13	-	-	-	.05	-	.43	.15	-	.06		1
2	.03	.15	.20	.20	-	-	-	-	.01	.01	-	-		2
3		.14		.11	.12	.51						.03		3
4	.27	-	.02		.14	-	.11	-	-	-		.58		4
5	.63	-	.03	.15	-	.03	.02	-	-	-				5
6	.14	.24	-	.04	.15		-	.06	-	-		-		6
7	-	x	-	.14	-	.12	-		.06	-		-		7
8	-	.29	-	.04	.14	.06	.11	-	-	-	.09	-		8
9	-	.16	.06	.04		.02	.05	.13	-	-	-	-		9
10		.04	-	-	-	-	.02	-	-	-	-	.43		10
11	-	-	.21	-	.50	-			.33	-	.02	.15		11
12	.08	.39	.04	-		.44	.04	.01		-	-	-		12
13	-	.26	-	-	-	-	-	.18	.02		.02	.21		13
14	-		-	-	-	-	-	.36	.12	-		.18		14
15	.14	.37	-	.30	-	-	.68		.24	-	-	.04		15
16	.12	.22	.12	.41	-	-		.16	.08	-	-	-		16
17	x	.08	.15	.36	-	-	.04	-	.04	-	-	-		17
18	.09	.15	.05		-	-		.13	.01	-	.39	-		18
19	.12	.11	.05	.31	.09	.06	.01	.01		-	.40	-		19
20	.02	.13		.28	.20		.15	-	-	-	-	.09		20
21	.02		.04	.21	.03	-	.23		.03	.21	-	.05		21
22	.13	.06	.04	.01	.45	-	.04	-	-	.08	.15	.03		22
23	.11		.05	-	-	-	.14	-	-	.83	.09	-		23
24		.29	.12	-	-	-	.12	-	.25		-	-		24
25	-	.29	-	-	-	-		.10	-	.08	-			25
26	-	.26	.20	-	.24	-	-	-	-	.04	-	.08		26
27		.46		.24	-	-	-	-	.01	.24	-			27
28			.02	-	-	-			-	.11	-	-		28
29				-	-	-		.04	-	.20	.24	-		29
30	.15			-	-	.40	-	-	.10	.06	.51	-		30
31							-	.10						31
TOTAL	2.06	4.51	1.56	3.20	2.09	1.64	1.87	2.31	1.73	2.04	1.91	1.93	26.88	
* Days with .01 in. or more.	17	22	17	17	12	10	10	12	14	13	9	15	185	(178)
* Days with .04 in. or more.	14	22	14	15	9	6	12	10	9	11	4	12	157	(139)

† Spare column, no entries required

* See Instruction 3 (f) on other side.

(Signed)

Engineer & Manager.

[P.T.O.]

Section



for the entry of Daily Observations

Station No. 2808

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at Springfield Pumping Stationin the County of LancashireDiameter of Funnel of Gauge.....5.....in.Height of top of Gauge above Ground.....11.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	.04	-	-	-	1.12	-	.18	.30	.65	.14	.15		1
2	-	-	-	.15	-	.13	.28	-	-	.05	.05	-		2
3	-	-	-	-	-	.02	✓	-	.24	1.11	.14	.75		3
4	-	-	-	.03	-	✓	.20	-	-	.11	.12	✓		4
5	.09	.02	-	-	-	.14	.03	.95	.10	.59	-	.05		5
6	.15	✓	-	-	-	-	.20	.09	.27	.38	-	-		6
7	.26	-	-	-	-	-	.40	✓	.07	.04	-	-		7
8	.50	.04	-	-	-	-	.40	.02	-	.46	-	.55		8
9	-	.34	.10	-	-	.12	.26	.80	-	✓	-	.65		9
10	.04	.07	-	-	-	.02	✓	-	.09	.27	-	.30		10
11	.15	.05	-	-	.27	✓	.04	.07	✓	.24	.09	✓		11
12	.04	-	-	-	.14	.04	-	-	-	1.51	.57	-		12
13	.02	-	-	-	.10	-	.02	-	.08	.02	-	.10		13
14	.28	-	-	-	.13	-	.05	-	-	-	.04	-		14
15	.40	-	.03	-	-	-	.10	.20	-	.15	-	.15		15
16	✓	-	.06	-	.04	-	.25	.02	.04	✓	.02	.03		16
17	-	-	-	-	.11	-	✓	.18	.15	.45	.03	.03		17
18	-	-	-	-	.04	-	-	.47	-	.26	.45	-		18
19	-	-	.09	-	-	-	-	.15	.05	-	.25	-		19
20	.11	-	✓	-	-	-	-	.02	.18	-	✓	-		20
21	-	-	.05	-	.04	.02	-	-	.02	-	.05	-		21
22	.02	-	-	-	✓	.22	-	-	-	-	.41	.01		22
23	✓	-	-	-	-	.20	-	-	.19	-	.14	-		23
24	.18	.24	.36	-	-	-	-	.62	.11	.11	.14	.30		24
25	.02	.05	.12	-	-	✓	.13	-	-	.43	.45	✓		25
26	.22	.20	.31	-	.24	✓	-	-	.20	.41	.75	-		26
27	.22	✓	-	-	.53	.16	.09	.34	✓	-	✓	-		27
28	.15	.03	.01	-	1.49	.80	.19	✓	.04	-	.01	.15		28
29	.38	-	.02	-	✓	.28	.29	-	-	.09	.15	.40		29
30	✓	✗	-	-	.08	.03	✓	-	.29	-	.29	.12		30
31	.13	✗	-	✗	.22	✗	-	-	✗	.29	✗	.58		31

TOTAL

3.36 1.08 1.15 0.18 3.43 3.74 2.94 4.11 2.42 7.57 4.29 4.37 38.64

Year's Total

* Days with .01 in. or more.

21 23 12 11 10 12 32 13 16 16 19 20 15 14 22 18 22 23 22 23 21 18 21 10 18 7

* Days with .04 in. or more.

18 12 9 7 8 21 13 12 12 16 16 12 12 20 17 20 19 20 15 11 15 9

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

Inspector and Manager

P.T.O.

Section



for the entry of Daily Observations

Station No. 2808

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at SPRINGFIELD PUMPING STATION

in the County of LANCASHIRE

Diameter of Funnel of Gauge 5 ins.

Height of top of Gauge above Ground 11 ins.

Ground Sea Level 70.45 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.58	-	.05	.45	-	-	.24	-	-	-	-	.04		1
2	.01	-	.04	x	-	-	x	.80	.54	-	-	.83		2
3	.05	-	.05	.12	-	-	.01	.04	x	.35	.08	x		3
4	.16	-	.20	.27	.10	-	.28	-	-	-	.36	1.90		4
5	-	-	x	-	.29	-	.42	.03	-	-	x	-		5
6	.95	.15	-	-	.18	-	.52	-	-	-	.04	-		6
7	.15	.40	-	-	x	-	.11	-	-	.15	.22	.42		7
8	x	.12	.19	-	-	-	.50	x	-	x	.23	.16		8
9	.10	.21	-	-	-	-	x	.34	.29	.35	-	.46		9
10	.29	-	.01	-	-	.45	-	.08	x	.19	.01	x		10
11	.35	.15	.31	-	-	x	-	-	-	.22	.02	-		11
12	.55	x	x	-	-	.15	-	-	.06	-	-	-		12
13	-	-	.02	.22	.35	.35	.39	-	.21	-	-	-		13
14	.75	-	-	.01	x	.52	.05	-	-	.03	.68	-		14
15	x	.05	-	.25	-	.70	.22	-	-	-	.07	-		15
16	.05	-	.12	x	.30	-	x	-	-	.04	.12	-		16
17	.55	.05	-	-	.29	.21	.01	-	-	.34	.05	-		17
18	.09	.15	.05	-	-	x	.19	-	-	-	.72	-		18
19	.21	x	-	-	-	-	.25	.02	-	-	x	-		19
20	-	-	.18	-	-	.08	.29	-	-	-	-	-		20
21	.21	-	.35	.05	-	-	-	.47	-	.05	-	-		21
22	x	.34	.10	.21	-	-	.15	-	-	x	.58	-		22
23	.05	.22	.01	x	-	.15	x	-	-	.30	.23	-		23
24	-	.17	-	-	-	.03	.07	-	-	.10	.08	-		24
25	.05	.18	-	.09	-	-	-	-	-	.04	.94	-		25
26	-	x	-	-	-	-	-	.01	-	-	x	-		26
27	-	.71	-	-	-	.32	.12	-	-	-	.22	-		27
28	-	.05	.02	-	-	.20	.62	.36	.14	.05	.63	-		28
29	-	x	.11	-	-	.03	.29	-	-	x	.13	-		29
30	-	x	-	-	-	.05	x	-	-	-	.06	-		30
31	-	x	-	x	-	x	.12	.01	x	.04	x	-		31
TOTAL	5.15	2.95	1.81	1.67	1.51	3.24	5.85	2.16	1.24	2.25	5.47	4.11	Year's Total	37.41
* Days with .01 in. or more.	21	17	18	12	8	15	25	10	7	17	23	8		181
* Days with .04 in. or more.	20	16	12	10	8	13	23	6	7	13	21	8		157

* See Instruction 3 (f) on other side.

† Spare column, no entries required

(Signed)

Engineer & Manager.

P.T.O.

Section

A

for the entry of Daily Observations

Station No.

2808

2807

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1934.

Kept at Springfield Pumping Stn. Aughton
in the County of Lancashire

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....ft. 11.....in.

,, Ground ,, Sea Level 70.45 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	-	.20	-	-	-	-	-	-	.33	.04		1
2	-	-	.03	.20	-	-	.28	-	-	-	.46	.15		2
3	-	.09	✓	.14	-	-	.04	-	-	-	X	.12		3
4	-	✓	-	-	-20	-	.39	-	-	.30	.18	.19		4
5	-	-	-	-	X	-	.30	-	-	1.0	.14	.18		5
6	X	.18	-	.14	-	-	.12	-	-	X	.03	.01		6
7	.99	.13	.01	X	.06	-	-	.03	.44	.06	-	.24		7
8	-	-	.02	.02	-	-	-	.02	X	.44	.05	X		8
9	-	-	.26	-	-	-	.90	.14	.13	.80	1.38	.14		9
10	-	-	✓	-	-	-	.35	.06	-	.13	X	.36		10
11	-	-	.04	.04	-	.01	.14	-	-	-	1.34	.02		11
12	-	-	.29	-	-	.03	.52	.16	.19	-	.18	-		12
13	-	-	.21	.14	-	-	-	.09	.40	-	.09	-		13
14	-	-	.04	X	-	-	-	.20	.40	-	.32	.24		14
15	-	-	-	.02	.81	-	-	-	✓	.26	.10	X		15
16	.03	-	.63	-	-	-	.33	-	.84	-	.58	.14		16
17	-	.39	X	.06	.06	-	.04	.49	.02	-	X	.05		17
18	X.04	X	.14	.32	-	-	-	X	.21	-	.01	.31		18
19	-	.29	.12	-	-	-	-	-	.13	.44	.12	.01		19
20	-	-	-	-	-	-	.68	.12	.65	X	.06	-		20
21	-	-	-	-	-	.20	-	.03	.10	-	.42	-		21
22	-	.01	X	-	.14	.28	-	.14	X	-	-	-		22
23	-	.03	.14	.36	.28	-	.18	-	.13	-	.08	-		23
24	.24	-	✓	-	.03	.01	-	-	-	-	-	-		24
25	-	-	-	-	.26	-	-	-	.01	-	-	-		25
26	-	.18	-	-	✓	.04	.84	-	-	-	.03	.01		26
27	-	.50	-	-	-	-	.04	.03	-	-	.03	-		27
28	-	.24	-	-	.40	-	-	-	.06	-	-	.53		28
29	-	-	.33	.02	-	-	.12	-	-	.05	-	X		29
30	X	X	.04	.12	.03	-	-	-	-	.24	.04	.13		30
31	X	X	X	X	-	X	-	-	X	.46	X	.04		31
TOTAL	2.50	2.08	2.33	1.84	2.60	.53	5.33	1.54	3.41	4.51	6.31	2.94	Year's Total	36.29
* Days with .01 in. or more.	12	11	18	14	11	6	16	12	16	12	24	22	174	"d"
* Days with .04 in. or more.	7	8	13	11	8	3	16	8	13	12	20	16	135	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed)

Engineer & Manager

P.T.O.

Section **A** for the entry of
AIR MINISTR

FORM 1090

Formby

Kept at

in the County of

Diameter of Funnel of Gauge

Height of top of Gauge above Gr

Ground

Se

THE MORNING MEASUR

An observer who does not conform

year in the space on the right of

P

for the entry of
AIR MINISTR

REGIS

ion No. 2808/5
ORGANIZATION

2808/5

FORMBY, HIGHTOWN

19 37 — 40

DAY

following

Jan. 1, following

Date	Jan.	Feb.	Mar.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	Date
1	.01	.06	.12	.	.	.	.04	.	.40	.17	.02	.14	.	1
2	.	.19	.25	.20	.	.01	.02	.	.	.	.	.04	.	2
3	.04	.24	.01	.	.18	.43	.	.	.	.03	.01	.05	.	3
4	.23	.01	.01	.08	.15	.	.07	.02	.	.	.	.	.	4
5	.47	.	.05	.23	.	.	.04	.01	.02	.	.	.55	.	5
6	.35	.	.	.05	.12	.08	.	.	.	.01	.	.02	.	6
7	.	.27	.	.15	.01	.06	.01	.	.05	.	.02	.	.	7
8	.	.38	.01	.07	.	.07	.09	.01	.	.	.05	.	.	8
9	.	.01	.11	.01	.08	.03	.04	.14	.	.	.	.	.	9
10	.01	.09	.	.	.	.02	.	.	.	.	.	.38	.	10
11	.	.	.15	.	.30	.	.02	.	.	.	.01	.	.	11
12	.14	.32	.03	.	.	.	.04	.02	.44	.	.	.15	.	12
13	.	.	.	.04	.	.38	.	.60	.05	.	.	.16	.	13
14	.	.38	.02	.	.	.	.02	.	.13	.	.22	.06	.	14
15	.12	.35	.05	.43	.	.	.48	.20	.24	.	.	.09	.	15
16	.	.21	.15	.40	.	.	.	.18	.15	.	.01	.01	.	16
17	.10	.07	.10	.	.	.	.	.	.08	.	.	.	.	17
18	.06	.20	.05	.22	.	.	.07	.04	.	.	.35	.	.	18
19	.22	.06	.11	.26	.01	.	.	.	.01	.	.22	.	.	19
20	.03	.	.	.23	.73	.36	.20	.	.	.	.	.10	.	20
21	.01	.20	.21	.18	.04	.	.23	.	.01	.23	.	.07	.	21
22	.03	.03	.01	.	.	.	.04	.	.	.04	.25	.06	.	22
23	.	.	.02	.	.38	.01	.14	.	.01	.	.07	.01	.	23
24	.24	.27	.10	.	.	.	.	.10	.35	1.04	.02	.	.	24
25	.	.35	Good Friday	.	.	.	.15	.10	.	.02	.	.	.	25
26	.	.40	.17	.	.22	.	.	.03	.04	.08	.	.05	.	26
27	.	.70	.	.38	.	.	.	.	.01	.23	.	.01	.	27
28	.	.	.02	.	.	.01	.	.01	.	.10	.01	.	.	28
29	.03	.	.	.	.	.02	.	.04	.	.32	.17	.01	.	29
30	.	X	.	.	.	.32	.	.02	.08	.	.25	.	.	30
31	.15	X	.	X	.	X	.	.05	X	.05	X	.	.	31
TOTAL	2.24	4.79	1.75	2.93	2.22	1.80	1.70	1.46	2.07	2.32	1.68	1.96	Year's Total	26.92
* Days with .01 in. or more.														
* Days with .04 in. or more.														

† Spare column, no entries required.

(Signed)

[P.T.O.]

* See Instruction 3 (f) on other side.

Section

A

for the entry of

ion No.

2808/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937.

Form by

Kept at

in the County of

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01	.06	.12				.04		.40	.17	.02	.14		1
2		.19	.25	.20		.01	.02					.04		2
3	.04	.24	.01		.18	.43				.03	.01	.05		3
4	.23	.01	.01	.08	.15		.07	.02						4
5	.47		.05	.23			.04	.01	.02			.55		5
6	.35			.05	.12	.08				.01		.02		6
7		.27		.15	.01	.06	.01		.05		.02			7
8		.38	.01	.07		.07	.09	.01			.05			8
9		.01	.11	.01	.08	.03	.04	.14						9
10	.01	.09				.02						.38		10
11			.15		.30		.02				.01			11
12	.14	.32	.03				.04	.02	.44			.15		12
13				.04		.38		.60	.05			.16		13
14		.38	.02				.02		.13		.22	.06		14
15	.12	.35	.05	.43			.48	.20	.24			.09		15
16		.21	.15	.40				.18	.15		.01	.01		16
17	.10	.07	.10						.08					17
18	.06	.20	.05	.22			.07	.04			.35			18
19	.22	.06	.11	.26	.01				.01		.22			19
20	.03			.23	.73	.36	.20					.10		20
21	.01	.20	.21	.18	.04		.23		.01	.23		.07		21
22	.03	.03	.01				.04			.04	.25	.06		22
23			.02		.38	.01	.14		.01		.07	.01		23
24	.24	.27	.10					.10	.35	1.04	.02			24
25		.35					.15	.10		.02				25
26		.40	.17		.22			.03	.04	.08		.05		26
27		.70		.38					.01	.23		.01		27
28			.02			.01		.02		.10	.01			28
29	.03					.02		.04		.32	.17	.01		29
30		~~X~~				.32		.02	.08		.25			30
31	.15	~~X~~		~~X~~		~~X~~		.05	~~X~~	.05	~~X~~			31
TOTAL	2.24	4.79	1.75	2.93	2.22	1.80	1.70	1.46	2.07	2.32	1.68	1.96	26.92	Year's Total
* Days with .01 in. or more.														
* Days with .04 in. or more.														

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

[P.T.O.]

Section **A**

for the entry of Daily Observations

Station No. 2808/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1938

Kept at *Highstown*

in the County of *Lancaster*

Diameter of Funnel of Gauge.....*5*.....in.

Height of top of Gauge above Ground...*1*.....ft...*0*.....in.

„ Ground „ Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		.03	.01			1.05		.07	.08	X	.11	.15		1
2	.01	.03				.14	X		.01	X.67	.06	.06		2
3	.02	.01		.12		.04	.42		X	.95	.11	.73		3
4	.01			.04		.12	.01		.08	.13	.01			4
5	.05						.01	1.05	.11	.43		.05		5
6	.10	.01		.03		.01	.25	.15	.09	.17		.01		6
7	.11	.01					.24	X	.09	.03		.01		7
8		.02	.01				.34	X.11	.01	X	Tr.	.33		8
9	.33	.38	.07			.18	X	.82		.62		.21		9
10	.06	.02	.01			.02	X.24		X	.24		.27		10
11	.16	.02	.01		.36	.12	.05	.04	X.09	.16	.07			11
12	.06				.15				Tr.	.83	.60	.03		12
13	.03		.01		.10		.03		.07	.03		.08		13
14	.33				.09		.10	X	.01	.01	.03	.01		14
15			.03				.07	X.16		X	.02	.13		15
16	.45		.01		.02		X	.02	.16	.12	.03	.02		16
17					.03		.20	.14	X	.52	.01	.01		17
18	.03				.06			.33	.12	.22	.37			18
19								.20	.05		.24			19
20	.11		.15					.04	.21	.01		.01		20
21			.02			.01			.03	—	.14			21
22				.02	.01	.32			.01	—	.33	.01		22
23	.02				.02	.17			.28	.02	.23	.02		23
24	.13	.12	.34		.01	.01		.70	X	.14	.06	.16		24
25	.03	.06	.13		.02	.25	.60	.01	.10	.28	.58			25
26	.11				.37				.17	.50	.72	.09		26
27	.22	.25	.34		.45	.17	.11	.40	.04	.01				27
28	.12	.02	.02		1.12	.80	.15	X	.03	.02	.01	.11		28
29			.04			.26	.12	.01	.05	X	.21	.27		29
30	.45	X			.04	.01	X		.33	.11	.30	.13		30
31	.15	X		X	.26	X	.02		X	.22	X	.90		31
TOTAL	3.09	.98	1.20	.21	3.11	3.68	2.96	4.28	2.22	6.44	4.24	3.80	36.21	✓
* Days with .01 in. or more.	23	13	15	4	16	17	19	17	24	26	21	24	219	
* Days with .04 in. or more.	16	4	6	2	10	12	15	14	18	18	15	15	145	

† Spare column, no entries required.

(Signed)

* See Instruction 3 (f) on other side.

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 2808/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Formby, Lighthousein the County of LancashireDiameter of Funnel of Gauge.....5.....in.Height of top of Gauge above Ground.....1.....ft. 9.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.22		.07	.45			.16		.03	.02		.02		1
2	.04		.04	.1				.44	.31	.01		.64		2
3	.20		.12	.18			.02	.03			.01	.1		3
4	.12	.03	.15	.36	.03		.24			.05	.70	1.55		4
5				.01	.30		.30	.08		.07	.1	.01		5
6	.94	.08	.02				.64				.05			6
7	.19	.11					.10	.02			.10	.32		7
8		.20	.33	.83			.62		.01	.14	.06	.30		8
9	.17	.14		-				.45	.22	.37		.58		9
10	.25		.02					.02		.21	.03	.1		10
11	.29	.16	.23				.14			.10	.1			11
12	.61						.10		.13		.02			12
13	.01		.01	.39	.49	.43	.36		.14	.02	.04			13
14	.64			.03	.69	.35				.05	.24			14
15		.05		.22	.03	.76	.25			.11	.08			15
16	.07		.06	-	.26	.01					.12			16
17	.42	.02		.01	.30	.25	.02			.52	.04			17
18	.16	.09	.05				.13				.1			18
19	.21				.01		.10	.01			.59			19
20	.07		.12	.03	.31	.60			.01					20
21	.17		.26	.03				.24	.06	.03				21
22		.42	.05	.21			.43				.44			22
23	.03	.17	.01	.1		.12				.27	.21	.01		23
24	.05	.15	.01	.01		.06	.02			.21	.02			24
25	.04	.15		.30			.01				.79	.05		25
26										.03	.1			26
27	.01	.41	.06			.28	.08				.20	.21		27
28		.10	.10	.03		.11	.56			.06	.60	.04		28
29				.04		.19	.89	.05			.14	.01		29
30				-		.10					.05			30
31							.03	.10						31
TOTAL	4.91	2.28	1.71	2.30	1.45	3.55	5.91	1.44	.91	2.27	4.51	3.74	34.98	Year's Total
* Days with .01 in. or more.	22	15	18	17	9	15	21	10	8	17	25	14	191	
* Days with .04 in. or more.	19	13	13	10	5	14	16	6	5	12	19	10	142	

† Spare column, no entries required.

(Signed)

P.T.O.

* See Instruction 3 (f) on other side.

Section



for the entry of Daily Observations

Station No. 2808/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940.

Kept at Formby, Lighthouse

in the County of Lancashire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

Ground Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

TRAVELLING FORM.

VALUES FORWARDED MONTHLY

Office

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		.03		.23			.03		.01		.34	.07		1
2			.03	.22			.02				.44	.12		2
3		x	✓	.08			.11			.03	x	.07		3
4		x			.19		.32			.28	.13	.13		4
5		.15			x		.10			x	.15	.09		5
6	.10	.19		.11			.08			x	.10	.07		6
7		.25		x	.07			.01	x	.43	.03		✓	7
8	.03		.02		.01		.01		x		.31	.02	.28	8
9			x	.30	.01		.86	.02	.06	.47	x	.10		9
10		-	✓				.31	x	.12	.01	.18	x	.39	10
11		✓	.01	.07	.02		.26	-	.13		1.18	.03		11
12				.20		.07	.47	.11			.13			12
13			.18	x	.12		.03	.04	.34		.09	.07		13
14			.01	x		.08		.13	x	.34	.01	.40	.27	14
15				.04	.82				✓				.4	15
16	.02	.13	x	.55			.19		.55	.22	.40	.07		16
17		-	x		.82		.04	.32	.01		x	.02		17
18	.06	x	.31	.07	.21			x		.27		.01	.25	18
19		.28	.11	.03			x	.17		.05	.41	.11		19
20			x	.24			x		.03	.38	x	.03		20
21		.01	.01	-	.01	.18		.02			.61			21
22			.04		.16			.09	.05					22
23	.11	.07	✓	.04	.18		.14		.17		✓	.03		23
24	.20	✓	✓			.01	x							24
25	.02	✓	.02		.01	.39			.03					25
26	.87	.13		x		.02	1.03	.03			.03			26
27	x	.59			.01		.01		.01		.03			27
28	1.30	x	.26		.75	✓		.01				✓	.44	28
29	.01		.37	.06	.02	x	.04			.04		x		29
30		x	.03	.26	.02	-				.28		.10		30
31	.10	x	✓	x	.02	x		.04	x	.66	x	.02		31
TOTAL	2.82	2.43	2.03	1.84	2.54	.63	4.22	.97	2.84	3.94	5.39	2.59	32.24	✓
* Days with .01 in. or more.	12	11	16	18	17	14	5	20	13	16	13	21	191	✓
* Days with .04 in. or more.	8	11	10	12	8	4	15	7	12	8	11	17	128	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) [Signature] [P.T.O.]

Kept at *The Dunes*
in the County of *Lancaster*

Diameter of Funnel of Gauge *3/8*
Height of top of Gauge above Ground
Ground Sea Level

THE MORNING MEASUREMENT

An observer who does not conform to the
year in the space on the right of this

P

2809

FORMBY, THE DUNES

1931 — 37

2809
Y FOR OFFICIAL USE.
ORGANIZATION.

Jan. 1, following

ing

780501

Date	Jan.	Feb.	March	A										
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	10	—	—	10	—	—	08	04	02	07	—	—	1	
2	—	06	—	38	—	88	23	—	60	12	08	05	2	
3	33	—	—	—	—	24	—	—	89	02	54	05	3	
4	—	—	—	18	04	—	02	04	40	—	03	20	4	
5	—	03	—	02	18	68	20	88	—	—	—	27	5	
6	—	21	—	—	02	25	—	—	18	55	09	05	6	
7	—	05	—	—	—	25	—	46	—	05	03	03	7	
8	05	08	—	08	—	05	10	20	—	—	12	04	8	
9	07	31	—	12	02	18	—	27	08	—	20	05	9	
10	—	03	—	—	50	27	—	—	14	20	42	01	10	
11	20	25	—	04	—	—	25	04	47	—	65	03	11	
12	03	02	—	02	—	—	08	08	06	08	01	—	12	
13	—	—	12	—	04	05	05	19	—	—	70	—	13	
14	04	17	—	—	04	1.75	19	70	10	—	—	01	14	
15	08	28	—	21	24	04	26	30	—	—	—	11	15	
16	17	05	—	24	08	06	07	50	30	—	20	—	16	
17	04	05	—	09	10	08	12	15	09	—	35	—	17	
18	24	—	—	09	—	30	72	13	—	—	—	—	18	
19	14	21	06	—	—	—	05	67	—	—	13	—	19	
20	—	10	—	—	—	63	06	04	—	—	—	02	20	
21	33	—	—	—	25	—	—	19	—	—	09	—	21	
22	10	03	—	07	07	—	02	—	—	—	—	—	22	
23	18	—	—	12	20	22	—	—	—	—	31	15	23	
24	03	03	—	12	23	—	13	—	—	—	05	08	24	
25	06	26	—	43	06	—	—	—	—	—	12	05	25	
26	02	07	—	10	—	—	—	—	—	—	81	03	26	
27	16	15	—	03	26	06	06	—	—	36	106	04	27	
28	35	26	03	03	20	—	—	—	—	12	—	21	28	
29	07	—	03	—	03	—	05	—	02	75	02	—	29	
30	—	×	—	03	—	01	—	—	15	02	01	02	30	
31	65	×	—	×	—	×	18	—	×	05	×	09	31	
TOTAL	3.44	2.70	.41	2.50	2.56	5.45	2.92	4.88	3.50	2.57	5.42	1.59	37.74	YEAR'S TOTAL
*Days with of in. or more.	22	21	6	20	18	18	20	17	14	12	22	21	211	
*Days with of in. or more.	19	16	4	15	15	16	18	17	12	10	17	14	173	

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at The Dimes Farmby

in the County of Lancashire

Diameter of Funnel of Gauge 3/8 in.

Height of top of Gauge above Ground 4 ft.

Ground Sea Level 30 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	10	—	—	10	—	—	08	04	02	07	—	—	1
2	—	06	—	38	—	88	23	—	60	12	08	05	2
3	33	—	—	—	—	24	—	—	89	02	54	05	3
4	—	—	—	18	04	—	02	04	40	—	03	20	4
5	—	03	—	02	18	68	20	88	—	—	—	27	5
6	—	21	—	—	02	25	—	—	18	55	09	55	6
7	—	05	—	—	—	25	—	46	—	05	03	03	7
8	05	08	—	08	—	05	10	20	—	—	12	04	8
9	07	31	—	12	02	18	—	27	08	—	20	05	9
10	—	03	—	—	50	27	—	—	14	20	42	01	10
11	20	25	—	04	—	—	25	04	47	—	65	03	11
12	03	02	—	02	—	—	08	08	06	08	01	—	12
13	—	—	12	—	04	05	05	19	—	—	70	—	13
14	04	17	—	—	04	175	19	70	10	—	—	01	14
15	08	28	—	21	24	04	26	30	—	—	—	11	15
16	17	05	—	24	08	06	07	50	30	—	20	—	16
17	04	05	—	09	10	08	12	15	09	—	35	—	17
18	24	—	—	09	—	30	72	13	—	—	—	—	18
19	14	21	06	—	—	—	05	67	—	—	13	—	19
20	—	10	—	—	—	63	06	04	—	—	—	02	20
21	33	—	173	—	25	—	—	19	—	—	09	—	21
22	10	03	—	07	07	—	02	—	—	—	—	—	22
23	18	—	—	12	20	22	—	—	—	—	31	15	23
24	03	03	—	12	23	—	13	—	—	—	05	08	24
25	06	26	—	43	06	—	—	—	—	—	12	05	25
26	02	07	—	10	—	—	—	—	—	—	81	03	26
27	16	15	—	03	26	06	06	—	—	36	106	04	27
28	35	26	03	03	20	—	—	—	—	12	—	21	28
29	07	—	03	—	03	—	05	—	02	75	02	—	29
30	—	×	—	03	—	01	—	—	15	02	01	02	30
31	65	×	—	×	—	×	18	—	×	05	×	09	31
TOTAL	3.44	2.70	41	2.50	2.56	5.45	2.92	4.88	3.50	2.67	5.42	1.59	37.74
*Days with or in. or more.	22	21	6	20	18	18	20	17	14	12	22	21	211
*Days with or in. or more.	19	16	4	15	15	16	18	17	12	10	17	14	173

Section

A

for the entry of Daily Observations.

Station No. 2809

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932

Kept at

in the County of

Diameter of Funnel of Gauge $\frac{3}{8}$ in.Height of top of Gauge above Ground $\frac{30}{100}$ ft. in.Ground Sea Level $\frac{30}{100}$ ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	21	-	-	28	47	-	06	05	23	03	08	25	1
2	32	02	-	-	37	-	05	10	98	13	12	20	2
3	-	-	-	07	01	-	07	-	08	03	05	09	3
4	02	-	-	-	-	-	13	-	-	43	03	03	4
5	43	-	04	10	05	-	03	12	06	-	-	-	5
6	79	-	04	25	-	-	-	-	14	-	-	-	6
7	03	-	19	12	-	-	-	-	70	59	-	-	7
8	-	-	-	10	-	-	-	-	33	41	-	-	8
9	39	-	-	26	14	-	-	-	08	-	07	-	9
10	30	-	-	10	-	04	-	-	43	36	05	-	10
11	09	02	-	02	50	-	14	-	-	-	-	-	11
12	28	-	-	-	44	-	38	01	02	35	-	04	12
13	03	-	-	15	07	-	15	03	09	23	-	30	13
14	10	-	-	-	-	-	34	05	-	09	04	09	14
15	-	-	-	-	58	-	-	-	-	08	09	02	15
16	13	-	-	03	-	-	-	-	-	-	-	06	16
17	-	-	-	-	-	-	02	05	-	09	-	02	17
18	-	-	-	-	04	-	02	-	06	-	03	-	18
19	-	-	-	05	-	-	-	-	-	24	-	06	19
20	-	-	-	12	15	-	-	77	-	15	11	07	20
21	-	-	21	-	28	-	05	-	-	66	06	-	21
22	06	-	03	13	-	-	14	32	06	06	55	05	22
23	-	02	-	-	06	-	08	-	-	18	05	10	23
24	09	-	-	-	02	-	44	-	-	03	29	-	24
25	-	-	-	08	-	03	33	-	39	122	16	-	25
26	-	-	04	05	17	-	24	-	22	40	05	-	26
27	-	-	67	33	09	72	03	-	-	-	05	03	27
28	-	-	64	09	23	-	41	02	-	05	-	-	28
29	-	-	50	69	23	16	22	64	23	67	20	26	29
30	-	X	07	19	-	14	-	67	06	53	36	02	30
31	02	X	65	X	-	X	15	03	X	63	X	04	31
TOTAL	329	06	188	321	390	109	350	166	416	704	232	173	3884
*Days with .01 in. or more.	16	3	11	20	18	5	21	13	17	25	19	18	186
*Days with .04 in. or more.	12	-	10	18	16	4	17	9	16	21	17	13	153

Section

A

for the entry of Daily Observations.

Station No.

2809

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at

The Dunes, Formby

in the County of

Lancashire

Diameter of Funnel of Gauge

3/8

in.

Height of top of Gauge above Ground

9

ft.

Ground Sea Level

30 9

ft.

Rain days plotted instead of annual total.
Year's Value of 33 0.15

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	04	11	-	03	-	-	07	-	-	09	-		1
2	14	~~14~~	16	07	-	09	-	02	-	-	-	-		2
3	23	48	21	-	25	-	-	-	-	-	-	-		3
4	34	08	03	-	24	-	-	-	-	01	04	-		4
5	09	03	03	-	03	-	-	-	-	-	04	-		5
6	-	23	17	-	23	-	-	-	-	-	-	02		6
7	08	37	-	-	-	-	15	-	-	37	-	-		7
8	29	02	14	-	02	-	11	-	-	-	04	02		8
9	-	16	-	17	02	03	58	-	-	46	11	-		9
10	09	13	-	-	-	03	08	-	-	88	02	-		10
11	03	-	-	-	-	-	02	-	-	06	-	15	Snow	11
12	13	-	-	-	01	06	21	-	-	19	-	12		12
13	-	-	-	-	13	-	11	61	06	30	19	-		13
14	44	-	-	-	-	-	25	07	-	07	50	-		14
15	14	-	02	-	02	-	02	01	-	17	15	-		15
16	15	05	18	-	03	20	-	-	-	15	-	02		16
17	04	-	43	-	-	37	-	20	-	02	02	01		17
18	04	-	28	-	-	73	-	01	-	-	06	04		18
19	-	-	23	-	-	-	-	-	17	-	24	-		19
20	-	11	-	-	70	27	-	08	04	-	-	-		20
21	-	-	-	-	-	-	-	-	02	-	-	-		21
22	-	-	-	03	05	-	-	32	-	13	-	-		22
23	-	-	-	49	-	19	-	-	04	05	-	-		23
24	-	26	-	26	13	24	-	-	35	-	-	-		24
25	-	08	-	10	-	-	-	-	59	-	-	13		25
26	-	61	-	17	-	-	-	-	-	26	-	-		26
27	-	03	-	02	08	-	-	-	-	-	-	02		27
28	-	-	-	05	-	-	04	89	-	-	-	-		28
29	-	-	-	-	-	-	03	09	-	-	-	07		29
30	10	x	07	06	-	01	06	05	02	15	-	13		30
31	12	x	06	x	-	x	-	01	x	20	x	11		31
TOTAL	2.45	2.68	2.12	1.42	1.97	1.62	1.66	2.43	.77	3.27	1.50	8.4	2293	
*Days with "or in. or more.	16	15	14	10	15	11	12	13	8	16	12	12	154	
*Days with ".04 in. or more.	15	12	11	8	8	8	9	9	6	14	10	7	117	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

J. H. Arnold

[P.T.O.]

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No. 2809

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at The Dunes, Formby
in the County of LancashireDiameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 9 ft. in.
Ground Sea Level 30 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.04	—	—	—	—	—	—	.06	.04	.02	.11	.30		1
2	—	.02	.08	—	.03	—	—	.36	.07	.06	.22	.25		2
3	.08	—	—	—	—	—	—	—	—	.11	.03	.15		3
4	.17	—	.03	.01	.09	—	—	—	.13	.70	—	.70		4
5	—	—	.01	—	.13	—	—	.38	—	.02	.02	.11		5
6	.03	—	.02	—	.37	.01	—	.01	—	.15	—	.14		6
7	.21	.04	.02	.06	.04	—	—	—	—	.05	.20	.34		7
8	—	—	—	—	.30	.27	—	.03	—	.08	.91	.02		8
9	—	.02	.18	.02	—	—	—	.11	—	.04	.45	—		9
10	.02	—	.18	.15	—	—	—	.42	—	.06	.05	.01		10
11	.09	.01	.01	.38	—	—	—	.10	—	—	.08	.14		11
12	—	—	.06	.17	—	—	—	.06	—	.05	—	.04		12
13	.17	—	—	.04	.02	—	.09	—	—	.04	—	—		13
14	.15	—	.16	.02	.04	.03	—	—	—	.16	.01	.07		14
15	.08	—	.12	.02	.54	—	.01	.02	.08	.08	.03	.20		15
16	.36	—	.13	—	.04	—	—	—	—	.18	.03	.15		16
17	.16	—	.07	.12	.25	—	.83	.12	.08	.04	—	.22		17
18	.17	—	.02	.09	.54	.40	—	—	.01	.02	—	.20		18
19	—	—	.10	—	.04	.20	—	.02	.22	.07	—	.02		19
20	—	—	—	.09	.27	.02	—	.01	.12	.02	—	—		20
21	.03	—	.14	—	.02	.21	—	.02	.18	.13	—	—		21
22	—	—	.05	.45	—	—	—	.08	.15	.01	—	.06		22
23	—	—	.07	.04	—	.15	.07	.02	—	.29	.03	.03		23
24	—	.07	.02	.06	.04	.28	.04	—	.33	.14	—	—		24
25	.03	—	.02	.06	.04	—	—	—	.46	.20	—	.24		25
26	.03	—	.03	.20	—	.18	.02	—	.08	.02	—	.05		26
27	—	—	—	.02	—	.03	.06	.02	.03	.19	—	.24		27
28	—	—	—	—	—	.05	—	.40	.08	.10	—	.36		28
29	—	—	—	—	—	—	.03	.24	.32	.31	—	.07		29
30	.19	X	—	—	—	—	—	.07	.40	.65	—	—		30
31	—	X	—	X	—	X	—	.09	X	.15	X	.13		31
TOTAL	201	.16	1.52	1.94	2.80	1.83	1.15	2.81	2.78	4.14	2.17	4.24	27.7	
*Days with or in. or more.	17	5	21	17	17	12	8	21	17	30	13	25	203	
*Days with or in. or more.	12	2	13	12	14	8	5	13	15	24	7	21	146	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

[P.T.O.]

A

Station No. 807

FORM 1090.

REGISTER OF RAINFALL IN 1935.

in the County of Lancashire

Diameter of Funnel of Gauge..... $\frac{9}{8}$ in.Height of top of Gauge above Ground.....ft. 9 in

Ground Sea Level 30 ft

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
1	in. 20	in. 18	in. 5	in. -	in. -	in. -	in. 27	in. -	in. 33	in. 21	in. 09	in. 12	†	1
2	-	10	5	-	-	33	-	-	-	06	02	14		2
3	28	13	10	05	-	17	-	-	18	-	08	20		3
4	-	29	06	-	-	34	-	-	-	14	-	-		4
5	-	27	14	08	-	-	-	-	06	02	24	16		5
6	-	-	-	11	-	27	-	-	-	-	02	02		6
7	-	-	-	09	-	07	-	-	-	30	06	23		7
8	-	-	-	07	-	4	-	05	-	04	15	03		8
9	03	03	-	05	-	04	-	-	-	1.53	10	-		9
10	-	08	-	01	-	15	05	-	-	51	04	-		10
11	39	-	-	-	-	15	-	05	-	19	04	-		11
12	05	14	-	-	-	10	-	-	10	-	-	-		12
13	16	04	-	05	23	-	-	-	26	03	06	-		13
14	23	-	-	04	-	11	25	-	03	-	43	19		14
15	-	26	-	36	13	-	-	-	19	-	-	68		15
16	-	30	05	20	30	-	06	-	54	-	45	-		16
17	-	-	-	15	50	28	02	-	04	04	50	-		17
18	02	-	-	03	23	12	-	-	50	09	04	-		18
19	-	-	-	13	28	25	10	-	-	03	16	-		19
20	-	35	-	63	-	14	-	-	-	-	08	-		20
21	-	04	-	-	-	-	02	-	1.38	11	-	17		21
22	02	15	02	-	-	-	-	-	56	-	-	-		22
23	08	02	35	-	-	-	-	05	06	58	-	-		23
24	25	20	19	-	-	-	-	-	1.25	04	-	10		24
25	11	04	-	-	-	11	-	-	-	-	03	-		25
26	-	04	-	-	-	02	-	90	45	11	07	13		26
27	-	05	-	-	01	14	05	20	20	15	33	03		27
28	07	10	-	-	-	-	-	11	14	20	03	-		28
29	-	-	09	-	-	13	-	32	41	07	10	09		29
30	09	x	-	-	-	93	-	20	21	55	65	08		30
31	-	x	-	x	-	x	-	-	x	08	x	55		31
TOTAL	158	292	96	2.05	1.68	385	62	188	6.39	5.08	3.77	2.92	Year's Total	83.90
* Days with .01 in. or more.	14	20	8	15	7	19	8	8	19	22	23	16		179
* Days with .04 in. or more.	10	18	7	13	6	18	6	8	18	19	19	13		155

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No. 2809

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at The Dunes FORM IV

in the County of LANCASHIRE

Diameter of Funnel of Gauge 7.8 in.

Height of top of Gauge above Ground 9 ft. in.

Ground Sea Level 30 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01	.08	.03	.17		.09		.37	.05		.26	.45		1
2	.05			.04		.41		.03	.06		.20	.11		2
3	.04					.62	.12	.02	.28			.02		3
4	.15	.23	.21						.10		.17	.13		4
5	.08	.05	.09					.40	.08		.04	.16		5
6	.09				.05		.08	.06	.45		.09			6
7			.22				.04		.45		.25	.13		7
8	.21		.45						.03		.24	.05		8
9	.37					.03	.17	.08	.23		.30			9
10	.03						.35				.44	.02		10
11			.02			.13	.18	.06	.24		.37	.13		11
12			.01		.06	.13	.26		.56	.01	.05			12
13					.03		.03			.23	.11	.50		13
14				.04		.48	.02	.10	.05	.03	.18	.88		14
15	.22				.08	.03		.03			.16	.02		15
16		.04		.24	.17		.05				.69	.03		16
17	.06	.28			.06		.11	.03		.08	.01	.10		17
18		.05	.03				.14	.25		.56		.02		18
19	.32	.13		.14		.08	.02	.12		.05				19
20			.03							.03				20
21	.33		.03	.05		.16						.06		21
22	.30	.45	.08	.06		.14	.45					.05		22
23		.03	.07				.51			.04				23
24	.14				.04				.18	.16				24
25	.17								.66			.03		25
26			.12	.04					.02	.81				26
27	.70								.05					27
28	.14	.43	.10	.04		.03	.05			.05		.05		28
29	.05	.09	.37		.02	.75				.05	.09	.02		29
30	.24				.09	.21	.31			.19	.07			30
31	.14		.05							.01		.30		31
TOTAL	3.84	1.86	1.42	.87	.70	3.29	2.84	1.55	3.43	2.24	3.73	3.26	2.58	Year's Total
* Days with .01 in. or more.	21	11	16	9	9	14	17	12	16	16	18	21	180	
* Days with .04 in. or more.	19	10	10	9	7	11	14	8	14	12	17	14	143	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

[P.T.O.]

Section



for the entry of Daily Observations

Station No. 2869

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at *The Dunes, Formby*in the County of *Lancashire*Diameter of Funnel of Gauge.....*3* in.Height of top of Gauge above Ground.....*9* ft.....in.,, Ground ,, Sea Level ...*30*.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.03	.04	.06				.03			.11		.14	.41	1
2	.03	.18	.12	.20			.06		.54				1.13	2
3		.19			.12	.61	.09						1.01	3
4	.24		.01	.09	.15							.20	.69	4
5	.46		.05	.20		.08	.03					.28	1.10	5
6	.10			.08	.13	.03							.34	6
7		.25		.09		.05			.05				.44	7
8		.35	.01	.08		.08	.08				.04		.64	8
9			.10	.02	.12		.04	.04					.32	9
10		.04	.18			.04						.39	.63	10
11					.34		.02						.36	11
12	.13	.35	.03			.34	.03	.03	.38			.24	1.53	12
13		.15		.04				.37				.10	1.00	13
14		.28					.02	.29	.12		.15	.04	.89	14
15	.09	.35		.53			.49		.28			.05	1.79	15
16		.17	.16	.34				.15					.82	16
17	.06	.08	.11	.12					.05		.40		.42	17
18	.03	.19	.02	.08			.09	.05			.28		.84	18
19	.13	.05	.07	.22		.30							1.05	19
20	.02	.03	.01	.21	.54		.12		.01			.10	1.04	20
21	.02	.14	.11	.14	.04		.20			.22		.07	.94	21
22		.03			.07		.04			.03	.38	.05	.60	22
23	.03		.03		.25		.14			.45	.12		1.02	23
24	.15	.18	.10				.02		.36	.10			.91	24
25		.48	.02					.07	.04	.21		.06	.88	25
26		.28	.17		.20			.03		.09			.76	26
27		.43		.31						.27			1.01	27
28						.02				.06			.09	28
29	.02							.02		.26	.20		.50	29
30	.00	~~X~~				.32		.02	.09	.12	.25		.86	30
31	.16	~~X~~		~~X~~		~~X~~		.02	~~X~~		~~X~~		.18	31
TOTAL	1.76	4.24	1.36	2.75	1.96	1.87	1.49	1.09	1.92	1.91	1.82	1.72	23.87	✓
* Days with .01 in. or more.	17	21	19	16	10	10	16	11	10	11	8	12	160	✓
* Days with .04 in. or more.	10	19	12	15	10	8	10	6	9	10	8	12	129	✓

Year's Total 23.87

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) *Thos. A. Loney* [P.T.O.]

X FRESHFIE

Section **A** for the entry of
AIR MINISTR
FORM 1090. **REALY REGI**

Kept at **FRESHFIELD,**

in the County of **LANC**

Diameter of Funnel of Gauge.....

Height of top of Gauge above Gro

,, Ground ,, Sea

THE MORNING MEASU

An observer who does not conform
year in the space on the right of

2809/2

FRESHFIELD, SHIREBURY RD.

1935

Unit.

Station No. 2809/2

ORGANIZATION.

5. *Long and 29/7*
Shir

No reply by 17/8

Return adjusted

not W.D. by *next* *stus.*

109

Mar + Sept. Still

following

Jan. r, following

04.

780501

Date	Jan.	Feb.	Mar.									Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.19	.16	.	.	.	.	.25	.	.30	.	.08	.50		1
2	.	.11	TR	.	.	.	.	.	TR	.	.02	.14		2
3	.26	.5	.26	.04	.	.30	TR	.	.15	.04	.07	.18		3
4	.	TR	.04	TR	.	.15	.	.	.	.12	TR	TR		4
5	.	.26	.16	.08	.	.34 ⁺	.	.	.05	.	.24	.15		5
6	.	.	.	.29	.	TR	.	.	.	.	TR	.		6
7	.	.	.	.08	.	.22	.	.	.	.	.06	.25		7
8	.	.	.	.09	.	.06	.	.05	.	.30	.10	.		8
9	.03	.	.	.07	.	.18	.	.	.	.08	.14	.		9
10	.	.90	.	TR	.	.	.03	.	.	1.60	.05	.		10
11	.38	.	.	TR	.	.05	.	.02	.	.53	.02	.		11
12	.07	.12	.	.	.	.15	.	.	.11	.20	.	.		12
13	.15	.02	.	.	.22	TR	.	.	.25	.01	.06	.		13
14	.	.	.	.07	.	.08	.22 ⁺	TR	.17 [*]	.01	.43	.		14
15	.	.22	.	.32	.11	TR	TR	.	.03	TR	TR	.		15
16	.01	.31	.	.20	.09	TR	.05	.	(.55)	.	.49	.90		16
17	.	.	.04	.12	.63	.24	TR	.	.05	.	.43	.		17
18	.	.	.	.12	.25	.10	TR	.	.50 [*]	.	.	.		18
19	.	.	.	.	.22	.20	.08 [*]	.	.	.01	.15	.		19
20	.	.32	.	.30	.	.15	.	.	.	.02	.08	.		20
21	.	.03	.01	.	.	.14	TR	.	1.35	.	TR	.		21
22	.	.10	.	.	.	.	.	.04	.06	.05	TR	.		22
23	.07	.02	} (.50) x		.	.	.	.	.	.10	.	.		23
24	.23	.16			.	.	.	.	(1.25)	.35	.	.		24
25	.11	.02	.	.	.	.09	.	.	.40	.30	TR	.		25
26	.	.03	.01	.	.	.01	.	.90	.21	.3	.07	.50		26
27	.	.	.	.	.01	TR	.05	.19	.40	.10	.32	.25		27
28	.	.08	.	.	.	.	.	.13	.19	.11	.03	.10		28
29	.29	.	.	.	.	.12	.	.27	.	.21	.09	.04		29
30	.	X	.06	.	.	.92	.	.25	.24	.06	.32	.03		30 <i>How</i>
31	.29	X	.	X	.	X	.	.	X	.54	X	.20		31 <i>d</i>
TOTAL	2.06	3.36	(1.08) ~~.58~~	1.78	1.53	3.46	.69	1.85	(6.26) ~~4.46~~	4.99	3.29	3.24	31.29	(33.59)
* Days with .01 in. or more.	12	27	29	6	27	418	46	38	418	21	42	82	160	...
* Days with .04 in. or more.	210	12	87	23	46	47	35	27	317	315	817	411	136	...

X FRESHFIELD

Cn 4.

Section **A** for the entry of Daily Observations.

Station No. 2809/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at FRESHFIELD, FORMBY.

in the County of LANCASHIRE.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

Ground Sea Level 40 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

04.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.19	.16	.	.	.	.	.25	.	.30	.	.08	.50		1
2	.	.11	TR	.	.	.	.	.	TR	.	.02	.14		2
3	.26	.5	.26	.04	.	.30	TR	.	.15	.04	.07	.18		3
4	.	TR	.04	TR	.	.15	.	.	.	.12	TR	TR		4
5	.	.26	.16	.08	.	.34 ⁺	.	.	.05	.	.24	.15		5
6	.	.	.	.29	.	TR	.	.	.	.	TR	.		6
7	.	.	.	.08	.	.22	.	.	.	.	.06	.25		7
8	.	.	.	.09	.	.06	.	.05	.	.30	.10	.		8
9	.03	.	.	.07	.	.18	.	.	.	.03	.14	.		9
10	.	.90	.	TR	.	.	.03	.	.	1.60	.05	.		10
11	.38	.	.	TR	.	.05	.	.02	.	.53	.02 ⁺	.		11
12	.07	.12	.	.	.	.15	.	.	.11	.20	.	.		12
13	.15	.02	.	.	.22	TR	.	.	.25	.01	.06	.		13
14	.	.	.	.07	.	.09	22 ⁺	TR	.17 ⁺	.01	.43	.		14
15	.	.22	.	.32	.11	TR	TR	.	.03	TR	TR	.		15
16	.01	.31	.	.20	.09	TR	.05	.	(.55)	.	.49	.90		16
17	.	.	.04	.12	.63	.27	TR	.	.05	.	.43	.		17
18	.	.	.	.12	.25	.10	TR	.	.50 ⁺	.	.	.		18
19	.	.	.	.	.22	.20	.08 ⁺	.	.	.01	.15	.		19
20	.	.32	.	.30	.	.15	.	.	.	.02	.08	.		20
21	.	.03	.01	.	.	.14	TR	.	1.35	.	TR	.		21
22	.	.10	.	.	.	.	.	.04	.06	.05	TR	.		22
23	.07	.02	(.50)	.	.	.	.	.	.	.10	.	.		23
24	.23	.16	(.50)	.	.	.	.	.	(1.25)	.35	.	.		24
25	.11	.02	.	.	.	.09	.	.	.40	.30	TR	.		25
26	.	.03	.01	.	.	.01	.	.90	.21	.3	.07	.50		26
27	.	.	.	.	.01	TR	.05	.19	.40	.10	.32	.25		27
28	.	.08	.	.	.	.	.	.13	.19	.11	.03	.10		28
29	.29	.	.	.	.	.12	.	.27	.	.21	.09	.04		29
30	.	X	.06	.	.	.92	.	.25	.24	.06	.32	.03		30
31	.29	X	.	X	.	X	.	.	X	.54	X	.20		31
TOTAL	2.06	3.36	(1.08) 58	1.78	1.53	3.46	.69	1.85	(6.26) 4.46	4.99	3.29	3.24	31.29 (33.59)	
* Days with .01 in. or more.	12	27	29	62	27	48	46	38	48	21	20	22	46	..
* Days with .04 in. or more.	210	12	87	127	46	47	35	27	37	315	87	44	136	..

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

X H. MACKAY ESQ X

[P.T.O.]

2810

Kept at LIVERPOOL CORPORATION
in the County of LANCA
Diameter of Funnel of Gauge.....
Height of top of Gauge above Ground.....
Ground „ Sea Le

LIVERPOOL CORPORATION DEPOT.

1931 - 40

THE MORNING MEASUREMENT

An observer who does not conform to the
year in the space on the right of this

Jan. 1, following

wing

780501

Date	Jan.	Feb.	March								Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.23	—	—	.14	—	—	—	—	—	.05	—	—	1
2	.02	.05	—	.50	.06	.54	—	—	—	.12	.03	.18	2
3	.01	—	—	—	—	.12	.27	—	.38	.05	.43	.07	3
4	.12	.01	—	.18	—	—	.12	.30	<u>1.25</u>	—	.02	.05	4
5	—	—	—	.04	.09	.85	<u>.42</u>	<u>.93</u>	.32	—	—	.18	5
6	—	.17	—	—	—	.37	—	.03	.03	.45	.08	—	6
7	—	.08	—	—	—	.24	—	.78	.36	.05	.07	.01	7
8	.08	.03	—	.10	—	.12	.09	.43	.10	.02	.12	.02	8
9	.05	.16	—	.05	.03	.20	—	.31	.02	.06	.11	.03	9
10	.08	.05	.03	—	.16	.26	—	.11	.06	—	.32	.02	10
11	.23	.08	—	—	—	.02	.12	.01	.44	—	.12	.03	11
12	.06	.06	—	—	—	—	.20	.18	.12	.05	.05	—	12
13	—	—	.02	—	.11	.18	.04	.75	—	—	—	—	13
14	.04	.20	—	—	—	<u>.97</u>	.03	.87	.12	—	.60	.02	14
15	.07	.27	—	.25	.04	—	.10	.33	.02	—	—	.25	15
16	.13	.12	—	.19	.07	.07	.04	.47	.22	—	—	—	16
17	.10	—	—	—	.30	—	.06	.08	.05	—	.19	—	17
18	.22	—	—	—	.03	.55	.10	.13	.02	—	.43	—	18
19	.12	.30	—	—	—	.04	.36	.72	—	.03	—	—	19
20	—	.10	<u>.17</u>	—	—	—	.02	.05	—	—	—	.03	20
21	.32	—	—	.04	.33	.05	—	.14	—	—	.03	—	21
22	.06	.03	—	.04	.05	—	.02	—	—	—	.07	—	22
23	.25	—	—	.08	.25	.06	.05	—	—	—	.12	<u>.26</u>	23
24	.07	.02	—	.14	.13	—	.05	—	—	—	.03	.13	24
25	.14	<u>.51</u>	—	<u>.67</u>	.10	—	—	—	—	—	.05	.08	25
26	.07	.03	—	.11	—	—	.04	—	—	—	<u>.76</u>	.03	26
27	.30	.25	—	.14	<u>.37</u>	—	.06	—	—	.23	.54	.14	27
28	<u>.37</u>	.31	—	.02	.18	—	.01	—	—	.08	—	.15	28
29	.06	—	.07	—	—	—	.22	—	—	<u>.53</u>	.02	—	29
30	.02	✕	—	.01	—	—	—	—	.05	—	.01	—	30
31	.22	✕	—	✕	.02	✕	.14	—	✕	.03	✕	.04	31
TOTAL	3.44	2.83	.29	2.70	2.32	4.64	2.56	6.62	3.56	1.75	4.20	1.72	YEAR'S TOTAL 36.63
*Days with or more.	26	20	4	17	17	16	22	18	16	13	22	19	210
*Days with or more.	23	15	2	15	14	15	18	16	12	10	16	11	167

FORM 1090.

REGISTER OF RAINFALL IN 1931 .

Kept at LIVERPOOL CORPORATION DEPOT, GARSTON.
in the County of LANCASTER
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
Ground Sea Level 81.3 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.23	—	—	.14	—	—	—	—	—	.05	—	—	1
2	.02	.05	—	.50	.06	.54	—	—	—	.12	.03	.18	2
3	.01	—	—	—	—	.12	.27	—	.38	.05	.43	.07	3
4	.12	.01	—	.18	—	—	.12	.30	<u>1.25</u>	—	.02	.05	4
5	—	—	—	.04	.09	.85	<u>.42</u>	<u>.93</u>	.32	—	—	.18	5
6	—	.17	—	—	—	.37	—	.03	.03	.45	.08	—	6
7	—	.08	—	—	—	.24	—	.78	.36	.05	.07	.01	7
8	.08	.03	—	.10	—	.12	.09	.43	.10	.02	.12	.02	8
9	.05	.16	—	.05	.03	.20	—	.31	.02	.06	.11	.03	9
10	.08	.05	.03	—	.16	.26	—	.11	.06	—	.32	.02	10
11	.23	.08	—	—	—	.02	.12	.01	.44	—	.12	.03	11
12	.06	.06	—	—	—	—	.20	.18	.12	.05	.05	—	12
13	—	—	.02	—	.11	.18	.04	.75	—	—	—	—	13
14	.04	.20	—	—	—	<u>.91</u>	.03	.87	.12	—	.60	.02	14
15	.07	.27	—	.25	.04	—	.10	.33	.02	—	—	.25	15
16	.13	.12	—	.19	.07	.07	.04	.47	.22	—	—	—	16
17	.10	—	—	—	.30	—	.06	.08	.05	—	.19	—	17
18	.22	—	—	—	.03	.55	.10	.13	.02	—	.43	—	18
19	.12	.30	—	—	—	.04	.36	.72	—	.03	—	—	19
20	—	.10	<u>.17</u>	—	—	—	.02	.05	—	—	—	.03	20
21	.32	—	—	.04	.33	.05	—	.14	—	—	.03	—	21
22	.06	.03	—	.04	.05	—	.02	—	—	—	.07	—	22
23	.25	—	—	.08	.26	.06	.05	—	—	—	.12	<u>.26</u>	23
24	.07	.02	—	.14	.13	—	.05	—	—	—	.03	.13	24
25	.14	<u>.51</u>	—	<u>.67</u>	.10	—	—	—	—	—	.05	.08	25
26	.07	.03	—	.11	—	—	.04	—	—	—	<u>.76</u>	.03	26
27	.30	.25	—	.14	<u>.37</u>	—	.06	—	—	.23	.54	.14	27
28	<u>.37</u>	.31	—	.02	.18	—	.01	—	—	.08	—	.15	28
29	.06	—	.07	—	—	—	.22	—	—	<u>.53</u>	.02	—	29
30	.02	✕	—	.01	—	—	—	—	.05	—	.01	—	30
31	.22	✕	—	✕	.02	✕	.14	—	✕	.03	✕	.04	31
TOTAL	3.444	2.83	.29	2.70	2.32	4.64	2.56	6.62	3.56	1.75	4.20	1.72	YEAR'S TOTAL 36.63
*Days with ".01 in. or more.	26	20	4	17	17	16	22	18	16	13	22	19	210
*Days with ".04 in. or more.	23	15	2	15	14	15	18	16	12	10	16	11	167

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1932 .

Kept at CORPORATION DEPÔT, GARSTON, LIVERPOOL.
in the County of LANCASTER
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
Ground Sea Level 81.3 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	.27	-	-	.14	.75	-	.15	.02	.09	.03	.04	.13	1
2	.15	.03	-	-	.27	-	.10	.02	.17	.54	.06	.15	2
3	-	.03	-	.10	.04	-	.04	.04	.12	.01	.18	.11	3
4	-	-	-	-	-	-	.13	-	.13	.14	.04	.09	4
5	.55	-	.09	.05	.08	-	-	.01	.20	-	.01	.10	5
6	.72	-	.15	.31	-	-	-	-	.65	-	-	-	6
7	.08	-	.26	.24	.03	-	-	-	.02	.65	-	-	7
8	-	-	-	.11	.05	-	-	-	.18	.33	.03	-	8
9	.25	-	-	.09	-	-	-	-	.08	.48	.01	.02	9
10	.12	-	-	.16	-	-	-	-	.49	-	-	-	10
11	.04	-	-	.02	.53	.07	.35	-	.02	-	-	-	11
12	.15	-	-	-	.20	-	.48	.08	.12	.37	-	-	12
13	-	-	-	.05	.07	-	.09	.06	-	.58	-	.19	13
14	.19	-	-	.22	-	-	.62	.08	-	.18	.19	.14	14
15	.02	-	-	.04	.37	-	-	-	-	.04	.03	.01	15
16	.17	-	-	.08	-	-	.02	-	-	.02	-	.04	16
17	-	-	-	-	-	-	.33	.01	.04	.10	-	.02	17
18	-	-	-	-	.03	-	-	-	-	.03	.03	-	18
19	-	-	-	.14	-	-	.03	-	.05	.32	-	-	19
20	-	-	-	.10	.35	-	.06	.39	-	.20	.04	.02	20
21	.07	-	.28	.07	* A	-	.02	.81	-	.68	.28	-	21
22	-	-	.09	.06	* 95B	-	.58	-	-	.02	.58	.01	22
23	-	-	-	.03	.18	-	.05	-	-	.15	.10	.08	23
24	.08	-	-	-	.08	-	.73	-	.26	.01	.32	.01	24
25	-	-	-	.03	-	.03	.03	-	.15	.51	.07	-	25
26	-	-	-	-	.19	-	.22	-	.34	.14	.05	.02	26
27	-	-	.57	.03	.14	.07	.13	-	-	.06	.04	.01	27
28	-	-	.06	.28	.13	-	.26	-	-	-	-	-	28
29	.04	-	.42	.47	.15	.11	.02	.03	.18	.73	.54	.29	29
30	-	X	.10	.22	-	.10	.07	.06	.04	.52	.58	.03	30
31	-	X	.13	X	-	X	.81	-	X	.02	X	.02	31
TOTAL	2.90	.06	2.15	3.04	4.59	.38	5.32	1.61	3.33	6.86	3.22	1.49	34.95
Days with ".01 in. or more.	15	2	10	23	20	5	23	12	19	26	20	20	195
Days with ".04 in. or more.	14	-	10	19	18	4	18	7	17	19	15	10	151

Section

A

for the entry of Daily Observations.

Station No.

2810

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at CORPORATION DEPÔT, GARSTON.

in the County of LANCASTER

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

Ground Sea Level 81.3 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01	.10	.09	—	—	—	—	—	—	—	.14	—		1
2	.03	—	.14	.06	.04	.08	—	.03	—	—	—	—		2
3	—	.39	.22	—	.18	—	—	—	—	—	—	—		3
4	.33	.02	.08	—	.10	—	—	—	—	—	.02	—		4
5	.07	.02	.06	—	—	—	—	—	—	—	.06	—		5
6	.01	.21	.22	—	.09	—	—	—	—	—	.05	—		6
7	.02	.33	—	—	.01	—	.13	.07	—	.29	.01	—		7
8	.09	.01	.24	.01	.03	—	.15	—	—	—	—	.06		8
9	—	.46	—	—	.04	—	.37	—	—	.25	.15	—		9
10	.05	.31	—	—	—	.19	.12	—	—	1.08	.02	—		10
11	.07	—	—	.03	.01	—	.08	—	—	.23	—	.15 ^s		11
12	.06	.01	—	—	—	.06	.38	—	—	.02	.01	—		12
13	.01	—	—	—	.13	—	.06	.07	.06	.36	.42	—		13
14	.17	—	—	—	—	—	.11	.05	—	.01	.25	—		14
15	.14	—	.06	—	.02	—	.10	.04	—	.39	.18	.05		15
16	.03 ^s	.01	.16	—	.09	.26	—	.02	—	.31	.01	.03		16
17	.05	—	.41	—	—	.51	—	—	.05	—	.02	—		17
18	.06	—	.17	—	—	.25	—	—	—	—	.01	—		18
19	.01	.03	.19	—	—	.04	—	—	.06	—	.20	.03		19
20	—	.09	—	—	.43	.03	—	.86	.11	—	—	—		20
21	—	—	—	—	—	.08	—	.10	—	—	.01	—		21
22	—	—	—	.04	—	—	—	.13	—	.02	—	—		22
23	—	—	—	.11	—	.26	—	—	.08	.05	—	—		23
24	—	.29 ^s	—	.18	.12	.15	—	—	.37	—	—	—		24
25	—	.23	—	.09	—	—	—	—	.13	—	—	.14		25
26	—	.68	—	.19	—	—	—	—	—	.44	—	.03		26
27	—	—	—	.01	.20	—	—	—	—	.04	—	—		27
28	—	.01	—	.02	—	—	.09	.46	—	—	—	—		28
29	.02	X	—	—	—	—	.01	.06	—	.04	—	.04		29
30	.06	X	.05	.20	.13	.01	.03	—	—	.23	—	.17		30
31	.04	X	.05	X	—	X	—	.01	X	.17	X	.03		31
TOTAL	1.33	3.20	2.14	.94	1.62	1.92	1.63	1.90	.86	3.93	1.56	.73	Year's Total	21.76
*Days with or in. or more.	20	17	14	11	15	12	12	12	7	16	16	10		162
*Days with .04 in. or more.	12	10	14	7	11	10	10	9	7	13	8	6		117

40-9999

"S" = SNOW.

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

M. J. O.

[M. J. O.]

Dr. City Engineer

Section

A

for the entry of Daily Observations.

Station No. 2810

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at GARSTON DEPÔT, LIVERPOOL,
in the County of LANCASTER.Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 0 in.
,, Ground ,, Sea Level 81.3 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.12	—	.01	—	—	—	—	.11	.10	.01	.68 ^s	.72		1
2	—	.01	.12	—	—	—	—	.38	.03	.01	.24	.23		2
3	.21	—	—	—	—	—	—	.01	—	.14	.01	.11		3
4	.17	—	.06	—	.10	—	—	.02	.03	.66	—	.73		4
5	—	—	.07	—	.06	—	—	.72	—	—	.05	.09		5
6	—	—	.07	—	.27	—	—	—	—	.24	—	.21		6
7	.30	.07	.01	.07	.02	—	—	—	—	.07	.08	.14		7
8	—	—	.04	—	.15	.08	—	.01	—	.24	.42	.02		8
9	—	—	.11	—	—	—	—	.08	.02	.01	.35	—		9
10	—	.01	.15	.37	—	—	—	.73	—	.07	.01	.01		10
11	—	—	.02	.39	—	—	—	.19	—	—	.06	.08		11
12	—	—	.03	.11	—	—	—	.15	—	.02	—	—		12
13	.21	—	.01	.03	.04	.02	.19	—	—	.03	—	.01		13
14	.14	—	.18	.01	—	—	—	—	—	.19	.03	.06		14
15	.14	—	.23	—	.53	—	.01	.08	—	.20	.03	.19		15
16	.34	—	.05	—	.06	—	—	—	.01	.18	—	.07		16
17	.15	—	.17	.07	.24	—	.15	—	—	.18	—	.08		17
18	.20	—	.02	.23	.29	.31	—	.01	—	—	—	.11		18
19	—	—	.13	—	.02	.17	—	.01	.35	.04	—	.06		19
20	—	—	.02	.08	.07	—	—	—	.23	.01	—	—		20
21	.02	—	.06	—	—	.35	—	.03	.35	.17	—	—		21
22	.05	—	.03	.02	—	.01	—	.04	.22	.10	—	.07		22
23	—	—	.05	.49	.02	.32	.11	—	—	.15	.04	.02		23
24	—	.27	.03	.01	—	.05	.02	—	.28	.06	—	—		24
25	.01	—	—	.08	.02	—	.23	—	.11	.12	—	.39		25
26	.03	—	—	.22	—	.10	.09	—	.06	—	—	.02		26
27	—	—	—	.03	—	.09	.13	—	—	.07	.01	.29		27
28	—	—	—	.02	—	—	—	.66	.09	.27	—	.60		28
29	—	X	—	—	—	—	.06	.14	.18	.41	—	.10		29
30	.21	X	—	—	—	—	.02	.13	.24	1.11 ^s	—	.02		30
31	—	X	—	X	—	X	—	.16	X	.39 ^s	X	.20		31
TOTAL	2.30	.36	1.67	2.23	1.89	1.50	1.01	3.66	2.30	5.15	2.01	4.63	28.71	Year's Total.
* Days with .01 in. or more.	15	4	23	16	14	10	10	19	15	27	13	26	192	
* Days with .04 in. or more.	12	2	14	10	10	8	7	13	11	21	8	20	136	

40-9999

"S" = Snow + Hail Stones.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed)

[P.T.O.]

Section



for the entry of Daily Observations.

Station No. 2810

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at GARSTON DEPOT, LIVERPOOL

in the County of LANCASTER

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....1.....ft.....0.....in.

,, Ground ,, Sea Level 81.3.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.21	.10	—	—	—	.03	.30	—	.49	.19	.09	.17		1
2	.01	.06	—	—	—	.06	—	—	.12	.09	.02	.22		2
3	.07	.34	.08	.16	—	.28	—	—	.21	—	.09	.31		3
4	—	.03	.13	.02	—	.05	—	—	.01	.14	—	—		4
5	—	.24	.16	.09	—	.13	—	—	.16	.03	.24	.35		5
6	—	—	—	.12	—	.14	—	—	—	—	.03	—		6
7	—	—	—	.02	—	.15	—	—	—	.10	.09	.25		7
8	—	—	—	.10	—	.03	—	—	—	.07	.12	.07		8
9	.07	—	—	.13	—	.09	—	—	—	1.57	.07	—		9
10	—	.09	—	—	—	.09	—	—	—	.04	.05	—		10
11	.46	.01	—	—	—	.19	—	.04	—	.10	—	—		11
12	.05	.05	—	—	—	.19	—	—	.04	—	—	—		12
13	.21	.01	—	.06	.25	.02	—	—	.10	.05	.06	—		13
14	.03	—	—	—	—	.08	.36	—	.05	—	.55	.23 ^s		14
15	—	.37	—	.43	.05	.03	.06	—	.12	—	—	.81		15
16	.01	.22	.05	.16	.13	.67	.08	—	.66	—	.48	.03		16
17	—	—	—	.15	.61 ^s	.42	.25	.20	.07	.05	.64	—		17
18	—	—	—	.09	.32	.06	.01	—	.31	.09	—	—		18
19	—	—	—	.35	.25	.49	.07	—	—	.08	.17	.02		19
20	—	.13	—	.73	—	.08	.16	—	—	—	.09	—		20
21	—	.24	—	—	—	—	—	—	.56	.07	.02	.17		21
22	—	.21	.04	—	—	—	—	—	.06	—	—	—		22
23	.07	.03	.42	—	—	—	—	.07	.11	.69	—	.02		23
24	.24	.24	.11	—	—	—	—	—	.62	.05	.05	.18 ^s		24
25	.18	.14	.12	—	—	.08	—	—	—	—	.09	.05		25
26	—	.05	—	—	—	—	—	.64	.53	.02	.04	.15		26
27	—	.01	—	—	.03	.17	.10	.01	.17	.22	.34	—		27
28	—	.08	—	—	—	—	—	.93	.26	.32	.06	—		28
29	—	X	.07	.01	—	.04	—	.10	.32	.09	.05	.09		29
30	.04	X	—	.02	—	.35	—	.08	.13	.29	.45	.08		30
31	.03	X	—	X	—	X	—	—	X	.14	X	.69		31
TOTAL	1.68	2.65	1.18	2.64	1.64	3.92	1.39	2.07	5.10	4.49	3.89	3.89	34.54	Year's Total
* Days with .01 in. or more.	14	20	9	16	7	24	9	8	21	22	23	18	191	
* Days with .04 in. or more.	10	15	9	12	6	20	8	7	20	20	20	15	162	

40-9999. "S" = Snow + Hail.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

J. P. O.

Section **A** for the entry of Daily Observations.Station No. **2810**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at **GARSTON DEPOT, LIVERPOOL**in the County of **LANCASTER**Diameter of Funnel of Gauge.....**5**.....in.Height of top of Gauge above Ground....**1**.....ft. **0**.....in.,, Ground ,, Sea Level**81.3**.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.08	.10	.13	.31	—	.20	—	.40	—	—	.30	.91		1
2	.09	.02	—	.17	—	.35	.01	.02	—	—	.11	.32		2
3	.03	—	—	—	—	.50	.02	.05	.26	—	—	.06		3
4	.02	.28 ^s	.17	—	—	.01	—	—	.21	—	.22	.20		4
5	.09	.05	.11	—	—	—	—	.37	.22	—	—	.19		5
6	.01	—	—	—	.07	—	.12	.05	.22	—	.08	—		6
7	—	—	.08	—	—	—	.09	—	.48	—	.12	.18		7
8	.07	—	.31	—	—	—	—	—	.08	—	.33	.04		8
9	.24	—	—	—	—	.05	.11	—	.33	—	.11	.01		9
10	.11	—	—	—	—	—	.02	—	—	—	.06	—		10
11	—	—	.01	.02	—	.09	.42	.04	.15	—	.30	.08		11
12	—	—	—	—	.04	.08	.27	—	.20	.04	.10	—		12
13	.04	—	—	tr	.01	.01	.11	—	.06	.23	.08	.32		13
14	—	—	—	.05	—	.30	.02	.19	.15	.03	.15	.65		14
15	.29 ^s	—	—	.22	.14	.13	—	.02	.07	—	.31	.03		15
16	.07	.08	—	.11	.17	—	.09	—	—	—	.59	—		16
17	.05	.25	—	—	.02	—	.03	.12	—	.06	.03	.02		17
18	—	.05	—	.02	—	—	.88	.16	—	.28	—	—		18
19	.63 ^s	.10	.01	.28	—	.07	.04	.26	—	.15	—	—		19
20	.54	.09	—	—	—	.06	—	—	—	.03	—	—		20
21	.52	—	.02	.06	—	.82	—	—	—	—	—	.05		21
22	.05 ^s	.46	.07	—	—	.74	.25	—	—	.01	—	.06		22
23	—	—	.08	.04	.01	—	.35	—	—	.04	—	—		23
24	.21	—	—	.01	.01	—	—	—	.25	.06	—	—		24
25	.19	—	—	—	—	—	—	—	.50	.09	—	.02		25
26	.09	.10	.30	—	—	—	—	—	.13	.26	—	—		26
27	.62	.01	—	—	—	—	—	—	.11	.35	—	—		27
28	.22	.23	.14	—	—	—	.01	—	—	.06	—	.09		28
29	.08	.28	.26	—	.10	.25	—	—	—	.02	.18	.07		29
30	.09	~~28~~	—	—	.24	.01	.25	.06	—	.26	.12	—		30
31	.21	~~28~~	.06	~~28~~	.02	~~28~~	.01	.02	~~28~~	.01	~~28~~	.18		31
TOTAL	4.64	2.10	1.75	1.29	.83	3.67	3.10	1.76	3.42	1.98	3.19	3.48	31.21	✓
* Days with .01 in. or more.	25	14	14	11	11	16	19	13	16	17	17	19	192	✓
* Days with .04 in. or more.	22	12	11	8	6	13	12	10	16	12	16	15	153	✓

40-9999. "S" = Snow

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

John E. Hill

[P.T.O.]

Section



for the entry of Daily Observations

Station No.

2810

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937.

Kept at ...GARSTON DEPÔT, LIVERPOOL.

in the County of ...LANCASTER

Diameter of Funnel of Gauge.....5".....in.

Height of top of Gauge above Ground...1.....ft.....0.....in.

,, Ground ,, Sea Level 81.3.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	.29	.14	—	—	—	.01	—	.25	.15	.01	.05		1
2	—	.10	.11	.30	—	—	—	—	—	—	—	.03		2
3	—	.08	—	—	.07	.22	.08	—	—	—	—	.05		3
4	.22	.09	.03	.02	.07	—	.01	.01	—	—	—	.50		4
5	.63	—	.08	.24	—	.01	—	—	—	—	—	1.30		5
6	.02	—	—	.06	.13	—	—	—	—	—	—	.02		6
7	—	.30	—	.07	—	.10	—	—	.02	—	—	—		7
8	—	.35	—	.09	—	.07	.40	—	—	—	.12	—		8
9	—	.11	.02 ^s	—	.22	.08	.06	.05	—	—	—	—		9
10	.02	.26	—	—	—	—	—	—	—	—	—	.20 ^s		10
11	—	—	.26	—	.45	.04	.01	—	—	—	—	—		11
12	.04	.51	—	—	—	.34	—	.08	.85	—	—	.28		12
13	—	.05	—	.02	—	—	—	.99	—	.02	—	.26		13
14	—	.10	.02 ^s	—	—	—	—	.05	.03	—	.15	.15		14
15	.10	.22	.03	.28	—	—	.65	.09	.10	—	—	.10		15
16	—	.14	.12	.71	—	—	—	.14	.04	—	—	—		16
17	.04	.07	.09	.50	—	—	—	—	.07	—	—	—		17
18	.26	.24	.03	.06	—	—	.10	.08	—	—	.47	—		18
19	.01	.06	.06	.40	.06	.11	.02	.01	.06	—	.12	—		19
20	.04	.05	—	.25	.99	—	.12	—	—	—	—	.02		20
21	.02	.23	.10 ^s	.10	—	.02	.21	—	—	.11	—	.09		21
22	.21	.04	—	—	.04	—	.04	—	—	.09	.20	.18		22
23	.06	—	.01	—	.32	.01	.14	—	—	.48	.14	—		23
24	.09	.30	.05	—	—	—	.15	—	.22	.56	—	—		24
25	—	.24	.01	—	—	—	.02	.45	.01	.07	—	.03		25
26	—	.24	.15 ^s	—	.26	—	—	—	—	.02	—	—		26
27	—	.13 [†]	.01	.30	—	—	—	—	—	.30	—	.02		27
28	—	.04 ^s	—	—	—	.01	—	—	—	.12	—	—		28
29	.02 ^s	×	—	—	—	.02	—	—	—	.46	.35	—		29
30	.13 ^s	×	—	—	—	.22	—	—	.08	.04	.40	—		30
31	.19	×	—	×	—	×	—	—	×	.06	×	—		31
TOTAL	2.10	4.24	1.32	3.40	2.61	1.25	2.02	1.95	1.73	2.48	1.96	3.28	28.34	
* Days with .01 in. or more.	17	24	18	15	10	13	15	10	11	13	9	16	171	
* Days with .04 in. or more.	12	24	10	13	10	8	10	8	8	11	8	11	133	

"s" = Snow

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

[P.T.O.]

† = Gauge Choked.

Section

A

for the entry of Daily Observations

Station No. 2815

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1938.

Kept at GARSTON DEPÔT, LIVERPOOL.

in the County of LANCASTER.

Diameter of Funnel of Gauge.....5".....in.

Height of top of Gauge above Ground.....1 ft.....0 in.

,, Ground ,, Sea Level 81.3 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	—	—	—	.79	—	.74	.02	.07	.10	.10		1
2	—	.15	—	.23	—	.14	.04	—	.01	.29	.01	.21		2
3	—	—	—	—	—	.03	.17	—	.15	.39	.10	—		3
4	—	—	—	.03	—	.03	.05	—	—	.06	.01	.46		4
5	.07	—	—	—	—	.03	.02	1.26	.11	.12	—	—		5
6	.18	—	—	—	—	.04	.38	—	.45	.14	—	.04		6
7	.32	—	—	—	—	—	.29	.14	—	.07	—	—		7
8	.36	.03	—	—	—	—	.46	.30	—	.30	—	.54		8
9	.03	.24	.11	—	—	.18	.24	1.35	—	—	—	.10		9
10	.10	.03	.01	—	—	.03	.61	—	.04	—	—	.22		10
11	.24	.01	—	—	.10	.03	.05	—	.05	.22	.07	.08		11
12	.04	—	—	—	.30	—	—	—	—	.71	.38	—		12
13	.02	—	—	—	.04	—	.04	—	.01	—	.04	.07		13
14	.28	—	—	—	.10	—	.02	—	—	—	.02	—		14
15	.15	—	—	—	—	.01	.09	.15	—	.10	.04	.05		15
16	.11	—	.04	—	.02	—	.13	.01	.09	—	.02	.06		16
17	—	—	—	—	.09	—	.03	.02	.01	.26	—	.06		17
18	.01	—	—	—	.06	.04	—	.20	—	.20	.32	—		18
19	—	—	—	—	—	—	—	.05	.02	—	.04	—		19
20	.06	—	.07	—	—	—	—	.10	—	—	.13	—		20
21	—	—	.03	—	—	.02	—	.03	—	—	.42	—		21
22	—	—	—	.01	"tr"	.29	—	—	—	—	.31	.01		22
23	—	—	—	—	.10	.10	—	—	.20	—	.14	—		23
24	.09	.03	.25	.01	—	.04	—	.63	.03	.20	.04	—		24
25	.02	.03	{*.x	—	—	.03	.12	—	—	.34	.57	.10		25
26	.15	.17	{.50x	—	.18	.19	—	—	.07	.37	.46	.14		26
27	.27	.04	—	—	.48	.02	.11	.28	—	—	.23	—		27
28	.30	.01	—	—	—	.39	.18	.04	.01	—	.01	.21		28
29	.54	—	—	—	.97	.02	.09	—	—	.17	.05	.24		29
30	.04	X	—	—	—	—	—	—	.33	—	.16	.12		30
31	.09	X	—	X	.25	X	—	—	X	.11	X	.56		31
TOTAL	3.47	.74	1.01	.28	2.69	2.45	3.12	5.30	1.60	4.12	3.67	3.37	Year's Total	31.82
* Days with .01 in. or more.	22	10	8✓	4	12	20	19	15	16	18	23	19		186
* Days with .04 in. or more.	18	4	6✓	1	11	10	16	12	9	18	18	18		141

* OMITTED — INCLUDED IN THE 26th

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed)

[P.T.O.]

Section



for the entry of Daily Observations

Station No. 28180

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at GARSTON DEPÔT, LIVERPOOL.

in the County of LANCASTER.....

Diameter of Funnel of Gauge.....5".....in.

Height of top of Gauge above Ground....1....ft....0....in.

,, Ground ,, Sea Level 81.3.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.31	—	.01	.27	—	—	.02	.03	.04	—	—	.03		1
2	.08	—	.01	.17	—	—	.06	.74	.18	—	—	.10		2
3	.26 ^s	—	.09	.21	—	—	.02	.05	—	—	.06	.61		3
4	.20 ^s	—	.07	.23	.01	—	.29	—	—	.08	.04	.26		4
5	—	—	—	.01	.24	—	.39	.07	—	.03	.29	—		5
6	.63	—	—	—	—	—	.22	—	—	—	.06	—		6
7	.03	.04	.01	.01	.02	—	.10	—	—	—	.12	.46		7
8	.06	.09	.45	—	—	—	.67	.02	—	.16	.15	.09		8
9	.05	.13	—	—	—	—	—	.11	.02	.36	.02	.36		9
10	.31 ^s	—	.01	—	—	.03	—	.06	.27	.03	.05	.28		10
11	.40	.11	.27	—	—	.21	—	—	—	.07	—	—		11
12	.36	.06	—	—	—	.10	—	—	.06	—	—	—		12
13	.02	—	.06	.18	.20	.14	.25	—	.17	.05	.08	—		13
14	.39	—	—	.02	.20	.51	.20	—	—	.05	.28	—		14
15	.12	—	—	.14	.18	.76	.21	—	—	—	.18	—		15
16	.02	—	.15	—	.29	—	.08	—	—	.04	—	—		16
17	.58	.05	—	—	.17	.19	—	—	—	.71	.17	—		17
18	.10	.12	.03	—	—	.15	.10	—	—	—	.97	—		18
19	.18	—	—	—	—	—	.36	—	—	—	.08	—		19
20	.13	—	.05	—	.03	.24	.08	.01	—	—	—	—		20
21	.06	—	.36	.08	.10	—	—	.03	.08	—	—	—		21
22	.13	.42	.02	.15	—	—	.16	—	—	.04	.66	—		22
23	.06	.29	.01	.08	—	.07	.06	—	—	.29	.16	—		23
24	—	.08	—	—	—	.02	.07	—	—	.23	—	—		24
25	.09	.06	—	.27	—	—	—	—	—	.02	.42	—		25
26	—	—	—	—	—	—	—	"tr"	—	—	.08	.03		26
27	—	.87	.08	—	—	.15	.08	.09	—	—	.11	.18 ^s		27
28	.01	.15	.10	.11	—	.07	.21	—	—	—	.40	—		28
29	—	X	—	.10	—	—	1.10	.21	—	.08	.06	—		29
30	—	X	—	—	—	.12	.12	†	—	—	.04	—		30
31	—	X	—	X	—	X	.19	—	X	—	X	—		31
TOTAL	4.58	2.47	1.78	2.03	1.44	2.76	5.04	1.42	.82	2.24	4.48	2.40	31.46	✓
* Days with .01 in. or more.	24✓	13✓	17✓	15✓	10✓	14✓	23✓	11✓	7✓	15✓	22✓	10✓	181	✓
* Days with .04 in. or more.	20✓	13✓	10✓	12✓	7✓	12✓	21✓	7✓	6✓	12✓	21✓	8✓	149	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

T.O.

Section

A

for the entry of Daily Observations

Station No. 28150

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19340.

Kept at GARSTON DEPÔT, LIVERPOOL

in the County of LANCASTER

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground...1.....ft. 0.....in.

,, Ground ,, Sea Level...81.3.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	.07	—	.07	—	—	—	—	.05	—	.16	.06		1
2	—	—	—	.20	—	—	.13	—	—	—	.15	.15		2
3	—	.09	—	.23	—	—	.04	—	—	—	.02	.04		3
4	.04	.11	—	.02	—	—	—	—	—	.16	.18	.03		4
5	.02	—	—	—	.18	—	.07	—	—	.15	.26	.12		5
6	.10	.28	—	—	—	—	.22	—	—	.75	.07	"tr"		6
7	.02	.30	—	.14	.05	—	—	.04	.19	.07	—	.05		7
8	—	—	—	—	—	—	—	—	.18	.08	—	.26		8
9	—	—	.25	—	—	—	.49	—	.07	.23	.78	.30		9
10	—	—	.04	—	—	—	.40	.11	—	.37	.20	.32		10
11	—	—	—	.05	—	—	.05	—	—	—	.75	.07		11
12	—	—	.25	—	—	.12	.63	.15	.34	—	.35	—		12
13	—	—	.34 ^s	—	—	—	.05	.03	.34	—	.03	.05		13
14	—	—	.05	.10	.24	—	—	.05	.45	.01	.43	.03		14
15	—	—	—	.05	.85	.01	—	—	.08	.01	.04	.07		15
16	—	.08	.17	—	—	—	.25	—	.61	.36	.31	.11		16
17	—	—	.60	—	—	—	.03	—	.01	—	.67	.05		17
18	—	.25	.10	.26	—	—	—	.34	.34	.02	—	.15		18
19	—	.26	.15	.02	—	—	.05	—	.26	—	.12	—		19
20	—	—	—	.26	—	—	.07	—	.10	.33	.06	—		20
21	—	—	.07	—	.03	.45	.04	.04	.01	—	.72	—		21
22	—	.01	.03	—	.15	.30	—	.07	.13	.01	—	—		22
23	—	.06	.01	.19	—	—	.06	—	.14	—	.13	—		23
24	.19 ^s	—	.06	—	—	—	"tr"	—	—	—	—	—		24
25	—	—	—	—	.32	—	—	—	.02	—	—	—		25
26	.88 ^s	.12	—	—	.06	.04	.28	.02	—	—	.09	—		26
27	.67 ^s	.42	—	—	—	—	—	—	—	—	.26	—		27
28	.49 ^s	.07	—	—	.43	—	—	.03	—	—	—	—		28
29	.01	—	.31	.10	—	.17	.08	—	—	.04	—	.42		29
30	—	X	—	.30	.04	—	—	—	—	.24	—	.09		30
31	—	X	.04	X	.01	X	—	.06	X	.68	X	—		31
TOTAL	2.42	2.12	2.47	1.99	2.36	1.09	2.94	.94	3.32	3.51	5.78	2.37	31.31	Year's Total
* Days with .01 in. or more.	9	13	15	14	11	6	17	11	17	16	21	18	168	
* Days with .04 in. or more.	6	12	13	12	9	5	16	8	14	12	19	16	142	

† Spare column, no entries required.

(Signed)

* See Instruction 3 (f) on other side.

[P.T.O.]

Section **A** for the entry
AIR MINI
FORM 1090

Kept at ~~X~~ Halwood
in the County of San Diego
Diameter of Funnel of Gauge.
Height of top of Gauge above
Ground

THE MORNING MEAS

An observer who does not conform
year in the space on the right o

Station No. 2810/5
ALL ORGANIZATION

1940

for snow

2810/5
HALWOOD SEWAGE WKS
1940

IS DAY
e following

Jan. 1, following

Date	Jan.	Feb.	Mar.											Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	—	.05	—	—	—	—	.03	—	.29	.09		1
2	—	—	—	.23	—	—	.10	—	—	—	.18	.19		2
3	—	.10	.02	.23	—	—	.09	—	.01	.01	.09	.10		3
4	—	.19	—	.01	—	—	.05	—	—	.22	.13	.08		4
5	—	.01	—	—	.16	—	.17	—	—	.20	.10	.16		5
6	.04	.36	—	—	—	—	.16	—	—	1.05	.05	.16		6
7	.04	.27	—	.15	.03	—	.26	.04	.13	.10	—	—		7
8	.02	—	—	.03	—	—	.01	.01	.05	.04	—	.28		8
9	—	—	.21	—	—	—	.55	.08	.14	.21	.95	.29		9
10	—	—	.12	—	—	—	.35	.17	.01	.39	.28	.32		10
11	—	—	.02	.05	—	.02	.06	—	—	—	.87	.02		11
12	—	—	.33	—	—	.40	.17	.09	.08	—	.34	—		12
13	—	.01	.23	.01	—	—	.01	.05	.67	—	.03	.03		13
14	—	—	.06	.09	.15	—	.03	.10	.40	.02	.21	.10		14
15	—	—	.62	.08	.53	.01	—	—	.18	—	.06	.03		15
16	—	—	.06	.01	—	—	.23	—	.90	.34	.04	.10		16
17	—	—	.50	.02	.13	—	.04	.01	.04	—	1.01	.02		17
18	—	.26	.04	.31	—	—	—	.29	.30	.01	.02	.19		18
19	—	.54	.14	.02	—	—	.05	—	.23	.03	.11	.01		19
20	—	—	—	.23	—	Trace	.05	.03	.03	.36	.05	—		20
21	—	—	.03	.01	.01	.53	.06	.06	.01	.03	.74	—		21
22	—	.04	.05	.02	.18	.22	—	.10	.16	.01	.01	—		22
23	—	.08	.01	.19	.06	.03	.05	—	.15	—	.15	—		23
24	.29	—	.04	—	.01	—	.01	—	.01	—	.05	—		24
25	.01	—	—	.02	.19	.02	—	—	.02	—	—	—		25
26	.77	.16	.01	—	.04	Trace	.03	.03	—	—	.08	.02		26
27	.47 1.43	.57	.01	.03	.02	—	.12	—	—	—	.09	.01		27
28	.22	.09	—	.14	.40	—	—	.03	—	—	—	.02		28
29	—	—	.27	.05	—	.25	.08	—	—	.04	—	.49		29
30	.01	X	—	.33	.03	—	—	—	—	.28	—	.14		30
31	.02	X	.06	X	.02	X	—	.02	X	.71	X	.03		31
TOTAL	2.66 1.40	2.68	2.53	2.31	2.29	1.48	2.73	1.11	3.55	4.08	5.96	2.86	Year's Total	34.24 212 244 Pct 104
* Days with .01 in. or more.	10	13	20	23	15	48	23	5	6	20	18	24	23	
* Days with .04 in. or more.	6	11	13	13	9	4	18	9	13	12	21	14	143	

* See Instruction 3 (f) on other side.

† Spare column, no entries required

(Signed)

Chas. H. Brock

Esq.

Section

A

for the entry of Daily Observations

Station No. 2810/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1934

Kept at ~~Malwood (Sewage Wks.)~~

Jan 27-28 adjusted for snow

in the County of Lancashire

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

„ Ground „ Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	—	.06	—	—	—	—	.03	—	.29	.09		1
2	—	—	—	.23	—	—	.10	—	—	—	.18	.19		2
3	—	.10	.02	.23	—	—	.09	—	.01	.01	.09	.10		3
4	—	.19	—	.01	—	—	.05	—	—	.22	.13	.08		4
5	—	.01	—	—	.16	—	.17	—	—	.20	.10	.16		5
6	.04	.36	—	—	—	—	.16	—	—	1.05	.05	.16		6
7	.07	.27	—	.15	.03	—	.26	.04	.13	.10	—	—		7
8	.02	—	—	.03	—	—	.01	.01	.05	.04	—	.28		8
9	—	—	.21	—	—	—	.56	.08	.14	.21	.95	.29		9
10	—	—	.12	—	—	—	.35	.17	.01	.39	.28	.32		10
11	—	—	.02	.05	—	.02	.06	—	—	—	.87	.02		11
12	—	—	.33	—	—	.40	.17	.09	.08	—	.34	—		12
13	—	.01	.23	.01	—	—	.01	.05	.67	—	.03	.03		13
14	—	—	.06	.09	.15	—	.03	.10	.40	.02	.21	.10		14
15	—	—	.02	.08	.53	.01	—	—	.18	—	.06	.03		15
16	—	—	.06	.01	—	—	.23	—	.90	.34	.04	.10		16
17	—	—	.50	.02	.13	—	.04	.01	.04	—	1.01	.02		17
18	—	.26	.04	.31	—	—	—	.39	.30	.01	.02	.19		18
19	—	.54	.14	.02	—	—	.05	—	.23	.03	.11	.01		19
20	—	—	—	.23	—	Trace	.05	.03	.03	.36	.05	—		20
21	—	—	.03	.01	.01	.53	.06	.06	.01	.03	.74	—		21
22	—	.04	.05	.02	.18	.22	—	.10	.16	.01	.01	—		22
23	—	.08	.01	.19	.06	.03	.05	—	.15	—	.5	—		23
24	.29	—	.04	—	.01	—	.01	—	.01	—	.05	—		24
25	.01	—	—	.02	.19	.02	—	—	.02	—	—	—		25
26	.77	.16	.01	—	.01	Trace	.03	.03	—	—	.08	.02		26
27	.4	.57	.01	.03	.02	—	.12	—	—	—	.09	.01		27
28	.43	.09	—	.14	.40	—	—	.03	—	—	—	.02		28
29	—	—	.27	.05	—	.25	.08	—	—	.04	—	.49		29
30	.01	X	—	.33	.03	—	—	—	—	.28	—	.14		30
31	.02	X	.06	X	.02	X	—	.02	X	.71	X	.03		31
TOTAL	2.66	3.68	2.53	2.31	2.29	1.48	2.73	1.11	3.55	4.08	5.96	2.86	Year's Total	34.24
* Days with .01 in. or more.	10	13	20	23	15	8	23	15	20	18	24	23		212
* Days with .04 in. or more.	6	11	13	13	9	4	18	9	13	12	21	14		24

* See Instruction 3 (f) on other side.

† Spare column, no entries required

(Signed)

Chas. H. Brock. Esq. O.

Kept at *Grassendale*
in the County of *Lancashire*

Diameter of Funnel of Gauge *5*
Height of top of Gauge above Ground
Ground *X* Sea Level

THE MORNING MEASURE

An observer who does not conform to the
year in the space on the right of this

2811

GRASSENDALE PARK
1931 — 40

2811
PY FOR OFFICIAL USE.
ORGANIZATION.

*been approved,
the ordinance
if it is more accurate
the station 5.5 ft
wing*

780501

Date	Jan.	Feb.	March	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.24			.12			.27	.02	.02	.05			1
2		.04		.50	.07	.50	.03		.34	.13	.03	.07	2
3	.12					.12	.50		1.00	.06	.34	.16	3
4	.05		.01	.20				.23	.34			.03	4
5	.51			.04	.10	.90		.03	.03			.19	5
6		.10			.02	.38	.08	.03	.15	.42	.08		6
7		.04				.28	.02	.80		.05	.07		7
8	.06	.07		.10		.14		.43		.03	.15	.07	8
9	.05	.09		.10	.04	.12	.10	.25		.03	.13	.02	9
10	.03	.05	.01		.13	.33	.31	.11			.34	.07	10
11	.29	.07			.02	.01		.02	.43		.11	.03	11
12	.08	.10		.07	.05		.05	.18	.63		.04		12
13			.07		.10	.04	.03	1.13					13
14	.01	.18		.24		1.12		.92	.12		.65		14
15	.09	.34		.18		.07	.10	.32	.03			.32	15
16	.10	.13		.14	.07	.07	.08	.44	.21				16
17	.10				.31		.03	.05	.04	.02	.21		17
18	.23				.08	.59	.43	.12	.02		.42		18
19	.12	.25				.13	.06						19
20		.11	.11			.04		.05			.01	.03	20
21	.27	.02	.02		.35	.02	.02	.12			.03		21
22	.10			.07	.09	.06					.06		22
23	.23			.09	.18	.15	.06				.11	.28	23
24	.08	.02		.16	.29		.03				.03	.05	24
25	.00	.34		.67	.02						.05	.14	25
26	.11	.03		.12			.05				.75	.03	26
27	.22	.25		.07	.41		.04			.21	.56	.12	27
28	.42	.31	.05	.13	.20		.02			.11		.14	28
29	.12		.02	.07			.22			.50	.02		29
30		X							.03			.12	30
31	.09	X	X	X	.03	X	.16		X	.03	X	.04	31
TOTAL	3.29	2.54	.23	2.95	2.56	5.01	2.64	6.15	2.95	1.64	4.19	1.79	YEAR'S TOTAL 35.94
*Days with or in. or more.	25	19	7	18	18	19	22	18	14	12	21	18	211
*Days with or in. or more.	22	16	2	16	14	16	14	15	10	8	16	10	159

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Grassendale Park
in the County of Lancashire

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
Ground X Sea Level 30 ft. X

+ The gauge has not been moved,
but ~~judging by the ornamant~~
~~and by the~~ 30 ft. is more accurate than 35 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.24			.12			.27	.02	.08	.05			1
2		.04		.50	.07	.50	.03		.34	.13	.03	.07	2
3	.12					.12	.50		1.00	.06	.34	.16	3
4	.05		.01	.20				.23	.34			.03	4
5	.51			.04	.10	.90		.93	.03			.19	5
6		.10			.02	.38	.08	.03	.15	.42	.08		6
7		.04				.28	.02	.80		.05	.07		7
8	.06	.07		.10		.14		.42		.03	.15	.07	8
9	.05	.09		.10	.04	.12	.10	.25		.03	.13	.02	9
10	.03	.05	.01		.18	.33	.31	.11			.34	.07	10
11	.29	.07			.02	.01		.02	.43		.11	.03	11
12	.08	.10		.07	.05		.05	.18	.13		.04		12
13			.07		.10	.04	.03	1.13					13
14	.01	.18		.24		1.12		.92	.12		.65		14
15	.09	.34		.18		.07	.10	.32	.08			.32	15
16	.10	.13		.14	.07	.07	.08	.44	.21				16
17	.10				.31		.03	.05	.04	.02	.21		17
18	.23				.08	.59	.43	.12	.02		.42		18
19	.12	.25				.13	.06						19
20		.11	.11			.04		.05			.01	.03	20
21	.27	.02	.02		.35	.02	.02	.12			.03		21
22	.10			.07	.09	.06					.06		22
23	.23			.09	.18	.15	.06				.11	.28	23
24	.08	.02		.16	.29		.03				.03	.05	24
25	.09	.34		.67	.02						.05	.17	25
26	.11	.03		.12			.05				.75	.03	26
27	.22	.25		.07	.41		.04			.21	.56	.12	27
28	.42	.31	.05	.13	.20		.02			.11		.17	28
29	.12		.02	.07			.22			.50	.02		29
30		X							.03			.12	30
31	.09	X	X	X	.03	X	.16		X	.03	X	.04	31
TOTAL	3.29	2.54	.23	2.95	2.56	5.01	2.64	6.15	2.95	1.64	4.19	1.79	YEAR'S TOTAL 35.94
*Days with or in. or more.	25	19	7	18	18	19	22	18	14	12	21	18	211
*Days with .04 in. or more.	22	16	2	16	14	16	14	15	10	8	16	10	159

Section **A** for the entry of Daily Observations.
 AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Grassendale Park
 in the County of Lancaster

Diameter of Funnel of Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. in.
 „ Ground „ Sea Level 80 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.26			.13	.83	.01	.11	.05	.05		.04	.08	1
2	.14	.03			.28			.03	.04	.53	.04	.19	2
3		.08		.14	.04		.04	.03	.10		.14	.10	3
4							.12			.09	.06	.25	4
5	.50		.09	.04	.06		.08	.04	.13			.05	5
6	.81		.21	.28				.08	.16				6
7	.09		.24	.32					.60	.56			7
8				.12	.06				.01	.31			8
9	.23	.01		.12	.06				+		.86		9
10	.16			.07	.57	.03			+	.38	.04		10
11	.02			.08			.36		-	.01			11
12	.13				.22		.37		+	.31			12
13				.06	.10		.48			.50		.21	13
14	.16			.30			.06			.14	.17	.10	14
15	.01			.44	.45		.03			.03		.01	15
16	.13			.10			.03			.01	.01	.04	16
17					.01					.05		.01	17
18					.01		.03			.01	.04		18
19				.15	.08				+	.26		.01	19
20				.12	.35			.36		.19	.05	.06	20
21			.25	.08	.63			.56		.65	.19		21
22			.10	.07	.51					.10	.61	.01	22
23				.04	.33		.65			.05	.18	.10	23
24	.13				.06				.22	.01	.72	.01	24
25		.02		.03	.02		.05	.04	.13	.45	.08		25
26			.04	.09	.20	.03	.26	.04	.31	.09	.05		26
27			.60	.26	.16	.06	.16	.05		.12	.22	.06	27.03
28			.02	.22	.17		.25	.08				.01	28
29	.08		.84	.47	.12	.10	.02		.15	.67	1.00	.28	29
30		X	.11	.25		.09	.10		.03	.58	.35	.04	30
31	.04	X	.04	X		X	1.20	.06	X	.01	X	.02	31 d
TOTAL	2.80	.12	2.09	3.50	5.19	.82	4.24	1.42	2.64	6.11	3.43	1.64	YEAR'S TOTAL
*Days with .01 in. or more.	14	4	11	24	23	6	17	12	18	25	19	20	(193) 140
*Days with .04 in. or more.	11	1	10	23	20	3	15	10	15	19	15	13	(155) 150

A. Approx. 3 days (Signed) E. E. Abraham

Section

A

for the entry of Daily Observations.

Station No.

2811

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at

Grassendale Park

in the County of

Lancashire

Diameter of Funnel of Gauge

5

in.

Height of top of Gauge above Ground

1

ft.

,, Ground ,, Sea Level

80

ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.07	.09	.10				.01							1
2	.03		.15	.06	.04	.09		.09			.09			2
3	.01	.37	.22		.17									3
4	.26	.02	.09		.11									4
5	.08	.28	.03	.06	.06						.08			5
6		.15	.21		.08						.06	.01		6
7	.04	.40			.01		.17	.07	.05	.30	.01	.01		7
8	.08	.01	.21	.01	.04		.11				.01	.03		8
9		.47		.01	.04	.01	.30			.22	.11			9.30
10	.04	.24				.34	.32			1.04	.02			10.10
11	.05			.02	.01	.02	.07			.20		.15		11.07
12	.06	.01			.01	.02	.32			.03				12.32
13					.15	.07	.07			.25	.37			13.06
14	.16						.12	.04		.06	.26			14
15	.18				.01		.18	.04		.31	.28	.04		15
16	.15		.22		.10	.18		.02		.37		.02		16
17	.06		.38			.27	.07					.01		17
18	.06		.17			.19					.04			18
19			.21			.09			.04		.25	.02		19
20		.15				.05		.86	.05					20
21					.49	.07		.08	.08					21
22				.05				.10		.02				22
23				.12		.25			.08	.05				23
24		.30		.18	.11	.14			.30					24
25				.11								.01		25
26		.69		.18					.14	.37		.14		26
27					.24					.03				27
28		.01		.05			.07							28
29							.01	.52				.03		29
30	.08	X	.07	.23	.10	.04	.02			.20		.14		30
31	.01	X	.04	X		X			X	.17	X	.03		31
TOTAL	1.36	3.17	2.13	1.02	1.71	1.64	1.54	1.93	.74	3.62	1.58	.64	20.95	156
*Days with or in. or more.	17	14	13	11	17	14	13	10	11	15	12	13	156	
*Days with or in. or more.	13	9	13	8	13	11	10	5	11	12	9	4	117	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

E. S. Abraham

[P. T. O.]

Section



for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Grassendale Park

in the County of Lancaster

Diameter of Funnel of Gauge five in.

Height of top of Gauge above Ground 1 ft 0 in.

Ground Sea Level 30 ft.

T.L.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.12	-	-	-	-	-	-	.10	.17	Trace	.23	.68		1
2	.01	.01	.12	-	-	-	-	.23	.03	.01	.25	.25		2
3	.20	-	-	-	-	-	-	Trace	-	.15	.02	.03		3
4	.13	-	.06	.03	.09	-	-	.03	.01	.57	Trace	.82		4
5	-	-	.12	-	.07	-	-	.70	-	Trace	.04	.05		5
6	-	-	.08	.01	.18	.01	-	-	-	.24	-	.20		6
7	.30	.06	.01	.04	.04	-	-	-	-	.06	.07	.13		7
8	-	-	.07	-	.13	.13	-	.01	.01	.28	.39	.02		8
9	-	-	.13	-	-	.01	-	.06	-	.01	.35	-		9
10	-	-	.15	.35	-	.01	-	.57	-	.05	.02	-		10
11	-	-	.03	.38	-	-	-	.12	-	-	.08	.07		11
12	.31	.01	.05	.09	-	-	Trace	.12	-	.03	-	.01		12
13	.12	-	-	.03	-	-	.14	-	-	.02	-	-		13
14	.10	-	.13	-	-	.03	-	-	-	.22	.02	.05		14
15	-	-	.18	-	-	-	.01	.07	.10	.21	.02	.18		15
16	.31	.01	.04	-	-	-	-	-	-	.15	.04	.13		16
17	.15	-	.15	.04	-	-	.09	-	.07	.12	-	.07		17
18	.28	-	.01	.19	.28	.30	-	-	Trace	.01	-	.10		18
19	-	-	.15	-	.02	.14	-	-	.25	.07	-	.09		19
20	-	-	.01	.05	.05	-	-	.01	.24	Trace	Trace	Trace		20
21	-	-	.06	.02	-	.30	-	.01	.26	.13	-	-		21
22	.05	-	.06	-	.01	.02	Trace	.03	.22	.13	Trace	.04		22
23	-	-	.06	.45	.03	.36	.07	-	.02	.14	.02	.03		23
24	-	.24	.02	.02	.03	.03	-	-	.22	.04	-	-		24
25	-	.01	.01	.09	-	-	-	-	.12	.08	-	.32		25
26	.02	-	-	.16	-	.05	.20	-	.06	Trace	-	.01		26
27	-	-	-	.02	-	.15	.06	-	Trace	.02	.01	.28		27
28	-	-	-	.02	-	-	.04	.55	.08	.25	.04	.58		28
29	.01	-	-	-	-	-	-	.08	.18	.34	-	.10		29
30	.20	X	-	-	-	-	.01	.12	.25	.97	-	.01		30
31	-	X	-	X	-	X	-	.10	X	.44	X	.17		31
TOTAL	2.31	0.34	1.70	1.99	0.93	1.54	0.62	2.91	2.39	4.74	2.06	4.42	25.95	
*Days with ".01 in. or more.	15	6	22	17	11	13	8	17	17	26	14	25	191	
*Days with ".04 in. or more.	12	2	16	10	7	7	6	12	13	20	8	19	132	

† Spare column, no entries required.

(Signed)

A. S. Harrison

[P. F. O.]

Section



for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No.

2811

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Grassendale Park
in the County of LancasterDiameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 11 ft.
,, Ground ,, Sea Level 30 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.27	.08	-	-	-	.02	.31	-	.53	.20	.09	.15		1
2	<u>Tn</u>	.04	-	-	-	.07	-	-	.05	.08	.02	.28		2
3	.04	.32	.08	.14	-	.29	-	-	.31	.01	.14	.40		3
4	-	.01	.12	.03	-	.04	-	-	.01	.12	.01	.06		4
5	-	.22	.15	.10	-	.11	-	-	.17	.02	.16	.42		5
6	-	<u>Tn</u>	.01	.14	-	.13	-	-	-	<u>Tn</u>	.03	.01		6
7	-	-	-	.03	-	.17	-	-	-	.10	.08	.26		7
8	-	-	-	.12	-	.05	-	-	-	.05	.13	.05		8
9	.03	-	-	.11	-	.10	-	-	-	<u>1.59</u>	.06	-		9
10	.01	.06	-	-	-	.09	-	<u>Tn</u>	-	.04	.06	-		10
11	.39	.01	-	-	-	.21	-	.02	-	.12	.07	-		11
12	.06	.03	-	-	-	.14	-	-	.02	.01	-	-		12
13	.19	.01	-	.04	.26	.01	-	-	.10	.05	<u>Tn</u>	-		13
14	.02	-	-	.01	-	.06	.55	-	.05	<u>Tn</u>	.54	.20		14
15	-	.32	-	.41	.04	.11	.04	-	.12	-	<u>Tn</u>	.92		15
16	.01	.11	.05	.12	.10	.62	.10	-	.64	-	.49	.02		16
17	-	<u>Tn</u>	-	.13	.59	.40	.24	.21	.10	.03	.74	-		17
18	-	-	-	.13	.34	.03	.04	-	.28	.06	<u>Tn</u>	-		18
19	-	-	-	.31	.20	.49	.16	-	-	.09	.15	-		19
20	-	.22	-	.65	-	.06	.05	-	-	<u>Tn</u>	.11	-		20
21	-	.23	-	.01	-	-	-	-	.61	.05	.01	.15		21
22	.02	.25	.01	-	-	-	<u>Tn</u>	-	.13	-	<u>Tn</u>	.10		22
23	.03	.01	.41	-	-	-	-	.07	.20	.71	-	<u>Tn</u>		23
24	.26	.21	.11	-	-	-	-	-	.67	.04	.01	.16		24
25	.17	.11	.10	-	-	.04	-	-	<u>Tn</u>	-	.07	.02		25
26	-	.02	-	-	-	-	-	.61	.55	.01	.02	.16		26
27	-	.01	-	-	.02	.14	.08	.02	.18	.16	.33	.01		27
28	.05	.07	-	-	.01	-	-	.91	.29	.30	.04	-		28
29	<u>Tn</u>	<u>X</u>	.05	-	-	.03	-	.11	.34	.09	.03	.08		29
30	.03	<u>X</u>	-	.02	-	.35	-	.07	.13	.24	.46	.07		30
31	.01	<u>X</u>	-	<u>X</u>	-	<u>X</u>	-	-	<u>X</u>	.12	<u>X</u>	.68		31
TOTAL	1.59	2.34	1.09	2.50	1.56	3.76	1.57	2.02	5.48	4.29	3.85	4.20	34.25	
* Days with .01 in. or more.	16	20	10	17	8	24	9	8	21	24	24	20	201	
* Days with .04 in. or more.	8	13	8	12	6	20	9	6	19	19	17	16	153	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed)

N. G. Haason

P.T.O.

Section

A

for the entry of Daily Observations.

Station No. 2811

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.Kept at Grassendale, Liverpoolin the County of LancasterDiameter of Funnel of Gauge.....5.....in.Height of top of Gauge above Ground.....ft. 11.....in.,, Ground ,, Sea Level 30.....ft.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	<u>Tn</u>	<u>.12</u>	<u>.16</u>	<u>.31</u>	<u>-</u>	<u>.21</u>	<u>-</u>	<u>.39</u>	<u>.03</u>	<u>-</u>	<u>.31</u>	<u>1.09</u>		1
2	<u>.07</u>	<u>.04</u>	<u>Tn</u>	<u>.17</u>	<u>-</u>	<u>.38</u>	<u>-</u>	<u>.03</u>	<u>.02</u>	<u>-</u>	<u>.10</u>	<u>.46</u>		2
3	<u>.04</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>.52</u>	<u>.02</u>	<u>.07</u>	<u>.16</u>	<u>-</u>	<u>-</u>	<u>.02</u>		3
4	<u>.01</u>	<u>.23</u>	<u>.17</u>	<u>-</u>	<u>-</u>	<u>.01</u>	<u>.01</u>	<u>Tn</u>	<u>.13</u>	<u>-</u>	<u>.22</u>	<u>.24</u>		4
5	<u>.09</u>	<u>.04</u>	<u>.08</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>.38</u>	<u>.20</u>	<u>-</u>	<u>.01</u>	<u>.27</u>		5
6	<u>.02</u>	<u>-</u>	<u>Tn</u>	<u>-</u>	<u>.05</u>	<u>Tn</u>	<u>.09</u>	<u>.06</u>	<u>.21</u>	<u>-</u>	<u>.06</u>	<u>-</u>		6
7	<u>-</u>	<u>-</u>	<u>.08</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>.08</u>	<u>-</u>	<u>.34</u>	<u>-</u>	<u>.14</u>	<u>.15</u>		7
8	<u>.06</u>	<u>-</u>	<u>.32</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>Tn</u>	<u>-</u>	<u>.07</u>	<u>-</u>	<u>.38</u>	<u>.08</u>		8
9	<u>.24</u>	<u>-</u>	<u>Tn</u>	<u>-</u>	<u>-</u>	<u>.04</u>	<u>.10</u>	<u>-</u>	<u>.31</u>	<u>-</u>	<u>.07</u>	<u>.01</u>		9
10	<u>.16</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>.03</u>	<u>-</u>	<u>.01</u>	<u>-</u>	<u>-</u>	<u>-</u>		10
11	<u>-</u>	<u>-</u>	<u>.01</u>	<u>Tn</u>	<u>-</u>	<u>.07</u>	<u>.43</u>	<u>.07</u>	<u>.16</u>	<u>-</u>	<u>.30</u>	<u>.07</u>		11
12	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>.03</u>	<u>.07</u>	<u>.27</u>	<u>-</u>	<u>.18</u>	<u>.04</u>	<u>.10</u>	<u>.01</u>		12
13	<u>.01</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>.01</u>	<u>.01</u>	<u>.12</u>	<u>-</u>	<u>.02</u>	<u>.22</u>	<u>Tn</u>	<u>.24</u>		13
14	<u>-</u>	<u>-</u>	<u>-</u>	<u>.04</u>	<u>-</u>	<u>.31</u>	<u>.01</u>	<u>.18</u>	<u>.16</u>	<u>.03</u>	<u>.28</u>	<u>.63</u>		14
15	<u>.21</u>	<u>-</u>	<u>-</u>	<u>.24</u>	<u>.14</u>	<u>.13</u>	<u>-</u>	<u>.05</u>	<u>.06</u>	<u>-</u>	<u>.33</u>	<u>.02</u>		15
16	<u>-</u>	<u>.05</u>	<u>-</u>	<u>.13</u>	<u>.16</u>	<u>-</u>	<u>.07</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>.59</u>	<u>-</u>		16
17	<u>.14</u>	<u>.24</u>	<u>Tn</u>	<u>-</u>	<u>.02</u>	<u>-</u>	<u>.02</u>	<u>.10</u>	<u>-</u>	<u>.04</u>	<u>.02</u>	<u>.02</u>		17
18	<u>.01</u>	<u>.06</u>	<u>-</u>	<u>.02</u>	<u>-</u>	<u>Tn</u>	<u>.87</u>	<u>.17</u>	<u>-</u>	<u>.33</u>	<u>-</u>	<u>-</u>		18
19	<u>.51</u>	<u>.11</u>	<u>Tn</u>	<u>.26</u>	<u>-</u>	<u>.18</u>	<u>.02</u>	<u>.26</u>	<u>-</u>	<u>.22</u>	<u>-</u>	<u>-</u>		19
20	<u>.94</u>	<u>.16</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>.04</u>	<u>-</u>	<u>.01</u>	<u>-</u>	<u>.02</u>	<u>-</u>	<u>-</u>		20
21	<u>.67</u>	<u>-</u>	<u>.02</u>	<u>.04</u>	<u>-</u>	<u>.90</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>.05</u>		21
22	<u>.05</u>	<u>.51</u>	<u>.06</u>	<u>-</u>	<u>-</u>	<u>.97</u>	<u>.28</u>	<u>-</u>	<u>-</u>	<u>.01</u>	<u>-</u>	<u>.05</u>		22
23	<u>-</u>	<u>.07</u>	<u>.07</u>	<u>.03</u>	<u>Tn</u>	<u>.01</u>	<u>.25</u>	<u>-</u>	<u>-</u>	<u>.03</u>	<u>-</u>	<u>-</u>		23
24	<u>.19</u>	<u>Tn</u>	<u>-</u>	<u>-</u>	<u>.01</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>.22</u>	<u>.04</u>	<u>-</u>	<u>-</u>		24
25	<u>.20</u>	<u>-</u>	<u>Tn</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>.01</u>	<u>-</u>	<u>.54</u>	<u>.14</u>	<u>-</u>	<u>.02</u>		25
26	<u>.04</u>	<u>.08</u>	<u>.27</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>.13</u>	<u>-</u>	<u>.11</u>	<u>.21</u>	<u>~~01~~</u>	<u>-</u>		26
27	<u>.65</u>	<u>.01</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>.01</u>	<u>-</u>	<u>.12</u>	<u>.32</u>	<u>.01</u>	<u>-</u>		27
28	<u>.23</u>	<u>.23</u>	<u>.13</u>	<u>.02</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>.04</u>	<u>Tn</u>	<u>.05</u>		28
29	<u>.07</u>	<u>.28</u>	<u>.24</u>	<u>-</u>	<u>.02</u>	<u>.25</u>	<u>-</u>	<u>-</u>	<u>Tn</u>	<u>.01</u>	<u>.16</u>	<u>.09</u>		29
30	<u>.13</u>	<u>~~01~~</u>	<u>.05</u>	<u>-</u>	<u>.32</u>	<u>.01</u>	<u>.25</u>	<u>.06</u>	<u>Tn</u>	<u>.26</u>	<u>.11</u>	<u>-</u>		30
31	<u>.05</u>	<u>~~01~~</u>	<u>-</u>	<u>~~01~~</u>	<u>.02</u>	<u>~~01~~</u>	<u>.02</u>	<u>.01</u>	<u>~~01~~</u>	<u>.01</u>	<u>~~01~~</u>	<u>.17</u>		31
TOTAL	<u>4.79</u>	<u>2.23</u>	<u>1.66</u>	<u>1.26</u>	<u>.78</u>	<u>4.11</u>	<u>3.09</u>	<u>1.84</u>	<u>3.05</u>	<u>1.97</u>	<u>3.19</u>	<u>3.72</u>	<u>31.69</u>	✓
* Days with .01 in. or more.	<u>24</u>	<u>15</u>	<u>13</u>	<u>10</u>	<u>10</u>	<u>17</u>	<u>21</u>	<u>14</u>	<u>19</u>	<u>17</u>	<u>17</u>	<u>20</u>	<u>19.7</u>	✓
* Days with .04 in. or more.	<u>20</u>	<u>14</u>	<u>11</u>	<u>7</u>	<u>4</u>	<u>13</u>	<u>12</u>	<u>11</u>	<u>15</u>	<u>10</u>	<u>14</u>	<u>14</u>	<u>14.5</u>	✓

Year's total

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) A. J. Jackson [P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 2811

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Grassendale, Liverpoolin the County of LancasterDiameter of Funnel of Gauge...5...in.Height of top of Gauge above Ground...1...ft. 36...in.,, Ground ,, Sea Level 20...ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	.31	.13	-	-	-	.02	-	.26	.15	.01	.08		1
2	<u>Tn</u>	.08	.12	.32	-	.01	<u>Tn</u>	-	.01	-	-	.03		2
3	-	.09	.01	.01	.09	.20	.08	-	-	-	-	.02		3
4	<u>.26</u>	-	.01	.02	.07	-	.01	.01	.01	-	-	.60		4
5	.61	-	.11	.25	-	.02	.02	-	-	-	-	<u>1.51</u>		5
6	.01	-	-	.03	.13	-	-	-	-	-	<u>Tn</u>	.03		6
7	-	.31	-	.09	-	<u>Tn</u>	<u>Tn</u>	-	.02	-	-	.01		7
8	-	.39	-	.09	-	.06	.40	-	-	-	.12	-		8
9	-	.07	.02	.01	.23	.07	.06	.04	-	-	-	-		9
10	.01	.30	-	-	-	<u>Tn</u>	-	-	<u>Tn</u>	-	-	.22		10
11	-	-	<u>.22</u>	-	.49	.12	.01	-	-	-	.01	<u>Tn</u>		11
12	.04	.51	<u>Tn</u>	<u>.02</u>	.01	<u>.33</u>	.01	-	<u>.70</u>	.01	-	.18		12
13	<u>Tn</u>	.06	.01	.02	-	.01	-	.10	.01	-	-	.32		13
14	.08	.09	.01	-	-	-	.01	<u>.67</u>	.03	<u>Tn</u>	.13	.24		14
15	-	.22	.03	.28	-	-	<u>.76</u>	.05	.14	-	-	.09		15
16	.01	.12	.17	<u>.75</u>	-	-	-	.04	.03	-	-	-		16
17	.02	.06	.10	.56	-	-	<u>Tn</u>	.14	.08	-	-	-		17
18	.27	.27	.03	.07	-	-	.11	.01	<u>Tn</u>	-	<u>.47</u>	.04		18
19	.01	.09	.04	.44	.06	.12	.02	.07	.15	-	.16	-		19
20	.03	.10	-	.28	<u>1.08</u>	-	.19	.03	-	-	.01	.02		20
21	.02	.24	.09	.10	.01	.01	.14	.01	-	.11	-	.02		21
22	.20	.05	.02	-	.03	-	.04	-	-	.08	.17	.18		22
23	.06	<u>Tn</u>	.01	-	.32	-	.16	-	-	.53	.15	<u>Tn</u>		23
24	.07	.30	.07	-	<u>Tn</u>	-	.20	-	.21	<u>.55</u>	-	.01		24
25	-	.25	.02	-	-	-	<u>Tn</u>	-	.01	.07	-	<u>Tn</u>		25
26	-	.23	.18	-	.26	-	-	.42	-	.02	-	.01		26
27	-	<u>.96</u>	.02	.35	-	-	-	-	-	.31	-	-		27
28	-	.02	-	-	-	<u>Tn</u>	-	-	.01	.11	-	-		28
29	.02	-	-	-	-	.02	-	-	-	.43	.35	<u>Tn</u>		29
30	.12	<u>X</u>	-	-	-	.21	-	-	.10	.07	.45	-		30
31	.19	<u>X</u>	-	<u>X</u>	-	<u>X</u>	-	.01	<u>X</u>	.03	<u>X</u>	-		31
TOTAL	2.03	5.12	1.42	3.67	2.78	1.29	2.24	1.60	1.77	2.47	2.03	3.61	30.03	✓
* Days with .01 in. or more.	18	23	21	17	12	13	17	13	15	13	11	18	19.1	✓
* Days with .04 in. or more.	10	22	10	12	9	8	10	8	7	10	8	10	12.4	✓

† Spare column, no entries required.

(Signed)

A. S. Jackson

[P.T.O.]

* See Instruction 3 (f) on other side.

Section

A

for the entry of Daily Observations

Station No. 2811

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Grassendalein the County of LancasterDiameter of Funnel of Gauge.....5.....in.Height of top of Gauge above Ground...1.....ft.....in.„ Ground „ Sea Level 3.0.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	—	TR	—	.88	—	.78	.03	.07	.06	.13		1
2	—	.10	—	.22	TR	.18	.06	—	—	.25	.01	.23		2
3	TR	TR	—	—	—	.05	.24	—	.17	.31	.11	.01		3
4	TR	—	—	.02	—	.03	.05	—	—	.03	TR	.48		4
5	.05	—	—	—	—	.02	.01	.45	.11	.10	—	.03		5
6	.16	—	—	—	—	.03	.39	—	.50	.14	—	.01		6
7	.32	—	—	—	—	—	.30	.19	.03	.09	—	—		7
8	.38	.01	—	—	—	—	.44	.37	—	.31	—	.57		8
9	.02	.14	.09	—	—	.19	.27	.85	—	TR	—	.11		9
10	.11	.12	.02	—	—	.02	.59	—	.03	—	—	.23		10
11	.25	.01	—	—	.08	.02	.06	—	.02	.21	.07	.09		11
12	.05	—	—	—	.31	—	—	—	—	.76	.40	.01		12
13	.02	—	—	—	.04	—	.04	—	.01	TR	.03	.06		13
14	.24	—	—	—	.10	TR	.05	TR	—	.12	.02	—		14
15	.11	—	—	—	TR	—	.09	.16	—	—	.02	.06		15
16	.11	—	.03	—	.04	—	.14	.02	.07	TR	.01	.03		16
17	—	—	—	—	.07	—	.02	TR	.01	.25	—	.07		17
18	.01	—	—	—	.04	.03	—	.17	TR	.19	.32	—		18
19	—	—	TR	—	—	—	—	.02	.02	—	.01	TR		19
20	.05	—	.07	—	—	—	—	.11	.01	—	.16	—		20
21	—	—	.03	—	—	.06	—	.01	TR	—	.39	—		21
22	—	—	—	.02	.02	.27	—	—	—	—	.39	.02		22
23	—	—	—	.01	.08	.08	—	—	.19	—	.10	—		23
24	.05	.02	.24	—	—	—	—	.77	.03	.16	.04	—		24
25	.02	.03	.27	—	—	.05	.12	.01	—	.41	.71	.09		25
26	.19	.19	.28	—	.21	.21	—	—	.09	.39	.48	.16		26
27	.29	.03	TR	—	.52	.02	.10	.31	TR	TR	.23	—		27
28	.25	TR	—	—	—	.37	.19	.03	.02	.01	.02	.20		28
29	.66	X	TR	—	1.00	—	.08	—	—	.18	.06	.22		29
30	.06	X	—	—	.01	.01	—	—	.40	TR	.14	.12		30
31	.08	X	—	X	.23	X	—	—	X	.10	X	.59		31
TOTAL	3.48	0.65	1.03	0.27	2.75	2.52	3.24	5.25	1.74	4.08	3.78	3.52	32.31	Year's Total
* Days with .01 in. or more.	22	9	8	4	14	18	19	15	17	19	22	22	189	
* Days with .04 in. or more.	18	4	5	1	12	10	17	10	7	18	16	16	134	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

A. G. Harrison

P.T.O.

Section



for the entry of Daily Observations

Station No. 2811

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1939

Kept at Grassendale

in the County of ... Lancashire

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground...1...ft.....in.

,, Ground ,, Sea Level 3.0.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.35	—	.02	.31	—	—	.02	.01	.01	—	—	.02		1
2	.07	—	.01	.18	—	—	.05	.66	.21	—	—	.21		2
3	.02	—	.09	.21	—	—	.02	.06	.02	—	.06	.56		3
4	.46	—	.08	.22	.02	—	.31	—	—	.08	.08	.26		4
5	—	TR	.01	.01	.28	—	.26	.07	—	.07	.32	.01		5
6	.63	—	—	—	—	—	.24	—	—	—	.07	—		6
7	.01	.03	TR	—	.02	—	.12	TR	—	—	.12	.46		7
8	.08	.11	.44	.01	—	—	.71	.02	—	.17	.14	.10		8
9	.08	.13	TR	—	—	—	—	.12	TR	.39	.01	.36		9
10	.31	.01	.01	—	TR	.02	—	.04	.30	.03	.04	.27		10
11	.38	.03	.27	—	—	.28	—	—	—	.04	—	TR		11
12	.44	.12	—	—	—	.21	—	—	.04	TR	.01	—		12
13	.01	TR	.06	.17	.20	.14	.26	—	.21	.07	.08	—		13
14	.40	—	.01	.03	.17	.54	.25	—	—	—	.27	—		14
15	.12	—	—	.15	.16	.70	.19	—	—	.05	.20	—		15
16	.02	TR	.14	—	.25	—	.06	—	—	.01	.12	—		16
17	.61	.05	—	—	.22	.17	.01	—	—	.81	.03	—		17
18	.10	.13	.03	—	—	.14	.15	—	—	TR	1.04	—		18
19	.19	TR	TR	—	—	—	.50	—	—	—	.07	—		19
20	.15	—	.07	—	.03	.24	.11	.02	TR	—	TR	—		20
21	.07	—	.37	.07	.13	—	.05	.03	.09	—	—	—		21
22	.14	.47	.05	.14	—	—	.14	—	—	.02	.67	—		22
23	.07	.22	.01	.09	—	.06	.08	—	—	.31	.18	—		23
24	—	.07	—	—	—	.02	.10	—	—	.21	.03	—		24
25	.07	.05	—	.22	—	—	.01	—	—	.02	.37	.01		25
26	TR	—	—	—	—	—	—	—	—	—	.09	.06		26
27	.01	.95	—	—	—	.12	.09	.12	—	—	.14	.20		27
28	—	.12	.01	.11	—	.07	.19	—	—	—	.40	—		28
29	—	—	.18	.10	—	—	1.17	.29	—	.08	.05	—		29
30	—	X	—	TR	—	.14	.12	—	—	TR	.05	—		30
31	—	X	—	X	—	X	.27	.04	X	TR	X	—		31
TOTAL	4.79	2.49	1.86	2.02	1.48	2.85	5.48	1.48	0.88	2.36	4.64	2.52	32.85	✓
* Days with .01 in. or more.	24	14	18	15	10	14	26	12	7	15	25	12	192	
* Days with .04 in. or more.	19	11	10	12	7	12	22	8	5	11	21	9	147	

Year's Total

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

A. G. Isaacson

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 2811

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1940

Kept at Grassendale

in the County of Lancashire

Diameter of Funnel of Gauge. 5 in.

Height of top of Gauge above Ground. 1 ft. in.

Ground Sea Level 30 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	·03	—	·04	—	—	—	—	—	—	·18	·06		1
2	—	—	—	·20	—	—	·11	—	—	—	·15	·14		2
3	—	·09	TR	·22	—	—	·03	—	—	—	·02	·08		3
4	—	·08	—	—	—	—	·01	—	—	·16	·20	·06		4
5	—	—	—	—	·15	—	·07	—	—	·12	·21	·07		5
6	·19	·25	—	—	—	—	·11	—	—	·87	·09	·05		6
7	·01	·33	—	·12	·06	—	·01	·01	·12	·08	—	—		7
8	—	—	—	—	—	—	—	—	·23	·08	—	·26		8
9	—	—	·24	—	—	—	·58	·02	·10	·28	·81	·28		9
10	—	—	·04	—	—	—	·25	·07	—	·39	·22	·21		10
11	—	—	·01	·02	—	TR	·07	—	·10	·01	·72	·15		11
12	—	—	·28	—	—	·09	·45	·13	·20	—	·28	—		12
13	—	·01	·35	—	—	—	—	·02	·17	—	·02	·02		13
14	—	—	·02	·06	·14	—	—	·05	·43	—	·45	·06		14
15	—	—	—	·05	·90	—	—	—	·07	—	·06	·03		15
16	—	·11	·24	—	—	—	·21	—	·59	·37	·35	·13		16
17	·01	—	·57	·03	·02	—	·02	—	·01	—	·66	·02		17
18	·03	·28	·10	·27	—	—	—	·27	·33	·02	—	·18		18
19	—	·27	·07	TR	—	—	·04	—	·23	—	·10	—		19
20	—	—	—	·24	—	TR	·03	·01	·01	·35	·04	—		20
21	—	—	·08	—	·02	·39	—	·01	·01	—	·76	—		21
22	—	·02	·02	TR	·16	·19	—	·05	·13	·01	·01	—		22
23	—	·05	·01	·20	·01	TR	·03	—	·07	—	·16	—		23
24	·17	—	·03	—	TR	—	·01	—	·07	—	—	—		24
25	·01	—	—	—	·25	—	—	—	·01	—	—	—		25
26	·99	·14	—	TR	·06	—	·14	·01	—	—	—	—		26
27	·97	·44	—	—	—	—	·05	—	—	—	·09	—		27
28	·48	·06	—	—	·14	—	—	·01	—	—	·18	—		28
29	—	—	·30	·11	—	·17	·05	—	—	·04	—	·64		29
30	TR	×	—	·34	·02	—	—	—	—	·29	—	·08		30
31	·06	×	·01	×	·01	×	—	·02	×	·72	×	·02		31
TOTAL	2·92	2·16	2·37	1·90	1·94	0·84	2·27	0·68	2·92	3·79	5·76	2·32	29·87	✓
* Days with ·01 in. or more.	10	14	16	13	13	4	19	13	18	15	22	19	176	✓
* Days with ·04 in. or more.	6	11	10	11	8	4	12	5	4	12	19	15	127	✓

† Spare column, no entries required.

(Signed) A. G. Isaacson

[P.T.O.]

* See Instruction 3 (f) on other side.

Section **A** for the entry of
AIR MINISTRI

FORM 1090

Kept at **REGIS**
Corporation Gas

in the County of *Lancashire*

Diameter of Funnel of Gauge.....

Height of top of Gauge above Grou

„ Ground „ Sea

THE MORNING MEASURE

An observer who does not conform to
year in the space on the right of this

Plea

ion No. **2811/5-**
ORGANIZATION

WIDNES, GAS AND WATER WORKS

1937 - 40

AY
owing

Jan. 1, following

780501

Date	Jan.	Feb.	Mar.	Ap										Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1											-	.06		1
2											Trace	Trace		2
3											-	-		3
4											-	.42		4
5											-	.45		5
6											.01	.02		6
7											Trace	Trace		7
8											.06	-		8
9											-	-		9
10											-	.17		10
11											Trace	Trace		11
12											-	.12		12
13											-	.22		13
14											.03	.08		14
15											Trace	.03		15
16											-	-		16
17											-	-		17
18											.61	-		18
19											.10	-		19
20											Trace	.11		20
21											-	.02		21
22											.15	.13		22
23											.21	-		23
24											-	.01		24
25											-	-		25
26											-	Trace		26
27											-	.04		27
28											-	-		28
29											.29	-		29
30		X									.50	Trace		30
31		X		X		X			X		X	-		31
TOTAL											1.96	1.88	Year's Total	
* Days with .01 in. or more.											9	14		
* Days with .04 in. or more.											7	10		

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed)

Chas. E. Dickinson

A.E.H.

[P.T.O.]

Section



for the entry of Daily Observations

Station No.

2811/5-

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937.

Kept at *Corporation Gas & Water Works*

in the County of *Lancashire*

Diameter of Funnel of Gauge.....*5*.....in.

Height of top of Gauge above Ground.....*1*.....ft.....*0*.....in.

„ Ground „ Sea Level*34*.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1											—	·06		1
2											Trace	Trace		2
3											—	—		3
4											—	·42		4
5											—	·45		5
6											·01	·02		6
7											Trace	Trace		7
8											·06	—		8
9											—	—		9
10											—	·17		10
11											Trace	Trace		11
12											—	·12		12
13											—	·22		13
14											·03	·08		14
15											Trace	·03		15
16											—	—		16
17											—	—		17
18											·61	—		18
19											·10	—		19
20											Trace	·11		20
21											—	·02		21
22											·15	·13		22
23											·21	—		23
24											—	·01		24
25											—	—		25
26											—	Trace		26
27											—	·04		27
28											—	—		28
29											·29	—		29
30		~~X~~									·50	Trace		30
31		~~X~~		~~X~~		~~X~~			~~X~~		~~X~~	—		31
TOTAL											1·96	1·88	Year's Total	
* Days with .01 in. or more.											9	14		
* Days with .01 in. or more.											7	10		

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed)

Chas. E. Dickinson

A.E.H.

[P.T.O.]

Section



for the entry of Daily Observations

Station No.

2811/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at gas and water works, Widnes

in the County of Lancashire

Diameter of Funnel of Gauge.....5 in.

Height of top of Gauge above Ground.....1 ft. 0 in.

„ Ground „ Sea Level 34 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	Trace	—	—	Trace	.68	—	Trace	.03	X	.08	.18		1
2	—	.01	—	.26	Trace	.22	.18	—	.04	.33	.11	.18		2
3	—	—	—	—	—	.03	.20	—	.30	.50	.09	—		3
4	Trace	Trace	—	.02	—	Trace	.03	Trace	Trace	.03	—	.37		4
5	.07	Trace	—	—	—	.09	.02	1.41	.11	.14	—	.06		5
6	.10	Trace	—	—	—	.02	.37	—	.31	.13	—	Trace		6
7	.22	—	Trace	—	—	—	.26	.09	.04	.13	—	—		7
8	.50	.02	—	—	—	—	.47	.22	—	.33	Trace	.46		8
9	.03	.38	.24	—	Trace	.27	.03	.28	—	Trace	—	.18		9
10	.07	.03	.01	—	—	Trace	.70	—	{ — }	—	—	.15		10
11	.26	.02	—	—	.10	.04	.17	—	X .04	.24	.13	.05		11
12	.02	.01	—	—	.13	—	—	Trace	Trace	1.10	.44	—		12
13	.01	Trace	—	—	.03	—	.01	—	.02	Trace	Trace	.05		13
14	.33	—	—	—	.06	Trace	.07	—	—	—	.01	—		14
15	.13	—	Trace	—	.03	.01	.12	.30	Trace	.09	Trace	.10		15
16	.12	—	.02	—	.27	—	.08	.01	.06	—	Trace	.04		16
17	—	—	—	—	.60	—	.03	Trace	.02	.21	.01	—		17
18	.01	—	—	—	.05	.01	—	.09	Trace	.22	.24	—		18
19	—	—	—	—	—	—	—	.03	Trace	—	—	—		19
20	.19	—	.03	—	—	—	—	.06	.05	—	.23	Trace		20
21	—	—	.03	—	—	.03	—	.04	Trace	—	.28	—		21
22	—	—	—	Trace	.05	.35	—	—	Trace	—	.48	.01		22
23	—	—	—	Trace	.02	.18	—	—	.13	—	.24	Trace		23
24	.14	.04	.21	—	.12	.01	—	.73	.02	.14	.05	—		24
25	.02	.07	.20	—	Trace	.02	.05	—	Trace	.54	.61	.01		25
26	.20	.17	.28	Trace	.03	.28	—	—	.05	.39	.25	.21		26
27	.23	.07	—	Trace	.50	.01	.10	.31	—	Trace	.34	—		27
28	.20	.03	Trace	—	Trace	.42	.19	.07	—	Trace	.01	X		28
29	.48	—	.02	—	1.28	.10	.14	—	—	.12	.03	X .48		29
30	.08	X	—	—	.01	.02	Trace	—	.33	—	.13	.25		30
31	.08	X	—	X	.29	X	—	—	X	.42	X	.51		31
TOTAL	3.49	.85	1.04	.28	3.57	2.79	3.22	3.64	1.55	5.06	3.76	3.29	32.54	Print
* Days with .01 in. or more.	22	11	9	2	16	19	19	13	15	178	19	178	32.179	181.48
* Days with .04 in. or more.	17	5	4	1	11	10	14	11	11	167	15	156	130	132.6/3/39

* See Instruction 3 (f) on other side

C. E. DICKINSON ESQ

Spade column, no entries required (Signed) Char. E. Dickinson

[P.T.O.]

Section



for the entry of Daily Observations

Station No. 2811/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at Gas works. widnes

in the County of Lancashire

Diameter of Funnel of Gauge.....5 in.

Height of top of Gauge above Ground.....1 ft. 0 in.

,, Ground ,, Sea Level 3.4 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		—	.01	.07	—	—	.03	.01	—	—	—	.06		1
2	.39	—	tee	.30	—	—	.05	.47	.02	—	tee	.08		2
3		—	.09	.15	—	—	—	.05	.32	—	.05	.47		3
4	.67	—	.08	.07	.28	—	.23	—	—	.02	.03	.25		4
5	—	—	tee	—	—	—	.22	.02	—	.05	.32	tee		5
6	.83	—	.08	.01	tee	—	.10	tee	—	—	tee	—		6
7	.01	.04	.01	—	—	—	.18	tee	—	—	.15	.61		7
8	.15	.06	.34	.01	—	—	.59	.13	—	.12	.21	.02		8
9	.04	.14	—	—	—	—	—	.22	—	.36	.12	.48		9
10	.40	—	.02	—	—	.01	—	.10	.29	.03	.24	.15		10
11	.30	.14	.28	—	—	.47	—	tee	tee	tee	tee	—		11
12	.45	.04	—	—	—	.11	—	—	.02	.01	.01	—		12
13	.01	—	.01	.35	.20	.20	.20	—	.11	.01	.01	—		13
14	.36	—	—	.01	.33	.37	.33	—	—	.03	.20	—		14
15	.10	tee	.01	.28	.02	.70	.82	—	—	—	.23	—		15
16	.01	—	.09	tee	.32	—	—	—	—	.15	.10	—		16
17	.58	.06	tee	tee	.08	.02	tee	—	—	.75	.03	—		17
18	.11	.02	.02	—	—	.43	.15	—	—	—	1.02	—		18
19	.17	—	—	—	—	—	.33	—	.02	—	.01	—		19
20	.14	—	.15	—	.03	.40	—	.07	—	—	—	—		20
21	.05	—	.34	.11	—	.01	.03	.07	.03	—	—	—		21
22	.03	—	.09	.22	—	—	.08	—	—	.03	.99	—		22
23	.10	.12	.14	—	—	.05	.16	—	—	.44	.15	—		23
24	—	.65	tee	tee	—	.04	.07	—	—	.02	.07	—		24
25	.06	.10	—	.06	—	—	tee	—	—	.05	.57	tee		25
26	tee	—	—	.06	—	—	—	.01	—	tee	.11	—		26
27	.02	1.40	.01	.01	—	.25	.05	.19	—	—	.10	.23		27
28	—	.09	.08	.06	—	.27	.28	—	—	—	.43	—		28
29	—	—	—	.06	—	tee	1.49	.15	—	.02	.05	—		29
30	—	X	—	tee	—	.08	.18	.01	—	—	.06	.02		30
31	—	X	—	X	—	X	.22	—	X	tee	X	—		31
TOTAL	4.98	2.86	1.85	1.83	1.26	3.41	5.79	1.50	.81	2.09	5.26	2.37	34.01	
* Days with .01 in. or more.	24	12	18	17	7	15	23	13	7	15	24	10	185	
* Days with .04 in. or more.	19	11	11	13	5	12	21	9	3	7	19	8	138	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

J. H. Dickinson

A.E.H.

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 2811/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at *Gas works*
in the County of *Lancashire*
Diameter of Funnel of Gauge.....5 in.
Height of top of Gauge above Ground.....1 ft. 0 in.
" Ground " Sea Level.....34 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	.01	—	.05	—	—	—	—	—	—	.20	.05		1
2	—	—	—	.30	—	—	.06	—	—	—	.20	.19		2
3	—	.12	.02	.22	—	—	.08	—	tr	tr	.01	.05		3
4	—	.08	tr	—	—	—	tr	—	tr	.16	.17	—		4
5	tr	.02	—	—	.14	—	.11	—	—	✓	.05	.25		5
6	.10	.32	—	—	—	—	.10	—	—	1.74	.09	.05		6
7	tr	.25	tr	.20	.02	—	.25	.04	.12	✓	—	—		7
8	—	—	—	.02	—	—	—	tr	.05	.06	.01	.25		8
9	—	—	.24	—	—	—	.67	.10	.09	.23	1.00	.19		9
10	—	—	.01	—	—	.02	.37	.08	—	.38	.25	.43		10
11	—	—	.02	.05	—	tr	✓	—	tr	—	.83	.07		11
12	—	tr	.35	—	—	.21	.12	.11	.35	—	.33	—		12
13	—	tr	.22	.04	—	—	—	.10	.48	—	.05	.05		13
14	—	—	.12	.13	.20	—	.10	.06	.32	tr	.24	✓		14
15	tr	—	—	.06	.60	tr	—	—	.05	—	.07	.19		15
16	tr	.23	.21	—	—	—	.22	—	1.18	.33	.31	.10		16
17	—	—	.56	.04	.15	—	.03	.01	.01	.01	.69	.02		17
18	—	.33	.05	.30	—	—	tr	.26	.31	tr	.01	.19		18
19	—	.22	.15	.02	—	—	.05	tr	.24	tr	.08	tr		19
20	—	—	tr	.25	—	—	.27	.02	.06	.40	.06	—		20
21	—	tr	.05	tr	tr	.55	.01	.05	.01	—	.84	—		21
22	—	.03	.01	tr	.21	.06	—	.07	.15	—	—	—		22
23	—	.11	.02	.11	.31	—	.07	—	.22	—	.15	—		23
24	.22	—	.01	tr	✓	—	tr	—	tr	—	—	—		24
25	tr	—	—	—	.20	.01	—	—	.02	—	—	—		25
26	.95	.10	tr	—	✓	.02	.15	.01	tr	—	.07	tr		26
27	.71	.25	—	.11	—	—	.04	—	—	—	.07	—		27
28	.76	.45	—	.01	.14	—	.01	.03	—	—	.04	tr		28
29	—	—	.23	.03	—	.21	.08	—	—	.02	—	.52		29
30	tr	✗	tr	.25	.02	—	—	—	—	.22	—	.11		30
31	.05	✗	.11	✗	.01	✗	—	.04	✗	.66	✗	.06		31
TOTAL	2.79	2.52	2.38	2.19	2.00	1.08	2.79	.98	3.66	3.61	5.82	2.68	32.50	
* Days with .01 in. or more.	6	14	17	18	13	7	20	14	16	13	24	18	180	
* Days with .04 in. or more.	6	11	11	14	8	4	16	10	13	11	21	16	141	

† Spare column, no entries required.

(Signed)

Chas. E. Dickinson

A.E.H.

* See Instruction 3 (f) on other side.

[P.T.O.]

Kept at *Beech La*
in the County of *Lancaster*
Diameter of Funnel of Gauge
Height of top of Gauge above Gr
Ground Sec

THE MORNING MEA

An observer who does not conform
year in the space on the right of

2812

AIGBURTH, BEECH LAWN
1931 — 38

2812
COPY FOR OFFICIAL USE.
L ORGANIZATION.

number 2812

Y.

following

Jan. 1, following

780501

Date	Jan.	Feb.	March									Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.22	—	—	.09	—	—	—	—	.06	.05	—	—	—	1
2	—	.04	—	.59	.04	.57	—	—	.40	.09	.03	.01	—	2
3	.11	—	—	.2	—	.12	.27	—	1.13	.03	.43	.14	—	3
4	—	—	.01	.19	—	—	.01	.34	.31	—	.02	.04	—	4
5	.01	.2	—	.02	.13	.83	.38	.98	.01	—	—	.19	—	5
6	—	.17	—	—	.01	.45	—	.01	.52	.42	.08	—	—	6
7	—	.02	—	—	—	.40	—	.72	—	.01	.07	—	—	7
8	.06	.06	—	.06	—	.09	.08	.44	—	.03	.13	.01	—	8
9	.04	.14	—	.09	.03	.07	—	.30	.09	.05	.12	.02	—	9
10	.02	.02	—	—	.23	.26	—	.09	.02	—	.29	.01	—	10
11	.29	.07	—	—	—	—	.10	.2	.46	—	.14	.02	—	11
12	.07	.03	—	.2	—	—	.29	.18	.10	.03	.01	—	—	12
13	—	—	.01	—	.09	.03	.02	.68	.2	—	—	—	—	13
14	.03	.16	—	—	—	1.20	.01	.84	.13	—	.66	—	—	14
15	.07	.28	—	.23	.06	—	.07	.32	.02	—	—	.27	—	15
16	.13	.10	—	.15	.09	.01	.03	.52	.21	—	—	—	—	16
17	.05	.2	—	.11	.26	—	.02	.11	.04	—	.20	—	—	17
18	.26	—	—	—	.08	.49	.38	.18	.01	—	.46	—	—	18
19	.11	.30	—	—	—	—	.03	.81	—	.01	—	—	—	19
20	.2	.09	.16	—	—	.04	.01	.03	—	—	.01	.01	—	20
21	.31	.2	.01	.01	.34	.01	—	.15	—	—	.03	—	—	21
22	.05	.02	—	.03	.05	.04	.01	—	—	—	.08	—	—	22
23	.24	—	—	.17	.20	.14	.04	—	—	—	.12	.23	—	23
24	.03	.2	—	.45	.28	—	.03	—	—	—	.02	.12	—	24
25	.11	.54	—	.65	.02	—	—	—	—	—	.04	.05	—	25
26	.06	.03	—	.09	—	—	.02	—	—	—	.80	.01	—	26
27	.26	.23	—	.12	.39	—	.06	—	—	.26	.62	.08	—	27
28	.31	.28	.05	.01	.18	—	—	—	—	.08	—	.12	—	28
29	.16	X	.04	—	—	—	.21	—	—	.53	.02	—	—	29
30	—	X	—	—	—	—	—	—	.04	—	.2	.07	—	30
31	.22	X	—	X	.01	X	.12	—	X	.02	X	.04	—	31
TOTAL	3.22	2.58	.28	2.76	2.49	4.75	2.19	6.70	3.55	1.61	4.38	1.44	—	YEAR'S TOTAL
*Days with or in. or more.	24	18	6	17	18	16	21	17	16	13	22	18	—	206
*Days with .04 in. or more.	20	13	3	13	14	13	11	15	12	7	15	11	—	147

FORM 1090.

REGISTER OF RAINFALL IN 1931

Kept at Beech Lawn, Riggwath
Liverpool
in the County of Lancashire
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
Ground Sea Level 120 ft.

Station Number 2812

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.22	—	—	.09	—	—	—	—	.06	.05	—	—	1
2	—	.04	—	.59	.04	.57	—	—	.40	.09	.03	.01	2
3	.11	—	—	.2	—	.12	.27	—	1.13	.03	.43	.14	3
4	—	—	.01	.19	—	—	.01	.34	.31	—	.02	.04	4
5	.01	.2	—	.02	.13	.83	.38	.98	.01	—	—	.19	5
6	—	.17	—	—	.01	.45	—	.01	.52	.42	.08	—	6
7	—	.02	—	—	—	.40	—	.72	—	.01	.07	—	7
8	.06	.06	—	.06	—	.09	.08	.44	—	.03	.13	.01	8
9	.04	.14	—	.09	.03	.07	—	.30	.09	.05	.12	.02	9
10	.02	.02	—	—	.23	.26	—	.09	.02	—	.29	.01	10
11	.29	.07	—	—	—	—	.10	.2	.46	—	.14	.02	11
12	.07	.03	—	.2	—	—	.29	.18	.10	.03	.01	—	12
13	—	—	.01	—	.09	.03	.02	.68	.2	—	—	—	13
14	.03	.16	—	—	—	1.20	.01	.84	.13	—	.66	—	14
15	.07	.28	—	.23	.06	—	.07	.32	.02	—	—	.27	15
16	.13	.10	—	.15	.09	.01	.03	.52	.21	—	—	—	16
17	.05	.2	—	.11	.26	—	.02	.11	.04	—	.20	—	17
18	.26	—	—	—	.08	.49	.38	.18	.01	—	.46	—	18
19	.11	.30	—	—	—	—	.03	.81	—	.01	—	—	19
20	.2	.09	.16	—	—	.04	.01	.03	—	—	.01	.01	20
21	.31	.2	.01	.01	.34	.01	—	.15	—	—	.03	—	21
22	.05	.02	—	.03	.05	.04	.01	—	—	—	.08	—	22
23	.24	—	—	.17	.20	.14	.04	—	—	—	.12	.23	23
24	.03	.2	—	.15	.28	—	.03	—	—	—	.02	.12	24
25	.11	.54	—	.65	.02	—	—	—	—	—	.04	.05	25
26	.06	.03	—	.09	—	—	.02	—	—	—	.80	.01	26
27	.26	.23	—	.12	.39	—	.06	—	—	.26	.62	.08	27
28	.31	.28	.05	.01	.18	—	—	—	—	.08	—	.12	28
29	.16	X	.04	—	—	—	.21	—	—	.53	.02	—	29
30	—	X	—	—	—	—	—	—	.04	—	.2	.07	30
31	.22	X	—	X	.01	X	.12	—	X	.02	X	.04	31
TOTAL	3.22	2.58	.28	2.76	2.49	4.75	2.19	6.70	3.55	1.61	4.38	1.44	YEAR'S TOTAL 35.95
*Days with or in. or more.	24	18	6	17	18	16	21	17	16	13	22	18	206
*Days with .04 in. or more.	20	13	3	13	14	13	11	15	12	7	15	11	147

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Beech Lawn
Elmswood Road
in the County of Agborough
Liverpool
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. = in.
Ground Sea Level 120 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.13	.01	—	.14	.74	.01	.18	.06	.07	.02	.05	.10	1
2	.26	.01	—	—	.38	—	.08	.01	.17	.51	.04	.15	2
3	—	.04	—	.09	.03	—	.06	.04	.11	<u>12</u>	.12	.06	3
4	—	—	—	—	—	—	.09	—	—	.17	.03	.07	4
5	.64	—	.07	.03	.05	—	.06	.02	.11	—	—	.12	5
6	.77	—	.16	.25	<u>12</u>	—	—	—	.16	—	—	.02	6
7	.03	—	.20	.24	—	—	—	—	.62	.68	—	—	7
8	—	—	—	.12	.03	—	—	—	.24	.39	—	—	8
9	.29	<u>12</u>	—	.11	.02	—	—	—	.07	.01	.02	—	9
10	.14	—	—	.06	—	—	—	—	.41	.46	.01	—	10
11	.01	—	—	.05	.52	.08	.33	—	—	<u>12</u>	—	—	11
12	.09	—	—	—	.25	—	.52	.03	.02	.32	—	—	12
13	—	—	—	.04	.09	—	.54	.06	.11	.63	—	.21	13
14	.18	—	—	.31	<u>12</u>	—	.19	.08	<u>12</u>	.12	.15	.10	14
15	.01	.01	—	.03	.45	—	—	—	—	.04	.02	<u>12</u>	15
16	.15	—	—	.09	—	—	.01	—	—	.01	—	.05	16
17	—	—	—	—	<u>12</u>	—	.24	.01	.04	.05	—	.02	17
18	—	—	—	—	.02	—	—	—	.04	.03	.04	—	18
19	—	—	—	.15	.03	—	.01	—	—	.26	—	.01	19
20	—	—	—	.09	.20	—	.04	.43	—	.21	.05	.06	20
21	.06	<u>12</u>	.22	.05	.42	—	.01	.74	—	.62	.22	—	21
22	—	—	.09	.03	.54	—	.37	—	—	.11	.69	<u>12</u>	22
23	—	—	—	.02	.22	—	.05	—	—	.14	.10	.07	23
24	.09	—	—	—	.04	.01	.53	—	.26	.01	.29	<u>12</u>	24
25	—	<u>12</u>	—	.02	.01	<u>12</u>	.06	—	.22	.56	.09	—	25
26	—	—	.03	.05	.18	—	.14	—	.36	.05	.01	.01	26
27	.01	—	.63	.32	.16	.03	.07	—	—	.09	.05	.05	27
28	—	—	.01	.26	.14	—	.26	.01	—	—	—	<u>12</u>	28
29	.03	—	.42	.52	.22	.10	.04	.02	.18	.68	.38	.25	29
30	—	✕	.06	.19	—	.09	.05	.05	.05	.48	.68	.04	30
31	.01	✕	.12	✕	—	✕	.76	<u>12</u>	✕	.01	✕	.03	31
TOTAL	2.90	.07	2.01	3.26	4.74	.32	4.69	1.56	3.24	6.66	3.04	1.42	YEAR'S TOTAL 33.91
*Days with ".01 in. or more.	17	4	11	24	22	6	24	13	18	26	19	18	202
*Days with ".04 in. or more.	11	1	9	19	16	3	21	7	17	20	14	13	151

Section

A

for the entry of Daily Observations.

Station No.

2812

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Beech Lawn Road
Elmswood
in the County of Lancs. Liverpool
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
Ground Sea Level 120 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	.09	.08	—	—	<u>3</u>	—	—	—	—	.12	—	1
2	.04	—	.14	.05	.02	.08	—	.03	—	—	—	—	2
3	—	.40	.21	—	.19	—	—	—	—	—	—	—	3
4	.27	.01	.07	—	.11	—	—	—	—	—	.02	—	4
5	.07	.02	.06	—	.08	—	—	—	—	—	.06	—	5
6	—	.15	.16	—	.09	—	—	—	—	—	.03	—	6
7	.02	.39	—	—	.01	—	.18	.04	—	.35	.01	.02	7
8	.07	.01	.22	.01	.03	—	.10	—	—	<u>3</u>	—	.03	8
9	—	.36	—	.03	.02	<u>3</u>	.37	—	—	.27	.11	—	9
10	.02	.25	—	—	—	.23	.08	—	—	<u>1.08</u>	.01	—	10
11	.05	.01	—	—	.01	<u>3</u>	.31	—	—	.22	—	.14	11
12	.07	—	—	—	—	.03	.32	—	—	.03	—	.04	12
13	—	—	—	—	.12	—	.06	.17	.02	.23	<u>.44</u>	—	13
14	.14	—	—	—	—	—	.09	.02	—	.10	.27	<u>3</u>	14
15	.17	—	.04	—	<u>3</u>	.01	.12	.08	—	.28	.16	.03	15
16	.15	.01	.16	—	.10	.18	—	.02	—	.14	—	.02	16
17	.06	.02	.36	—	—	.46	—	—	.06	<u>3</u>	.01	.01	17
18	.05	—	.12	—	—	.27	—	—	—	—	.02	—	18
19	—	—	.20	—	—	.03	—	—	.06	—	.24	.03	19
20	<u>3</u>	.08	—	—	.37	—	—	<u>1.10</u>	.08	—	—	—	20
21	—	—	—	—	—	.07	—	.07	—	—	<u>3</u>	<u>3</u>	21
22	—	—	—	.03	<u>3</u>	—	—	.12	—	.03	—	—	22
23	—	—	—	.15	—	.26	—	—	.09	.04	—	—	23
24	—	.29	—	.16	.12	.22	—	—	.37	<u>3</u>	—	—	24
25	—	.21	—	.08	—	—	—	—	.09	—	—	.14	25
26	—	.72	—	.13	—	—	—	—	—	.36	—	.02	26
27	—	.01	—	—	.12	—	—	—	—	.02	—	—	27
28	—	.02	—	.04	—	—	.09	.55	—	<u>3</u>	—	—	28
29	<u>3</u>	X	—	—	—	—	.01	.01	—	—	—	.03	29
30	.09	X	.02	.19	.04	.03	.02	—	—	.16	—	.11	30
31	—	X	.04	X	—	X	—	.01	X	.15	X	.04	31
TOTAL	1.28	3.05	1.88	.87	1.43	1.87	1.75	2.22	.77	3.46	1.50	.66	YEAR'S TOTAL 20/74
*Days with .01 in. or more.	15	18	14	10	15	12	12	12	7	15	13	13	156
*Days with .04 in. or more.	12	10	13	7	10	8	10	7	6	12	7	5	107

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No. 2812

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.Kept at Beech Lawn, 6 Elmswood Road,
Highworth, Liverpool
in the County of LancashireDiameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
„ Ground „ Sea Level 120 ft.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.11	—	.2	—	—	—	—	.14	.15	—		.76		1
2	.01	.02	.10	—	—	—	—	.34	.04	—		.27		2
3	.21	—	—	—	—	—	—	—	—	.15		.02		3
4	.12	—	.04	.02	.10	—	—	.02	.02	.66		.91		4
5	—	—	.06	—	.05	.01	—	.77	—	.01		.05		5
6	—	—	.04	.01	.22	.2	—	—	—	.22		.17		6
7	.29	.02	.02	.05	.02	—	—	—	—	.07		.14		7
8	—	—	.03	—	.17	.07	—	.01	.2	.22		.02		8
9	—	—	.12	—	—	—	—	.07	.04	.03		—		9
10	—	.01	.13	.38	—	—	—	.87	—	.06		—		10
11	.01	—	.02	.40	—	—	—	.10	—	—		.09		11
12	—	—	.04	.07	—	—	—	.18	—	.02		.01		12
13	.17	—	.01	.03	.03	.01	.17	—	—	.03		—		13
14	.13	—	.15	—	—	.03	—	—	—	.15		.06		14
15	.10	—	.28	—	.46	—	.2	.07	.25	.17		.19		15
16	.34	—	.05	—	.03	—	—	—	—	.16		.10		16
17	.13	—	.08	.05	.27	—	.08	—	.06	.14		.09		17
18	.12	—	.02	.12	.28	.27	—	.2	—	.01		.12		18
19	—	—	.16	—	.02	.15	.2	.2	.19	.06		.09		19
20	.2	—	.01	.06	.05	.2	—	—	.22	.2		.01		20
21	.01	—	.04	—	—	.46	—	.04	.30	.08		.2		21
22	.06	—	.06	.02	—	.01	—	.02	.19	.15		.07		22
23	—	—	.05	.41	.01	.27	.11	—	.02	.14		.04		23
24	—	.21	.02	.2	.01	.12	.05	—	.22	.06		—		24
25	.01	.2	—	.09	.2	.12	.14	—	.11	.07		.39		25
26	.03	—	.01	.11	—	.10	.05	—	.05	—		.01		26
27	—	—	—	.02	—	.08	.09	.2	—	.08		.27		27
28	—	—	—	.02	—	—	—	1.01	.07	.31		.68		28
29	.01	1	—	—	—	—	.04	.10	.21	.38		.08		29
30	.21	X	—	—	—	—	.01	.12	.24	1.17		.02		30
31	—	X	—	X	—	X	—	.07	X	.39	X	.17		31
TOTAL	2.07	.26	1.54	1.86	1.72	1.58	.74	3.93	2.38	4.99	(2.06)	4.83	11 on this	
*Days with .01 in. or more.	18	4	23	16	14	12	9	16	17	26	(14)	26	25.90	(27.96)
*Days with .04 in. or more.	12	1	15	10	8	8	8	13	15	21	(8)	20	131	(195)
														(139)

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

Thos H. Edwards

P.T.O.

Section

A

for the entry of Daily Observations.

Station No. 2812

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Beech Lawn
Elmswood Road
in the County of Highway
Liverpool
Diameter of Funnel of Gauge 8 in. Dance
Height of top of Gauge above Ground 1 ft. — in.
,, Ground ,, Sea Level 120 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.21	.08	<u>32</u>	—	—	.03	.28	—	.68	.18	.10	.14		1
2	<u>32</u>	.04	—	—	—	.08	—	—	.03	.03	.02	.15		2
3	.05	.35	.11	.12	—	.37	—	—	.27	.02	.15	.28		3
4	—	.02	.14	<u>32</u>	—	.09	—	—	.01	.15	.02	.01		4
5	—	.22	.15	.09	—	<u>32</u>	—	—	.15	.04	.21	.29		5
6	—	—	<u>32</u>	.15	—	.16	—	—	.01	—	.01	—		6
7	—	—	—	.01	—	.14	—	—	—	.10	.07	.26		7
8	—	—	—	.09	—	—	—	.01	—	.03	.15	.03		8
9	.06	.01	—	.12	—	.06	—	—	—	<u>1.78</u>	.03	—		9
10	<u>32</u>	.08	—	—	—	.15	—	.01	—	.05	.08	—		10
11	.48	.01	—	—	—	.16	—	.03	—	.06	.04	—		11
12	.05	.06	—	—	—	.18	—	—	.02	—	—	—		12
13	.18	.01	—	.04	.21	<u>32</u>	—	—	.09	.05	—	.01		13
14	.03	<u>32</u>	—	—	—	.06	.81	—	.03	—	.57	.23		14
15	<u>32</u>	.29	—	.46	.03	.01	.06	—	.11	—	—	.78		15
16	.01	.13	.06	.12	.16	.58	.08	<u>32</u>	.71	—	.47	—		16
17	—	—	—	.14	.57	.41	.53	.21	.04	.03	.64	—		17
18	—	—	—	.11	.27	.06	.03	—	.33	.06	.01	—		18
19	—	—	—	.27	.30	.41	.18	—	—	.08	.16	—		19
20	—	.26	—	.74	<u>32</u>	.14	.01	—	—	—	.14	—		20
21	<u>32</u>	.23	—	<u>32</u>	—	—	—	—	.66	.06	.01	.16		21
22	.01	.14	.01	<u>32</u>	—	—	—	—	.12	—	—	.05		22
23	.06	.05	.37	—	—	—	—	.06	.21	.76	—	—		23
24	.23	.25	.12	—	—	—	—	—	.56	.03	.03	.19		24
25	.15	.12	.08	—	—	.04	—	—	—	<u>32</u>	.08	.03		25
26	—	.03	—	—	—	—	—	.67	.57	.02	.02	.20		26
27	—	.02	—	—	.04	.19	.14	.02	.18	.18	.32	.01		27
28	.06	.13	—	—	.01	—	—	<u>1.04</u>	.24	.26	.04	<u>32</u>		28
29	<u>32</u>	X	.07	—	—	.06	—	.14	.34	.02	.02	.08		29
30	.04	X	—	.02	—	.33	—	.08	.12	.25	.42	.09		30
31	.02	X	—	X	—	X	—	—	X	.11	X	.74		31
TOTAL	1.64	2.53	1.11	2.48	1.59	3.71	2.12	2.27	5.48	4.35	3.81	3.73	Year's Total	
* Days with .01 in. or more.	15	21	9	14	8	21	9	10	22	23	25	19	196	
* Days with .04 in. or more.	11	15	8	12	6	19	7	6	17	16	16	14	147	

Section

A

for the entry of Daily Observations

Station No. 2812

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936—

Kept at *Beech Lawn, Highworth*
in the County of *Liverpool, Lancashire*Diameter of Funnel of Gauge.....8.....in. *top 5 1/2 inches deep.*

Height of top of Gauge above Ground...1...ft....in.

,, Ground ,, Sea Level 120.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01	.13	.13	.32	—	.21	.02	.38	.05	—	.32	.96		1
2	.08	.01	—	.17	—	.42	—	.02	.02	—	.12	.39		2
3	.01	—	—	—	—	.53	.01	.04	.22	—	—	.03		3
4	.02	.23	.16	—	—	.01	—	.01	.15	—	.22	.16		4
5	.12	.09	.11	—	—	—	—	.38	.27	—	—	.18		5
6	.03	—	—	—	—	—	.09	.07	.25	—	.06	—		6
7	—	—	.10	—	—	—	.11	—	.38	—	.14	.17		7
8	.08	—	.33	—	—	—	—	—	.07	—	.29	.03		8
9	.26	—	—	—	—	.04	.08	—	.32	—	.09	.01		9
10	.04	—	—	—	—	—	.02	—	—	—	.06	—		10
11	—	—	.01	.01	—	.06	.46	.06	.16	—	.34	.09		11
12	—	—	—	—	.02	.09	.26	—	.19	.06	.11	.04		12
13	—	—	—	—	.02	.01	.12	—	.04	.24	.06	.28		13
14	—	—	—	.04	—	.37	.01	.15	.08	.02	.12	.61		14
15	.28	—	—	.16	.16	.11	—	.09	.08	—	.27	.02		15
16	.04	.08	—	.15	.14	—	.09	—	—	—	.68	—		16
17	.06	.28	—	—	.02	—	.01	.12	—	.03	.02	.02		17
18	—	.06	—	.02	—	—	.83	.17	—	.28	—	—		18
19	.71	.10	.01	.28	—	.06	.04	.22	—	.17	—	—		19
20	.56	.17	—	—	—	.07	—	—	—	.03	—	—		20
21	.51	—	.01	.05	—	.53	—	—	—	—	—	.04		21
22	.04	.48	.07	—	—	.46	.28	—	—	—	—	.06		22
23	—	.05	.08	.04	—	—	.26	—	—	.03	—	—		23
24	.19	—	—	—	.01	—	—	—	.22	.05	—	—		24
25	.20	—	.01	—	—	—	—	—	.45	.09	—	.03		25
26	.03	.17	.33	.01	—	—	.09	—	.06	.23	—	—		26
27	.61	—	—	—	—	—	.01	—	.11	.31	—	—		27
28	.25	.23	.12	.04	—	—	.02	—	—	.05	—	.06		28
29	.07	.28	.26	—	.03	.28	—	—	—	.11	.16	.05		29
30	.16	~~—~~	—	—	.32	—	.21	.07	—	.19	.12	—		30
31	.12	~~—~~	.05	~~—~~	—	~~—~~	.02	.01	~~—~~	.01	~~—~~	.18		31
TOTAL	4.48	2.36	1.78	1.29	.72	3.25	3.04	1.79	3.15	1.90	3.18	3.41	Year's Total 30.35	✓
* Days with .01 in. or more.	24	14	15	12	8	15	21	14	18	16	17	20	194	✓
* Days with .04 in. or more.	18	13	11	9	3	13	13	11	17	11	16	14	149	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required

(Signed)

J. H. Edwards

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 2812

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at

Beech Lawn, Elmwood Road

in the County of

Lancashire

Diameter of Funnel of Gauge.....

8

in.

5 1/2 inches deep

Height of top of Gauge above Ground... ft..... in.

1 ft. 20 in.

,, Ground

Sea Level 120 ft.**THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	.26	.13	—	—	—	.03	—	.23	.15	.02	.05		1
2	—	.09	.15	.31	—	.02	—	—	.02	—	—	.02		2
3	—	.10	—	.01	.08	.18	.06	—	—	—	—	.01		3
4	.23	—	.01	.03	.07	—	—	.02	—	—	—	.63		4
5	.62	—	.10	.26	—	.02	.02	—	—	—	—	1.22		5
6	—	—	—	.04	.16	—	—	—	—	—	.01	.03		6
7	—	.32	—	.09	—	.14	—	—	.01	—	—	—		7
8	—	.53	—	.10	—	.03	.31	—	—	—	.12	—		8
9	—	.14	.02	.01	.23	.05	.11	.06	—	—	—	—		9
10	.01	.23	—	—	—	—	—	—	—	—	—	.22		10
11	—	—	.28	—	.48	.06	.01	—	—	—	.01	—		11
12	.04	.56	.01	—	—	.38	.01	.07	1.02	—	—	.23		12
13	—	.08	—	.02	—	.01	—	1.59	—	.01	—	.28		13
14	—	.09	—	—	—	—	.02	.05	.03	—	.12	.21		14
15	.08	.23	.03	.32	—	—	.68	.10	.11	—	—	.10		15
16	.01	.13	.17	.18	—	—	—	.13	.03	—	—	—		16
17	.04	.07	.10	.42	—	—	—	.01	.07	—	—	.02		17
18	.21	.24	.03	.06	—	—	.11	.09	—	—	.46	.02		18
19	.01	.03	.04	.42	.07	.14	—	.01	.17	—	.11	—		19
20	.04	.07	—	.24	1.03	—	.24	—	.01	—	.01	.06		20
21	.03	.26	.09	.09	.01	.09	.12	—	—	.25	—	.03		21
22	.11	.03	.01	—	.08	.01	.04	—	—	.12	.18	.15		22
23	.07	—	.01	—	.41	.02	.10	—	—	.62	.14	.01		23
24	.08	.36	.03	—	—	—	.09	—	.22	.56	.01	.01		24
25	—	.28	.02	—	—	—	—	.58	.02	.06	—	.02		25
26	—	.27	.12	—	.26	—	—	—	—	.04	—	.03		26
27	—	.46	.01	.32	—	—	—	—	—	.33	—	—		27
28	—	.05	—	—	—	.02	—	—	—	.11	—	—		28
29	.03	—	—	—	—	—	—	—	—	.42	.34	—		29
30	.12	✕	—	—	—	.23	—	—	.09	.05	.42	—		30
31	.18	✕	—	✕	—	✕	—	.03	✕	.04	✕	—		31
TOTAL	1.91	4.88	1.36	2.92	2.88	1.40	1.94	2.74	2.03	2.66	1.95	3.35	Year's Total	30.02
* Days with .01 in. or more.	17	23	19	17	11	15	15	12	13	13	13	20	188	
* Days with .04 in. or more.	12	21	9	13	10	8	10	8	7	12	8	10	128	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

Thos. H. Edwards

[P.T.O.]

Section



for the entry of Daily Observations

Station No. 2812

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Aigburth (Beech Lawn)
in the County of S. Lancashire

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground

,, Sea Level ft.

*Copy by B.R.O.
Corr. for .005 entries.
Original records returned to observer.
4/3/39
G.R.*

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	.01	—	—	—	.82	—	.61	.03	.07	.09	.16		1
2	—	.24	—	.20	—	.12	.05	—	—	.33	.03	.19		2
3	.01	—	—	—	—	.03	.19	—	.13	.35	.11	—		3
4	—	—	—	.02	—	.07	.14	—	—	.07	.005	.54		4
5	.05	—	—	.01	—	.005	.01	1.14	.14	.13	—	.02		5
6	.16	—	—	—	—	.06	.41	—	.45	.11	—	.03		6
7	.26	—	—	—	—	—	.37	.09	.04	.04	—	.005		7
8	.41	.02	—	—	—	—	.44	.32	—	.33	—	.59		8
9	.03	.14	.09	—	—	.23	.23	1.13	—	—	—	.10		9
10	.11	.11	.875	—	.08	.875	.60	—	.01	—	—	.24		10
11	.26	.01	—	—	.22	.03	.01	—	.05	.21	.08	.11		11
12	.03	—	—	—	.04	.005	—	—	—	.79	.38	.01		12
13	.02	—	—	—	.10	—	.05	—	.02	—	.05	.06		13
14	.28	—	—	—	—	—	.02	—	—	—	.06	—		14
15	.14	—	—	—	—	.01	.08	.17	—	.09	.03	.07		15
16	.11	—	.07	—	.01	—	.14	.01	.10	—	.01	.04		16
17	—	—	—	—	.06	—	.04	.02	.01	.42	—	.08		17
18	.02	—	—	—	.07	.075	—	.22	—	.22	.31	—		18
19	—	—	—	—	—	—	—	.09	.02	—	—	—		19
20	.05	—	.08	—	—	—	—	.15	.03	—	.20	—		20
21	—	—	.04	—	—	.02	—	.09	—	—	.44	—		21
22	—	—	—	.02	.05	.28	—	—	—	—	.34	.015		22
23	—	—	—	—	.06	.11	—	—	.19	—	.11	—		23
24	.06	.03	.22	—	—	—	—	.72	.04	.17	.04	—		24
25	.02	.06	.23	—	—	.04	.14	—	—	.35	.61	.09		25
26	.12	.15	.29	—	.23	.21	—	—	.03	.34	.24	.14		26
27	.26	.02	—	—	.52	.02	.14	.27	.005	—	.22	.005		27
28	.25	.005	—	—	—	.41	.20	.02	.04	.075	.02	.17		28
29	.61	X	—	—	1.02	.09	.09	.005	—	.18	.06	.21		29
30	.04	X	—	—	.01	.01	—	—	.36	—	.13	.12		30
31	.08	X	—	X	.26	X	—	—	X	.11	X	.67		31
TOTAL	3.38	.795	1.04	.25	2.73	2.60	3.35	5.05	1.69	4.33	3.57	3.67	Year's Total	5
* Days with .01 in. or more.	23	10	8	4	14	19	19	15	17	19	22	22	192	
* Days with .04 in. or more.	17	5	7	1	12	11	16	12	10	18	17	17	143	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

J. H. Edwards

P.R.O.

REGISTER

Kept at WADE DEACON GRAMMAR SCH.
in the County of LANCASTER

Diameter of Funnel of Gauge 5
Height of top of Gauge above Ground
Ground Sea Level

THE MORNING MEASURE

An observer who does not conform to this
year in the space on the right of this page
Please

2812

WIDNES
WADE DEACON GRAMMAR SCH.

1932—33

2812/5

FOR OFFICIAL USE.
ORGANIZATION.

S. [unclear]

Jan. 1, following

Date	Jan.	Feb.	March	Apr							ov.	Dec.	Date	
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1		—	—	[	.01	—	.48		gauge overturned	.055	trace		1	
2		—	trace	.3	.225	—	.14	.25		—			2	
3		.015	—	[	.055	—	—	.035		.22	.34		3	
4		.01	[	—	—	—	.18	.075					4	
5		[	.185	.03	trace	[	.03	—	.11	.985	.06	—	5	
6		—	[	.18	[	—	.11	—	.18		—	—	6	
7		[	.23	.04	.12	trace	—	—	.56		.05	—	7	
8		—	—	[	—	[	—	—	.04		—	—	8	
9		.008	—	.23	.14	—	.01	—	.05		.03	[	9	
10		trace	—	[	.02	[	—	—	—	.34	.025	.64	10	
11		—	[	.03	.52	.05	.03	trace	—	.48	[	—	11	
12		[	trace	trace	.125	[	.03	—	.63	.20	trace	—	12	
13		.005	[	—	[	—	—	—	—	.19	[	.17	13	
14		[	trace	—	.63	—	1.47	—	.14	[	.13	trace	14	
15		—	—	[	—	[	—	—	—	.58	—	.075	15	
16		.01	—	.25	trace	—	—	—	—	[	.02	[	16	
17		—	—	[	.03	[	—	—	—	.40	.01	.105	17	
18		[	—	trace	.05	—	—	—	.05	.32	[	—	18	
19		.005	—	[	.09	[	.02	—	—	.255	.04	—	19	
20		[	—	.3	[	—	.02	—	.04	.45	[	—	20	
21		[	.29	.01	.96	—	.04	—	—	—	—	.02	21	
22		—	.05	[	—	—	—	—	—	.5	—	.04	22	
23		—	—	.05	.36	—	—	—	—	—	—	.04	23	
24		—	—	[	.34	[	.01	—	—	.22	—	.13	24	
25		[	—	.02	.045	trace	.61	—	.42	.28	[	—	25	
26		.12	.34	.08	.25	[	.18	.01	—	.36	.35	.59	26	
27		[	—	.155	[	.01	—	.02	.17	.45	[	.06	27	
28		—	.01	.03	.35	.01	.13	.02	—	—	.86	.06	28	
29		—	.52	[	—	.01	—	—	Rain	—	1.48	.11	29	
30		X	.09	1.0	—	.16	.24	—	Gauge	—	.39	.26	30	
31		X	.04	X	trace	X	—	—	overturned	X	.01	X	.04	31
TOTAL	X	.173	1.755	2.405	4.34	.25	3.25				2.59	2.14	YEAR'S TOTAL	
*Days with or in. or more.														
*Days with .04 in. or more.														

(Signed) A. Brown

Kept at WADE DEACON GRAMMAR SCHOOL.
WIDNES
in the County of LANCASTER

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
Ground Sea Level 100 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		—	—	[	[	.01	[	.48	gauge overturned		.055	trace	1
2		—	trace	.3	.225	—	.14	.25			—	[	2
3		.015	—	[	.055	[		.035			.22	.34	3
4		.01	[	—	—	—	.18	.075			[	[	4
5		[	.185	.03	trace	[	.03	—	.11	.985	.06	—	5
6		—	[	.18	[	—	.11	—	.18	[	—	—	6
7		[	.23	.04	.12	trace	—	—	.56		.05	—	7
8		—	—	[	—	[	—	—	.04	[	—	—	8
9		.008	—	.23	.14	—	.01	—	.05	[	.03	[	9
10		trace	—	[	.02	[		—	—	.34	.025	.64	10
11		—	[	.03	.52	.05	.03	trace	—	.48	[	[	11
12		[	trace	trace	.125	[	.03	—	.63	.20	trace	—	12
13		.005	[	—	[	—	[		—	.19	[	.14	13
14		[	trace	—	.63	—	1.47		.14	[	.13	trace	14
15		—	—	[	[	—	[		—	.58	—	.075	15
16		.01	—	.25	trace	—	[		—	[	.02	[	16
17		—	—	[	.03	[							17
18		[	[	trace	.05	—	[		.05	.32	[	[	18
19		.005	—	[	.09	[	.02			.255	.04	—	19
20		[	[	.3	[	—	.02		.04	.45	[	—	20
21		—	.29	.01	.96	—	.04		—	[	—	.02	21
22		—	.05	[	[	—	—		—	.5	—	.04	22
23		[	[	.05	.36	—	—		—	[	—	.04	23
24		—	—	[	.34	[	.01			.22	—	.13	24
25		[	[	.02	.045	trace	.61		.42	.28	[	—	25
26		.12	.34	.08	.25	[	.18	.01		.36	.35	.59	26
27		[	[	.155	[	.01	—	.02	.17	.45	[	.06	27
28		—	.01	.03	.35	.01	.13	.02	—	[	.86	.06	28
29		—	.52	[	[	.01	—			1.48	.35	.26	29
30		X	.09	1.0	—	.16	.24			[	.39	.26	30
31		X	.04	X	trace	X	—			.01	X	.04	31
TOTAL	X	.173	1.755	2.405	4.34	.25	3.25				2.59	2.14	YEAR'S TOTAL
*Days with .01 in. or more.													
*Days with .04 in. or more.													

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No. 2812/5.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934

Kept at WADE DEACON GRAMMAR SCHOOL

in the County of LANCASTER.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 9 in.

Ground Sea Level 100 ft.

c. with 1932

corrections to Mar-Apr-June and July carried out as below 30/4/34 J.W.O. by neighbouring stations

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.045	.14	.065	-	.03	-	-	-	-	-	.035	-	1
2	.16	Trace		(.10)	.08	.2	Trace	-	-	-	-	-	2
3	.01			-	.06	-	-	-	-	-	Trace	-	3
4	.31	.39	.5	-	.05	-	-	-	-	-	.03	-	4
5	.04			-		.05	-	-	-	-	.05	-	5
6		.26		-	.21	-	-	-	-	-	-	-	6
7	.09	.11				-	-	.05	-	.5	-	-	7
8		.16	.14	.04	.06	-	.04	-	-	.1	-	-	8
9	-	.49	-	-	-	-	.36	-	-	.94	.09	-	9
10	.06			-	-	.05	-	-	-	.58	.075	-	10
11	-	.14	-	-	Trace	-	.52	-	-	.19	Trace	.29	11
12	.01			.03	Trace	-	.54	-	-	.12	.01	-	12
13		Trace	-	-	.16	-	.08	-	-	.14	-	-	13
14	.25	-	-		-	-	-	-	-	.045	.54	-	14
15		.03	.01	-	.04	Trace	-	-	-	.39	.24	-	15
16	.14	-	-		.02	(.20)	.03	-	-	.30	-	-	16
17	.24			.01	-	.56	-	-	-	Trace	-	-	17
18	.03	.06	(1.20)	-	.045	.29	-	-	-	-	.02	-	18
19	-			Trace	.02	(.50)	-	Trace	-	-	.21	.02	19
20		-	-	-	Trace	(.10)	-	1.11	-	-	-	Trace	20
21	Trace	.12	-		-	-	-	.40	-	-	-	Trace	21
22		-	.21	.2	.41	-	-	.09	.11	-	-	-	22
23	-	-	-		-	Trace	-	-	-	Trace	-	-	23
24	-			.04	-	-	-	-	.5	-	-	-	24
25	Trace	1.04	-	.025	Trace	-	-	-	-	.10	-	.11	25
26	-			(.21)	-	.12	.05	-	.04	.30	-	.02	26
27		-	-	-	.015	-	-	-	-	.02	-	-	27
28	.02	-	-		.05	-	-	.125	-	Trace	-	-	28
29		X	-	.18	Trace	-	-	-	-	.01	-	.05	29
30	-	X			.08	-	-	-	-	.23	-	-	30
31	Trace	X	(.20)	X	-	X	-	.025	X	-	X	-	31
TOTAL	1.495	2.97	(2.33)	(.87)	1.36	(2.07)	1.65	(1.80)	.68	4.00	1.39	.49	YEAR'S TOTAL
			.925	.665		.435		.226					21.01
													20.125
*Days with .01 in. or more.						89	7	6		15	10	5	
*Days with .04 in. or more.						69	6	5		13	6	3	

40-9999

*See Instruction 2 (f) on other side,

(Signed)

MISS A. Brown

[P.T.O.]

2813

2813
COPY FOR OFFICIAL USE.
ORGANIZATION.

Kept at LIVERPOOL CORPORATION
in the County of L

Diameter of Funnel of Gauge
Height of top of Gauge above Ground
Sea

THE MORNING MEAS

An observer who does not conform
year in the space on the right of

LIVERPOOL, LARKHANE DEPOT

1931 — 40

following
Jan. 1, following

Date	Jan.	Feb.	March	780501							Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.22	—	—	.13	—	—	—	—	.05	.05	—	—	1
2	—	.03	—	.52	.03	.55	—	—	.44	.07	.03	.10	2
3	.12	—	—	—	—	.11	.25	—	1.15	.02	.37	.05	3
4	—	—	—	.19	—	—	.01	.39	.44	—	.01	.05	4
5	—	—	—	.02	.12	.77	.15	.97	.01	—	—	.22	5
6	—	.14	—	—	—	.42	—	.01	.35	.44	.06	—	6
7	—	.02	—	—	—	.31	—	.78	—	.06	.10	—	7
8	.08	.06	—	.08	—	.05	.11	.45	—	.02	.11	.02	8
9	.05	.15	—	.05	.03	.10	.01	.32	.01	.08	.11	.03	9
10	.02	.04	.01	—	.20	.24	—	.07	.03	—	.28	.02	10
11	.38	.08	—	.01	—	—	.11	—	.43	—	.15	.03	11
12	.06	.06	—	—	—	—	.32	.18	.10	.03	—	—	12
13	—	—	.01	—	.09	.03	.02	.73	—	—	—	—	13
14	.03	.12	—	—	—	1.35	.02	.74	.14	—	.64	—	14
15	.06	.32	—	.23	.06	—	.16	.51	.02	—	—	.28	15
16	.14	.10	—	.17	.09	.05	.04	.49	.18	—	—	—	16
17	.06	—	—	.10	.27	—	.05	.13	.05	—	.18	—	17
18	.20	—	—	—	.08	.38	.39	.18	—	—	.37	—	18
19	.11	.26	—	—	—	—	.04	.90	—	.02	—	—	19
20	—	.10	.16	—	—	.04	.03	.03	—	—	.02	.01	20
21	.31	—	—	.02	.32	—	—	.11	—	—	.03	—	21
22	.03	.02	—	.03	.05	.03	.01	—	—	—	.10	—	22
23	.26	—	—	.14	.25	.15	.03	—	—	—	.09	.22	23
24	.03	.01	—	.12	.24	—	.05	—	—	—	.02	.15	24
25	.11	.56	—	.62	.07	—	—	—	—	—	.04	.04	25
26	.06	.02	—	.13	—	—	.02	—	—	—	.71	.02	26
27	.26	.24	—	.13	.42	—	.07	—	—	.26	.59	.08	27
28	.32	.26	.03	.01	.16	—	—	—	—	.09	—	.12	28
29	.11	X	.02	—	—	—	.19	—	—	.50	.02	—	29
30	.01	X	—	.01	—	—	—	—	.03	—	—	.08	30
31	.12	X	—	X	—	X	.16	—	X	.01	X	.04	31
TOTAL	3.15	2.59	.23	2.71	2.48	4.58	2.24	6.99	3.43	1.65	4.03	1.56	YEAR'S TOTAL 35.64
*Days with .01 in. or more.	24	19	5	19	16	15	22	17	15	13	21	18	204
*Days with .04 in. or more.	19	14	1	13	14	13	14	15	10	8	15	12	148

REGISTER OF RAINFALL IN 1931 .

Kept at LIVERPOOL CORPORATION DEPOT, LARK LANE.
in the County of LANCASTER
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 10 ft. 8 in.
Ground Sea Level 90.3 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.22	—	—	.13	—	—	—	—	.05	.05	—	—	1
2	—	.03	—	.52	.03	.55	—	—	.44	.07	.03	.10	2
3	.12	—	—	—	—	.11	.25	—	<u>1.15</u>	.02	.37	.05	3
4	—	—	—	.19	—	—	.01	.39	.44	—	.01	.05	4
5	—	—	—	.02	.12	.77	.15	<u>.97</u>	.01	—	—	.22	5
6	—	.14	—	—	—	.42	—	.01	.35	<u>.44</u>	.06	—	6
7	—	.02	—	—	—	.31	—	.78	—	.06	.10	—	7
8	.08	.06	—	.08	—	.05	.11	.45	—	.02	.11	.02	8
9	.05	.15	—	.05	.03	.10	.01	.32	.01	.08	.11	.03	9
10	.02	.04	.01	—	.20	.24	—	.07	.03	—	.28	.02	10
11	<u>.38</u>	.08	—	.01	—	—	.11	—	.43	—	.15	.03	11
12	.06	.06	—	—	—	—	.32	.18	.10	.03	—	—	12
13	—	—	.01	—	.09	.03	.02	.73	—	—	—	—	13
14	.03	.12	—	—	—	<u>1.35</u>	.02	.74	.14	—	.64	—	14
15	.06	.32	—	.23	.06	—	.16	.51	.02	—	—	.28	15
16	.14	.10	—	.17	.09	.05	.04	.49	.18	—	—	—	16
17	.06	—	—	.10	.27	—	.05	.13	.05	—	.18	—	17
18	.20	—	—	—	.08	.38	<u>.39</u>	.18	—	—	.37	—	18
19	.11	.26	—	—	—	—	.04	<u>.90</u>	—	.02	—	—	19
20	—	.10	<u>.16</u>	—	—	.04	.03	.03	—	—	.02	.01	20
21	.31	—	—	.02	.32	—	—	.11	—	—	.03	—	21
22	.03	.02	—	.03	.05	.03	.01	—	—	—	.10	—	22
23	.26	—	—	.14	.25	.15	.03	—	—	—	.09	.22	23
24	.03	.01	—	.12	.24	—	.05	—	—	—	.02	.15	24
25	.11	<u>.56</u>	—	<u>.62</u>	.07	—	—	—	—	—	.04	.04	25
26	.06	.02	—	.13	—	—	.02	—	—	—	<u>.71</u>	.02	26
27	.26	.24	—	.13	<u>.42</u>	—	.07	—	—	.26	.59	.08	27
28	.32	.26	.03	.01	.16	—	—	—	—	.09	—	.12	28
29	.11	X	.02	—	—	—	.19	—	—	.50	.02	—	29
30	.01	X	—	.01	—	—	—	—	.03	—	—	.08	30
31	.12	X	—	X	—	X	.16	—	X	.01	X	.04	31
TOTAL	3.15	2.59	.23	2.71	2.48	4.58	2.24	6.99	3.43	1.65	4.03	1.56	YEAR'S TOTAL 35.64
*Days with or more.	24	19	5	19	16	15	22	17	15	13	21	18	204
*Days with or more.	19	14	1	13	14	13	14	15	10	8	15	12	148

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at CORPORATION DEPOT, LARK LANE, LIVERPOOL.
in the County of LANCASTER.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 10 ft 8 in.
,, Ground ,, Sea Level 90.3 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	27	02	—	15	81	—	10	07	08	03	04	13	1
2	15	01	—	—	31	—	09	02	22	50	05	13	2
3	—	03	—	12	03	—	07	03	14	—	08	08	3
4	—	—	—	—	—	—	06	—	—	18	04	06	4
5	72	—	09	04	03	—	02	—	10	—	—	17	5
6	77	—	15	28	—	—	—	—	16	—	—	—	6
7	04	—	23	31	01	—	—	—	65	65	—	—	7
8	—	—	—	10	02	—	—	—	09	39	—	—	8
9	22	—	—	11	06	—	—	—	08	—	04	—	9
10	11	—	—	09	—	—	—	—	40	51	—	—	10
11	01	—	—	02	48	09	38	—	—	—	—	—	11
12	07	—	—	—	25	—	31	09	02	37	—	—	12
13	—	—	—	05	08	—	50	05	10	50	—	20	13
14	15	—	—	20	—	—	22	08	—	11	18	10	14
15	—	—	—	02	44	—	—	—	—	04	04	—	15
16	15	—	—	10	—	—	01	—	—	01	—	05	16
17	—	—	—	—	—	—	27	01	05	07	—	01	17
18	—	—	—	—	20	—	01	—	02	02	04	—	18
19	—	—	—	20	40	—	01	—	—	23	—	04	19
20	—	—	—	14	24	—	04	52	—	20	05	02	20
21	03	—	23	05	32	—	04	53	—	68	30	—	21
22	—	—	05	03	61	—	41	—	—	11	65	—	22
23	—	—	—	01	21	—	04	—	—	05	08	03	23
24	10	—	—	—	06	01	47	—	28	02	27	—	24
25	—	—	—	02	—	01	07	—	20	52	06	—	25
26	—	—	02	05	22	—	11	—	39	08	05	—	26
27	—	—	61	30	11	06	08	—	—	07	02	04	27
28	—	—	03	14	17	—	—	—	—	—	—	01	28
29	03	—	37	42	19	08	—	—	17	70	37	20	29
30	—	X	05	20	—	07	05	02	06	44	52	02	30
31	—	X	13	X	—	X	78	01	X	01	X	05	31
TOTAL	2.82	06	1.96	3.15	5.25	32	4.14	1.46	3.21	6.49	2.88	1.34	33.08
Days with 0.1 in. or more.	14	3	11	24	22	6	23	11	18	25	18	17	192
Days with 0.4 in. or more.	11	—	9	19	18	4	19	6	16	20	17	12	151

Section

for the entry of Daily Observations.

Station No. _____

2313

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at CORPORATION DEPÔT, LARK LANE
in the County of LANCASTER LIVERPOOL

Diameter of Funnel of Gauge.....5 in.
Height of top of Gauge above Ground.....9 ft. $\frac{1}{2}$ in.
 Ground Sea Level 90.3 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	'08	'08	'05	—	—	—	'02	—	—	'12	—		1
2	'03	—	'15	—	'02	'10	—	—	—	—	—	—		2
3	—	'36	'22	—	'13	—	—	—	—	—	—	—		3
4	<u>'30</u>	'01	'09	—	'10	—	—	—	—	—	'04	—		4
5	'08	'02	'06	—	'03	—	—	—	—	—	'05	—		5
6	—	'23	'16	—	'08	—	—	—	—	—	'04	—		6
7	'03	'31	—	—	'01	—	'06	'04	—	'39	—	—		7
8	'07	'01	'18	'03	'04	—	'07	—	—	—	—	'04		8
9	—	'36	—	'02	'04	—	'43	—	—	'28	'10	—		9
10	'03	'17	—	—	—	'25	'08	—	—	<u>1'01</u>	'02	—		10
11	'03	—	—	—	'01	—	<u>1'02</u>	—	—	'27	—	'12 ^s		11
12	'07	—	—	—	—	'03	'28	—	—	'03	—	'02 ^s		12
13	'06	—	—	—	'11	—	'05	'12	'02	'29	<u>'42</u>	—		13
14	'16	—	—	—	—	—	'10	'03	—	—	'22	—		14
15	'17	—	'03	—	'01	—	'13	'06	—	'34	'16	'01		15
16	'21 ^s	'01	'12	—	'10	'20	—	'03	—	'22	—	'01		16
17	'06	'01	<u>'34</u>	—	—	<u>'48</u>	—	—	'10	—	'01	—		17
18	'05	—	'12	—	—	'32	—	—	—	—	'02	—		18
19	—	—	'19	—	—	'03	—	—	'06	—	'20	'03		19
20	—	'08	—	—	<u>'25</u>	—	—	<u>1'21</u>	'07	—	—	—		20
21	—	—	—	—	—	'12	—	'06	—	—	—	—		21
22	—	—	—	'06	—	—	—	'12	—	'01	—	—		22
23	—	—	—	'12	—	'23	—	—	'09	'04	—	—		23
24	—	'27 ^s	—	'12	'11	'22	—	—	<u>'36</u>	—	—	—		24
25	—	'34	—	<u>'15</u>	—	—	—	—	'09	—	—	<u>'15</u>		25
26	—	<u>'57</u>	—	'11	—	—	—	—	—	'37	—	'01		26
27	—	—	—	—	'10	—	—	—	—	'01	—	—		27
28	—	'01	—	'04	—	—	'20	'58	—	—	—	—		28
29	'03	X	'02	—	—	—	'03	'02	—	—	—	'03		29
30	'05	X	'03	'10	—	'04	'03	—	—	'16	—	'12		30
31	'03	X	'04	X	—	X	—	'01	X	'18	X	'05		31
TOTAL	1'46	2'84	1'83	'80	1'14	2'00	2'48	2'30	'79	3'60	1'40	'59	Year's total	21'23
*Days with "or in." or more.	17	16	15	10	15	11	12	12	7	14	12	11		152
*Days with .04 in. or more.	11	10	12	8	10	9	10	7	6	11	9	5		108

40-9999

"S" = SNOW.

† Spare column, no
(Signed)....

*See Instruction 2 (f) on other side.

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No.

2813

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at LARK LANE DEPÔT, LIVERPOOL.

in the County of LANCASTER.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 9 ft. 1½ in.

Ground Sea Level 90.3 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.07	—	—	—	—	—	—	.14	.18	—	.64 ^s	.64		1
2	.01	—	.12	—	—	—	—	.38	.03	—	.21	.14		2
3	.17	—	—	—	—	—	—	—	—	.22	.02	.09		3
4	.13	—	.05	.02	.08	—	—	.04	.04	.61	—	.89		4
5	—	—	.05	—	.04	—	—	.72	—	.02	.05	.05		5
6	—	—	.04	—	.23	—	—	—	—	.17	—	.16		6
7	.30	.03	.02	.05	.03	—	—	—	—	.08	.10	.15		7
8	—	—	.02	—	.18	.04	—	.01	.03	.23	.38	.01		8
9	—	.01	.12	—	—	—	—	.08	—	—	.36	—		9
10	—	—	.12	.36	—	—	—	.93	—	.09	—	—		10
11	.01	—	.02	.37	—	—	—	.05	—	—	.11	.10		11
12	—	—	.03	.08	—	—	—	.17	—	.02	—	—		12
13	.19	—	.01	.02	.02	.01	.24	—	—	.03	—	—		13
14	.12	—	.19	—	—	.01	—	—	—	.17	.03	.05		14
15	.09	—	.24	—	.47	—	—	.07	.26	.16	.02	.18		15
16	.28	—	.06	—	.04	—	—	—	—	.16	.02	.10		16
17	.09	—	.13	.04	.30	—	.06	—	.07	.12	—	.07		17
18	.12	—	.02	.12	.28	.25	—	—	—	.02	—	.11		18
19	—	—	.14	—	.03	.13	—	—	.17	.06	—	.11		19
20	—	—	.01	.05	.07	.01	—	—	.19	—	—	—		20
21	—	—	.06	—	—	.45	—	.05	.25	.13	—	—		21
22	.05	—	.03	.02	—	—	—	.03	.20	.13	—	.09		22
23	—	—	.05	.39	—	.32	.10	—	.01	.19	.01	—		23
24	—	.19	.01	—	.01	.04	.05	—	.18	.04	—	—		24
25	—	—	—	.09	—	—	.13	—	.09	.04	—	.37		25
26	.02	—	.02	.13	—	.11	.05	—	.06	—	—	—		26
27	—	—	—	.02	—	.12	.09	—	—	.12	—	.26		27
28	—	—	—	.01	—	—	—	1.13	.09	.30	—	.63		28
29	.01	X	—	—	—	—	.06	.04	.18	.43	—	.08		29
30	.18	X	—	—	—	—	.01	.08	.23	1.24 ^s	—	.04		30
31	—	X	—	X	—	X	—	.09	X	.41 ^s	X	.19		31
TOTAL	1.84	.23	1.56	1.77	1.78	1.49	.79	4.01	2.26	5.19	1.95	4.51	2738	Year's Total.
* Days with .01 in. or more.	16	3	23	15	13	11	9	16	17	25	12	22	182	
* Days with .04 in. or more.	12	1	13	10	9	8	8	14	14	21	7	21	138	

40-9999

S = Snow + Hail Stones

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed)

P.T.O.

Section



for the entry of Daily Observations.

Station No. 2813

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at LARK LANE DEPÔT, LIVERPOOL...

in the County of LANCASTER

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground...9...ft...1½...in.

,, Ground ,, Sea Level ...90.3...ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.19	.07	—	—	—	.02	.29	—	.58	.23	.13	.14		1
2	—	.08	—	—	—	.06	—	—	.01	.02	.01	.15		2
3	.05	.33	.09	.10	—	.25	—	—	.37	.02	.13	.26		3
4	—	.02	.17	—	—	.11	—	—	.04	.14	—	—		4
5	—	.23	.14	.09	—	—	—	—	.17	.05	.21	.30		5
6	—	—	—	.12	—	.12	—	—	—	—	—	—		6
7	—	—	—	.02	—	.10	—	—	—	.12	.09	.26		7
8	—	—	—	.09	—	—	—	.02	—	.09	.16	.03		8
9	.05	.01	—	.11	—	.12	—	—	—	1.60	.03	—		9
10	—	.08	—	—	—	.08	—	—	—	.07	.05	—		10
11	.57	—	—	—	—	.19	—	.03	—	.08	.03	—		11
12	.02	.06	—	—	—	.17	—	—	.01	—	—	—		12
13	.16	.01	—	.05	.22	.03	—	—	.10	.05	.06	—		13
14	.03	—	—	—	—	.06	1.06	—	.08	—	.46	.17 ^s		14
15	—	.31	—	.42	.02	—	.06	—	.09	—	—	.77		15
16	.01	.19	.05	.12	.18	.68	.06	.01	.60	—	.54	—		16
17	—	—	—	.17	.68 ^s	.39	.65	.29	.05	.05	.59	—		17
18	—	—	—	.08	.26	.06	.04	—	.32	.07	—	—		18
19	—	—	—	.26	.29	.44	.20	—	—	.07	.16	—		19
20	—	.24	—	.61	—	.06	.01	—	—	—	.13	—		20
21	—	.21	—	—	—	—	—	—	.69	.08	—	.17		21
22	.01	.16	.02	—	—	—	—	—	.11	—	—	—		22
23	.07	.08	.38	—	—	—	—	.05	.18	.64	—	.02		23
24	.29	.26	.12	—	—	—	—	—	.49	.03	.01	.16 ^s		24
25	.14	.13	.08	—	—	—	—	—	—	—	.08	.03		25
26	—	.03	—	—	—	.02	—	.59	.50	.02	.05	.14		26
27	—	—	—	—	.05	.22	.13	—	.19	.19	.30	—		27
28	.07	.14	—	—	—	—	—	1.13	.25	.26	.06	—		28
29	—	X	.06	—	—	.06	—	.14	.39	.05	.06	.05		29
30	.04	X	—	.02	—	.35	—	.07	.12	.24	.52	.08		30
31	.04	X	—	X	—	X	—	—	X	.13	X	.69		31
TOTAL	1.74	2.64	1.11	2.26	1.70	3.59	2.50	2.33	5.34	4.30	3.86	3.42	34.79	Year's Total
* Days with .01 in. or more.	15	19	9	14	7	21	9	9	21	23	22	16	185	
* Days with .04 in. or more.	11	15	8	12	6	18	8	6	19	19	18	13	153	

40-9999."S"= Snow+Hail.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed)

[P.T.O.]

Section **A** for the entry of Daily Observations.Station No. **2813**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at **LARK LANE DEPÔT, LIVERPOOL**in the County of **LANCASTER**Diameter of Funnel of Gauge.....**5**.....in.Height of top of Gauge above Ground...**9**.....ft. **1½**.....in.„ Ground „ Sea Level...**90.3**.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	.12	.14	.29	—	.13	—	.28	.05	—	.28	.97		1
2	.08	—	—	.15	—	.42	—	.02	.03	—	.13	.37		2
3	—	—	—	—	—	.56	.02	.05	.23	—	—	.05		3
4	.03	.23 ⁵	.14	—	—	.01	—	.01	.23	—	.20	.19		4
5	.12	.05	.12	—	—	—	—	.32	.30	—	—	.20		5
6	.03	—	—	—	.06	—	.07	.07	.24	—	.09	—		6
7	—	—	.09	—	—	—	.09	—	.45	—	.10	.18		7
8	.06	—	.33	—	—	—	—	—	.08	—	.22	.03		8
9	.22	—	—	—	—	.06	.10	—	.18	—	.16	—		9
10	.05	—	—	—	—	—	.07	—	—	—	.06	—		10
11	—	—	.01	.03	—	.09	.50	.11	.14	—	.34	.10		11
12	—	—	—	—	.04	.12	.28	—	.18	.05	.13	.01		12
13	.02	—	—	“tr”	.01	—	.13	.16	.05	.23	.13	.27		13
14	—	—	—	.05	—	.38	.01	.10	.10	.03	.09	.54		14
15	.33 ⁵	—	—	.14	.17	.12	—	.05	.10	—	.26	.04		15
16	.02	.08	—	.13	.15	—	.05	—	—	—	.60	—		16
17	.05	.25	—	—	.03	—	.03	.11	—	.05	.02	.02		17
18	—	.10	—	.02	—	—	.83	.18	—	.31	—	—		18
19	.62 ⁵	.09	—	.27	—	.07	.05	.18	—	.14	—	—		19
20	.53	.16	—	—	—	.06	—	—	—	.03	—	—		20
21	.43	—	.02	.06	—	.45	—	—	—	—	—	.09		21
22	.06 ⁵	.51	.08	—	—	.62	.28	—	—	—	—	.03		22
23	—	.04	.08	.04	—	—	.18	—	—	.05	—	—		23
24	.13	—	—	—	—	—	—	—	.18	.07	—	—		24
25	.15	—	.02	—	—	—	—	—	.45	.10	—	.02		25
26	.08	.20	.33	—	—	—	.14	—	.13	.23	—	—		26
27	.49	—	—	—	—	—	—	—	.08	.30	—	—		27
28	.17	.26	.12	.04	—	—	—	—	—	.06	.02	.06		28
29	.07	.33	.26	—	.02	.30	—	—	—	.03	.18	.06		29
30	.13	~~XX~~	—	—	.31	—	.27	.08	—	.28	.11	—		30
31	.13	~~XX~~	.07	~~XX~~	.01	~~XX~~	.03	.01	~~XX~~	—	~~XX~~	.15		31
TOTAL	4.00	2.42	1.81	1.22	.80	3.39	3.13	1.73	3.20	1.96	3.12	3.38	30.16	✓
* Days with .01 in. or more.	23	13	14	11	9	14	18	15	18	15	18	19	187	✓
* Days with .04 in. or more.	19	13	11	9	5	13	14	12	17	12	16	14	155	✓

40-9999. "S" = Snow

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No.

2813

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937.

Kept at **LARK LANE DEPÔT, LIVERPOOL.**in the County of **LANCASTER.**Diameter of Funnel of Gauge.....**5**.....in.Height of top of Gauge above Ground...**9**...ft...**1½**...in.,, Ground ,, Sea Level ...**90.3**...ft.**THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY**

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	.25	.03	—	—	—	.02	—	.24	.15	—	.06		1
2	.01	.11	.11	.24	—	.02	—	—	.03	—	—	—		2
3	—	.08	—	.07	.08	.18	.07	—	—	—	—	.06		3
4	.27	—	.04	.03	.10	—	—	.01	—	—	—	.62		4
5	.61	—	.08	.21	—	.01	.02	—	—	—	—	1.17		5
6	.02	—	—	.07	.16	—	—	—	—	—	.01	.04		6
7	—	.28	—	.09	—	.14	—	—	.02	—	—	—		7
8	—	.51	—	.09	—	.03	.24	—	—	—	.12	—		8
9	—	.12	.02 ^s	.01	.20	.03	.10	.12	—	—	—	—		9
10	—	.22	.02 ^s	—	—	—	—	—	—	—	—	.17 ^s		10
11	—	—	.20	—	.52	.08	.01	—	—	—	—	.01		11
12	.04	.43	.01	—	—	.35	—	.08	.98	—	—	.31		12
13	—	.07	—	.01	—	—	—	1.27	.02	—	—	.20		13
14	—	.11	.04 ^s	—	—	—	.02	.07	.04	—	—	.22		14
15	.08	.21	—	.27	—	—	.59	.05	.18	—	—	.12		15
16	—	.14	.17	.52	—	—	—	.13	.07	—	—	—		16
17	.03	.08	.09	.40	—	—	—	.01	.08	—	—	—		17
18	.20	.22	.02	.06	—	—	.11	.14	—	—	.43	.02		18
19	—	.04	.10	.39	.06	.15	—	.02	.27	—	.11	—		19
20	.03	.07	—	.17	.93	—	.25	—	.01	—	.01	.08		20
21	.02	.26	.10 ^s	.11	—	.09	.09	—	—	.15	—	.02		21
22	.11	.04	.02 ^s	—	.07	—	.04	—	—	.11	.18	.13		22
23	.08	—	—	—	.35	.01	.10	—	—	.55	.12	—		23
24	.07	.35	.05	—	—	—	.09	—	.21	.53	—	.02		24
25	—	.28	.02	—	—	—	—	.57	—	.04	—	.01		25
26	—	.27	.19 ^s	—	.23	—	—	—	—	.04	—	.01		26
27	—	.75 ^s	.01	.34	—	—	—	—	—	.32	—	—		27
28	—	.03 ^s	—	—	—	.04	—	—	—	.10	—	—		28
29	.03 ^s	X	—	—	—	.03	—	—	—	.44	.29	—		29
30	.12 ^s	X	—	—	—	.23	—	—	.09	.05	.39	—		30
31	.17	X	—	X	—	X	—	.04	X	.03	X	—		31
TOTAL	1.89	4.92	1.32	3.08	2.70	1.39	1.75	2.51	2.24	2.51	1.66	3.27	29.24	✓✓
* Days with .01 in. or more.	16✓	23✓	19✓	17✓	10✓	14✓	14✓	12✓	13✓	12✓	9✓	18✓	177	✓✓
* Days with .04 in. or more.	10✓	22✓	11✓	14✓	10✓	8✓	10✓	9✓	9✓	11✓	7✓	12✓	133	✓✓

"S" = Snow.

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed)

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 2813

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at LARK LANE DEPÔT, LIVERPOOL.....

in the County of LANCASTER.....

Diameter of Funnel of Gauge.....5".....in.

Height of top of Gauge above Ground.....9 ft. 1 1/2 in.

,, Ground ,, Sea Level.....90.3 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	—	—	—	.79	—	.53	.04	.08	.10	.15		1
2	—	.20	—	.20	—	.14	.06	—	—	.32	—	.18		2
3	.01	—	—	—	—	.03	.12	—	.14	.38	.10	—		3
4	—	—	—	.03	—	.06	.19	—	—	.08	—	.55		4
5	.06	—	—	—	—	.04	.02	.85	.13	.11	—	.03		5
6	.18	—	—	—	—	.05	.36	—	.54	.12	—	—		6
7	.25	—	—	—	—	—	.36	.12	.04	.04	—	.02		7
8	.38	.03	—	—	—	—	.37	.32	—	.35	—	.58		8
9	.02	.25	.09	—	—	.22	.21	1.00	—	—	—	.08		9
10	.11	.02	—	—	—	—	.52	—	.02	.01	—	.25		10
11	.23	.01	—	—	.06	.04	.03	—	.06	.22	.07	.08		11
12	.03	—	—	—	.15	—	—	—	—	.74	.31	—		12
13	.03	—	—	—	.04	—	.04	.01	.03	—	.05	.05		13
14	.25	—	—	—	.08	—	.04	—	—	—	.09	—		14
15	.13	—	—	—	—	—	.10	.15	—	.06	.03	.05		15
16	.11	—	.07	—	—	—	.20	.02	.08	.07	—	.05		16
17	—	—	—	—	.06	—	.05	.03	.02	.45	—	.06		17
18	.03	—	—	—	.06	.02	—	.18	—	.18	.25	—		18
19	—	—	—	—	—	—	—	.12	.02	—	.01	—		19
20	.06	—	.08	—	—	—	—	.21	.03	—	.23	—		20
21	—	—	.02	—	—	.03	—	.12	—	—	.43	—		21
22	—	—	—	.01	.06	.30	—	—	—	—	.30	—		22
23	—	—	—	.01	.07	.11	—	—	.21	—	.12	—		23
24	.06	.02	.23	—	—	—	—	.58	.01	.22	.04	—		24
25	.02	.04	.22	—	—	.01	.12	—	—	.27	.62	.11		25
26	.13	.14	.27	—	.23	.25	—	—	.04	.37	.20	.15		26
27	.23	.03	—	—	.58	.04	.14	.24	—	—	.25	—		27
28	.30	—	—	—	—	.39	.23	.04	.02	.02	.03	.15		28
29	.52	—	—	—	.95	.07	—	—	—	.17	.08	.23		29
30	.06	X	—	—	.02	.07	—	—	.36	—	.18	.12		30
31	.10	X	—	X	.23	X	—	—	X	.14	X	.60		31
TOTAL	3.30	.74	.98	.25	2.59	2.66	3.16	4.52	1.79	4.40	3.49	3.49	Year's Total 31.37	
* Days with .01 in. or more.	23	9	7	4	13	18	18	16	17	21	20	19	185	
* Days with .04 in. or more.	17	4	6	1	12	14	16	13	10	19	17	17	146	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

P.T.O.

Section



for the entry of Daily Observations

Station No. 28183

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at LARK LANE DEPÔT, LIVERPOOLin the County of LANCASTERDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 9 ft. 1 1/2 in.Ground Sea Level 90.3 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.33	—	.03	.38	—	—	.02	—	.01	—	—	.04		1
2	.05	—	.04	.14	—	—	.08	.90	.29	—	—	.07		2
3	.30 ^s	—	.10	.21	—	—	.02	.06	.02	—	.06	.58		3
4	.23 ^s	—	.08	.27	.08	—	.27	—	—	.09	.09	.36		4
5	—	—	—	.02	.34	—	.22	.05	—	—	.34	—		5
6	.63	.02	—	—	—	—	.25	—	—	—	.06	—		6
7	.02	.09	—	—	—	—	.13	—	—	—	.10	.42		7
8	.05	.11	.35	.01	—	—	.64	.03	—	.14	.20	.13		8
9	.08	.12	—	—	—	—	—	.12	.01	.35	—	.40		9
10	.33 ^s	—	.02	—	—	.07	—	.13	.26	.06	.03	.33		10
11	.40	.10	.34	—	—	.28	—	—	—	.07	—	—		11
12	.43	.08	—	—	—	.19	—	—	.04	.04	—	—		12
13	—	.01	.04	.21	.23	.11	.30	—	.23	.06	.08	—		13
14	.43	—	—	—	.15	.49	.17	—	—	.05	.28	—		14
15	.10	—	.02	.17	.11	.74	.16	—	—	—	.27	—		15
16	.01	—	.10	—	.26	—	.15	—	—	.04	.08	—		16
17	.59	.06	—	—	.17	.14	—	—	—	.75	.02	—		17
18	.11	.14	.04	—	—	.20	.15	—	—	—	.97	—		18
19	.18	—	—	—	—	—	.37	—	—	—	.05	—		19
20	.12	—	.05	—	.07	.20	.04	.01	—	—	—	—		20
21	.06	—	.35	.07	.09	—	—	.05	.10	—	—	—		21
22	.12	.50	.08	.15	—	—	.12	—	—	.05	.65	—		22
23	.05	.32	.02	.08	—	.09	.08	—	—	.45	.16	—		23
24	—	.09	—	—	—	.01	.22	—	—	.19	.04	—		24
25	.08	.09	—	.20	—	—	—	—	—	.02	.43	.05		25
26	—	—	—	—	—	—	—	"tr"	—	—	.12	.01		26
27	—	.78	.09	—	—	.17	.13	.02	—	—	.04	.24 ^s		27
28	—	.12	.11	.04	—	.04	.20	—	—	—	.39	—		28
29	—	X	—	.09	—	—	1.00	.36	—	.09	.06	—		29
30	—	X	—	—	—	.19	.11	—	—	—	.04	—		30
31	—	X	—	X	—	X	.23	.10	X	.02	X	—		31
TOTAL	4.70	2.63	1.86	2.04	1.50	2.92	5.06	1.83	.96	2.47	4.56	2.63	33.16	✓
* Days with .01 in. or more.	22✓	15✓	17✓	14✓	9✓	14✓	23✓	11✓	8✓	16✓	23✓	11✓	183	✓
* Days with .04 in. or more.	20✓	13✓	13✓	12✓	9✓	13✓	21✓	8✓	5✓	14✓	21✓	10✓	159	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) [P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 28153

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940.

Kept at LARK LANE DEPOT, LIVERPOOL.....

in the County of LANCASTER.....

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground...9...ft...1½...in.

,, Ground ,, Sea Level ...90.3...ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	.02	—	.04	—	—	—	—	.01	—	.18	.08		1
2	—	—	—	.17	—	—	.10	—	—	—	.14	.20		2
3	—	.08	.01	.22	—	—	.05	—	—	—	.05	.06		3
4	—	.08	—	.01	—	—	.01	—	—	.12	.20	.05		4
5	—	.01	—	—	.20	—	.14	—	—	.15	.23	.12		5
6	.11	.26	—	—	—	—	.07	—	—	.75	.06	.06		6
7	—	.29	—	.11	.07	—	.07	.02	.14	.07	—	.01		7
8	—	—	—	—	—	—	—	—	.22	.12	—	.21		8
9	—	—	.24	.01	—	—	.73	.09	.05	.25	.91	.28		9
10	—	—	.03	—	—	—	.24	.05	—	.28	.20	.20		10
11	—	—	.02	.05	—	—	.08	—	—	—	.84	.10		11
12	—	—	.26	—	—	.05	.74	.16	.29	—	.26	.01		12
13	—	—	.36 ^s	—	—	—	—	.03	.30	—	.07	.01		13
14	—	—	.02	.11	.14	—	—	.09	.28	—	.43	.07		14
15	—	—	—	.09	.86	.01	—	—	.05	—	.05	.05		15
16	—	.14	.25	—	—	—	.26	—	.60	.35	.24	.03		16
17	—	—	.51	.02	—	—	.03	—	.03	—	.64	.01		17
18	.03 ^s	.32	.09	.23	—	—	—	.30	.29	—	—	.21		18
19	—	.21	.17	.02	—	.01	.02	—	.15	—	.12	.01		19
20	—	—	—	.24	—	—	.08	.03	.07	.36	.06	—		20
21	—	—	.08	—	.03	.48	.03	.01	—	—	.77	—		21
22	—	.01	.03	—	.17	.10	—	.07	.10	—	—	—		22
23	.05 ^s	.05	—	.21	—	—	.08	—	.15	—	.09	—		23
24	.10	—	.01	—	—	—	.03	—	—	—	—	—		24
25	.01	—	—	—	.30	.05	—	—	—	—	—	—		25
26	1.06 ^s	.10	—	.02	.04	—	.16	.07	—	—	.08	—		26
27	.31 ^s	.50	—	—	—	—	.05	—	—	—	.34	—		27
28	.25 ^s	.07	—	—	.21	—	—	.02	—	—	—	.01		28
29	—	—	.29	.09	—	.22	.09	—	—	.04	—	.43		29
30	.05 ^s	~~X~~	—	.29	.05	—	—	—	—	.24	.01	.09		30
31	.05 ^s	~~X~~	.02	~~X~~	.01	~~X~~	—	.08	~~X~~	.84	~~X~~	.01		31
TOTAL	2.02	2.14	2.39	1.93	2.08	.92	3.06	1.02	2.73	3.57	5.97	2.31	30.14	Year's Total
* Days with .01 in. or more.	10	14	16	17	11	7	20	13	15	12	22	23	180	
* Days with .04 in. or more.	8	11	9	12	9	5	15	8	13	12	21	15	138	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

Kept at LIVERPOOL CORPORATION
in the County of LANCASHIRE

Diameter of Funnel of Gauge.....
Height of top of Gauge above Ground.....
Sea

THE MORNING MEAS

An observer who does not conform to the regulations of the year in the space on the right of the

2814

LIVERPOOL, SMITHDOWN ROAD

1931 — 40

2814
COPY FOR OFFICIAL USE.
ORGANIZATION.

Jan. 1, following

Following

Date	Jan.	Feb.	March	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	
1	.24	—	—	.12	—	1
2	—	.05	—	.54	.04	2
3	.08	—	—	—	.10	3
4	—	—	—	.20	—	4
5	—	.01	—	.03	.13	5
6	—	.20	—	—	.02	6
7	—	.03	—	—	.41	7
8	.08	.08	—	.10	—	8
9	.06	.15	—	.07	.02	9
10	.01	.06	.01	—	.20	10
11	.35	.10	—	.03	—	11
12	.03	.05	—	.01	—	12
13	—	—	.02	—	.10	13
14	.03	.14	—	—	—	14
15	.10	.38	—	.25	.06	15
16	.16	.13	—	.17	.09	16
17	.06	—	—	.15	.29	17
18	.27	—	—	—	.10	18
19	.12	.29	—	—	—	19
20	—	.12	.17	—	—	20
21	.35	—	—	.02	.28	21
22	.07	.03	—	.06	.05	22
23	.25	—	—	.16	.25	23
24	.02	.02	—	.15	.26	24
25	.09	.63	—	.65	.05	25
26	.08	.02	—	.10	—	26
27	.28	.25	—	.15	.32	27
28	.36	.32	.03	.01	.18	28
29	.15	X	.05	.01	—	29
30	.01	X	—	.01	—	30
31	.22	X	—	X	—	31
TOTAL	3.47	3.06	.28	2.99	2.44	YEAR'S TOTAL
*Days with or in. or more.	24	20	5	21	17	214
*Days with .04 in. or more.	19	15	2	13	15	158

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1931.

Kept at LIVERPOOL CORPORATION DEPOT, SMITHDOWN ROAD, LIVERPOOL.
in the County of LANCASTER.

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
Ground Sea Level 134.5 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.24	—	—	.12	—	—	—	—	.04	.06	—	.01	1
2	—	.05	—	.54	.04	.58	—	—	.52	.13	.03	.12	2
3	.08	—	—	—	—	.10	.26	—	<u>1.20</u>	.03	.44	.05	3
4	—	—	—	.20	—	—	.01	.26	.44	—	.01	.11	4
5	—	.01	—	.03	.13	.79	.33	<u>1.21</u>	.01	—	.01	.20	5
6	—	.20	—	—	.02	.41	—	.02	.67	.40	.09	—	6
7	—	.03	—	—	—	.40	.02	.66	—	.08	.09	.01	7
8	.08	.08	—	.10	—	.06	.12	.47	—	.02	.11	.02	8
9	.06	.15	—	.07	.02	.11	.02	.35	.15	.09	.12	.03	9
10	.01	.06	.01	—	.20	.29	—	.11	.06	—	.28	.01	10
11	.35	.10	—	.03	—	—	.11	—	.43	—	.15	.03	11
12	.03	.05	—	.01	—	—	.26	.16	.14	.03	.01	—	12
13	—	—	.02	—	.10	.03	.02	.55	—	—	—	—	13
14	.03	.14	—	—	—	<u>1.21</u>	—	.79	.14	—	.65	.01	14
15	.10	.38	—	.25	.06	—	.10	.54	.02	—	—	.24	15
16	.16	.13	—	.17	.09	.06	.06	.64	.14	—	—	—	16
17	.06	—	—	.15	.29	—	.07	.15	.06	—	.20	—	17
18	.27	—	—	—	.10	.44	<u>.37</u>	.19	—	—	.46	—	18
19	.12	.29	—	—	—	—	.08	.90	—	.02	—	—	19
20	—	.12	<u>.17</u>	—	—	.07	.03	.05	—	—	.03	.01	20
21	.35	—	—	.02	.28	.01	—	.08	—	—	.04	—	21
22	.07	.03	—	.06	.05	.04	.02	—	—	—	.10	—	22
23	.25	—	—	.16	.25	.16	.05	—	—	—	.14	<u>.25</u>	23
24	.02	.02	—	.15	.26	—	.05	—	—	—	.03	.15	24
25	.09	<u>.63</u>	—	<u>.65</u>	.05	—	—	—	—	—	.05	.07	25
26	.08	.02	—	.10	—	—	—	—	—	—	<u>.87</u>	.03	26
27	.28	.25	—	.15	<u>.32</u>	—	.06	—	—	.21	.67	.08	27
28	<u>.36</u>	.32	.03	.01	.18	—	—	—	—	.04	—	.15	28
29	.15	X	.05	.01	—	—	.16	—	—	<u>.61</u>	.03	.03	29
30	.01	X	—	.01	—	—	—	—	.05	—	—	.06	30
31	.22	X	—	X	—	X	.14	—	X	.01	X	.04	31
TOTAL	3.47	3.06	.28	2.99	2.44	4.76	2.34	7.13	4.07	1.73	4.61	1.71	YEAR'S TOTAL 38.59
*Days with .01 in. or more.	24	20	5	21	17	16	21	17	15	13	23	22	214
*Days with .04 in. or more.	19	15	2	13	15	14	15	16	13	8	16	12	158

REGISTER OF RAINFALL IN 1932 .

Kept at CORPORATION DEPÔT, SMITHDOWN ROAD,
in the County of LANCASTER, LIVERPOOL.

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 0 in.
Ground Sea Level 134.5 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	30	02	—	16	67	02	02	03	10	02	05	19	1
2	17	—	—	—	35	—	07	03	24	28	06	16	2
3	—	04	—	08	04	—	06	04	08	01	09	08	3
4	—	—	—	—	—	—	12	—	01	24	04	07	4
5	81	—	11	06	03	—	05	01	10	—	—	03	5
6	82	—	12	31	—	—	—	—	17	—	—	—	6
7	05	—	22	32	—	—	—	—	37	62	—	—	7
8	—	—	—	07	02	—	—	—	13	38	—	—	8
9	31	01	—	11	03	—	—	—	08	—	05	01	9
10	08	—	—	07	—	—	—	—	49	55	—	—	10
11	03	—	—	06	50	06	41	—	—	—	—	—	11
12	09	—	—	—	26	—	50	05	01	32	—	—	12
13	—	—	—	05	09	—	45	05	13	37	—	20	13
14	16	—	—	34	—	—	13	03	—	12	16	11	14
15	—	—	—	03	44	—	—	—	—	05	05	—	15
16	22	—	—	07	—	—	02	—	—	02	—	07	16
17	—	—	—	—	—	—	35	02	05	11	—	01	17
18	—	—	—	—	30	—	01	—	04	03	04	—	18
19	—	—	—	20	30	—	02	—	02	24	—	04	19
20	—	—	—	14	25	—	04	41	—	20	07	04	20
21	06	—	22	05	34	—	15	42	—	58	29	—	21
22	—	—	08	04	56	—	40	—	—	10	69	—	22
23	—	—	—	—	34	—	06	—	—	14	11	06	23
24	09	—	—	—	03	—	52	—	28	—	29	—	24
25	—	—	—	03	—	01	08	—	18	59	07	—	25
26	—	—	04	05	22	—	14	—	34	08	01	—	26
27	—	—	69	35	11	03	10	—	—	05	05	07	27
28	—	—	04	29	14	—	16	—	—	—	—	01	28
29	03	—	47	48	16	09	01	02	17	74	34	25	29
30	—	X	04	15	—	09	05	01	08	64	64	03	30
31	—	X	13	X	—	X	70	—	X	01	X	07	31
TOTAL	3.22	07	2.16	3.51	5.18	30	462	1.12	3.37	6.49	3.10	1.50	34.64
Days with or in. or more.	14	3	11	23	21	6	25	12	20	25	18	18	196
Days with or in. or more.	12	1	11	21	17	3	20	5	17	20	17	13	157

Section

A

for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No.

2814

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933 .

Kept at CORPORATION DEPÔT, SMITHDOWN ROAD,
in the County of LANCASTER LIVERPOOLDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft 0 in.,, Ground ,, Sea Level 134.5 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01	.10	.10	.06	—	—	—	.02	—	—	.14	—		1
2	.05	—	.15	—	.02	.05	—	—	—	—	—	—		2
3	—	.44	.22	—	.18	—	—	—	—	—	—	—		3
4	.28	.02	.09	—	.09	—	—	—	—	—	.04	—		4
5	.08	.04	.07	—	.07	—	—	—	—	—	.06	—		5
6	—	.15	.17	—	.09	—	—	—	—	—	.05	—		6
7	.03	.41	—	—	.01	—	.06	.05	—	.31	.01	—		7
8	.10	.02	.14	.02	.05	—	.09	—	—	—	—	.03		8
9	—	.32	—	.04	.02	—	.45	—	—	.28	.13	—		9
10	.06	.19	—	—	—	.13	.06	—	—	1.00	.03	—		10
11	.07	—	—	—	.01	.01	.84	—	—	.23	—	.21 ^s		11
12	.05	.01	—	—	—	.03	.35	—	—	.05	—	.02 ^s		12
13	—	—	—	—	.12	—	.10	.20	—	.31	.40	—		13
14	.16	—	—	—	—	—	.09	.04	—	—	.24	—		14
15	.14	—	.04	—	.02	—	.15	.06	—	.32	.16	.02		15
16	.19 ^s	.02	.14	—	.15	.23	—	.01	—	.27	—	.03		16
17	.10	.02	.39	—	—	.49	—	—	.10	—	.01	.01		17
18	.05	—	.12	—	—	.35	—	—	—	—	.02	—		18
19	—	—	.19	—	—	.01	—	—	.06	—	.18	.03		19
20	—	.12	—	—	.42	—	—	.92	.11	—	—	—		20
21	—	—	—	—	—	.07	—	.12	—	—	—	—		21
22	—	—	—	.05	—	—	—	.13	—	.03	—	—		22
23	—	—	—	.15	—	.23	—	—	.08	.05	—	—		23
24	—	.28 ^s	—	.15	.13	.20	—	—	.36	.01	—	—		24
25	—	.34	—	.09	—	—	—	—	.09	—	—	.15		25
26	—	.65	—	.13	—	—	—	—	—	.32	—	.02		26
27	—	—	—	—	.05	—	—	—	—	.05	—	—		27
28	—	.02	—	.04	—	—	.15	.48	—	—	—	—		28
29	.02	X	.03	—	—	—	.02	.03	—	—	—	.04		29
30	.08	X	.05	.15	.07	.03	.04	—	—	.24	—	.11		30
31	.04	X	.05	X	—	X	.06	.01	X	.15	X	.05		31
TOTAL	1.51	3.15	1.95	.88	1.50	1.83	2.46	2.07	.80	3.62	1.47	.72	Year's Total	21.96
*Days with or in. or more.	17	17	15	10	16	12	13	12	6	15	13	12		158
*Days with .04 in. or more.	14	11	14	9	11	8	12	8	6	13	9	5		120

40-9999

"5" = SNOW.

*See Instruction 2 (f) on other side.

† Spare column; no entry

(Signed)

Moulins
801 City Engineer P.T.O.

Section

A

for the entry of Daily Observations.

Station No.

2814

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at SMITHDOWN ROAD DEPÔT,
in the County of LANCASTER. LIVERPOOL,

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
Ground Sea Level 134.5 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.10	—	—	—	—	—	—	.14	.14	.03	.69 ^s	.65		1
2	.01	—	.11	—	—	—	—	.38	.05	—	.21	.18		2
3	.17	—	—	—	—	—	—	—	—	.15	.05	.10		3
4	.15	—	.12	.02	.10	—	—	.07	.02	.73	—	.89		4
5	—	—	.05	—	.06	—	—	.71	—	.10	.05	.02		5
6	—	—	.08	.03	.25	—	—	—	—	.19	—	.16		6
7	.29	.04	.08	.06	.03	—	—	—	—	.08	.08	.15		7
8	—	—	.02	—	.20	.06	—	.01	—	.27	.46	.02		8
9	—	.01	.12	—	—	—	—	.08	.05	.03	.35	—		9
10	—	.01	.15	.30	—	—	—	.80	—	.09	—	—		10
11	—	—	.02	.38	—	—	—	.09	—	—	.09	.10		11
12	—	—	.04	.06	—	—	—	.13	—	.04	—	—		12
13	.18	—	.01	.03	.06	.01	.20	—	—	.06	—	—		13
14	.15	—	.20	—	—	.03	—	—	—	.20	.04	.09		14
15	.11	—	.24	—	.56	—	—	.07	.20	.14	.02	.19		15
16	.30	—	.05	—	.09	—	—	—	—	.18	.03	.05		16
17	.11	—	.16	.06	.29	—	.13	—	.08	.14	—	.08		17
18	.15	—	.03	.13	.30	.18	—	.02	—	.04	—	.11		18
19	—	—	.15	—	.02	.15	—	—	.14	.11	—	.07		19
20	—	—	.02	.08	.09	.01	—	—	.20	.02	—	.01		20
21	.02	—	.07	—	—	.45	—	.06	.25	.10	—	—		21
22	.06	—	.05	—	—	—	—	.03	.16	.15	.01	.08		22
23	—	—	.07	.45	—	.30	.06	—	.02	.17	.05	.04		23
24	—	.21	.03	.04	.02	.04	.01	—	.19	.06	—	—		24
25	—	—	—	.08	.01	—	.09	—	.12	.07	—	.38		25
26	.04	—	.02	.12	—	.11	.07	—	.09	.02	—	—		26
27	—	—	—	.03	—	.09	.12	—	—	.13	—	.25		27
28	—	—	—	.01	—	—	—	.97	.09	.18	—	.68		28
29	.01	X	—	—	—	—	.13	.03	.18	.57	—	.07		29
30	.20	X	—	—	—	—	.01	.06	.18	1.15 ^s	—	.06		30
31	—	X	—	X	—	X	—	.06	X	.36 ^s	X	.18		31
TOTAL	2.05	.27	1.89	1.88	2.08	1.43	.82	3.71	2.16	5.56	2.13	4.61	28.59	Year's Total.
* Days with .01 in. or more.	16	4	23	16	14	11	9	17	17	29	13	24	193	
* Days with .04 in. or more.	13	2	16	11	10	8	7	13	15	25	10	21	151	

Section

A

for the entry of Daily Observations.

Station No. 2814

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1935.

Kept at ... SMITHDOWN ROAD DEPOT ...

in the County of LANCASTER. - LIVERPOOL

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....1.....ft. 0.....in.

,, Ground ,, Sea Level ...134.5.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.19	.10	—	—	—	.04	.29	—	.54	.22	.13	.16		1
2	—	.09	—	—	—	.05	—	—	.01	.06	.02	.13		2
3	.08	.37	.13	.21	—	.30	—	—	.34	.02	.13	.30		3
4	—	.06	.06	—	—	.09	—	—	.07	.14	—	—		4
5	—	.24	.13	.11	—	.37	—	—	.31	.05	.25	.30		5
6	—	—	—	.15	—	.15	—	—	—	—	—	—		6
7	—	—	—	.04	—	.11	—	—	—	.14	.10	.35		7
8	—	—	—	.09	—	—	—	.02	—	.05	.16	.04		8
9	.05	.02	—	.14	—	.09	—	—	—	<u>1.67</u>	.03	—		9
10	—	.08	—	—	—	.10	—	—	—	.08	.03	—		10
11	.56	—	—	—	—	.18	—	.04	—	.16	.04	—		11
12	.06	.06	—	—	—	.20	—	—	.02	—	—	—		12
13	.22	.02	—	.06	.24	—	—	—	.11	.05	.02	—		13
14	.05	—	—	—	—	.05	.74	—	.07	—	.49	.21 ^s		14
15	—	.35	—	.43	.05	—	.06	—	.13	—	—	.93		15
16	.01	.20	.05	.18	.15	.77	.11	—	.67	—	.45	—		16
17	—	—	—	.26	.59 ^s	.35	.55	.21	.05	.06	.64	—		17
18	—	—	—	.09	.30	.06	.05	—	.37	.07	—	—		18
19	—	—	—	.24	.26	.36	.15	—	—	.07	.13	—		19
20	—	.26	—	.69	—	.12	.04	—	—	—	.12	—		20
21	—	.21	—	—	—	—	—	—	.65	.06	—	.18		21
22	—	.21	.04	—	—	—	—	—	.06	—	—	—		22
23	.05	.07	.40	—	—	—	—	.07	.14	.67	—	.02		23
24	.23	.24	.11	—	—	—	—	—	.56	.03	.03	.18 ^s		24
25	.17	.10	.08	—	—	—	—	—	—	—	.08	.02		25
26	—	.05	—	—	—	.04	—	.60	.50	.02	.04	.14		26
27	—	.01	—	—	.03	.20	.13	.02	.18	.20	.35	—		27
28	.07	.13	—	—	.02	—	—	.61	.23	.29	.06	—		28
29	—	X	.07	—	—	.06	—	.13	.40	.05	.06	.06		29
30	.06	X	—	.02	—	.33	—	.06	.13	.25	.49	.08		30
31	.04	X	—	X	—	X	—	—	X	.12	X	.76		31
TOTAL	1.84	2.87	1.07	2.71	1.64	4.02	2.12	1.76	5.54	4.53	3.85	3.86	35.81	Year's Total
* Days with .01 in. or more.	14	20	9	14	8	21	9	9	21	23	22	16	186	
* Days with .04 in. or more.	13	17	9	13	6	21	9	7	19	20	17	14	165	

40-9999. "S" = Snow + Hail.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

Phu S. A. H.

P.T.O.

Section



for the entry of Daily Observations.

Station No.

2814

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at SMITHDOWN ROAD DEPOT, LIVERPOOL

in the County of LANCASTER

Diameter of Funnel of Gauge.....5".....in.

Height of top of Gauge above Ground.....1'.....ft.....0".....in.

,, Ground ,, Sea Level...134.5.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	.13	.14	.25	—	.31	—	.36	.05	—	.28	.84		1
2	.12	—	—	.13	—	.38	—	.02	.01	—	.13	.28		2
3	—	—	—	—	—	.54	.05	.02	.21	—	—	.05		3
4	.04	.24 ⁵	.15	—	—	.01	.01	.04	.27	—	.22	.21		4
5	.10	.08	.09	—	—	—	—	.34	.20	—	—	.28		5
6	.03	—	—	—	.06	—	.07	.07	.24	—	.06	—		6
7	—	—	.10	—	—	—	.07	—	.41	—	.12	.19		7
8	.07	—	.34	—	—	—	—	—	.05	—	.28	.05		8
9	.25	—	—	—	—	.06	.11	—	.26	—	.16	.01		9
10	.05	—	—	—	—	—	.04	—	—	—	.09	—		10
11	—	—	.01	—	—	.07	.53	.10	.14	—	.33	.13		11
12	—	—	—	—	.03	.10	.29	—	.22	.05	.11	.01		12
13	.03	—	—	.02	.01	.02	.13	—	.03	.27	.06	.30		13
14	—	—	—	.04	—	.40	.05	.16	.07	.04	.19	.66		14
15	.30 ⁵	—	—	.13	.18	.11	—	.17	.09	—	.27	.02		15
16	.02	.07	—	.14	.13	—	.09	—	—	—	.61	—		16
17	.10	.25	—	—	.03	—	.03	.12	—	.09	.03	.03		17
18	—	.05	—	.03	—	—	.63	.16	—	.33	—	—		18
19	.53 ⁵	.10	—	.27	—	.05	.09	.23	—	.10	—	—		19
20	.63	.17	—	—	—	.08	—	—	—	.04	—	—		20
21	.61	—	.01	.07	—	.38	—	—	—	—	—	.05		21
22	.08 ⁵	.48	.12	—	—	.26	.27	—	—	—	—	.10		22
23	—	.05	.08	.04	—	—	.29	—	—	.05	—	—		23
24	.18	—	—	—	—	—	—	—	.19	.10	—	—		24
25	.19	—	.01	—	—	—	.01	—	.43	.11	—	.03		25
26	.06	.15	.29	.03	—	—	.12	—	.11	.21	—	—		26
27	.59	—	—	—	—	—	.01	—	.16	.27	—	—		27
28	.18	.23	.12	.05	—	—	—	—	—	.04	—	.05		28
29	.07	.32	.27	—	.17	.33	—	—	—	.03	.19	.05		29
30	.14	~~—~~	—	—	.27	—	.27	.06	—	.25	.12	—		30
31	.20	~~—~~	.07	~~—~~	.03	~~—~~	.03	.01	~~—~~	—	~~—~~	.18		31
TOTAL	4.57	2.32	1.80	1.20	.91	3.10	3.19	1.86	3.14	1.98	3.23	3.52	30.82	Year's Total
* Days with .01 in. or more.	23	13	14	12	9	15	21	14	18	15	17	20	191	
* Days with .04 in. or more.	20	13	11	9	5	13	16	11	16	14	16	15	159	

40-9999. "S" = Snow

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

[P.T.O.]

Section



for the entry of Daily Observations

Station No. 2814

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at SMITHDOWN RD., DEPOT, LIVERPOOL

in the County of LANCASTER.

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....1.....ft.....0.....in.

Ground Sea Level.....134.5.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	.25	.04	—	—	—	.03	—	.24	.13	—	.05		1
2	—	.12	.13	.25	—	.01	—	—	.03	—	—	—		2
3	—	.07	—	.09	.06	.21	.04	—	—	—	—	.03		3
4	.27	—	.03	.04	.09	—	—	.01	—	—	—	.43		4
5	.66	—	.08	.22	—	.01	.01	—	—	—	—	.73		5
6	.02	—	—	.07	.13	—	—	—	—	—	.01	.03 ^s		6
7	—	.29	—	.07	—	.14	—	—	.02	—	—	—		7
8	—	.53	—	.09	—	.04	.26	—	—	—	.10	—		8
9	—	.12	.01 ^s	.01	.21	.04	.10	.13	—	—	—	—		9
10	—	.21	—	—	—	—	—	—	—	—	—	.22 ^s		10
11	—	—	.20	—	.43	.08	—	—	—	—	—	.02		11
12	.03	.47	.01	—	—	.44	—	.13	.97	—	—	.21		12
13	—	.09	—	.01	—	—	—	.87	.02	—	—	.32		13
14	—	.09	.01 ^s	—	—	—	.01	.04	.03	—	—	.23		14
15	.09	.25	—	.31	—	—	.64	.01	.18	—	—	.10		15
16	—	.14	.15	.62	—	—	—	.18	.02	—	—	—		16
17	.03	.07	.10	.42	—	—	—	.01	.06	—	—	—		17
18	.20	.21	.06	.08	—	—	.08	.12	—	—	.45	.02		18
19	—	.04	.02	.36	.07	.12	—	.02	.22	—	.11	—		19
20	.03	.05	—	.16	.74	—	.15	—	.02	—	.02	.04		20
21	.02	.27	.10 ^s	.11	.01	—	.21	—	—	.15	—	.02		21
22	.09	.04	—	—	.07	—	.03	—	—	.13	.17	.13		22
23	.12	—	.02	—	.42	.02	.16	—	—	.53	.11	—		23
24	.08	.34	.06	—	—	—	.14	—	.22	.51	—	.03		24
25	—	.26	.02	—	—	—	—	.63	.01	.06	—	.01		25
26	—	.29	.07 ^s	—	.28	—	—	—	—	.04	—	.01		26
27	—	.63 ^s	.01	.31	—	—	—	—	—	.30	—	—		27
28	—	.04 ^s	—	—	—	.02	—	—	—	.10	—	—		28
29	.04 ^s	X	—	—	—	.04	—	—	—	.39	.28	—		29
30	.13 ^s	X	—	—	—	.25	—	—	.07	.06	.41	—		30
31	.16	X	—	X	—	X	—	.04	X	.03	X	—		31
TOTAL	1.97	4.87	1.12	3.22	2.51	1.42	1.86	2.19	2.11	2.43	1.66	2.63	27.99	✓✓
* Days with .01 in. or more.	15✓	23✓	18✓	17✓	11✓	13✓	13✓	12✓	14✓	12✓	9✓	18✓	175	✓✓
* Days with .04 in. or more.	10✓	23✓	10✓	15✓	10✓	9✓	9✓	8✓	7✓	11✓	7✓	10✓	129	✓✓

"S" = Snow.

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed)

John B. Hile

[P.T.O.]

Section **A** for the entry of Daily ObservationsStation No. **2815**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

2814

Kept at **SMITHDOWN RD. DEPÔT, LIVERPOOL**in the County of **LANCASTER**Diameter of Funnel of Gauge.....**5**.....in.Height of top of Gauge above Ground.....**1**.....ft. **0**.....in.,, Ground ,, Sea Level **134.5**.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	—	—	—	<u>.85</u>	—	.48	.03	.08	.10	.16		1
2	—	.12	—	<u>.23</u>	—	.05	.05	—	—	.39	—	.14		2
3	.01	—	—	—	—	.03	.13	—	.16	.42	.16	—		3
4	—	—	—	.04	—	.05	.16	—	—	.06	—	.60		4
5	.06	—	—	—	—	.12	.10	<u>1.24</u>	.12	.11	—	.03		5
6	.16	—	—	—	—	.08	.35	—	.48	.12	—	—		6
7	.23	—	—	—	—	—	.32	.07	.04	.06	—	.01		7
8	.41	.03	—	—	—	—	.39	.44	—	.30	—	.62		8
9	.02	<u>.28</u>	.10	—	—	.14	.20	<u>1.00</u>	—	—	—	.10		9
10	.11	.04	.01	—	—	.05	<u>.46</u>	—	.02	—	—	.24		10
11	.25	.01	—	—	.06	.02	.05	—	.05	.24	.05	.07		11
12	.03	—	—	—	.23	—	—	—	—	<u>.79</u>	.36	—		12
13	.02	—	—	—	.06	—	—	.02	.02	—	.04	.07		13
14	.29	—	—	—	.10	—	.07	—	—	—	.08	—		14
15	.14	—	—	—	—	—	.10	.14	—	.08	.02	.05		15
16	.12	—	.06	—	—	—	.14	.04	.10	.05	.01	.06		16
17	—	—	—	—	.10	—	.05	.03	.03	.48	—	.07		17
18	.02	—	—	—	.07	—	—	.20	—	.20	.21	—		18
19	—	—	—	—	—	—	—	.17	.02	—	—	—		19
20	.07	—	.07	—	—	—	—	.18	.02	—	.23	—		20
21	—	—	.03	—	—	.01	—	.26	—	—	.45	—		21
22	—	—	—	.01	.06	.27	—	.01	—	—	.30	—		22
23	—	—	—	—	.08	.19	—	—	.17	—	.12	—		23
24	.06	.03	.23	—	.03	—	—	.59	.02	.20	.05	—		24
25	—	.04	.19	—	—	.01	.13	—	—	.30	<u>.60</u>	.12		25
26	.14	.13	<u>.30</u>	—	.20	.28	—	—	.04	.40	.14	.11		26
27	.23	.05	—	—	.53	.03	.14	.21	—	—	.23	—		27
28	.16	.01	—	—	—	.41	.19	.03	.03	.01	.03	.19		28
29	<u>.48</u>	—	.01	—	<u>1.07</u>	.06	.10	—	—	.16	.07	.20		29
30	.05	~~X~~	—	—	.01	.07	—	—	.37	—	.17	.14		30
31	.10	~~X~~	—	~~X~~	.27	~~X~~	—	—	~~X~~	.16	~~X~~	.65		31
TOTAL	3.16	.74	1.00	.28	2.87	2.72	3.13	5.11	1.72	4.61	3.42	3.63	Year's Total 32.39	
* Days with .01 in. or more.	22	10	9	3	14	18	18	17	17	20	20	19	187	
* Days with .04 in. or more.	17	6	6	2	12	13	18	13	9	19	17	17	149	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

P.T.O.

Section



for the entry of Daily Observations

Station No. 2815-4

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at SMITHDOWN ROAD DEPÔT, LIVERPOOLin the County of LANCASTERDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft. 0 in.Ground Sea Level 134.5 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.30	—	.02	.33	—	—	.03	.01	.02	—	—	.03		1
2	.06	—	.03	.12	—	—	.09	.70	.16	—	—	.07		2
3	.29 ^s	—	.09	.20	—	—	.02	.05	.02	—	.05	.57		3
4	.22 ^s	—	.07	.25	.08	—	.29	—	—	.11	.06	.37		4
5	—	—	—	.02	.25	—	.39	.13	—	.05	.36	—		5
6	.77	.02	—	—	—	—	.27	—	—	—	.06	—		6
7	.01	.12	—	—	—	—	.14	.01	—	—	.11	.41		7
8	.05	.14	.33	.01	—	—	.64	.08	—	.16	.22	.15		8
9	.07	.10	—	—	—	—	—	.14	.04	.37	.01	.42		9
10	.29 ^s	—	.01	—	—	.10	—	.11	.25	.04	.04	.30		10
11	.39	.07	.30	—	—	.15	—	—	—	.05	—	—		11
12	.47	.05	—	—	—	.20	—	—	.04	.06	—	—		12
13	—	.01	.05	.25	.22	.16	.28	—	.23	.04	.05	—		13
14	.43	—	—	—	.15	.50	.13	—	—	.03	.31	—		14
15	.12	—	.01	.20	.10	.81	.26	—	—	—	.24	—		15
16	.01	—	.14	—	.25	—	.18	—	—	.03	.08	—		16
17	.56	.05	—	—	.19	.15	—	—	—	.58	.03	—		17
18	.08	.16	.04	—	—	.35	.10	—	—	—	.93	—		18
19	.20	—	—	—	—	—	.34	—	—	—	.07	—		19
20	.13	—	.05	—	.02	.20	.03	.01	—	—	—	—		20
21	.05	—	.32	.08	.05	—	—	.04	.08	—	—	—		21
22	.10	.45	.04	.14	—	—	.10	—	—	.04	.66	—		22
23	.05	.40	.02	.12	—	.06	.05	—	—	.42	.16	—		23
24	—	.08	—	—	—	.02	.08	—	—	.18	.03	—		24
25	.08	.08	—	.30	—	—	—	—	—	.01	.45	.04		25
26	—	—	—	—	—	—	—	"ty"	—	—	.10	.01		26
27	—	.76	.11	—	—	.18	.12	.03	—	—	.02	.23 ^s		27
28	—	.08	.10	.05	—	.07	.27	—	—	—	.41	—		28
29	—	X	—	.08	—	—	1.08	.06	—	.08	.07	—		29
30	—	X	—	—	—	.18	.19	—	—	—	.03	.02		30
31	—	X	—	X	—	X	.11	.10	X	.01	X	—		31
TOTAL	4.73	2.57	1.73	2.15	1.31	3.13	5.19	1.47	.84	2.26	4.55	2.62	Year's Total 32.55	✓
* Days with .01 in. or more.	22✓	15✓	17✓	14✓	9✓	14✓	23✓	13✓	8✓	17✓	24✓	12✓	188	✓
* Days with .04 in. or more.	20✓	13✓	12✓	12✓	8✓	13✓	20✓	9✓	6✓	13✓	19✓	9✓	154	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) P.T.O.

Section

A

for the entry of Daily Observations

Station No. 28134

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1934.

Kept at SMITHDOWN ROAD, DEPÔT, L. POOL.
in the County of LANCASTER.

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground...1...ft...0.....in.

,, Ground ,, Sea Level...134.5.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	.02	—	.04	—	—	—	—	.01	—	.16	.07		1
2	—	—	—	.18	—	—	.09	—	—	—	.18	.17		2
3	—	.09	.02	.22	—	—	.06	—	—	—	.03	.05		3
4	—	.08	—	—	—	—	.02	—	—	.12	.17	.05		4
5	—	.02	—	—	.17	—	.15	—	—	.19	.21	.11		5
6	.11	.25	—	—	—	—	.05	—	—	1.04	.08	.05		6
7	—	.30	—	.13	.05	—	.03	.03	.10	.06	—	.01		7
8	—	—	—	—	—	—	—	—	.16	.12	—	.20		8
9	—	—	.25	—	—	—	.64	.02	.09	.30	.88	.25		9
10	—	—	.04	—	—	—	.26	.07	—	.31	.21	.27		10
11	—	—	.01	.05	—	—	.11	—	—	—	.88	.08		11
12	—	—	.25	—	—	.07	.60	.13	.36	—	.25	.01		12
13	—	—	.35 ^s	—	—	—	—	.04	.39	—	.05	.02		13
14	—	—	.02	.12	.13	—	—	.08	.42	—	.38	.08		14
15	—	—	—	.06	.85	—	—	—	.04	—	.04	.03		15
16	—	.12	.26	—	—	—	.20	—	.70	.34	.25	.03		16
17	—	—	.54	.02	—	—	.02	—	.03	—	.65	.01		17
18	.04 ^s	.28	.10	.25	—	—	—	.36	.25	—	—	.26		18
19	—	.25	.15	.03	—	.01	.03	—	.15	—	.14	.01		19
20	—	—	—	.24	—	—	.15	.03	.09	.35	.04	—		20
21	—	—	.07	—	.02	.45	.02	.03	—	—	.68	—		21
22	—	.01	.04	—	.16	.08	—	.10	.10	—	—	—		22
23	.06 ^s	.05	—	.18	—	—	.05	—	.11	—	.10	—		23
24	.11	—	.03	—	—	—	.01	—	—	—	—	—		24
25	.01	—	—	—	.37	.01	—	—	.01	—	—	—		25
26	1.09 ^s	.12	—	.01	.04	—	.22	.03	—	—	.07	—		26
27	.29 ^s	.48	—	—	—	—	.03	—	—	—	.18	—		27
28	.28	.10	—	—	.24	—	—	.02	—	—	—	.01		28
29	—	—	.32	.06	—	.23	.09	—	—	.04	—	.47		29
30	.03 ^s	X	—	.27	.04	—	—	—	—	.26	.01	.09		30
31	.04 ^s	X	.04	X	.01	X	—	.09	X	.76	X	.01		31
TOTAL	2.06	2.17	2.49	1.86	2.08	.85	2.83	1.03	3.01	3.89	5.64	2.34	30.25	Year's Total
* Days with .01 in. or more.	10	14	16	15	11	6	20	13	16	12	22	23	178	
* Days with .04 in. or more.	8	11	12	12	9	4	13	7	13	12	20	14	135	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

P.T.

C RONTON (PEX HILL)

Section **A** for the entry of
AIR MINIST

FORM 1090

REGI

Kept at *Pex Hill No 1*

in the County of *LANCASH*

Diameter of Funnel of Gauge.....

Height of top of Gauge above G

Ground „ „ S

THE MORNING MEASUR

An observer who does not conform
year in the space on the right of 1

P

ation No. *2814/5*
L ORGANIZATION

2814/5

C RONTON PEX HILL

1937—40

DAY
following

Jan. 1, following

780501

Date	Jan.	Feb.	Mar.									Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1												.05		1
2												—		2
3												Trace		3
4												.42		4
5												.34		5
6												.02		6
7												.02		7
8												—		8
9												—		9
10												.16		10
11												—		11
12												.10		12
13												.26		13
14												.14		14
15												.05		15
16												—		16
17												—		17
18												—		18
19												—		19
20												.11		20
21												.02		21
22												.17		22
23												—		23
24												.02		24
25												.01		25
26												.01		26
27												.01		27
28												—		28
29												Trace		29
30		X										—		30
31		X		X	X			X		X		—		31
TOTAL												1.91	Year's Total	
* Days with .01 in. or more.												.17		
* Days with .04 in. or more.												.10		

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed)

E. Dickinson

A.E.H.

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No.

2814/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Pex HILL No 1 OLD RESERVOIR

in the County of LANCASHIRE

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....1.....ft.....0.....in.

„ Ground „ Sea Level 228.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1												.05		1
2												—		2
3												Trace		3
4												.42		4
5												.34		5
6												.02		6
7												.02		7
8												—		8
9												—		9
10												.16		10
11												—		11
12												.10		12
13												.26		13
14												.14		14
15												.05		15
16												—		16
17												—		17
18												—		18
19												—		19
20												.11		20
21												.02		21
22												.17		22
23												—		23
24												.02		24
25												.01		25
26												.01		26
27												.01		27
28												—		28
29												Trace		29
30		X										—		30
31		X		X		X			X		X	—		31
TOTAL												1.91	Year's Total	
* Days with .01 in. or more.												17		
* Days with .04 in. or more.												10		

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) Chas. E. Dickinson

A.E.H.

[P.T.O.]

6618098737

CROFTON PEX HILL, OLD RES)
COPY FOR OFFICIAL USE

2814/5

Section **A** for the entry of Daily Observations
AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at No 1 Old Reservoir, Pex Hill
in the County of Lancashire
Diameter of Funnel of Gauge.....5 in.
Height of top of Gauge above Ground.....1 ft.....0 in.
„ Ground „ Sea Level.....228 ft.

up up 1937

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	.01	—	—	—	.81	—	.13	.16	.15	.11	.28		1
2	—	.02	—	.27	Trace	.24	.02	Trace	.01	.29	.20	.17		2
3	Trace	—	—	—	—	.04	.15	—	.22	.56	.14	.01		3
4	Trace	Trace	—	.03	—	.03	.04	Trace	.01	.04	Trace	.48		4
5	.11	.01	—	—	—	.16	.10	1.06	.13	.20	—	.02		5
6	.17	Trace	—	—	—	.01	.38	—	.63	.25	—	Trace		6
7	.26	—	—	—	—	—	.33	.01	.05	.07	—	Trace		7
8	.47	.01	—	—	—	—	.51	.03	—	.39	—	.54		8
9	.03	.28	.24	—	—	.26	.10	.62	—	—	—	.13		9
10	.09	.10	.03	—	—	—	.55	—	.01	—	Trace	.15		10
11	.29	.02	—	—	.12	.08	.10	.01	.05	.28	.11	.06		11
12	.02	—	—	—	.11	Trace	Trace	Trace	Trace	.95	.49	—		12
13	.02	—	—	—	.04	—	.03	Trace	.03	Trace	.02	.04		13
14	.21	Trace	—	—	.08	.03	.03	—	—	—	.01	—		14
15	.19	—	Trace	—	Trace	Trace	.14	.20	Trace	.07	.01	.06		15
16	.12	—	.05	—	.24	—	.08	.01	.12	.01	.02	.05		16
17	—	—	—	—	.40	—	—	.04	Trace	.20	Trace	.05		17
18	.01	—	—	—	.05	.01	—	.06	—	.27	.22	—		18
19	—	—	—	—	—	—	—	.08	Trace	—	.02	—		19
20	.15	—	.05	—	—	—	Trace	.16	.04	—	.21	—		20
21	—	—	.05	—	Trace	.11	—	.15	.02	—	.26	—		21
22	—	—	—	Trace	.06	.25	—	Trace	—	—	.45	Trace		22
23	—	—	—	Trace	.03	.19	—	Trace	.15	—	.20	—		23
24	.14	.05	.24	—	.12	.05	Trace	.76	.04	.11	.07	—		24
25	.01	.08	.15	—	Trace	Trace	.06	.04	—	.56	.61	.07		25
26	.16	.18	.30	—	.04	.30	—	—	.07	.45	.14	.21		26
27	.21	.07	—	Trace	.64	.10	.12	.25	Trace	—	.35	—		27
28	.13	.03	.01	—	—	.38	.25	.09	.01	.01	.01	.25		28
29	.44	—	.02	—	1.30	.30	.21	Trace	—	.15	.06	.34		29
30	.06	~~X~~	—	—	.01	.02	Trace	.01	.36	—	.12	.25		30
31	.12	~~X~~	Trace	~~X~~	.33	~~X~~	—	—	~~X~~	.48	~~X~~	.76		31
TOTAL	3.43	.86	1.14	.30	3.57	3.37	3.20	3.71	2.11	5.49	3.83	3.92	34.91	Year's Total
* Days with .01 in. or more.	22	12	10	2	15	19	18	18	18	20	22	19	195	
* Days with .04 in. or more.	17	6	7	1	13	14	15	13	12	18	16	17	149	

Spare column, no entries required.

* See Instruction 3 (f) on other side
CE. DICKINSON 654
Signed Char. E. Dickinson [P.T.O.]

Print 96
6/3/39

Section

A

for the entry of Daily Observations

Station No. 2814/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at No 1 Old Reservoir Pex Hill
in the County of LancasterDiameter of Funnel of Gauge.....5.....in.
Height of top of Gauge above Ground.....1.....ft.....0.....in.
" Ground " Sea Level 228.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.30	—	.01	.28	—	—	.06	tr	—	—	—	.04		1
2	.04	—	tr	.15	—	—	.10	.51	.23	tr	tr	.06		2
3	.02	—	.03	.21	—	—	—	.07	.02	—	.04	.39		3
4	—	—	.12	.15	.22	—	.24	—	—	.05	.01	.42		4
5	—	—	—	—	tr	—	.16	.01	—	.05	.27	tr		5
6	1.08	—	—	—	tr	—	.26	tr	—	—	.05	—		6
7	.02	.07	.02	.01	tr	—	.13	.02	—	—	.08	.48		7
8	.12	.07	.36	—	tr	—	.63	.05	—	.13	.16	.31		8
9	.08	.01	—	—	—	—	tr	.16	tr	.42	tr	.35		9
10	.46	tr	.03	—	—	.06	—	.09	.34	—	.07	.17		10
11	.37	.11	.30	—	tr	.48	—	tr	tr	—	tr	tr		11
12	.41	.06	—	—	—	.03	—	—	.05	—	tr	—		12
13	.02	—	.03	.37	.20	.21	.36	—	.22	.01	tr	—		13
14	.39	—	tr	.01	.39	.50	.34	—	—	.02	.21	—		14
15	.13	tr	.01	.26	.04	.64	.36	—	—	—	.18	—		15
16	.01	tr	.14	—	.31	—	.47	—	—	.09	.01	—		16
17	.67	.07	tr	tr	.21	.03	tr	—	—	.69	.06	—		17
18	.11	.17	.04	—	.01	.37	.35	—	—	—	.95	—		18
19	.18	—	tr	—	—	tr	.45	—	—	—	.02	—		19
20	.11	—	.19	—	.01	.46	.02	.31	tr	—	—	—		20
21	.09	tr	.32	.10	.03	tr	tr	.05	.07	—	—	—		21
22	.06	.31	.11	.17	—	—	.12	—	—	.03	.95	—		22
23	.12	.11	.10	.17	—	.12	.06	—	—	.47	.19	—		23
24	—	.50	tr	.01	—	tr	.03	—	—	.10	.05	—		24
25	.10	.10	tr	.09	—	—	.10	—	—	.02	.63	.04		25
26	.01	—	—	.02	tr	—	—	.03	—	—	.13	.03		26
27	.01	1.35	.01	—	—	.23	.08	.23	—	—	.15	.20		27
28	—	.20	.12	.05	—	.03	.23	—	—	—	.53	—		28
29	—	—	tr	.07	—	tr	1.67	.46	—	.05	.07	—		29
30	—	~~X~~	—	tr	—	.06	.17	—	—	—	.05	.05		30
31	—	~~X~~	—	~~X~~	—	~~X~~	.06	.11	~~X~~	tr	~~X~~	—		31
TOTAL	4.91	3.13	1.94	2.12	1.42	3.22	6.45	2.10	.93	2.13	4.86	2.54	35.75	Year's Total
* Days with .01 in. or more.	24	13	17	16	9	13	23	13	6	13	22	12	181	
* Days with .04 in. or more.	18	12	10	12	6	10	21	10	5	9	19	11	143	

† Spare column, no entries required

(Signed) Jas. B. Dickinson

AEH.

* See Instruction 3 (f) on other side.

[P.T.O.]

Section



for the entry of Daily Observations

Station No. 2814/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940.

Kept at No 1 OLD RESERVOIR PEX HILL
in the County of Lancashire
Diameter of Funnel of Gauge. 5 in.
Height of top of Gauge above Ground. 1 ft. 0 in.
Ground Sea Level 228 ft.

Accs. totals

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	.01	—	.08	tr	—	—	—	—	—	.21	.05		1
2	—	—	—	.23	—	—	.12	—	—	—	.18	.23		2
3	—	.13	.03	.27	—	—	.17	—	tr	.02	.02	.06		3
4	—	.07	tr	—	—	—	tr	—	tr	.18	.20	.06		4
5	tr	.02	—	—	.16	—	.13	—	—	.34	.10	.17		5
6	.11	.33	—	—	—	—	.12	—	—	1.05	.07	.07		6
7	.01	.28	tr	.17	.03	—	.30	.04	.15	.06	—	—		7
8	—	—	—	.02	—	—	tr	tr	.03	.09	.01	.26		8
9	—	—	.26	—	—	—	.58	.08	.11	.29	1.05	.16		9
10	—	—	.02	—	—	—	.35	.09	—	.36	.32	.90		10
11	—	tr	.02	.06	—	.01	.10	—	tr	—	.98	.10		11
12	—	tr	.34	—	—	.27	.12	.35	tr	.35	—	—		12
13	—	.02	.25	.04	—	—	tr	.09	.50	—	.04	.04		13
14	—	tr	.13	.11	.16	—	.07	.10	.34	tr	.23	.10		14
15	tr	tr	—	.07	.65	tr	—	—	.05	—	.09	.02		15
16	tr	.25	.23	—	—	—	.22	—	1.23	.40	.34	.11		16
17	—	—	.58	.07	.28	—	.04	.01	.02	.01	.77	.02		17
18	—	.32	.35	.33	—	—	tr	.33	.30	tr	.01	.23		18
19	—	.26	.16	.02	—	—	.06	tr	.25	tr	.10	.01		19
20	—	—	tr	.26	—	—	.30	.02	.07	.48	.07	—		20
21	—	tr	.06	tr	.01	.55	.01	.05	.01	—	.85	—		21
22	—	.04	.02	tr	.36	.06	—	.15	.15	tr	—	—		22
23	—	.11	.01	.15	.30	—	.07	—	.22	—	.16	—		23
24	.26	—	.01	tr	.10	—	tr	—	tr	—	—	.01		24
25	tr	—	—	—	.02	—	—	—	.02	—	—	—		25
26	1.23	.16	tr	—	.04	.01	.17	.01	tr	—	—	—		26
27	.73	.70	—	.10	tr	—	.04	—	—	—	.17	—		27
28	.99	.17	tr	.01	.20	—	.02	.05	—	—	.04	.01		28
29	—	—	.25	.04	—	.18	.10	—	—	.03	—	.53		29
30	tr	~~—~~	tr	.27	.03	—	—	—	—	.25	—	.17		30
31	.07	~~—~~	.10	~~—~~	.01	~~—~~	—	.05	~~—~~	.71	~~—~~	.02		31
TOTAL	3.40	2.87	2.52	2.30	2.33	1.10	2.97	1.19	3.80	4.27	6.36	3.33	36.44	
* Days with .01 in. or more.	7	15	17	18	14	7	19	14	16	14	23	22	186	
* Days with .04 in. or more.	6	12	11	15	9	4	17	11	12	11	20	16	144	

† Spare column, no entries required.

(Signed) Chas. E. Dickinson

A.E.H.

* See Instruction 3 (f) on other side.

P.T.O.

Section **A** for the entry of Daily Observations

AIR MINISTRY.—METEOROLOGICAL

Form No.

REGISTER

LIVERPOOL - MONUMENT PLACE

1931-1940

COPY FOR OFFICIAL USE.
RAINFALL ORGANIZATION.

1931

Kept at MONUMENT PLACE, LIVERPOOL

in the County of LANCASTER

Diameter of Funnel of Gauge 9 1/2 in. (SELF-RECORDING)

Height of top of Gauge above Ground 4 ft. 6 in.

Ground Sea Level 124.5 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.33	x -	-	.20	-	-	-	.01	.02	.05	-	-	1
2	-	x .03	-	.51	.02	.58	-	-	.49	.10	.05	.04	2
3	.08	x -	-	-	-	.10	.32	-	1.02	.02	.42	.04	3
4	-	x -	.01	.17	-	-	.01	.26	.36	-	.07	.13	4
5	.01	x .01	-	.01	.13	.77	.10	1.02	-	-	-	.28	5
6	-	x .22	-	-	-	.37	-	-	.56	.62	.06	-	6
7	-	x .02	-	-	-	.27	-	.73	-	.22	.07	.01	7
8	.05	x .07	-	.10	-	.05	x .10	.35	-	-	.10	.03	8
9	.03	x .15	-	.05	.02	.16	-	.34	.07	.06	.16	.01	9
10	-	x .03	.01	-	.28	.27	-	.08	.13	-	.33	-	10
11	x .31	.09	-	-	-	-	.09	-	.51	-	.33	.02	11
12	x .03	.03	-	-	-	-	.58	.18	.09	.03	-	-	12
13	x -	-	.02	-	.08	.03	.04	.56	-	-	-	-	13
14	x .02	.14	-	-	.01	1.43	.02	.76	.14	-	.70	-	14
15	x .06	.33	-	.20	.21	-	.22	.15	.01	-	-	.26	15
16	x .18	.07	-	.14	.08	.02	.03	.56	.23	-	-	-	16
17	x .03	.01	-	.10	.26	-	.04	.16	.04	-	.24	-	17
18	x .25	-	-	.01	.02	.35	.33	.20	-	-	.42	-	18
19	x .10	.23	-	-	-	.02	.02	1.29	-	.01	-	-	19
20	-	.11	.16	-	-	.04	.04	.05	-	-	.01	.01	20
21	x .35	-	-	-	.30	-	-	.09	-	-	.02	-	21
22	x .02	.02	-	.04	.05	.02	.02	-	-	-	.09	-	22
23	x .23	-	-	.16	.26	.16	.02	-	-	-	.11	.24	23
24	x .01	.01	-	.12	.30	-	.07	-	-	-	.01	.11	24
25	x .08	.57	-	.66	.10	-	-	-	-	-	.04	.03	25
26	x .06	.02	-	.11	-	-	-	-	-	-	.10	.02	26
27	x .27	.19	-	.12	.39	.01	.05	-	-	.21	.71	.05	27
28	x .30	.32	.03	-	.17	-	-	-	-	.04	-	.13	28
29	x .08	X	.04	-	-	-	.07	-	-	.58	-	-	29
30	x .02	X	-	.01	-	-	-	-	.03	-	-	s .05	30
31	x .19	X	-	X	.01	X	.16	-	X	.01	X	.06	31
TOTAL	3.09	2.67	.27	2.71	2.69	4.65	2.33	6.79	3.70	1.95	4.04	1.52	YEAR'S TOTAL 36.41
*Days with or more.	24	21	6	17	18	17	20	17	14	12	20	18	204
*Days with or more.	16	12	2	14	13	12	14	16	11	8	17	11	1746

Kept at MONUMENT PLACE, LIVERPOOL.
in the County of LANCASTER.
Diameter of Funnel of Gauge 2½ in. (SELF-RECORDING)
Height of top of Gauge above Ground 4 ft. 6 in.
Ground Sea Level 124.5 ft.

Told not required incl 1931

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.33	* -	-	.20	-	-	-	.01	.02	.05	-	-	1
2	-	* .03	-	.51	.02	.58	-	-	.49	.10	.05	.04	2
3	^s .08	* -	-	-	-	.10	.32	-	1.02	.02	.42	.04	3
4	-	* -	.01	.17	-	-	.01	.26	.36	-	.07	.13	4
5	.01	* .01	-	.01	.13	.77	.10	1.02	-	-	-	.28	5
6	-	* .22	-	-	-	.37	-	-	.56	.62	.06	-	6
7	-	* .02	-	-	-	.27	-	.73	-	.22	.07	.01	7
8	.05	* .07	-	.10	-	.05	* .10	.35	-	-	.10	.03	8
9	.03	* .15	-	.05	.02	.16	-	.34	.07	.06	.16	.01	9
10	-	* .03	.01	-	.28	.27	-	.08	.13	-	.33	-	10
11	* .31	.09	-	-	-	-	.09	-	.51	-	.33	.02	11
12	* .03	.03	-	-	-	-	.58	.18	.09	.03	-	-	12
13	* -	-	.02	-	.08	.03	.04	.56	-	-	-	-	13
14	* .02	.14	-	-	.01	1.43	.02	.76	.14	-	.70	-	14
15	* .06	.33	-	.20	.21	-	.22	.15	.01	-	-	.26	15
16	* .18	.07	-	.14	.08	.02	.03	.56	.23	-	-	-	16
17	* .03	.01	-	.10	.26	-	.04	.16	.04	-	.24	-	17
18	* .25	-	-	.01	.02	.35	.33	.20	-	-	.42	-	18
19	* .10	.23	-	-	-	.02	.02	1.29	-	.01	-	-	19
20	* -	.11	.16	-	-	.04	.04	.05	-	-	.01	.01	20
21	* .35	-	-	-	.30	-	-	.09	-	-	.02	-	21
22	* .02	.02	-	.04	.05	.02	.02	-	-	-	.09	-	22
23	* .23	-	-	.16	.26	.16	.02	-	-	-	.11	.24	23
24	* .01	.01	-	.12	.30	-	.07	-	-	-	.01	.11	24
25	* .08	.57	-	.66	.10	-	-	-	-	-	.04	.03	25
26	* .06	.02	-	.11	-	-	-	-	-	-	.10	.02	26
27	* .27	.19	-	.12	.39	.01	.05	-	-	.21	.71	.05	27
28	* .30	^s .32	.03	-	.17	-	-	-	-	.04	-	.13	28
29	* .08	~~X~~	.04	-	-	-	.07	-	-	.58	-	-	29
30	* .02	~~X~~	-	.01	-	-	-	-	.03	-	-	^s .05	30
31	* .19	~~X~~	-	~~X~~	.01	~~X~~	.16	-	~~X~~	.01	~~X~~	.06	31
TOTAL	3.09	2.67	.27	2.71	2.69	4.65	2.33	6.79	3.70	1.95	4.04	1.52	YEAR'S TOTAL 36.46
*Days with ".01 in. or more.	24	21	6	17	18	17	20	17	14	12	20	18	204
*Days with ".04 in. or more.	16	12	2	14	13	12	14	16	11	8	17	11	174.6

FORM 1090.

REGISTER OF RAINFALL IN 1931 .

Kept at MONUMENT PLACE, LIVERPOOL.
in the County of LANCASTER.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
Ground Sea Level 124.25 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.32	-	-	.20	-	-	-	.01	.02	.05	-	-	1
2	-	.03	-	.50	.02	.57	-	-	.49	.10	.05	.04	2
3	.08	-	-	-	-	.10	.31	-	<u>1.02</u>	.02	.42	.03	3
4	-	-	.01	.18	-	-	.01	.26	.36	-	.07	.13	4
5	.01	.01	-	.01	.13	.76	.10	1.00	-	-	-	.28	5
6	-	.22	-	-	-	.37	-	-	.56	<u>.61</u>	.06	-	6
7	-	.02	-	-	-	.27	-	.73	-	.22	.07	.01	7
8	.05	.07	-	.10	-	.05	.10	.35	-	-	.10	.03	8
9	.03	.15	-	.05	.02	.16	-	.34	.07	.06	.16	.01	9
10	-	.03	.01	-	.27	.27	-	.08	.13	-	.32	-	10
11	.31	.09	-	-	-	-	.09	-	.51	-	.33	.02	11
12	.03	.03	-	-	-	-	<u>.58</u>	.18	.09	.03	-	-	12
13	-	-	.02	-	.08	.03	.04	.54	-	-	-	-	13
14	.02	.14	-	-	.01	<u>1.38</u>	.02	.75	.14	-	.68	-	14
15	.06	.33	-	.20	.21	-	.22	.15	.01	-	-	.26	15
16	.18	.07	-	.14	.08	.02	.03	.56	.23	-	-	-	16
17	.03	.01	-	.10	.25	-	.04	.16	.04	-	.24	-	17
18	.25	-	-	.01	.02	.34	.32	.20	-	-	.42	-	18
19	.10	.23	-	-	-	.02	.02	<u>1.27</u>	-	.01	-	-	19
20	-	.11	<u>.16</u>	-	-	.04	.04	.05	-	-	.01	.01	20
21	.35	-	-	-	.30	-	-	.09	-	-	.02	-	21
22	.02	.02	-	.04	.05	.02	.02	-	-	-	.09	-	22
23	.23	-	-	.16	.26	.16	.02	-	-	-	.11	.24	23
24	.01	.01	-	.12	.30	-	.07	-	-	-	.01	.11	24
25	.08	<u>.56</u>	-	<u>.65</u>	.10	-	-	-	-	-	.04	.03	25
26	.06	.02	-	.11	-	-	-	-	-	-	.89	.02	26
27	.27	.20	-	.12	<u>.39</u>	.01	.05	-	-	.21	<u>.70</u>	.05	27
28	.30	.33	.03	-	.17	-	-	-	-	.04	-	.13	28
29	.08	X	.04	-	-	-	.07	-	-	.58	-	-	29
30	.02	X	-	.01	-	-	-	-	.03	-	-	.05	30
31	.19	X	-	X	.01	X	.16	-	X	.01	X	.06	31
TOTAL	3.08	2.68	.27	2.70	2.67	4.57	2.31	6.72	3.70	1.94	<u>3.99</u>	1.51	<u>36.14</u>
*Days with ".01 in. or more.	24	21	6	17	18	17	20	17	14	12	<u>4.20</u>	18	204
*Days with ".04 in. or more.	16	12	2	14	13	12	14	16	11	8	17	10	145

REGISTER OF RAINFALL IN 1932 .

Kept at MONUMENT PLACE LIVERPOOL
in the County of LANCASTER.

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 3 in.
Ground Sea Level 124.25 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	.33	.01	—	.18	.79	.01	.05	.03	.07	.03	.06	.16	I
2	.16	.01	—	—	.37	—	.04	.02	.29	.33	.05	.13	2
3	—	.02	—	.08	.01	—	.08	.05	.08	.01	.06	.06	3
4	—	—	—	—	—	—	.09	—	—	.33	.04	.08	4
5	.65	—	.13	.04	.06	—	—	.05	.10	—	—	.06	5
6	.82	—	.13	.28	.01	—	—	—	.18	—	—	—	6
7	.01	—	.21	.29	—	—	—	—	.49	.54	—	—	7
8	—	—	—	.10	.02	—	—	—	.71	.47	—	—	8
9	.18	—	—	.10	.02	—	—	—	.08	—	.06	—	9
10	.10	—	—	.06	—	—	—	—	.48	.66	—	—	10
11	—	—	—	.05	.48	.07	.73	—	—	—	—	—	11
12	.08	—	—	—	.28	—	.48	—	.01	.42	—	—	12
13	—	—	—	.04	.08	—	.46	.05	.14	.36	—	.22	13
14	.19	—	—	.10	—	—	.21	.06	—	.09	.20	.14	14
15	—	—	—	.01	.52	—	—	—	—	.05	.07	—	15
16	.07	—	—	.07	—	—	.02	—	—	.01	—	.03	16
17	—	—	—	—	—	—	.17	.01	.03	.12	—	.02	17
18	—	—	—	—	.03	—	—	—	.01	.01	.04	—	18
19	—	—	—	.19	.03	—	.02	—	—	.25	—	.06	19
20	—	—	—	.09	.22	—	.04	.36	—	.22	.06	.03	20
21	.03	—	.23	.01	.26	—	.02	.62	—	.72	.19	—	21
22	—	—	.04	.04	.34	—	.43	—	—	.11	.65	—	22
23	—	—	—	.01	.13	—	.05	—	—	.03	.08	.06	23
24	.12	—	—	—	.02	—	.55	—	.22	—	.27	.01	24
25	—	—	—	.03	.01	.01	.08	—	.19	.61	.04	—	25
26	—	.01	.04	.03	.24	—	.11	—	.37	.09	.03	—	26
27	—	—	.72	.43	.10	.12	.09	—	—	.11	.01	.05	27
28	—	—	.05	.10	.20	—	.31	—	—	—	—	—	28
29	.01	—	.44	.50	.23	.10	.03	.01	.19	.74	.40	.27	29
30	—	×	.05	.20	—	.14	.01	.07	.06	.46	.38	.05	30
31	—	×	.14	×	—	×	.83	.01	×	.01	×	.07	31
TOTAL	2.75	.05	2.18	3.03	4.45	.45	4.90	1.34	3.70	6.78	2.69	1.50	YEAR'S TOTAL 33.81
Days with or in. or more.	13	4	11	24	23	6	23	12	17	26	18	17	194
Days with or in. or more.	10	—	11	19	15	4	18	7	15	19	16	13	147

Section

A

for the entry of Daily Observations.

Station No.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at MONUMENT PLACE, LIVERPOOLin the County of LANCASTERDiameter of Funnel of Gauge 9½" in (SELF-RECORDING)Height of top of Gauge above Ground 4 ft 6 in.,, Ground ,, Sea Level 124.5 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.32	.01	—	.18	.80	.01	.05	.03	.07	.03	.06	.16	1
2	.16	.01	—	—	.38	—	.04	.02 ^c	.28	.33	.05	.13	2
3	—	.02	—	.08	.01	—	.07	.05	.08	.01	.06	.06	3
4	—	—	—	—	—	—	.08	—	—	.33	.04	.08 ^c	4
5	.66	—	.13	.04	.06	—	—	.05	.10	—	—	.06	5
6	.84	—	.13	.29	.01	—	—	—	.18	—	—	—	6
7	.01	—	.21	.29	—	—	—	—	.49	.54	—	—	7
8	—	—	—	.10	.02	—	—	—	.71	.48	—	—	8
9	.18	—	—	.10	.02	—	—	—	.08	—	.06	—	9
10	.10	—	—	.06	—	—	—	—	.48	.66	—	—	10
11	—	—	—	.05	.49	.07	.74	—	—	—	—	—	11
12	.08	—	—	—	.28	—	.50	—	.01	.42	—	—	12
13	—	—	—	.04	.07	—	.46	.05	.14	.36	—	.22	13
14	.19	—	—	.10	—	—	.22	.06	—	.09	.20	.14	14
15	—	—	—	.02	.53	—	—	—	—	.05	.07 ^f	—	15
16	.07	—	—	.07	—	—	.02	—	—	.01	—	.03	16
17	—	—	—	—	—	—	.17	.01	.03	.12	—	.02	17
18	—	—	—	—	.03	—	—	—	.01	.01	.04	—	18
19	—	—	—	.19	.03	—	.02	—	—	.25	—	.06	19
20	—	—	—	.09	.22	—	.04	.37	—	.22	.06	.03	20
21	.04	—	.23	.01	.26	—	.02	.62	—	.72	.19	—	21
22	—	—	.04	.04	.34	—	.43	—	—	.10	.65	—	22
23	—	—	—	.01	.13	—	.05	—	—	.03	.08	.06	23
24	.12	—	—	—	.02	—	.56	—	.22	—	.27	.01	24
25	—	—	—	.03	.01	.01	.08	—	.19	.61	.04	—	25
26	—	.01	.03	.03	.24	—	.11	—	.36	.09	.03	—	26
27	—	—	.71	.42	.10	.12	.09	—	—	.11	.01	.05	27
28	—	—	.05	.10	.20	—	.31	—	—	—	—	—	28
29	.01	—	.44	.50	.23	.10	.03	.01	.19	.74	.40	.27	29
30	—	×	.05	.20	—	.14	.02	.07	.06	.46	.38	.05	30
31	—	×	.14	×	—	×	.83 ^c	.01	×	.01	×	.07	31
TOTAL	2.78	.05	2.16	3.04	4.48	.45	4.94	1.35	3.68	6.78	2.69	1.50	YEAR'S TOTAL 33.88
*Days with ".01 in. or more.	13	4	11	24	23	6	23	12	17	26	18	17	194
*Days with ".04 in. or more.	11	—	10	19	15	4	18	7	15	19	16	13	147

40-9999

C: Gauge Choked, 5" Reading
Taken.

(Signed)

Hawkinson.

[P.T.O.]

*See Instruction 2 (f) on other side.

Section

A

for the entry of Daily Observations.

Station No

2815

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at MONUMENT PLACE, LIVERPOOL
in the County of LANCASTERDiameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 3 in.
Ground Sea Level 124.25 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	·10	·09	—	—	—	—	—	—	—	·14	—		1
2	·02	—	·15	·04	·01	·04	—	·03	—	—	—	—		2
3	·01	·58	·22	—	·12	—	—	—	—	—	—	—		3
4	·38	·01	·08	—	·12	—	—	·01	—	—	·04	—		4
5	·09	·03	·05	—	·05	—	—	—	—	—	·04	—		5
6	—	·27	·11	—	·12	—	—	—	—	—	·02	—		6
7	·02	·36	—	—	·01	—	·08	·01	—	·42	—	—		7
8	·09	—	·19	·03	·04	—	·09	—	—	—	—	·03		8
9	—	·28	—	·03	·02	—	·60	—	—	·28	·15	—		9
10	·05	·11	—	—	—	·08	·05	—	—	·04	·01	—		10
11	·02	—	—	—	·01	—	·32	—	—	·17	—	·12		11
12	·07	—	—	—	—	·03	·29	—	—	·01	·02	·09		12
13	—	—	—	—	·12	—	·09	·12	—	·41	·43	—		13
14	·20	—	—	—	—	—	·12	·04	—	—	·42	—		14
15	·13	—	·03	—	—	—	·06	·01	—	·52	·14	·01		15
16	·14	·01	·12	—	·07	·18	—	·02	—	·21	·01	·01		16
17	·08	·02	·41	—	—	·40	—	·04	·09	—	·01	—		17
18	·04	—	·17	—	—	·26	—	—	—	—	·03	·01		18
19	—	—	·22	—	—	·05	·02	—	·10	—	·24	·01		19
20	—	·08	—	—	·38	·20	—	·82	·06	—	—	—		20
21	—	—	—	—	—	·18	—	·16	—	—	—	—		21
22	—	—	—	·06	·01	—	—	·12	—	·02	—	—		22
23	—	—	—	·25	—	·25	—	—	·08	·05	—	—		23
24	—	·34	—	·13	·14	·35	—	—	·36	—	—	—		24
25	—	·13	—	·13	—	—	—	—	·09	—	—	·17		25
26	—	·00	—	·14	—	—	—	—	—	·25	—	—		26
27	—	—	—	—	·60	—	—	—	·01	·02	—	—		27
28	—	·01	—	·01	—	—	·05	·48	—	—	—	—		28
29	·03	X	—	—	—	—	—	·07	—	—	—	·03		29
30	·04	X	·03	·15	·01	·02	·03	—	—	·21	—	·08		30
31	·04	X	·05	X	—	X	·01	·01	X	·17	X	·06		31
TOTAL	1.45	3.33	1.92	·97	1.83	2.04	1.81	1.94	·79	3.78	1.70	·62	22.18	
*Days with ·or in. or more.	17	15	14	10	16	12	13	14	7	14	14	11	57	
*Days with ·04 in. or more.	12	10	12	7	10	10	10	8	6	11	8	5	109	

40-9999

S" = SNOW

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

[P.T.O.]



Station No. _____

2815

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at MONUMENT PLACE, LIVERPOOL

in the County of LANCASTER

Diameter of Funnel of Gauge..... $9\frac{1}{2}$ in. SELF-RECORDING

Height of top of Gauge above Ground 4 ft. 6 in.

Ground Sea Level 24.5 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	·10	·09	—	—	—	—	—	—	—	·14	—		1
2	·02	—	·15	·04	·01	·04	—	·03	—	—	—	—		2
3	·01	·57	·22	—	·12	—	—	—	—	—	—	—		3
4	·38	·01	·08	—	·12	—	—	·01	—	—	·04	—		4
5	·09	·03	·05	—	·05	—	—	—	—	—	·04	—		5
6	—	·27	·11	—	·12	—	—	—	—	—	·02	—		6
7	·02	·36	—	—	·01	—	·08	·01	—	·42	—	—		7
8	·09	—	·19	·03	·04	—	·09	—	—	—	—	·03		8
9	—	·28	—	·03	—	—	·61	—	—	·28	·15	—		9
10	·05	·11	—	—	—	·08	·05	—	—	·05	·01	—		10
11	·02	—	—	—	·01	—	·29	—	—	·17	—	·11 ^s		11
12	·07	—	—	—	—	·03	·29	—	—	·01	·02	·09 ^s		12
13	—	—	—	—	·12	—	·08	·12	—	·41	·44	—		13
14	·20	—	—	—	—	—	·12	·04	—	—	·43	—		14
15	·13	—	·03	—	—	—	·05	·01	—	·52	·14	·01		15
16	·13 ^s	·01	·12	—	·07	·18	—	·02	—	·21	·01	·01		16
17	·09	·02	·41	—	—	·40	—	·04	·09	—	·01	—		17
18	·04	—	·17	—	—	·26	—	—	—	—	·03	·01		18
19	—	—	·22	—	—	·05	·02	—	·10	—	·24	·02		19
20	—	·08	—	—	·38	·20	—	·83	·06	—	—	—		20
21	—	—	—	—	—	·18	—	·16	—	—	—	—		21
22	—	—	—	·06	—	—	—	·12	—	·02	—	—		22
23	—	—	—	·25	—	·25	—	—	·08	·05	—	—		23
24	—	·34 ^s	—	·13	·14	·35	—	—	·36	—	—	—		24
25	—	·13	—	·13	—	—	—	—	·09	—	—	·17		25
26	—	·00	—	·14	—	—	—	—	—	·25	—	—		26
27	—	—	—	—	·60	—	—	—	·01	·02	—	—		27
28	—	·01	—	·01	—	—	·05	·48	—	—	—	—		28
29	·03	—	—	—	—	—	—	·07	—	—	—	·03		29
30	·04	X	·03	·15	·01	·02	·03	—	—	·21	—	·08		30
31	·04	X	·05	X	—	X	·01	·01	X	·17	X	·06		31
TOTAL	1·45	3·32	1·92	·97	1·80	2·04	1·77	1·95	·79	3·79	1·72	·62	Year's Total	22·14
*Days with ·or in. or more.	17	15	14	10	14	12	13	14	7	14	14	11		155
*Days with ·04 in. or more.	12	10	12	7	10	10	10	8	6	11	8	5		109

40-9999

"S" = SNOW.

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

[P.T.O.]

Section



for the entry of Daily Observations.

Station No. 2815

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at MONUMENT PLACE, LIVERPOOL

in the County of LANCASTER

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 3 in.
Ground Sea Level 124.25 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.08	—	—	—	—	—	—	.15	.16	.01	.58	.74		1
2	—	—	.10	—	—	—	—	.45	.06	—	.22	.26		2
3	.17	—	—	—	—	—	—	—	—	.13	.04	.15		3
4	.13	—	.06	.02	.09	—	—	"tr"	.06	.76	—	.90		4
5	—	—	.03	—	.02	—	—	.74	—	.03	.01	.03		5
6	—	—	.03	.05	.22	—	—	—	—	.16	—	.15		6
7	.32	.01	.03	.02	.03	—	—	—	—	.07	.12	.24		7
8	—	—	—	—	.23	.06	—	.03	—	.34	.53	.01		8
9	—	—	.14	—	—	—	—	.08	.06	—	.36	—		9
10	—	.01	.14	.35	—	—	—	.85	—	.04	.01	—		10
11	.01	—	.01	.43	—	—	—	.10	—	—	.05	.14		11
12	.02	—	.03	.08	—	—	"tr"	.09	—	.02	—	—		12
13	.17	—	.01	.02	.02	.01	.33	—	—	.05	—	—		13
14	.13	—	.25	—	—	.02	—	—	—	.14	.03	.06		14
15	.09	—	.19	—	.50	—	—	.08	.16	.17	.01	.23		15
16	.31	—	.04	—	.06	—	—	—	—	.13	.02	.06		16
17	.09	—	.19	.06	.26	—	.11	—	.11	.12	—	.11		17
18	.13	—	.01	.05	.35	.23	—	.02	.01	.01	—	.11		18
19	—	—	.14	—	.05	.13	—	.02	.19	.09	—	.07		19
20	—	—	.01	.04	.06	.03	—	—	.12	.01	—	—		20
21	.01	—	.06	—	—	.27	—	.04	.29	.13	—	—		21
22	.05	—	.03	.01	—	.01	—	.05	.27	.14	—	.09		22
23	—	—	.04	.44	—	.29	.05	.04	.01	.22	.01	—		23
24	—	.18	—	—	.01	.06	.06	—	.14	.07	—	—		24
25	—	—	—	.05	.01	—	.02	—	.13	.04	—	.41		25
26	.02	—	.02	.14	—	.08	.01	—	.03	.01	—	—		26
27	—	—	—	.02	—	.03	.09	—	—	.19	—	.22		27
28	—	—	—	.04	—	—	—	1.03	.08	.19	—	.62		28
29	—	X	—	—	—	—	.11	—	.26	1.06	—	.06		29
30	.19	X	—	—	—	—	.03	.03	.24	1.22	—	.01		30
31	—	X	—	X	—	X	—	.04	X	.36	X	.17		31
TOTAL	1.92	.20	1.56	1.82	1.91	1.22	.81	3.84	2.38	5.91	1.99	4.84	28.40	
* Days with .01 in. or more.	16	3	21	16	14	12	9	17	18	28	13	22	189	
* Days with .04 in. or more.	12	1	11	11	9	7	6	13	15	22	7	19	133	

Section



for the entry of Daily Observations.

Station No. 2815

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at MONUMENT PLACE, LIVERPOOL

in the County of LANCASTER

Diameter of Funnel of Gauge.....5".....in.

Height of top of Gauge above Ground.....1.....ft. 3.....in.

,, Ground ,, Sea Level ...124.25.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.18	.04	—	—	—	.01	.25	—	.50	.24	.06	.16		1
2	—	.07	—	—	—	.14	—	—	—	.01	—	.13		2
3	.04	.38	.11	.10	—	.09	—	—	.25	—	.16	.25		3
4	—	.03	.04	.01	—	.12	—	—	.05	.16	—	—		4
5	—	.25	.15	.08	—	—	—	—	.41	.04	.22	.22		5
6	—	—	—	.14	—	.09	—	—	.01	—	—	—		6
7	—	—	—	.02	—	.05	—	—	—	.13	.08	.34		7
8	—	—	—	.08	—	—	—	.02	—	.07	.20	.03		8
9	.04	.02	—	.20	—	.07	—	—	—	.61	.03	—		9
10	—	.08	—	—	—	.10	—	—	—	.13	.02	—		10
11	.70	—	—	—	—	.20	—	.03	—	.07	.04	—		11
12	.01	.09	—	—	—	.14	—	—	.01	—	—	—		12
13	.15	.02	—	.08	.22	.01	—	—	.19	—	.05	—		13
14	.03	—	—	—	—	.17	1.22	—	.01	—	.54	.21 ⁴		14
15	—	.32	—	.46	.02	—	.06	—	.13	—	—	.82		15
16	.01	.24	.05	.14	.25	.25	.07	—	.67	—	.59	—		16
17	—	—	—	.23	.82 ⁴	.40	1.32	.80	.01	.07	.62	—		17
18	—	—	—	.11	.31	.04	.06	—	.41	.06	—	—		18
19	—	—	—	.28	.29	.42	.19	—	—	.04	.12	.01		19
20	—	.24	—	.64	—	.09	.01	—	—	—	.11	—		20
21	—	.22	—	—	—	—	—	—	.87	.08	—	.19		21
22	—	.20	.03	—	—	—	—	—	.03	—	—	—		22
23	.06	.06	.35	—	—	—	—	.04	.20	.69	—	—		23
24	.18	.27	.12	—	—	—	—	—	.47	.02	—	.21 ⁴		24
25	.12	.07	.04	—	—	.02	—	—	—	—	.04	—		25
26	—	.05	—	—	—	—	—	.72	.47	.01	.03	.14		26
27	—	—	—	—	.05	.17	.07	.01	.20	.18	.36	.02		27
28	.06	.06	—	—	"tr"	—	—	.38	.31	.27	.04	—		28
29	—	X	.05	—	—	.08	—	.14	.49	.04	.08	.05		29
30	.04	X	—	.01	—	.43	—	.09	.14	.19	.46	.07		30
31	.03	X	—	X	—	X	—	—	X	.08	X	.65		31
TOTAL	1.65	2.71	.94	2.58	1.96	3.09	3.25	2.23	5.83	4.19	3.85	3.50	35.78	
* Days with .01 in. or more.	14	19	9	15	7	21	9	9	21	21	20	16	181	
* Days with .04 in. or more.	10	16	8	12	6	18	8	6	16	18	17	13	148	

40-9999. "S" = SNOW & HAIL.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

P.T.O.

Section **A** for the entry of Daily Observations.Station No. **2815**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936. **D**Kept at **MONUMENT PLACE, LIVERPOOL.**in the County of **LANCASTER**Diameter of Funnel of Gauge.....**5**.....in.Height of top of Gauge above Ground....**1**.....ft....**3**.....in.,, Ground ,, Sea Level **124.25**.....ft.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	.17	.13	.25	—	.09	—	.37	.03	—	.33	.84		1
2	.17	.01	—	.09	—	.46	—	—	.02	—	.15	.37		2
3	—	—	—	—	—	.50	.03	.01	.32	—	—	.02		3
4	.04	.32	.15	—	—	.03	—	.01	.11	—	.20	.24		4
5	.12	.11	.09	—	—	—	—	.34	.21	—	.01	.21		5
6	.04	—	—	—	.05	—	.07	.03	.31	—	.11	—		6
7	—	—	.08	—	—	—	.06	—	.38	—	.15	.18		7
8	.08	—	.32	—	—	—	"tr"	—	.06	—	.31	.02		8
9	.30	—	.01	—	—	.04	.14	—	.23	—	.22	—		9
10	.06	—	—	—	—	—	.13	—	—	—	.05	—		10
11	—	—	"tr"	.02	—	.06	.46	.05	.11	—	.40	.18		11
12	—	—	—	—	.02	.10	.32	—	.31	.05	.08	—		12
13	.02	—	—	"tr"	.03	—	.09	—	.01	.26	.06	.38		13
14	—	—	—	.05	—	.40	.02	.17	.08	.02	.14	.51		14
15	.30	—	—	.02	.13	.03	—	.07	.15	—	.27	.02		15
16	"tr"	.08	—	.24	.15	—	.07	—	—	—	.60	—		16
17	.09	.32	—	—	.02	—	.01	.14	—	.07	.01	.02		17
18	—	.11	—	.03	—	—	.63	.18	—	.30	—	—		18
19	.48	.10	.01	.27	—	.05	.04	.17	—	.16	—	—		19
20	.51	.15	—	—	—	.05	—	—	—	.01	—	—		20
21	.54	—	.02	.09	—	.39	—	—	—	—	—	.06		21
22	.08	.55	.05	—	—	.45	.41	—	—	—	—	.05		22
23	—	.01	.06	.03	—	—	.30	—	—	.03	—	—		23
24	.16	—	—	—	.01	—	—	—	.12	.13	—	—		24
25	.17	—	—	—	—	—	—	—	.49	.15	—	.02		25
26	.03	.11	.31	.01	—	—	.12	—	.04	.22	—	—		26
27	.57	—	—	—	—	—	—	—	.17	.36	—	—		27
28	.15	.23	.13	.03	—	.01	—	—	—	.04	—	.10		28
29	.03	.34	.19	—	.23	.36	—	—	—	.02	.14	.03		29
30	.12	~~X~~	—	—	.32	.48	.26	.05	—	.28	.12	—		30
31	.20	~~X~~	.06	~~X~~	.01	~~X~~	.02	—	~~X~~	—	~~X~~	.17		31
TOTAL	4.26	2.61	1.61	1.13	.97	3.50	3.18	1.59	3.15	2.10	3.35	3.42	60.87	
* Days with .01 in. or more.	22	14	14	12	10	16	18	12	18	15	18	18	187	
* Days with .04 in. or more.	19	12	11	6	5	13	14	9	15	11	16	12	143	

40-9999. "S" = Snow

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

[P.T.O.]

Section



for the entry of Daily Observations

Station No.

2815

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at MONUMENT PLACE, LIVERPOOLin the County of LANCASTER,Diameter of Funnel of Gauge.....5.....in.Height of top of Gauge above Ground...1.....ft. 3.....in.,, Ground ,, Sea Level ...124.25.....ft.**THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.01	.20	.12	—	—	—	—	—	.27	.15	.01	.06		1
2	—	.12	.12	.27	—	.01	—	—	.03	—	—	—		2
3	—	.09	—	.05	.09	.19	.05	—	.01	—	—	.06		3
4	.25	—	.03	.01	.10	—	—	.01	—	—	—	.38		4
5	.68	—	.08	.24	—	.02	.03	—	—	—	—	.74		5
6	.01	—	—	.06	.12	—	—	—	—	—	.01	.03		6
7	—	.33	—	.07	—	.12	—	—	.02	—	—	—		7
8	—	.41	—	.08	—	.02	.19	—	—	—	.10	—		8
9	—	.09	.01	.04	.19	.07	.12	.13	—	—	—	—		9
10	.01	.17	.02	—	—	—	—	—	—	—	—	.33		10
11	—	—	.20	—	.40	.02	—	—	—	—	—	—		11
12	.03	.46	.01	—	—	.40	—	.07	1.01	—	—	.27		12
13	—	.09	—	.01	—	—	—	1.39	.02	—	—	.24		13
14	—	.09	.01	—	—	—	—	.04	.04	—	.09	.15		14
15	.09	.25	—	.32	—	—	.72	—	.27	—	—	.12		15
16	—	.13	.21	.51	—	—	—	.14	.17	—	—	—		16
17	.04	.09	.10	.32	—	—	—	—	.04	—	—	.01		17
18	.19	.17	.07	.05	—	—	.09	.12	—	—	.49	.01		18
19	—	.03	.08	.36	.21	.16	—	—	.02	—	.14	—		19
20	.02	.04	—	.29	.82	—	.20	—	.01	—	.01	.06		20
21	.01	.27	.11	.10	.01	—	.14	—	.02	.15	—	.02		21
22	.12	.02	.01	—	.15	—	.03	—	—	.16	.15	.10		22
23	.06	—	.01	—	.20	—	.14	—	—	.64	.13	—		23
24	.06	.46	.03	—	—	—	.05	—	.24	.53	—	.02		24
25	—	.33	.01	—	—	—	—	.43	—	.03	—	.01		25
26	—	.31	.09	—	.23	—	—	—	—	.06	—	—		26
27	—	.74	—	.37	—	—	—	—	—	.33	—	—		27
28	—	.06	—	—	—	—	—	—	—	.10	—	—		28
29	.02	X	—	—	—	.01	—	—	—	.46	.31	—		29
30	.13	X	—	—	—	.26	—	—	.11	.03	.36	—		30
31	.13	X	—	X	—	X	—	.14	X	.03	X	—		31
TOTAL	1.86	4.95	1.32	3.15	2.52	1.28	1.76	2.47	2.28	2.67	1.80	2.61	28.67	
* Days with .01 in. or more.	17	23	19	17	11	11	11	9	15	12	11	17	173	
* Days with .04 in. or more.	10	21	10	15	10	6	9	8	8	9	8	11	125	

"S" = Snow.

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed)

[P.T.O.]

Section



for the entry of Daily Observations

Station No. 2815

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at MONUMENT PLACE, LIVERPOOL.

in the County of LANCASTER.

Diameter of Funnel of Gauge.....5" in.

Height of top of Gauge above Ground...1 ft. 3 in.

,, Ground ,, Sea Level...124.25 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	—	—	—	.83	—	.39	.05	.05	.15	.20		1
2	—	.12	—	.19	—	.05	.03	—	"tr"	.37	.03	.13		2
3	—	—	—	—	—	.01	.07	—	.19	.48	.11	—		3
4	—	—	—	.02	—	.05	.21	—	—	.03	—	.69		4
5	.04	—	—	—	—	.01	.14	1.48	.13	.13	—	.02		5
6	.15	—	—	—	—	.03	.34	—	.74	.06	—	—		6
7	.23	—	—	—	—	—	.36	.08	.03	.01	—	—		7
8	.41	.02	—	—	—	.02	.35	.41	—	.41	—	.63		8
9	—	.25	.05	—	—	.28	.19	1.58	—	—	—	.10		9
10	.09	.03	—	—	—	.02	.41	—	.03	—	—	.28		10
11	.23	—	—	—	.09	.01	.01	.01	.03	.18	.09	.06		11
12	.02	—	—	—	.07	—	—	—	—	.70	.29	—		12
13	.01	—	—	—	.08	—	.04	.01	.03	—	.04	.02		13
14	.35	—	—	—	.06	—	.01	—	—	—	.04	—		14
15	.11	—	—	—	—	—	.08	.15	—	.05	.01	.09		15
16	.13	—	.09	—	—	—	.14	.01	.09	.28	.01	.02		16
17	—	—	—	—	.04	—	.05	.04	.02	.56	—	.04		17
18	.01	—	—	—	.04	.01	—	.20	—	.16	.25	—		18
19	—	—	—	—	—	—	—	.10	.03	—	—	—		19
20	.04	—	.07	—	—	—	—	.07	.02	—	.24	—		20
21	—	—	.01	—	—	"tr"	—	.24	—	—	.44	—		21
22	—	—	—	.01	.04	.29	—	.01	—	—	.35	—		22
23	—	—	—	—	.04	.13	—	—	.22	—	.12	—		23
24	.04	.04	.24	—	"tr"	—	—	.61	.03	.18	.05	—		24
25	—	.05	.19	—	—	.01	.22	—	—	.34	.62	.10		25
26	.11	.12	.29	—	.27	.30	—	—	.08	.35	.05	.12		26
27	.24	.03	—	—	.58	—	.10	.23	—	—	.29	—		27
28	.15	—	—	—	—	.44	.27	.02	.01	.01	.01	.13		28
29	.50	~~X~~	—	—	1.15	.09	.10	—	—	.17	.13	.20		29
30	.03	~~X~~	—	—	—	—	—	—	.58	—	.22	.11		30
31	.11	~~X~~	—	~~X~~	.31	~~X~~	—	—	~~X~~	.17	~~X~~	.81		31
TOTAL	3.00	.66	.94	.22	2.77	2.58	3.12	5.64	2.31	4.69	3.54	3.75	33.22	
* Days with .01 in. or more.	20	8	7	3	12	17	19	18	17	20	21	18	180	
* Days with .04 in. or more.	16	5	6	1	12	9	16	13	8	17	17	15	135	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) [P.T.O.]

Section



for the entry of Daily Observations

Station No. 2815

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at MONUMENT PLACE, LIVERPOOL

in the County of LANCASTER

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

Ground Sea Level 124.25 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.30	—	.02	.30	—	—	.02	—	.01	—	—	.02		1
2	.05	—	.03	.17	—	—	.08	.64	.35	—	—	.05		2
3	.26	—	.12	.21	—	—	—	.12	.01	—	.05	.65		3
4	.25	—	.08	.28	.13	—	.33	—	—	.12	.10	.40		4
5	—	—	—	.08	.33	—	.38	.09	—	.11	.30	—		5
6	.81	.05	—	—	—	—	.33	—	—	—	.03	—		6
7	—	.13	.01	—	—	—	.11	.01	—	—	.21	.46		7
8	.05	.14	.29	.01	—	—	.67	.02	—	.17	.22	.17		8
9	.07	.10	—	—	—	—	—	.19	—	.34	—	.47		9
10	.32	—	"tr"	—	—	.06	—	.21	.22	.13	.02	.23		10
11	.38	.05	.25	—	—	.22	—	—	—	.07	—	—		11
12	.41	.04	—	—	—	.17	—	—	.03	—	—	—		12
13	.01	—	.02	.18	.24	.13	.29	—	.20	.13	.04	—		13
14	.48	—	—	.01	.15	.55	.23	—	—	.03	.38	—		14
15	.10	.01	.01	.22	.08	.62	.28	—	—	—	.17	—		15
16	—	—	.11	—	.30	—	.10	—	—	.09	.13	—		16
17	.62	.02	—	—	.15	.07	—	—	—	.64	.01	—		17
18	.15	.13	.05	—	—	.21	.15	—	—	—	.91	—		18
19	.24	—	—	—	—	—	.47	—	—	—	.05	—		19
20	.12	—	.04	—	—	.06	.26	.01	—	—	—	—		20
21	.05	—	.36	.03	.01	—	—	.05	.09	—	—	—		21
22	.11	.57	.09	.13	—	—	.12	—	—	.02	.62	—		22
23	.04	.41	"tr"	.12	—	.07	.10	—	—	.40	.20	—		23
24	—	.10	—	—	—	.01	.06	—	—	.13	—	—		24
25	.07	.10	—	.19	—	.13	—	—	—	.01	.47	.02		25
26	—	—	—	—	—	—	—	"tr"	—	—	.16	—		26
27	.02	.75	.07	—	—	.22	.14	.03	—	—	.08	.28		27
28	—	.04	.13	.02	—	.01	.37	—	—	—	.49	—		28
29	—	X	—	.08	—	—	1.23	.08	—	.06	.07	—		29
30	—	X	—	—	—	.12	.13	—	—	—	.04	.03		30
31	—	X	—	X	—	X	.06	.05	X	.02	X	—		31
TOTAL	4.91	2.64	1.68	2.03	1.39	2.65	5.91	1.50	.91	2.47	4.75	2.78	33.62	Year's Total
* Days with .01 in. or more.	22	15	16	15	8	15	22	12	7	16	22	11	181	
* Days with .04 in. or more.	20	13	11	11	7	13	21	8	4	12	19	8	147	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) [P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 2815

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19340

Kept at MONUMENT PLACE, LIVERPOOL.

in the County of LANCASTER

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....1.....ft. 3.....in.

,, Ground ,, Sea Level 124.25.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	.03	—	.05	—	—	—	—	.01	—	.19	.08		1
2	—	—	—	.20	—	—	.07	—	—	—	.15	.22		2
3	—	.11	.01	.21	—	—	.05	—	—	—	.05	.06		3
4	—	.06	—	—	—	—	.01	—	—	.11	.19	.05		4
5	—	—	—	—	.19	—	.21	—	—	.15	.21	.11		5
6	.11	.28	—	—	—	—	.15	—	—	1.02	.06	.02		6
7	.01	.34	—	.12	.06	—	—	.01	.10	.06	—	—		7
8	—	—	—	—	—	—	—	—	.22	.21	—	.25		8
9	—	—	.25	.01	—	—	.80	.01	.08	.45	1.02	.19		9
10	—	—	.05	—	—	—	.29	.04	—	.33	.17	.22		10
11	—	—	.03	.04	—	—	.12	—	—	—	1.06	.15		11
12	—	—	.20	—	—	.21	1.08	.16	.35	—	.23	—		12
13	—	—	.31 ^{1/2}	—	—	—	—	.01	.25	—	.07	.02		13
14	—	—	.01	.13	.14	—	—	.07	.39	—	.22	.10		14
15	—	—	—	.03	.85	.01	—	—	.07	—	.06	.03		15
16	—	.19	.26	—	—	—	.22	—	.69	.36	.21	.12		16
17	—	—	.58	.04	—	—	.02	—	.03	—	.59	.01		17
18	.05	.32	.20	.20	—	—	—	.33	.32	.01	—	.26		18
19	—	.26	.15	.02	—	.02	.07	—	.20	.01	.11	.01		19
20	—	—	—	.30	—	.01	.15	.03	.07	.41	.11	—		20
21	—	—	.05	—	.02	.39	.01	.01	—	—	.75	—		21
22	—	—	.03	—	.16	.15	—	.05	.06	—	—	—		22
23	.09 ^{1/2}	.04	—	.21	—	—	.05	—	.12	—	.09	—		23
24	.17	—	.14	—	.02	—	"tr"	—	—	—	—	—		24
25	.02	—	—	—	.17	—	—	—	—	—	—	—		25
26	1.16 ^{3/4}	.13	—	.28	.05	—	.21	.02	—	—	.05	.01		26
27	1.07 ^{3/4}	.47	—	—	—	—	.01	—	—	—	.17	—		27
28	1.16 ^{3/4}	.11	—	—	.23	—	—	.01	—	—	—	.01		28
29	—	—	.35	.06	—	.22	.07	—	—	.05	—	.43		29
30	.02 ^{1/2}	~~X~~	—	.22	.03	—	—	—	—	.23	—	.07		30
31	.04 ^{1/2}	~~X~~	.03	~~X~~	.01	~~X~~	—	.06	~~X~~	1.07	~~X~~	.01		31
TOTAL	2.50 ^{1/2}	2.34	2.65	2.12	1.93	1.01	3.59	.81	2.96	4.47	5.76	2.43	34.57	32.57
* Days with .01 in. or more.	11	12	16	16	12	7	18	13	15	14	21	22	177	
* Days with .04 in. or more.	8	11	11	13	8	4	14	6	13	12	21	14	135	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

[P.T.]